

CRPL-F 241 PART B

FOR OFFICIAL USE

PART B
SOLAR - GEOPHYSICAL DATA

ISSUED
SEPTEMBER 1964

**U. S. DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
CENTRAL RADIO PROPAGATION LABORATORY
BOULDER, COLORADO**

SOLAR - GEOPHYSICAL DATA

CONTENTS

I DAILY SOLAR INDICES

- (a) Relative Sunspot Numbers and 2800 Mc/s Solar Flux - July - August 1964
- (b) Graph of Sunspot Cycle

II SOLAR CENTERS OF ACTIVITY

- (a) Calcium Plage and Sunspot Regions - August 1964
- (b) Magnetic Classifications of Sunspots (Mt. Wilson) - August 1964
- (c) Provisional Coronal Line Emission Indices - August 1964

III SOLAR FLARES

- (a-e) Optical Observations - August 1964
- (f) Flare Patrol Observations - August 1964
- (g-h) Optical Observations - May 1964
- (i) Flare Patrol Observations - May 1964
- (j-l) Solar X-ray Average Flux and Outstanding Events (NRL) - April - June 1964
- (m) Ionospheric Effects (SWF-SEA-SCNA-SPA SES-SFD-Bursts) - July 1964
- (n) 26 Mc/s - Riometer Events (South Pole) - July 1964

IV SOLAR RADIO WAVES

- (a) 2800 Mc/s Outstanding Occurrences (ARO-Ottawa) - August 1964
- (b) 169 Mc/s Interferometric Occurrences (Nangay) - August 1964
- (c) 108 Mc/s Outstanding Occurrences (NBS-Boulder) - August 1964
- (d) 7.6-41 Mc/s Spectral Observations (HAO-Boulder) - August 1964
- (e-j) 9.1 cm Spectroheliograms (Stanford) - August 1964

V COSMIC RAY INDICES

- (a) Climax Neutron Monitor - July 1964
- (b) Deep River Neutron Monitor - July 1964

VI GEOMAGNETIC ACTIVITY INDICES


- (a) C, Kp, Ap and Selected Quiet and Disturbed Days - July 1964
- (b) Chart of Kp by Solar Rotations - 1964

VII RADIO PROPAGATION QUALITY INDICES

- (a) CRPL Quality Figures and Forecasts - North Atlantic and North Pacific - July 1964
- (b) Graphs Comparing Forecasts and Observed Quality - North Atlantic and North Pacific - July 1964
- (c-d) Graphs of Useful Frequency Ranges - North Atlantic - July 1964

VIII ALERT PERIODS AND SPECIAL WORLD INTERVALS

- (a) IQSY Alert Periods - August 1964



The descriptive text was republished in November 1963 with an addendum in August 1964. New data given in this issue are described below.

SOLAR X-RAY RADIATION

Data from the NRL Solar Radiation Monitoring Satellite, now in orbit, are presented in Tables III j-1. Measurements of x-ray fluxes are made in the bands 0-8, 8-20, and 44-60 Angstroms. This program is under the direction of Robert W. Kreplin of the U. S. Naval Research Laboratory.

Explanations of the column entries follow.

1. Times of Observations

These are the intervals of time (UT) when the satellite was in range of a telemetry station. Intervals have not been included when x-ray flux could not be reduced from the records due to noise or other interference.

2. Average X-Ray Flux


a. 44-60 A

The average flux is calculated from the records reduced for the listed intervals. This reduction is made assuming that the solar x-ray spectrum can be approximated by a 0.5×10^6 °K "gray" body (ref. 1). This assumption is used only for convenience. Austin, Purcell, and Tousey (ref. 2) have photographed a line spectrum in the region 44-60 A. Calculation of the flux values using this spectrum does not yield a value greatly different from that calculated here. The probable limit of error in each flux value is approximately $\pm 10\%$.

b. 8-12 A

The 8-12 A flux is calculated on the assumption that this region of the spectrum may be approximated by a 2×10^6 °K "gray" body. Earlier published results have given the flux in the band 8-20 A. Measurement of the solar spectrum between 13 and 26 Angstroms by Blake (to be published) has revealed a number of emission lines. Therefore, it seems advisable to limit the calculation to the region of sensitivity of the photometer (ref. 3).

Normally the 8-12 A flux is below the threshold of the measurement system. The numbers listed in this column preceded by < indicate the nominal threshold value for the day.



c. 0-8 A

The flux in this spectral range is calculated using a 2×10^6 OK "gray" body assumption. Here also the flux is normally below the threshold of the measurement system and the column entry represents the threshold value.

All flux values are in $\text{ergs cm}^{-2} \text{ sec}^{-1}$. The probable limit of error for the 8-12 and 0-8 A measurements are $\pm 10\%$ for purposes of comparison.

3. Outstanding Events

In this table are listed those intervals in which the x-ray flux was significantly greater than the average for the day.

* * * * *


REFERENCES

1. Kreplin, R. W., Solar X-rays, Ann. Geophys. 17, 151-161, 1961.
2. Austin, W. E., J. D. Purcell and R. Tousey, Astron. J. 69, 133, 1964.
3. Kreplin, R. W., NRL Solar Radiation Monitoring Satellite, Description of Instrumentation and Preliminary Results, Presented at the COSPAR Symposium (Working Group 2) at Florence, Italy, 11 May 1964, to be published in SPACE RESEARCH V.

DAILY SOLAR INDICES

July 1964	American Relative Sunspot Numbers R_A'
1	3
2	0
3	1
4	4
5	3
6	1
7	0
8	0
9	0
10	0
11	0
12	0
13	1
14	13
15	13
16	13
17	6
18	2
19	0
20	0
21	0
22	0
23	0
24	0
25	0
26	0
27	0
28	0
29	0
30	0
31	7
Mean:	2.2

Aug. 1964	Zürich Provisional Relative Sunspot Numbers R_Z	Daily Values Solar Flux at 2800 Mc, Ottawa, Canada Flux	
		S	S_A
1	9	66.9	68.9
2	20	67.7	69.7
3	17	68.0	70.1
4	8	67.9	69.8
5	8	69.0	71.0
6	7	68.2	70.2
7	7	67.7	69.6
8	0	67.5	69.4
9	0	67.9	69.8
10	7	68.8	70.7
11	8	68.1	69.9
12	21	69.8	70.6
13	21	74.0	75.9
14	36	76.1	78.0
15	30	75.4	77.3
16	30	73.0	74.8
17	12	71.5	73.3
18	8	69.6	71.3
19	7	70.6	72.2
20	7	69.7	71.4
21	7	69.2	70.8
22	0	69.0	70.6
23	0	68.8	70.3
24	0	68.4	69.9
25	0	67.7	69.1
26	0	67.5	68.9
27	0	68.2	69.6
28	0	67.2	68.6
29	0	67.1	68.5
30	0	68.6	69.9
31	7	68.9	70.2
Mean:	8.9	69.3	71.0



PREDICTED AND OBSERVED SUNSPOT NUMBERS

CALCIUM PLAGE AND SUNSPOT REGIONS

AUGUST 1964

August 1964	LAT.	MCMATH PLAGE NUMBER	RETURN OF REGION	CALCIUM PLAGE DATA						SUNSPOT DATA		
				CMP VALUES		HISTORY	AGE (ROTATIONS)	DATE FIRST SEEN (1)	DURATION (DAYS)(1)	CMP VALUES		HISTORY
				AREA	INT.					AREA	COUNT	
2.2	S48	7427	New	200	1	b - d	1	Aug. 1	2			
2.9	N23	7423(2)	New	(200)	(1)	l - d	1	July 28	1			
3.5	N09	7438(2)	New	(200)	(1.5)	b - l	1	Aug. 9	1			
3.7	N09	7428	New	100	1	b - d	1	Aug. 1	3			
4.2	N01	7431(2)	New	(200)	(2)	b - d	1	Aug. 6	1			
5.6	S16	7429(2)	New	100	1.5	b - d	1	Aug. 3	1			
5.7	S03	7432(2)	New	100	1	b - d	1	Aug. 6	1			
6.6	N34	7433(4)	7384	300	1.5	b - d	3	Aug. 6	3			
6.5	S10	7435	New	100	2.5	b - d	1	Aug. 7	2			
7.3	S37	7440(2)	New	(100)	(2)	b - d	1	Aug. 10	1			
8.8	S27	7439(2)	New	200	2.5	b - d	1	Aug. 9	1			
9.3	S12	7436(2)	New	200	1.5	b - d	1	Aug. 7	1			
10.9	N25	7430(5)	New	500	2	l / l	1	Aug. 4	14	210	4	b / l
11.6	S11	7434	New	(100)	(1)	l - d	1	Aug. 6	5			
12.1	N07	7445(5)	New	(300)	(3)	b / l	1	Aug. 16	3			
13.6	S12	7442(2)	New	(300)	(1.5)	b - d	1	Aug. 10	1			
13.9	S23	7447(2)	New	(200)	(1)	b - d	1	Aug. 18	1			
14.2	N29	7437	7404	600	1	l / d	2	Aug. 7	11			
16.4	N08	7443	New	1200	3	l / l	1	Aug. 10	13	218	6	b - l
18.4	N10	7444	New	200	2	b - d	1	Aug. 15	3			
18.5	N05	7446(2)	New	200	2	b - d	1	Aug. 16	1			
20.0	N26	7453(2)	New	(200)	(2.5)	b - d	1	Aug. 24	1			
21.3	N04	7455(2)	New	(100)	(2)	b - d	1	Aug. 25	1			
23.6	N06	7452(2)	New	100	2	b - d	1	Aug. 23	1			
24.2	N04	7449	New	200	1.5	b - d	1	≤Aug. 22	≥ 2			
24.6	N23	7451	New	300	1.5	b - d	1	≤Aug. 22	≥ 4			
24.9	N14	7450	New	400	1.5	b - d	1	≤Aug. 22	≥ 3			
26.1	N27	7459(2)	New	(200)	(1.5)	b - d	1	Aug. 28	1			
26.2	N23	7456	New	200	2	b - d	1	Aug. 25	2			
26.3	N44	7466(2)	New	(100)	(2)	b - d	1	Aug. 30	1			
26.6	N07	7448	7426	900	1.5	l / l	2	Aug. 19	15			
27.3	N24	7467(2)	New	(100)	(2)	b - d	1	Aug. 30	1			
28.3	N30	7460(2)	New	200	1	b - d	1	Aug. 28	1			
29.3	N08	7462	New	100	1	b / d	1	Aug. 29	3			
29.5	N20	7457	New	200	1	b - d	1	Aug. 27	2			
29.9	N02	7454	New	400	1.5	l / d	1	Aug. 24	7			
30.0	N32	7463(2)	New	100	1	b - d	1	Aug. 29	1			
30.7	S32	7461(2)	New	100	1	b - d	1	Aug. 29	1			
30.8	N34	7464(2)	New	100	1	b - d	1	Aug. 29	1			
31.6	N37	7465(2)	New	(100)	(1)	b - d	1	Aug. 29	1			
31.8	N05	7458(2)	New	(100)	(2)	b - d	1	Aug. 27	1			

COMMERCE - STANDARDS - BOULDER

- (1) No calcium plage observations were secured at the McMath-Hulbert Observatory on August 11, 20, 21, 1964.
- (2) These very small and ephemeral plages last for only one day.
- (3) Plage 7430 experiences a remarkable rejuvenation on the disk on and after August 11.
- (4) Plage 7433 represents the weak remnants of plage 7384.
- (5) Plage 7445 is in the same position as the short-lived plage 7403 of the preceding rotation.

MT. WILSON MAGNETIC CLASSIFICATIONS OF SUNSPOTS

IIB

AUGUST 1964

Aug. 1964	TIME MEAS. UT	LAT.	MER. DIST.	TYPE	Aug. 1964	TIME MEAS. UT	LAT.	MER. DIST.	TYPE
1	1910	N20 N07	W54 W24	βp^* β	15	1645	N24 N07	W67 E13	$\beta \gamma^*$ βp
2	1800	N20 N07	W65 W35	βp^* βf	16	No Obs.			
3	1910	N07	W50	βf	17	1645	N08	W19	αp
4	1745	N06	W62	βf	18	2410	N09	W34	βp
5	1815	N07	W78	βp	19	No Obs.			
6	No Spots				20	No Obs.			
7	1800	S11	W17	αp	21	No Obs.			
8	No Spots				22	No Spots			
9	No Spots				23	No Spots			
10	2250	N08	E76	βp	24	No Spots			
11	2345	N10 N23	E58 W18	αp βp^*	25	No Spots			
12	1610	N10 N23	E49 W28	αp $\beta \gamma^*$	26	No Spots			
13	1615	N22	W42	$\beta \gamma^*$	27	No Spots			
14	1930	N23 N08	W56 E23	$\beta \gamma^*$ βf	28	No Spots			
					29	No Spots			
					30	No Spots			
					31	No Obs.			

COMMERCE - STANDARDS - BOULDER

* New cycle

PROVISIONAL CORONAL LINE EMISSION INDICES

AUGUST 1964

CMP Aug 1964	North East quadrant (observed 7 days earlier)			South East quadrant (observed 7 days earlier)			South West quadrant (observed 7 days later)			North West quadrant (observed 7 days later)		
	G ₆	R ₆	R ₁	G ₆	R ₆	R ₁	G ₆	R ₆	R ₁	G ₆	R ₆	R ₁
1	7	11	13	0	18	22	x	17	23	x	14	16
2	7	9	13	4	15	16	x	x	x	x	x	x
3	x	x	x	x	x	x	0	x	x	5	21	x
4	x	x	x	x	x	x	x	19	26	x	16a	26
5	9	14	17	5	15	18	x	x	20a	x	x	20a
6	x	x	x	x	x	x	x	x	x	x	x	x
7	x	x	x	x	x	x	x	x	x	x	x	x
8	x	x	x	3	9	12	x	x	x	x	x	x
9	6	12	12	x	9	x	x	x	x	x	x	x
10	x	x	x	x	x	x	x	x	x	x	x	x
11	x	x	x	x	x	x	x	x	x	x	x	x
12	9	12	6a	6	18a	26a	x	x	x	x	x	x
13	x	x	15	x	17	28	x	x	x	x	x	x
14	23	60	x	8	x	x	4	6	8	4	12	16
15	x	x	15	x	18	22	x	x	x	x	x	x
16	x	x	x	x	x	x	x	x	x	x	x	x
17	3	17	19	1	14	21	x	x	x	x	x	x
18	x	x	13a	x	16a	20a	x	x	x	x	x	x
19	x	x	x	x	x	x	x	x	x	x	x	x
20	x	x	x	x	x	x	x	x	x	x	x	x
21	x	x	x	x	x	x	x	x	x	x	x	x
22	x	x	x	x	x	x	6	8	x	4	x	x
23	x	x	x	x	x	x	0a	0a	x	0a	x	x
24	x	x	x	x	x	x	x	x	x	x	x	x
25	x	x	x	x	x	x	x	x	x	x	x	x
26	x	x	x	x	x	x	2a	6a	x	7a	x	x
27	x	x	x	x	x	x	0a	0a	15a	2a	9a	10a
28	6	8	10	4	9	16	x	12	16	x	12	14
29	x	x	x	x	x	x	0	0	x	2	x	x
30	x	x	x	x	x	x	x	x	x	x	x	x
31	x	x	x	x	x	x	1	3	x	0	x	x

x = no observations

* = yellow line emission

a = index computed from low weight data

COMMENTS - STANDARDS - BOULDER

SOLAR FLARES

AUGUST 1964

OBSERVATORY	DATE	OBSERVED UNIVERSAL TIME		LOCATION			DURA- TION — MINUTES	IM- POR- TANCE	OBS. COND.	TIME — U T	MEASUREMENTS			PROVISIONAL IONOSPHERIC EFFECT
		START	END	APPROX. LAT. MER. DIST.	MATH PLACE REGION	MEAS. AREA Sq. Deg.					CORR. AREA Sq. Deg.	MAX. WIDTH H _g	MAX. INT. %	
	AUG 1964													
LOCKHEED	01	1510	1530	NO FLARE		PATROL		1-	2	1850	.20	.30		10
LOCKHEED	01	1843	1915	1850		N10 W55		1-	2	1857	.30	.90		10
LOCKHEED	01	1854	1900	1857		N27 W80								
LOCKHEED	02	0320	0325	NO FLARE		PATROL		1-	2	1709	.20	.30		10
LOCKHEED	02	1704	1719	1709		N36 E58								
LOCKHEED	03	0205	0225	NO FLARE		PATROL								
LOCKHEED	03	0230	0235	NO FLARE		PATROL								
LOCKHEED	03	0240	0330	NO FLARE		PATROL								
LOCKHEED	03	0340	0530	NO FLARE		PATROL								
LOCKHEED	03	1210	1230	NO FLARE		PATROL								
LOCKHEED	04	0150	0450	NO FLARE		PATROL								
LOCKHEED	04	0515	0545	NO FLARE		PATROL								
LOCKHEED	04	0905	0915	NO FLARE		PATROL								
LOCKHEED	04	0935	1000	NO FLARE		PATROL								
LOCKHEED	04	1025	1230	NO FLARE		PATROL								
LOCKHEED	04	2208	2228	2215		N08 E03		1-	2	2215	.20	.20		10
LOCKHEED	04	2353	2359	2355		N08 W67		1-	2	2355	.40	.60		10
LOCKHEED	05	0450	0600	NO FLARE		PATROL								
LOCKHEED	05	1315	1330	NO FLARE		PATROL								
LOCKHEED	05	1452	1512	1500		N07 W74	7426	15 D	S	1500	2.20	5.00	2.70	
LOCKHEED	05	1545	1722	1722 D		N08 W77	7426	20 D	S					
LOCKHEED	05	1610	1650	1620		N07 W75		97 D						
LOCKHEED	05	1930	2002	1937		N03 W72			2	1620	.30	.80		10
LOCKHEED	05	1930	2002	1955		N03 W72			2	1955	.60	1.20		10
LOCKHEED	07	0215	0335	NO FLARE		PATROL		1-						
LOCKHEED	07	0350	0450	NO FLARE		PATROL								
LOCKHEED	07	0545	0550	NO FLARE		PATROL								
LOCKHEED	07	1010	1015	NO FLARE		PATROL								
LOCKHEED	07	1020	1100	NO FLARE		PATROL								
LOCKHEED	07	1120	1130	NO FLARE		PATROL								
LOCKHEED	07	1135	1230	NO FLARE		PATROL								
LOCKHEED	07	1351	1412	1400		S14 E22		1-	C		.57	.59		17
LOCKHEED	07	2100	2300	2200		N30 W03		1-	2	2200	.20	.20		10
LOCKHEED	08	0240	0250	NO FLARE		PATROL								
LOCKHEED	08	0315	0320	NO FLARE		PATROL								
LOCKHEED	08	0330	0335	NO FLARE		PATROL								
LOCKHEED	08	0900	0955	NO FLARE		PATROL								
LOCKHEED	08	1000	1305	NO FLARE		PATROL								
LOCKHEED	08	1455	1525	NO FLARE		PATROL								
LOCKHEED	09	0410	0515	NO FLARE		PATROL								
LOCKHEED	09	1426	1446	1430		N29 E44		1-	C		.49	.59		17
LOCKHEED	09	2340	2400	NO FLARE		PATROL								
LOCKHEED	10	0000	0015	NO FLARE		PATROL								

SOLAR FLARES

AUGUST 1964

OBSERVATORY	DATE	OBSERVED UNIVERSAL TIME		MAX. PHASE	LOCATION			DURA- TION — MINUTES	IM- POR- TANCE	OBS. COND.	TIME — U T	MEASUREMENTS		MAX. WIDTH In	MAX. INT. %	PROVISIONAL IONOSPHERIC EFFECT
		START	END		APPROX. LAT.	MER. DIST.	MONTH PLACE REGION					MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.			
LOCKHEED	10	0045	0050	NO FLARE	PATROL											
	10	0405	0625	NO FLARE	PATROL											
LOCKHEED	11	0034	0047	0038	N07 E63			1-	2	0038	0.30	0.80		10		
	12	0225	0250	NO FLARE	PATROL											
	12	0310	0430	NO FLARE	PATROL											
	12	0900	1245	NO FLARE	PATROL											
MITAKA	12	1710	1715	NO FLARE	PATROL											
	13	0118	0148	0129	N25 W33			1-	C							
MITAKA	13	0210	0310	NO FLARE	PATROL											
	13	0315	0405	NO FLARE	PATROL			1-	C							
BUCHAREST	13	0430	0450	NO FLARE	N25 W35			1-								
	13	0530	0555	NO FLARE	PATROL			1-	2		0.70	1.40				
BUCHAREST	13	0638	0641	D	N21 W37			1-	2		1.40	1.70				
	13	0749	0757	D	N22 W39			1-	2		1.40	2.10				
BUCHAREST	13	0922	0936	D	N22 W40			1-	2		0.70	1.40				
	13	0957	1032	D	N22 W40			1-	2		2.10	2.10				
AROSA	13	1240	1255	D	N22 W40			1	P							
	13	1605	1610	NO FLARE	PATROL		7430									
LOCKHEED	13	1705	1805	NO FLARE	PATROL			1-	2	1949	0.10	0.20		10		
	13	1946	1954	1949	N29 E65			1-	2	2045	0.30	0.30		10		
LOCKHEED	13	2030	2100	2045	N08 E34			1-	2	2136	1.00	1.00		20		
	13	2124	2215	2136	N09 E34			1-	2		0.49	0.53		18		
SAC PEAK	13	2132	2152	D	N10 E34			1-	C							
	14	0145	0200	NO FLARE	PATROL											
AROSA	14	0430	0435	NO FLARE	PATROL			1	V							
	14	0855	0924	0924	N08 E29		7443	1-	C	0859	0.30	0.30				
HTE-PROVEN	14	0856	0902	D	N08 E29			1-	C	0912	1.00	1.10				
	14	0910	0920	D	N08 E29			1-	C							
LOCKARNO	14	0923	1045	NO FLARE	PATROL											
	14	1055	1100	NO FLARE	PATROL											
LOCKARNO	14	1155	1230	NO FLARE	PATROL											
	14	1510	1525	1512	N08 E26		7443									
LOCKARNO	14	1645	1705	NO FLARE	PATROL			1	V	1512	1.00	1.00				
	14	1735	1740	NO FLARE	PATROL											
LOCKHEED	14	1800	1910	NO FLARE	PATROL											
	14	2015	2035	NO FLARE	PATROL											
LOCKHEED	14	2045	2100	NO FLARE	PATROL											
	14	2120	2140	NO FLARE	PATROL											
LOCKHEED	15	0145	0155	NO FLARE	PATROL											
	15	0910	0920	NO FLARE	PATROL											
LOCKHEED	15	1115	1140	NO FLARE	PATROL											
	15	1215	1240	NO FLARE	PATROL											
LOCKHEED	15	1730	1800	NO FLARE	PATROL											
	15	1900	1930	NO FLARE	PATROL											
LOCKHEED	15	2018	2036	2022	N07 E12			1-	2	2022	0.30	0.30		10		
	16	1200	1205	NO FLARE	PATROL											

SOLAR FLARES

AUGUST 1964

OBSERVATORY	DATE	OBSERVED UNIVERSAL TIME		MAX. PHASE	LOCATION			DURA-TION - MINUTES	IN-PORTANCE	OBS. COND.	TIME - U T	MEASUREMENTS		MAX. WIDTH Hg	MAX. INT. %	PROVISIONAL LONGSPHERIC EFFECT
		START	END		APPROX. LAT.	MER. DIST.	McMATH PLAGE REGION					MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.			
	AUG 1964															
LOCKHEED	16	1638	1655	1641	N29 W84			1-	2		1641	.50	1.50	10		
	16	2240	2245	NO FLARE	PATROL											
LOCKHEED	17	0245	0255	NO FLARE	PATROL			1-	2		1806	.20	.60	10		
	17	1800	1822	1806	N29 W85											
LOCKHEED	18	0017	0043	0024	S29 E80			1-	2		0024	.20	.60	10		
	18	0200	0250	NO FLARE	PATROL											
	18	1030	1040	NO FLARE	PATROL											
OTTAWA	18	1200	1211	1203	N05 W87			1-	C		1203	.24	.66			
	18	1220	1245	NO FLARE	PATROL											
	18	1405	1415	NO FLARE	PATROL											
	18	1420	1525	NO FLARE	PATROL											
LOCKHEED	18	2015	2105	2040	N08 W32			1-	2		2040	1.00	1.00	10		
	19	0340	0350	NO FLARE	PATROL											
	19	0400	0405	NO FLARE	PATROL											
	19	0410	0425	NO FLARE	PATROL											
	19	0430	0435	NO FLARE	PATROL											
	19	0445	0455	NO FLARE	PATROL											
	19	0520	0535	NO FLARE	PATROL											
	19	0845	0900	NO FLARE	PATROL											
BUCHAREST	19	0853	0901	0900	N10 W34	7443		1	1		0855	.30	2.10			
HTE-PROVEN	19	0905	0910	NO FLARE	PATROL			1-	C				.40			
LOCARNO	19	1050	1105	NO FLARE	PATROL	7443		1	S							
	19	1200	1210	NO FLARE	PATROL											
	19	1343	1358	NO FLARE	PATROL											
OTTAWA	19	1532	1600	1553	N07 W46			1-	C		1347	.18	.21	18		
SAC PEAK	19	1613	1645	1613	N08 W44			1-	C		1613	.29	.33	10		
LOCKHEED	19	1653	1713	1656	N09 E90			1-	2		1656	.20	1.00	10		
LOCKHEED	19	1655	1710	1659	N07 W47			1-	2		1656	.70	.70	10		
SAC PEAK	19	1655	1710	1659	N08 W48			1-	C			.57	.70	18		
	19	1656	1706	NO FLARE	PATROL											
HTE-PROVEN	19	1845	1942	1920	N12 W46			1-	C		1657	.40	.60	10		
LOCKHEED	19	2053	2120	2058	N10 E71			1-	2		1920	.40	.80	10		
LOCKHEED	19	0135	0155	NO FLARE	PATROL			1-	2		2058	.50	.50	10		
	20	0215	0235	NO FLARE	PATROL											
	20	0400	0530	NO FLARE	PATROL											
	21	0200	0220	NO FLARE	PATROL											
	21	0505	0530	NO FLARE	PATROL											
	21	1035	1100	NO FLARE	PATROL											
	22	0155	0210	NO FLARE	PATROL											
	22	0515	0520	NO FLARE	PATROL											
	22	0900	0935	NO FLARE	PATROL											
LOCKHEED	22	1921	2030	1945	N08 E44			1-	2		1945	1.20	1.20	20		
SAC PEAK	22	1933	1944	1938	N10 E48			1-	C			.98	1.22	18		
	23	0115	0150	0130	N31 W11			1-	2		0130	.10	.10	10		
LOCKHEED	23	0210	0345	NO FLARE	PATROL											

SOLAR FLARES

AUGUST 1964

OBSERVATORY	DATE	OBSERVED UNIVERSAL TIME		MAX. PHASE	LOCATION			DURA- TION MINUTES	IM- POR- TANCE	OBS. COND.	MEASUREMENTS			PROVISIONAL IONOSPHERIC EFFECT
		START	END		APPROX. LAT.	MER. DIST.	MCWATH REGION				TIME U T	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	
	AUG 1964													
LOCKHEED	23	0415	0630	NO FLARE	PATROL				1-	2				10
	23	1145	1145	NO FLARE	PATROL									
	23	1155	1245	NO FLARE	PATROL									
	23	1930	2030	2010	N10 E32							0.90		
	24	0125	0145	NO FLARE	PATROL									
	24	0200	0235	NO FLARE	PATROL									
	24	0300	0355	NO FLARE	PATROL									
	24	0455	0505	NO FLARE	PATROL									
LOCKHEED	24	1835	1900	1844	S06 E45				1-	1		0.20		10
	25	0030	0105	0045	N08 W20				1-	2		0.20		10
WENDEL	25	1021 E	1049 D		N01 E60	7454	28 D		1	2		4.00		10
LOCKHEED	25	1554	1600	1556	N10 W02				1-	2		0.10		10
	26	0255	0400	NO FLARE	PATROL									
LOCKHEED	26	0540	0555	NO FLARE	PATROL									
	26	0830	0855	NO FLARE	PATROL									
	26	0900	0950	NO FLARE	PATROL									
	26	1000	1035	NO FLARE	PATROL									
	26	1620	1625	NO FLARE	PATROL									
	26	2300	0010	2325	N10 W11				1-	2		0.40		10
	27	0010	0110	0023	N02 E39				1-	2		0.30		10
	27	0145	0205	NO FLARE	PATROL									
	27	0220	0330	NO FLARE	PATROL									
	27	1800	1910	NO FLARE	PATROL									
LOCKHEED	27	2350	0420	0006	N04 E70				1-	1		0.30		10
	28	0135	0155	NO FLARE	PATROL									
LOCKHEED	28	0210	0300	NO FLARE	PATROL									
	28	0315	0420	NO FLARE	PATROL									
	28	0435	0455	NO FLARE	PATROL									
	28	0535	0545	NO FLARE	PATROL									
	28	1750	1755	NO FLARE	PATROL									
	28	1800	1815	NO FLARE	PATROL									
	28	1800	1815	NO FLARE	PATROL									
	28	2040	2140	NO FLARE	PATROL									
	29	1050	1245	NO FLARE	PATROL									
	29	1710	1720	NO FLARE	PATROL									
SAC PEAK	30	0145	0200	NO FLARE	PATROL									17
	30	0520	0540	NO FLARE	PATROL									20
	30	1342	1349	1344	N26 E90				1-	C		0.29		10
	30	1411	1436	1415	N26 E90				1-	C		1.43		20
	30	2300	2330	2310	N24 E80				1-	2		0.30		10
LOCKHEED	30	2359	0025	0010	N24 E80				1-	2		0.30		10
	31	0001 E	0019 D	NO FLARE	PATROL				1-	2		0.33		1.65
MANILA	31	0225	0245	NO FLARE	PATROL									
	31	0255	0400	NO FLARE	PATROL									

SOLAR FLARES

AUGUST 1964

OBSERVATORY	DATE	OBSERVED UNIVERSAL TIME		LOCATION			DURA- TION — MINUTES	IM- POR- TANCE	OBS. COND.	MEASUREMENTS				PROVISIONAL IONOSPHERIC EFFECT
		START	END	APPROX. LAT.	MER. DIST.	MATH PLACE REGION				MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH He	MAX. INT. %	
	AUG 1964													
	31	0500		NO FLARE	PATROL									
	31	0920		NO FLARE	PATROL									
	31	1750		NO FLARE	PATROL									

COMMENCE - STANDARDS - BUILDUP

ATHENS	ATHENS, GREECE	HONOLULU	HAWAII, USA	NERA	NEDERHORST den BERGH, NETHERLANDS
BAKOU	PIRGULI, USSR	IKOMASAN	KYOTO, JAPAN	NIZHIR	KRASNAYA PAKHRA, USSR
CAPETOWN	ROYAL OBSERVATORY, CAPE OF GOOD HOPE	KIEV KO	KIEV GAO, USSR	SAC PEAK	SACRAMENTO PEAK, N. MEX. USA
CAPRI F	CAPRI, ITALY (GERMAN)	KIEV KY	KIEV UNIVERSITY, USSR	SALTSJOBADEN	STOCKHOLM, SWEDEN
CAPRI S	CAPRI, ITALY (SWEDISH)	LOCKHEED	LOS ANGELES, CALIF., USA	SCHAUNINS	SCHAUNISLAND, GFR
CRIMEE	SIMEIZ, USSR	MCMATH	MCMATH-HULBERT	TACHKENT	TASHKENT, USSR
HERSTMONCEU	ROYAL GREENWICH OBSERVATORY, HERSTMONCEUX, ENGLAND	MOSCOW	PONTIAC, MICH., USA	WENDEL	WENDELSTEIN, GFR
HTE-PROVEN	HAUTE-PROVENCE	NEW SCHAUN	FREIBURG, GFR		

ALL VALUES IN THE MAXIMUM INTENSITY COLUMN FOR SAC PEAK ARE ARBITRARY UNITS (0-40) AND FOR LOCKHEED ARE ARBITRARY UNITS (10-40), NOT PERCENT OF CONTINUOUS SPECTRUM.


SEE DESCRIPTIVE TEXT PUBLISHED NOVEMBER 1961 FOR DEFINITION OF CORRECTED AREA VALUES LISTED FOR CLIMAX, HAWAII, LOCKHEED AND SACRAMENTO PEAK.

E = LESS THAN D = GREATER THAN U = APPROXIMATE □ = NOT REPORTED.

INTERVALS OF NO FLARE PATROL OBSERVATIONS PROVISIONAL

AUGUST 1964

HOUR-UT



COMMERCE - STANDARDS - BOULDER

Observatories included:

Arosa	Huancayo	Lockheed	Ondrejov	Sydney
Bucharest	Istanbul	Manila	Ottawa	Wendelstein
Haute-Provence	Locarno	Mitaka	Sacramento Peak	Zurich

SOLAR FLARES

MAY 1964

OBSERVATORY	DATE MAY 1964	OBSERVED UNIVERSAL TIME		LOCATION			DURA- TION — MINUTES	IM- POR- TANCE	OBS. COND.	MEASUREMENTS			PROVISIONAL IONOSPHERIC EFFECT
		START	END	APPROX. LAT.	MER. DIST.	MAGN. CLASS.				TIME — U.T.	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	
SYDNEY	01	0353	0451	N33	E48			1-	C	0417	.60	1.10	
SYDNEY	01	0527	0600 D	N11	W63			1-	P	0545	.50	1.10	
SYDNEY	01	0538	0600 D	N33	E47			1-	P	0548	.60	1.10	
SYDNEY	04	0243	0312	S02	E24			1-	C	0304	.80	.90	
SYDNEY	04	0314	0407	S02	E24			1-	C	0344	.80	.90	
SYDNEY	04	0334	0401	N07	E37			1-	C	0343	.40	.50	
THESSALONIK	05	0200	0205	NO FLARE			20 D	1	G	0120	1.64	2.17	
CLIMAX	07	1430	1434 D	S24	W27			1-		1433	.40		
	07	2205	2240	NO FLARE									
	12	1805	1810	NO FLARE									
	13	1620	1640	NO FLARE									
	13	1730	1750	NO FLARE									
HALEAKALA	15	0234	0242	N13	E02			1-	3	0238	.40	.40	
TACKENT	18	0422	0500	N06	E22			1-	C	0428	1.40	1.50	55
SYDNEY	18	0440	0458 D	N08	E20			1-	P	0448	1.40	1.50	
AROSA	18	0643	0707	N06	E21	7286	24	1-	C				
CAPTOWN	18	0704	0722	N07	E10			1-	C	0705	1.90	2.00	
CATANIA	18	0826	1158 D	N08	E20			1-		1333	1.10	1.20	
CAPTOWN	18	1315	1348	N08	E08			1-	2	1340	2.50	2.65	
CAPRI-F	18	1336	1347	N05	E17	7286	11 D	1					
SYDNEY	19	0115	0126 D	N07	E08			1-	P	0120	.80	.80	
SYDNEY	19	0145	0157	N07	E08			1-	C	0151	1.00	1.00	
VOROSHILOV	19	0154	0234	N07	E09			1-	C	0155	.63	.63	70
KODAIKNI	19	0217	0245	N07	E10			1-	V	0217			88
THESSALONIK	19	1100	1120 D	N02	W02	7286	20 D	1+	G	0140	4.00	4.00	
LOCARNO	19	1512	1545	N07	E04	7286	33	1	V				
ATHENS	20	0536	0550 D	N08	W05			1-	2	0537	.80	.80	
CLIMAX	20	1344	1425	N14	W69			1-		1357	.70	1.30	
BUCHAREST	21	0815	0858 D	N09	W19	7286	43 D	2	1	0822	4.85	3.70	
ATHENS	21	0820	0853	N06	W26	7286	33 D	1+	2	0822	3.30	3.70	
CAPRI-F	21	0827	0852 D	N06	W19	7286	25 D	1	2	0839	4.00	4.24	
HERSTMONCEU	21	0840	0940 D	N13	W20			1-	P	0842	1.50	1.70	
CATANIA	21	0845	0945 D	N08	W20			1-					
CATANIA	22	0630	0940 D	N13	W03	7286	190 D	1					
KANZELHOHE	22	0713	0736	N12	W02	7297	23	1		0745	1.40	1.80	1.40
CAPTOWN	22	0740	0816	N07	W36	7286	67 D	2					
CATANIA	22	0740	0847 D	N08	W32	7286	29 D	2					
CATANIA	22	0743	0812	N05	W35	7286	29 D	1+					
KANZELHOHE	22	0743	0812	N05	W35	7286	29 D	1+					
	23	0250	0255	NO FLARE									

COMMERCE - STANDARDS - BOULDER

SOLAR FLARES

MAY 1964

OBSERVATORY	DATE MAY 1964	OBSERVED UNIVERSAL TIME		LOCATION			DURA- TION MINUTES	IM- POR- TANCE	OBS. COND.	TIME - U T	MEASUREMENTS			PROVISIONAL IONOSPHERIC EFFECT
		START	END	APPROX.	MATH.	MEAS.					COOR.	MAX.		
				LAT.	MER. DIST.	PLAGE REGION				U T	AREA Sq. Deg.	AREA Sq. Deg.	WIDTH Ha	
CLIMAX	24	0155	0255	NO FLARE			PATROL	1-		1817	.60	.70		
	24	1814	1820	1817				1-		1934	.60	.70		
SYDNEY	25	0155	0216			7297	21	1	C	0202	1.80	2.50		
	25	0224	E					1-	S	0224	.64	.90	1.12	
KODAIKUN	25	0440	0455			7297	15	1	C	0449	1.50	2.10		
	25	0640	0704			7297	24	1+					1.60	
KANZELHOHE	28	0345	0401			E25		1-	C	0352	1.20	1.30		
ATHENS	30	1122	E			E29		1-	2	1123	.40	.50		
	30	1956	2009			E29		1-		2000	.20	.20		

JANUARY, FEBRUARY 1964

KANZELHOHE	JAN	26	1245 E	1500 D											
	FEB	1964													
KANZELHOHE	JAN	23	0721 E	0910 D											
	FEB	1964													

COMMENCE - STANOMOS - BOULDER

The above flares are addenda to those published in CRPL-F 234, 235, 237, 238 and 240 Part B issued February, March, June and August 1964.

ATHENS, GREECE	HAWAII, USA	NERA
BAKOU, USSR	KYOTO, JAPAN	NETHERLANDS
CAPETOWN, ROYAL OBSERVATORY.	KIEV KO, USSR	KRASNOYA PAKHRA, USSR
CAPE OF GOOD HOPE	KIEV KY, USSR	SACRAMENTO PEAK, N.MEX. USA
CAPRI, ITALY (GERMAN)	LOCKHEED	STOCKHOLM, SWEDEN
CAPRI, ITALY (SWEDISH)	MCMATH	SCHAUTINSLAND, GFR
CRIMEE	MCMATH-HULBERT	TASHKENT, USSR
HERSTMONCEU	PONTIAC, MICH., USA	WENDEL
	ROYAL GREENWICH OBSERVATORY.	WENDELSTEIN, GFR
HTE-PROVEN	MOSCOU	
	NEW SCHAUIN FREIBURG, GFR	
	HAUTE-PROVENCE	

ALL VALUES IN THE MAXIMUM INTENSITY COLUMN FOR SAC PEAK ARE ARBITRARY UNITS (0-40) AND FOR LOCKHEED ARE ARBITRARY UNITS (10-40), NOT PERCENT OF CONTINUOUS SPECTRUM.

SEE DESCRIPTIVE TEXT PUBLISHED NOVEMBER 1961 FOR DEFINITION OF CORRECTED AREA VALUES LISTED FOR CLIMAX, HAWAII, LOCKHEED AND SACRAMENTO PEAK.

E = LESS THAN D = GREATER THAN U = APPROXIMATE □ = NOT REPORTED.


Erratum: The flare labelled HONOLULU on April 11, 1964 in CRPL-F 240B, page III-e, should have been labelled HALEAKALA. The flare patrol formerly near Honolulu on the island of Oahu has been moved to Haleakala on the island of Maui as of April 1964.

INTERVALS OF NO FLARE PATROL OBSERVATIONS

IIIi

MAY 1964

HOUR-UT



COMMERCE - STANDARDS - BOULDER

Observatories included:

Abastumani	Capri-F (German)	Haute-Provence	Kanzelhohe	McMath-Hulbert	Tachkent
Arcetri	Capri-S (Swedish)	Herstmonceux	Kiev-R0	Mitaka	Thessaloniki
Arosa	Catania	Huancayo	Kodaikanal	Nizamiah	Uccle
Athens	Climax	Ikomasan	Locarno	Ondrejov	Voroshilov
Bakou	Crimee	Istanbul	Lockheed	Ottawa	Wendelstein
Bucharest	Dunsink	Irkutsk	Lvov	Sacramento Peak	Wroclaw
Capetown	Haleakala	Izmiran	Manila	Sydney	Zurich

AVERAGE X-RAY FLUX

NRL

APRIL, 1964

Date	Times of Observation	Average X-ray Flux				Date	Times of Observation	Average X-ray Flux		
		44-60 A	8-12 A	0-8 A				44-60 A	8-12 A	0-8 A
April 4	1244 1257	3.3×10^{-2}	$<1.5 \times 10^{-3}$	$<8 \times 10^{-4}$	Flux for 4,5,6, April questionable because of large Aspect Angle corrections	April 16	1100 1116	3.2×10^{-2}	$<1.2 \times 10^{-4}$	$<1.0 \times 10^{-4}$
	1428 1443						1248 1301			
	2333 2348						2005 2021			
April 5	1252 1307	3.2×10^{-2}	$<1.3 \times 10^{-3}$	$<6 \times 10^{-4}$		April 17	1110 1125	3.1×10^{-2}	$<1.2 \times 10^{-4}$	$<1.0 \times 10^{-4}$
	1300 1316						1301 1311			
April 6	1456 1501	3.6×10^{-2}	$<6 \times 10^{-4}$	$<3 \times 10^{-4}$		April 18	1831 1840	3.2×10^{-2}	1.0×10^{-4}	$<1.0 \times 10^{-4}$
	1458 1510						2023 2039			
April 7	2214 2230	2.4×10^{-2}	$<2.5 \times 10^{-4}$	$<2.0 \times 10^{-4}$		April 19	0935 0948	2.9×10^{-2}	$<1.2 \times 10^{-4}$	$<1.0 \times 10^{-4}$
	0000 0015						1119 1135			
April 8	1135 1148	2.6×10^{-2}	$<2.3 \times 10^{-4}$	$<1.7 \times 10^{-4}$		April 20	0944 0957	3.1×10^{-2}	2.0×10^{-4}	$<1.0 \times 10^{-4}$
	1319 1334						1129 1144			
	1508 1519						1319 1327			
	2039 2050						1847 1900			
	2224 2239						2032 2049			
April 9	0013 0023	2.8×10^{-2}	$<2.0 \times 10^{-4}$	$<1.5 \times 10^{-4}$		April 21	0952 1007	3.2×10^{-2}	2.0×10^{-4}	$<1.1 \times 10^{-4}$
	1143 1157						1001 1016			
	1328 1343						1148 1202			
	1519 1528						1621 1628			
	2049 2100						1906 1920			
April 10	2232 2249	3.3×10^{-2}	2.5×10^{-4}	$<1.4 \times 10^{-4}$		April 22	1012 1025	2.9×10^{-2}	$<1.4 \times 10^{-4}$	$<1.1 \times 10^{-4}$
	0021 0030						1159 1210			
	1151 1206						1731 1739			
	1339 1353						1915 1930			
	2056 2111						2102 2115			
April 11	2242 2258	3.8×10^{-2}	2.7×10^{-4}	$<1.2 \times 10^{-4}$		April 23	0837 0848	2.9×10^{-2}	$<1.5 \times 10^{-4}$	$<1.2 \times 10^{-4}$
	1020 1027						1021 1035			
	1201 1216				1209 1219					
	1349 1354				1739 1751					
	1922 1929				1924 1940					
April 12	2105 2121	3.5×10^{-2}	2.0×10^{-4}	$<1.1 \times 10^{-4}$	April 24	0845 0858	3.0×10^{-2}	$<1.6 \times 10^{-4}$	$<1.2 \times 10^{-4}$	
	2253 2306					1029 1044				
	1028 1038					1219 1228				
	1213 1225					1748 1801				
	1359 1410					1933 1949				
April 13	1929 1939	3.3×10^{-2}	0.8×10^{-4}	$<1.1 \times 10^{-4}$	April 25	0853 0907	2.8×10^{-2}	$<1.7 \times 10^{-4}$	$<1.3 \times 10^{-4}$	
	2119 2130					1040 1053				
	2303 2309					1756 1811				
	1035 1048					1941 1958				
	2119 1234					0725 0729				
April 14	1408 1419	3.3×10^{-2}	0.8×10^{-4}	$<1.1 \times 10^{-4}$	April 26	0901 0917	2.5×10^{-2}	$<2.0 \times 10^{-4}$	$<1.5 \times 10^{-4}$	
	1939 1950					0901 0917				
	2123 2140					1049 1101				
	2310 2323					1621 1630				
	1044 1057					1805 1818				
April 15	1230 1243	3.2×10^{-2}	1.0×10^{-4}	$<1.0 \times 10^{-4}$	April 26	1951 2007	2.5×10^{-2}	$<2.0 \times 10^{-4}$	$<1.5 \times 10^{-4}$	
	1420 1428					0901 0917				
	1947 2001					1049 1101				
	2132 2149					1621 1630				
	2320 2331					1805 1818				

SOLAR RADIATION MONITORING SATELLITE

IIIk

AVERAGE X-RAY FLUX

NRL

APRIL-JUNE, 1964

Date	Times of Observation	Average X-ray Flux			Date	Times of Observation	Average X-ray Flux		
		44-60 A	8-12 A	0-8 A			44-60 A	8-12 A	0-8 A
April 27	0728 0739	2.6×10^{-2}	$<2.4 \times 10^{-4}$	$<1.7 \times 10^{-4}$	June 11	0011 0026	3.1×10^{-2}	$<1.5 \times 10^{-4}$	$<1.3 \times 10^{-4}$
	0912 0926					0200 0211			
	1059 1111					0730 0742			
April 28	1109 1119	2.6×10^{-2}	$<3.5 \times 10^{-4}$	$<3.0 \times 10^{-4}$	June 12	0916 0931	3.2×10^{-2}	$<1.2 \times 10^{-4}$	$<1.1 \times 10^{-4}$
	1640 1650					1105 1114			
	1824 1840					2235 2249			
	2011 2022					0020 0035			
						0207 0219			
April 29	1650 1700	2.6×10^{-2}	$<1.5 \times 10^{-3}$	$<6 \times 10^{-4}$	June 13	0741 0753	3.3×10^{-2}	$<1.1 \times 10^{-4}$	$<1.0 \times 10^{-4}$
	1832 1849					0925 0940			
	2022 2030					1112 1122			
May 19	1248 1302	2.3×10^{-2}	$<8 \times 10^{-4}$	$<4 \times 10^{-4}$	June 14	2243 2259	3.7×10^{-2}	$<1.3 \times 10^{-4}$	$<1.1 \times 10^{-4}$
	1433 1449					0030 0044			
May 20	0539 0553	2.2×10^{-2}	$<2.5 \times 10^{-4}$	$<2.0 \times 10^{-4}$	June 15	0605 0610	3.7×10^{-2}	$<2 \times 10^{-4}$	$<1.4 \times 10^{-4}$
	1257 1311					0806 0822			
	1443 1458					0954 1006			
May 21	0220 0229	2.5×10^{-2}	$<1.5 \times 10^{-4}$	$<1.5 \times 10^{-4}$	June 16	2121 2140	2.1×10^{-2}	$<4 \times 10^{-4}$	$<3 \times 10^{-4}$
	0545 0602					2310 2326			
May 22	0410 0426	2.6×10^{-2}	$<1.3 \times 10^{-4}$	$<1.1 \times 10^{-4}$	June 17	0101 0105	2.1×10^{-2}	$<2 \times 10^{-4}$	$<1.6 \times 10^{-4}$
	0600 0610					0815 0832			
	1317 1330					1002 1015			
	1502 1514					2135 2149			
May 23	0420 0435	2.7×10^{-2}	$<1.2 \times 10^{-4}$	$<1.0 \times 10^{-4}$	June 18	2321 2335	2.3×10^{-2}	$<1.4 \times 10^{-4}$	$<1.0 \times 10^{-4}$
	0610 0618					1934 1950			
	1139 1152					2122 2135			
	1513 1523					2312 2320			
						0439 0451			
May 24	0429 0440	2.6×10^{-2}	$<1.2 \times 10^{-4}$	$<1.1 \times 10^{-4}$	June 19	0626 0633	2.5×10^{-2}	$<1.0 \times 10^{-4}$	$<1.0 \times 10^{-4}$
	0621 0628					1944 1952			
	1149 1202					2131 2138			
	1333 1349					0449 0503			
	1522 1530					1953 2008			
May 25	0639 0653	2.6×10^{-2}	$<1.4 \times 10^{-4}$	$<1.2 \times 10^{-4}$	June 20	2141 2154	2.5×10^{-2}	$<1.0 \times 10^{-4}$	$<1.0 \times 10^{-4}$
	1158 1212					0457 0512			
	1343 1358					0643 0657			
May 26	0120 0129	2.5×10^{-2}	$<1.7 \times 10^{-4}$	$<1.4 \times 10^{-4}$	June 21	2003 2017	2.5×10^{-2}	$<1.0 \times 10^{-4}$	$<1.0 \times 10^{-4}$
	0301 0317					2151 2202			
	0449 0501					0322 0333			
	1021 1031					0507 0522			
	1205 1219					0657 0659			
	1351 1407					1828 1840			
						2011 2027			
May 27	1031 1041	2.0×10^{-2}	$<3 \times 10^{-4}$	$<2 \times 10^{-4}$	June 22	2200 2211	2.8×10^{-2}	$<2.0 \times 10^{-4}$	$<1.5 \times 10^{-4}$
	1215 1231								
	1402 1415								
May 29	0144 0158	2.4×10^{-2}	$<1.6 \times 10^{-3}$	$<7 \times 10^{-4}$	June 23		2.8×10^{-2}	$<2.0 \times 10^{-4}$	$<1.5 \times 10^{-4}$
	0331 0344								
June 9	0139 0153	2.7×10^{-2}	$<5 \times 10^{-4}$	$<3.5 \times 10^{-4}$	June 24		2.8×10^{-2}	$<2.0 \times 10^{-4}$	$<1.5 \times 10^{-4}$
	0713 0721								
	0900 0913								
	1044 1054								
	2218 2230								
June 10	0003 0017	2.8×10^{-2}	$<2.0 \times 10^{-4}$	$<1.5 \times 10^{-4}$	June 25		2.8×10^{-2}	$<2.0 \times 10^{-4}$	$<1.5 \times 10^{-4}$
	0150 0159								
	0721 0732								
	0909 0922								
	1054 1106								
	2229 2242								

SOLAR RADIATION MONITORING SATELLITE

OUTSTANDING X-RAY EVENTS

NRL

APRIL-JUNE, 1964

Date	Time of Observation	Outstanding Events			
		44-60 A	8-12 A	0-8 A	
April 18	1309 1320	4.0×10^{-2}	6.0×10^{-4}	2.2×10^{-4}	
24	1219 1228	4.3×10^{-2}	6.5×10^{-4}	3.5×10^{-4}	Increasing
June 13	2253 2308	$> 3.6 \times 10^{-2}$	8.7×10^{-4}	6.5×10^{-4}	Increasing
14	0040 0047	$> 3.9 \times 10^{-2}$	10.4×10^{-4}	7.5×10^{-4}	44-60 Saturated

COMMERCE - STANDARDS - BOULDER

IONOSPHERIC EFFECTS OF SOLAR FLARES

III_m

SHORT WAVE RADIO FADEOUTS SUDDEN PHASE ANOMALIES
 SUDDEN COSMIC NOISE ABSORPTION SUDDEN ENHANCEMENTS OF SIGNAL
 SUDDEN ENHANCEMENTS OF ATMOSPHERICS SUDDEN FREQUENCY DEVIATIONS
 SOLAR NOISE BURSTS AT 18 Mc/s

JULY 1964

JULY 1964	UNIVERSAL TIME			TYPE SWF IMP	IMPORTANCE						BUR	WIDE SPREAD INDEX	STATIONS	KNOWN FLARE
	START	END	MAX		ABS	SCNA	SEA	SPA	SES	SFD				
None observed.														

COMMERCE - STANDARDS - BOULDER

RIOMETER EVENTS

(Provisional)

JULY 1964

South Pole

26 Mc/s

JULY 1964	START UT	END UT	MAX. UT	MAX. ABSORP. db, (tenths)	NO. OF PEAKS	JULY 1964	START UT	END UT	MAX. UT	MAX. ABSORP. db, (tenths)	NO. OF PEAKS
1	0721	1313	1120	4	4	19	1048	1256	1100	15	1
2	*					19	1702	1711	1704	5	1
3	2103	0258	2144	28	2	19	2308	0332	0035	42	2
4	*					21	0118	0456	0145	41	1
5	0100	0504	0236	18	1	21	1056	1734	1214	7	3
5	***	1703	1157	6	1	21	2025	2252	2233	7	3
6	0046	0604	0155	33	1	22	0246	0605	0251	14	1
6	1516	1624	1543	3	3	22	0916	1658	1443	8	5
7	0335	0548	0353	13	1	23	0013	0249	0159	34	2
7	1005	1121	1103	4	2	23	2030	0124	2252	5	7
7	1336	1631	1426	16	1	24	0640	1621	1124	11	2
7	2226	2302	2236	6	2	25	1024	1223	1118	4	2
8	0324	0443	0334	35	2	26	1556	1834	1710	6	1
8	0834	1805	1335	13	7	27	*				
8	2218	0836	2224	25	2	28	0107	0432	0114	26	1
9	1434	0800	2313	53	4	29	1011	1616	1535	10	1
10	1003	1722	1330	19	4	30	0051	0158	0107	32	2
12	0335	0418	0406	7	1	30	1248	1826	1316	6	2
12	1012	1844	1558	7	4	30	2332	0328	2350	55	3
12	2223	1612	2348	26	2	31	1018	1807	1043	10	2
14	1408	1702	1545	4	3						
15	*										
16	*										
17	**										
18	**										

COMMERCE - STANDARDS - BOULDER

* No event.
 ** No Data.
 *** Uncertain.

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

IVa

AUGUST 1964

ARO - OTTAWA

2800 Mc/s


AUGUST 1964	U R A N E	DESCRIPTIVE TYPE	START UT	DURATION HRS. MIN.	MEAN FLUX	MAXIMUM		REMARKS
						TIME	FLUX	
None observed.								

SOLAR RADIO EMISSION INTERFEROMETRIC OBSERVATIONS

AUGUST 1964

NANÇAY

169 Mc/s



AUGUST 1964

SOLAR RADIO EMISSION OUTSTANDING OCCURRENCES

IVc

AUGUST 1964

NBS BOULDER

108 Mc/s

AUG. 1964	TYPE	START UT	TIME OF MAXIMUM UT	DURATION MINUTES	INTENSITY
3	3	1419.9	1420.0	2.0	2
11	3	1328.0	1328.0	2.0	3
11	3	1356.9	1357.0	1.5	3
13	3	1306.0	1306.3	2.5	3
14	3	1330.0	1330.5	1.5	3

COMMERCE - STANDARDS - BOULDER

NOMINAL TIMES OF OBSERVATION

AUGUST 1964

NBS BOULDER

108 Mc/s

AUG. 1964	HOURS OF OBSERVATION U.T.	HOURS OF INTERFERENCE U.T.	AUG. 1964	HOURS OF OBSERVATION U.T.	HOURS OF INTERFERENCE U.T.
1	1203-2301; 2318-0155	1203-1430 2000-2215	16	1217-0138	1805-2240
2	1204-0154	1246-1338 1845-1940	17	1218-0137	
3	1205-0153	2250-2305	18	1219-0136	
4	1206-0152	1816-0152	19	1220-0135	
5	1207-0151	2010-2350	20	1221-1300; 1315-1330; 1337-0133	
6	1644-0150	1706-2354	21	1222-0132	
7	1209-0148	1209-1235; 1620-2325; 0117-0130	22	1223-0130	
8	1210-0147	1905-2126	23	1224-0129	
9	1210-0146	1242-1330	24	1225-0127	1225-1310; 2320-0015
10	1211-0145	1211-1735	25	1226-0126	1835-2245
11	1212-0143	1213-1935	26	1227-0124	1910-2145; 2218-2233
12	1213-0142	1213-1900	27	1228-0123	1545-1840
13	1214-0142	1214-1430; 0011-0017; 0058-0100	28	1229-1542	
14	1215-0140	1215-2140	29	2150-0120	
15	1216-0139	1216-1400	30	1230-0118	
			31	1231-0117	1703-1718; 2000-2140

COMMERCE - STANDARDS - BOULDER

**SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS**

AUGUST 1964

**High Altitude Observatory
Boulder**

7.6-41 Mc/s

Date Aug 1964	Bursts			Frequency Range (Mc/s)	Date Aug 1964	Bursts			Frequency Range (Mc/s)
	Type	Time (U.T.)	Inten- sity			Type	Time (U.T.)	Inten- sity	
2	III	1726:15-1727:30	1+	7-41	20	III	2246-2247	1	12-41
	III	2105-2105:30	1	12-41	22	III	1557:30-1558:15	1	20-41
	III	2105:45-2106:15	1	12-41		III	1603-1604:45	2	7-41
6	No Observ.	1703-2400				III	1626:30-1627	1-	24-41
7	No Observ.	1502-1607				III	1701:30-1702:15	1-	11-41
8	No Observ.	2017-2157				III	1756:45-1757:15	1	15-41
	No Observ.	1400-1800				III	1852:15-1852:30	1-	23-41
13	III	2257:30-2258	1-	24-41		III	2353-2353:15	1-	14-41
14	III	1827:45-1828	1-	18-41	23	III	2354:45-2355:15	1	13-41
	No Observ.	2036-2316				III	2046-2046:30	1-	21-41
16	No Observ.	0944-2333							
17	No Observ.	1611-1901							
18	No Observ.	2033-2205							
19	III	2334-2334:30	1	15-41					
20	III	2245:15-2245:45	1-	17-41					







COMMERCE - STANDARDS - BOULDER

SOLAR RADIO EMISSION SPECTROHELIOGRAMS

AUGUST 1964

STANFORD

9.1 cm








SOLAR RADIO EMISSION SPECTROHELIOGRAMS

AUGUST 1964

STANFORD

9.1 cm



Stanford, 1964 Aug 10, 20-21 hrs UT; Brightness Unit = 2.4×10^6 K.

Stanford, 1964 Aug 12, 20-21 hrs UT; Brightness Unit = 1.6×10^6 K.

Stanford, 1964 Aug 07, 20-21 hrs UT; Brightness Unit = 1.9×10^6 K.







Stanford, 1964 Aug 08, 20-21 hrs UT; Brightness Unit = 1.9×10^6 K.

SOLAR RADIO EMISSION SPECTROHELIOGRAMS

AUGUST 1964

STANFORD

9.1 cm









SOLAR RADIO EMISSION SPECTROHELIOGRAMS

AUGUST 1964

STANFORD

9.1 cm









SOLAR RADIO EMISSION SPECTROHELIOGRAMS

AUGUST 1964

STANFORD


9.1 cm



SOLAR RADIO EMISSION SPECTROHELIOGRAMS

AUGUST 1964

STANFORD



Stanford, 1964 Aug 31, 20-21 hrs UT; Brightness unit = 2.4×10^{-4} W/m² Hz



COSMIC RAY INDICES
(Climax Neutron Monitor)
IGC Station B 305

JULY 1964


July 1964	DAILY AVERAGE COUNTS / HOUR *	July 1964	DAILY AVERAGE COUNTS / HOUR*
1	3286.3 **28	17	3279.0
2	3282.6 **10	18	3264.3
3	3277.4 **10	19	3256.2
4	3285.8 **32	20	3273.9
5		21	3281.4
6	3294.4 **10	22	3275.3
7	3289.4	23	3281.7
8	3274.1 **30	24	3285.5
9	3279.9	25	3287.8 **36
10	3278.2	26	3299.5 ** 4
11	3279.9	27	3305.7 ** 8
12	3289.6	28	3298.7
13	3284.3 **16	29	3297.0 **38
14	3288.6	30	3300.0 ** 8
15	3284.2	31	3291.4
16	3284.6		

COMMERCE - STANDARDS - BOULDER

* Scaling Factor 128.

** No. of Section Hours Less Than 40.


COSMIC RAY INDICES
(Pressure Corrected Hourly Totals)



GEOMAGNETIC ACTIVITY INDICES

JULY 1964

July 1964	C	Values Kp								Sum	Ap	Final Selected Days
		Three hour Gr. interval										
		1	2	3	4	5	6	7	8			
1	0.2	2-	1o	1-	1o	1-	1o	1-	0+	7o	4	Five Quiet
2	0.2	0+	0+	0o	0+	1o	1+	1-	2o	6o	3	
3	1.0	3-	3o	4-	3o	3+	3-	3o	4+	26-	18	14
4	0.4	3-	3-	3o	2+	2-	1o	1+	1+	16o	8	
5	0.2	1+	1o	1-	2-	1-	1o	1+	2+	10o	5	15
6	0.2	2-	1o	1+	1+	2-	1o	1o	2-	11-	5	24
7	1.2	2-	3o	2+	2o	4-	3o	4o	5-	24+	18	27
8	1.2	4o	4+	3o	3o	4o	2o	4-	4-	28-	21	28
9	0.9	4o	3o	3-	2-	2o	3-	3+	4+	24-	16	
10	0.8	3+	3+	4-	3o	3-	2+	1+	1o	21-	13	
11	0.4	3-	1-	1-	1+	2o	2-	2+	1o	12+	6	Five Disturbed
12	0.3	1o	1+	2-	2-	1+	1o	2o	2o	12o	6	
13	0.4	2o	1+	1+	3-	2+	1o	1+	1o	13o	6	
14	0.1	0+	2-	1+	1-	0+	1-	1-	0+	6o	3	3
15	0.0	1-	0+	1-	0+	0o	0+	0+	0o	3-	2	7
16	0.4	1o	2-	1-	1+	2-	2+	3-	3-	14o	7	8
17	1.1	3o	1+	2-	2+	4+	6-	4+	2+	25o	22	17
18	1.2	5o	5-	3o	4+	3+	3+	2+	3o	29o	24	18
19	0.9	3-	3o	3o	4-	1+	1+	3-	4o	22-	14	
20	0.7	4-	2+	2+	3o	2o	1o	2o	1-	17o	10	
21	0.4	2-	1o	1-	1+	1+	1+	3-	3-	13-	6	Ten Quiet
22	0.7	2o	2o	3o	2+	2+	2o	3-	2+	19-	9	
23	0.3	2o	1-	2o	2-	1o	1o	2o	1-	11o	5	
24	0.1	1-	1-	0+	2-	1o	0+	1-	1+	7-	4	1
25	0.3	1+	1o	1o	2-	2-	1+	1+	2-	11o	5	2
26	0.2	1+	1o	1+	1o	1+	1o	1-	1-	8+	4	5
27	0.1	0+	0+	0+	1-	1-	0+	0+	1-	4-	2	6
28	0.1	1+	0+	0o	0+	1-	0+	0+	1o	4+	2	14
29	1.0	1o	1o	2+	4o	3+	4-	5-	2+	22+	16	15
30	1.0	3o	3o	3o	3-	3+	2+	3-	3-	23-	14	24
31	0.6	2+	2-	3-	2o	2-	2-	2o	2-	16-	7	26
												27
												28
Mean:	0.54									Mean:	9	



CRPL RADIO PROPAGATION QUALITY FIGURES AND FORECASTS


JULY 1964

JULY 1964	NORTH ATLANTIC										NORTH PACIFIC									
	NORTH ATLANTIC QUALITY FIGURES		SHORT-TERM FORECASTS ISSUED ABOUT ONE HOUR IN ADVANCE OF:		WHOLE DAY INDEX		ADVANCE FORECASTS (J-REPORTS) FOR WHOLE DAY, ISSUED IN ADVANCE BY:		GEOMAGNETIC K _p		NORTH PACIFIC R-HOURLY QUALITY FIGURES		SHORT-TERM FORECASTS ISSUED AT:		WHOLE DAY INDEX		ADVANCE FORECASTS (J-REPORTS) FOR WHOLE DAY, ISSUED IN ADVANCE BY:		GEOMAGNETIC K _p	
	00 06 12 18 TO 10 20 30	06 12 18 24	00 06 12 18	00 06 12 18	INDEX	WHOLE DAY INDEX	00 06 12 18 DAYS FINAL J5, SOW J	06 12 18 DAYS FINAL J5, SOW J	HALF DAY (1)	DAY (2)	03 11 19 DAYS FINAL J5, SOW J	09 15 21 DAYS FINAL J5, SOW J	02 09 18	WHOLE DAY INDEX	00 06 12 18 DAYS FINAL J5, SOW J	06 12 18 DAYS FINAL J5, SOW J	HALF DAY (1)	DAY (2)		
01	7- 6+	7- 7-	7- 6+	7- 7-	7-	7	7	1	1	6	6	7	6	7	7	7	7	1	0	
02	6+ 7-	7- 7-	7- 6+	7- 7-	7-	7	7	0	2	6	6	6	7	6	6	6	6	0	1	
03	7- 6+	6+ 6+	7- 6+	7- 7-	6+	7	7	3	3	6	6	6	7	6	6	6	3	3		
04	6+ 4+	6- 7-	6- 6+	6- 6+	6-	6	6	2	2	7	6	7	7	6	6	6	3	1		
05	7- 7-	6+ 7-	6- 6+	6- 6+	7-	6	6	2	2	6	6	7	7	6	6	6	6	1	1	
06	7- 6+	7- 7-	7- 6+	7- 7-	6+	6	6	2	1	7	6	6	7	7	6	6	6	1	1	
07	6+ 6+	7- 6+	6- 6+	6- 6+	6+	5	5	3	(4)	6	6	6	7	7	6	5	5	3	(4)	
08	6- 5+	7- 7-	6- 6+	6- 6+	6+	5	5	3	3	6	6	6	7	6	5	5	5	(4)	3	
09	6- 4+	6+ 6+	6- 6+	6- 6+	6-	5	5	3	3	6	6	6	7	6	6	6	6	3	2	
10	6- 6+	6+ 7-	6- 6+	6- 6+	6+	5	5	3	(4)	6	5	6	7	5	6	6	6	(4)	2	
11	6+ 6+	7- 7-	6- 6+	6- 6+	6+	6	6	2	2	6	6	6	6	6	6	6	6	7	1	
12	6+ 5+	6+ 6+	6- 6+	6- 6+	6+	6	6	2	2	6	6	6	6	6	6	6	6	7	1	
13	6+ 6+	6+ 6+	6- 6+	6- 6+	6+	6	6	2	2	6	6	6	6	6	6	6	6	7	2	
14	6+ 6+	7- 6+	6- 6+	6- 6+	6+	6	6	3	2	6	6	6	6	6	6	6	6	7	2	
15	6+ 6+	6+ 6+	6- 6+	6- 6+	6+	7	7	2	1	6	6	6	7	6	6	6	6	7	1	
16	7- 6+	7- 7-	7- 6+	7- 6+	7-	7	7	1	0	6	6	6	7	7	6	6	6	7	0	
17	6+ 6-	7- 7-	6- 6+	6- 6+	6+	7	7	2	3	6	6	7	7	6	6	6	6	7	1	
18	6+ 6+	6+ 7-	6- 6+	6- 6+	6+	6	6	2	3	6	6	6	6	6	6	6	6	7	2	
19	6+ 6+	6+ 7-	6- 6+	6- 6+	6+	6	6	2	3	5	5	5	6	5	6	6	6	(5)	3	
20	6+ 6-	7- 7-	6- 6+	6- 6+	6+	7	7	(4)	3	5	5	6	6	5	6	6	6	(4)	2	
21	6+ 6-	7- 7-	6- 6+	6- 6+	6+	7	7	3	2	5	6	6	6	6	6	6	6	7	3	
22	6+ 6-	7- 7-	6- 6+	6- 6+	6+	7	7	1	2	6	6	6	6	6	6	6	6	7	1	
23	6+ 6-	7- 7-	6- 6+	6- 6+	6+	6	6	3	2	6	5	6	6	6	6	6	6	7	3	
24	6+ 6-	7- 7-	6- 6+	6- 6+	6+	6	6	2	1	6	6	6	6	6	6	6	6	7	2	
25	6+ 6+	7- 7-	6- 6+	6- 6+	6+	6	6	2	2	6	6	6	6	6	6	6	6	7	1	
26	6+ 6-	7- 7-	6- 6+	6- 6+	6+	7	7	1	1	6	5	6	6	6	6	6	6	6	1	
27	7- 6+	7- 6+	7- 6+	7- 6+	6+	7	7	1	1	6	6	6	6	6	6	6	6	6	0	
28	6+ 6-	7- 7-	6- 6+	6- 6+	6+	7	7	1	1	6	6	6	6	6	6	6	6	6	0	
29	6+ 6-	6+ 6+	6- 6+	6- 6+	6+	7	7	2	3	6	6	7	7	6	6	6	6	7	2	
30	6+ 6-	7- 7-	6- 6+	6- 6+	6+	6	6	3	3	6	5	6	6	6	6	6	6	5	3	
31	7- 6+	7- 7-	6- 6+	6- 6+	6+	6	6	3	2	6	6	6	6	6	6	6	6	6	2	
Score: Quiet Periods	P	21 19 19 18	16	16	16	14 23-20	15	14	14	17 8 11	14	15	14	15	14	14	14	14	15	
Disturbed Periods:	P	0 0 0 0	0	0	0	0 0 0 0	0	0	0	0 0 0 0	0	0	0	0	0	0	0	0	0	
	S	0 0 0 0	0	0	0	0 0 0 0	0	0	0	0 0 0 0	0	0	0	0	0	0	0	0	0	
	U	0 0 0 0	0	0	0	0 0 0 0	0	0	0	0 0 0 0	0	0	0	0	0	0	0	0	0	
	F	0 0 0 0	0	0	0	0 0 0 0	0	0	0	0 0 0 0	0	0	0	0	0	0	0	0	0	

Errata: In CRPL F 240B, issued August 1964, on page VII-a the values in the last two columns for "Geomagnetic K_p" are incorrect. Please change the June 1 values to 1 and 2. The printed values refer in each case to the next day i.e. the correct values for June 2 are 1 and 1 (from June 1 line) and so forth through correct values for June 30 of 0 and 0 (from June 29 line).


COMBINE - STANDARD - BOLLING

NORTH ATLANTIC




OUTCOME OF ADVANCE FORECASTS -- FINAL ESTIMATES (1 TO 7 DAYS AHEAD)

NORTH ATLANTIC





NORTH PACIFIC



USEFUL FREQUENCY RANGES -- NORTH ATLANTIC PATH


JULY 1964



USEFUL FREQUENCY RANGES -- NORTH ATLANTIC PATH

VIIId

JULY 1964



COMMERCE - STANDARDS - BOULDER

Adapted from Observations by Deutsches Bundespost

IQSY ALERT PERIODS

INTERNATIONAL URSIGRAM
AND WORLD DAYS SERVICE

AUGUST 1964

AUG 1964	TIME OF ISSUE UT	ADVANCE GEOPHYSICAL ALERT	WORLDWIDE GEOPHYSICAL ALERT			
			NO.	TYPE	TIMING	ELABORATION
4	0400		94	Magnetic Storm 04/0133Z		
5	0400		95	Magnetic Storm	Exists	
15	0400		96	Solar Activity	Exists	
16	0400		97	Solar Activity	Exists	
17	0400		98	Solar Activity	Exists	
19	1755	McMath,*Solar Activity, Exists				
20	0400		99	Solar Activity	Exists	

COMMERCE - - STANDARDS - BOULDER

* Name of reporting station was
omitted from text of message.