



U.S. DEPARTMENT OF COMMERCE

Frederick B. Dent, Secretary

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

Robert M. White, Administrator

ENVIRONMENTAL DATA SERVICE

Thomas S. Austin, Director

Solar - Geophysical Data

NO. 361 SEPTEMBER 1974

Part I (Prompt Reports)

DATA FOR
AUGUST 1974
JULY 1974

**NATIONAL GEOPHYSICAL AND SOLAR - TERRESTRIAL DATA CENTER
BOULDER, COLORADO**

For obtaining bulletins on a data exchange basis, send request to: World Data Center A for Solar-Terrestrial Physics, NOAA, Boulder, Colorado 80302.

For sale through the National Climatic Center, Federal Building, Asheville, NC 28801, Attn: Publications. Subscription Price: \$30.50 annually for both Part I (Prompt Reports) and Part II (Comprehensive Reports) or \$15.50 annually for either part. Extra issue included. For foreign mailing add \$8.00 for both parts or \$4.00 for either part. Single issue price \$1.25 for either part and 75¢ for the extra issue. Make checks and money orders payable to: Department of Commerce, NOAA.

To standardize referencing these reports in the open literature, the following format is recommended:

Solar-Geophysical Data, CRPL-FB 135*, pages, issue date, U.S. Department of Commerce, (Boulder, Colorado, U.S.A. 80302).

*CRPL-FB 135 through 269
IER-FB 270 through 298
299 Part I or 299 Part II to number of current issue.

SOLAR - GEOPHYSICAL DATA

1

No. 361

Issued in two parts

Hope I. Leighton, Editor

J. Virginia Lincoln, Director
Solar - Terrestrial Data Services Division

C O N T E N T S

Part I (Prompt Reports)

	Page
Index for 1973 and 1974	2
Data for August 1974	3-23
Data for July 1974	25-134

Part II (Comprehensive Reports)

Index for 1973 and 1974	2
Data for March 1974	3-13
Data for February 1974	15-22
Miscellaneous Data	
Solar Radio Waves -- Spectral -- Harvard -- June 1974	24-25

	1973					1974								
	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	June	July	Aug	
A.	<u>Solar and Interplanetary Phenomena</u>													
A.1	Sunspot Drawings	350	351	352	353	354	355	356	357	358	359	360	361	
A.2a	Zürich Provisional Relative Sunspot Numbers R_z	349	350	351	352	353	354	355	356	357	358	359	360	
A.2b	Zürich Final Sunspot Numbers R_z	355	355	355	355	355								
A.2c	American Relative Sunspot Numbers R_A	349	350	351	352	353	354	355	356	357	358	359	360	
A.3a	Mt. Wilson Magnetograms	350	351	352	353	354	355	356	357	358	359	360	361	
A.3b	Mt. Wilson Magnetic Characteristics of Sunspots	350	351	352	353	354	355	356	357	358	359	360	361	
A.4	H α Spectroheliograms	350	351	352	353	354	355	356	357	358	359	360	361	
A.5	Calcium Plage Drawings - McMath (or Catania)	350	351	352	353	354	355	356	357	358	359	360	361	
A.5a	Calcium Plage (McMath) and Sunspot Regions	350	351	352	353	354	355	356	357	358	359	360	361	
A.5b	McMath Daily Calcium Plage Index	350	351	352	353	354	355	356	357	358	359	360	361	
A.6	H α Synoptic Charts	350	351	352	353	354	355	356	357	358	359	360	361	
A.7b	Coronal Line Emission	350	351	352	353	354	355	356	357	358	359	360	361	
A.7c	White-Light Corona (NRL OSO-7, 1971-083A)	350	351	352	353	354	355	356	357	358	359	360	361	
A.7d	Solar EUV Spectroheliogram Fe XV 284 Å (GSFC OSO-7, 1971-083A)	350	351	352	353	354	355	356	357	---	---	---	---	
A.8aa	2800 MHz - Daily Values of Solar Flux (ARO-Ottawa)	349	350	351	352	353	354	355	356	357	358	359	360	
A.8ac	2800 MHz - Daily Values of Adjusted Solar Flux (ARO-Ottawa)	349	350	351	352	353	354	355	356	357	358	359	360	
A.8g	Daily Values of Adjusted Solar Flux (AFCRL)	349	350	351	352	353	354	355	356	357	358	359	360	
A.9c	8.6 mm Radio Maps of the Sun (Prospect Hill)	350	351	353	353	354	356	356	---	---	---	---	---	
A.10a	169 MHz - Interferometric Observations (Nancay)	350	351	352	353	354	355	356	357	358	359	360	361	
A.10c	21 cm East-West Solar Scans (Fleurs)	349	351	351	353	353	354	355	356	357	358	360	360	
A.10d	43 cm East-West Solar Scans (Fleurs)	349	351	351	353	353	354	355	356	357	358	360	360	
A.10e	10.7 cm East-West Solar Scans (Ottawa-ARO)	349	350	351	352	353	354	355	356	357	358	359	360	
A.11aa	Solar X-ray Radiation (Explorer 37 or 44)	350	351	352	353	354	355	356						
A.11ab	Solar X-ray Radiation (Explorer 37 or 44) Graphs	354	355	356	357	358	359							
A.11f	Solar X-ray Spectroheliograms (GSFC OSO-7, 1971-083A)	350	351	352	353	354	355	356	357	358	359	360	361	
A.9d	2 cm Radio Maps of the Sun (NELC - La Posta)										360	361		
A.12d	Solar Protons (NOAA 2 & 3) Graphs											360	361	
A.12ba	Cosmic Ray Protons (Pioneers 6 & 7)	349	350	---	352	353	---	---	356	---	---	---	---	
A.12bb	Cosmic Ray Protons (Pioneers 8 & 9)	349	350	---	352	353	---	---	356	---	---	---	---	
A.13a	Solar Wind (Pioneers 6 & 7)	349	350	---	352	353	---	---	356	---	---	---	---	
A.17	Interplanetary Magnetic Field (Pioneer 8)	349	350	---	---	353	354	---	---	---	---	---	---	
A.17	Interplanetary Magnetic Field (Pioneer 9)	349	350	351	352	353	354	355	356	---	358	---	---	
A.17c	Inferred IP Magnetic Field	349	350	351	352	353	354	355	356	357	358	359	360	
A.18	Interplanetary Electric Field (Pioneer 8)	349	350	---	---	353	354	---	---	---	---	---	---	
A.18	Interplanetary Electric Field (Pioneer 9)	349	350	351	352	353	354	355	356	---	358	---	---	
B.	<u>Ionospheric (and Radio Wave Propagation) Phenomena</u>													
B51ca	High Latitude Quality Figures and Forecasts	350	351	352	353	354	355	356	357	358	359	360	361	
B.52	Graphs of Transmission Frequency Range	350	351	352	353	354	355	356	357	358	359	360	361	
B.53	Quality Figures Based on Frequency Ranges	350	351	352	353	354	355	356	357	358	359	360	361	
C.	<u>Flare-Associated Events</u>													
C.1a	Optical Observations Flares	349	350	351	352	353	354	355	356	357	358	359	360	
C.1ba	Optical Observations Flares (Including Standardized Data)	354	355	356	357	358	359	360	361					
C.1d	Flare Patrol Observations	349	350	351	352	353	354	355	356	357	358	359	360	
C.1e	Flare Indices (by day)	354	355	356	357	358	359	360	361					
C.1f	Flare Index by Region	355	356	357	358	359	360	361						
C.3	Solar Radio Waves - Fixed Frequencies - Outstanding Occurrences	354	355	356	357	358	359	360	361					
C.3t	Solar Radio Waves - Fixed Frequencies - Selected	349	350	351	352	353	354	355	356	357	358	359	360	
C.4	Solar Radio Spectral Observations	350	351	352	353	354	355	356	357	358	359	360	361	
C.5c	Solar X-ray Radiation (Explorer 37)	350	351	352	353	354	355	356						
C.6	Sudden Ionospheric Disturbances	350	351	352	353	354	355	356	357	358	359	360	361	
D.	<u>Geomagnetic and Magnetospheric Phenomena</u>													
D.1a	Geomagnetic Indices C_1 , C_p , K_p , A_p , a_a - Selected Days	350	351	352	353	354	355	356	357	358	359	360	361	
D.1b	27-Day Chart of K_p Indices for Year	354	354	354	354	354	355	356	357	358	359	360	361	
D.1c	27-Day Chart of C_9 for Year	354	354	354	354	354	355	356	357	358	359	360	361	
D.1d	Principal Magnetic Storms	350	351	352	353	354	355	356	357	358	359	360	361	
D.1e	Reduced Magnetograms	---	---	356	---	---	359	---	---	---	---	---	---	
D.1f	Sudden Commencement and Solar Flare Effects	350	351	352	353	354	355	356	357	358	359	360	361	
D.1g	Equatorial Indices D_{st}	350	351	352	353	354	355	356	357	358	359	360	361	
F.	<u>Cosmic Rays</u>													
F.1a	Cosmic Ray Neutron Counts (Deep River)	350	351	352	353	355	356	357	357	358	359	360	361	
F.1b	Cosmic Ray Neutron Counts (Climax)													
F.1c	Cosmic Ray Neutron Counts (Dallas)	350	352	352	353	354	355	356	357	---	---	---	---	
F.1e	Cosmic Ray Neutron Counts (Alert)	350	351	352	353	355	356	357	357	358	359	360	361	
F.1f	Cosmic Ray Neutron Counts (Calgary)	350	351	352	353	354	355	356	357	358	359	360	361	
F.1g	Cosmic Ray Neutron Counts (Sulphur Mountain)	350	351	352	353	354	355	356	357	358	359	360	361	
F.1h	Cosmic Ray Neutron Counts (Thule)	350	351	352	353	354	355	356	357	358	359	360	361	
F.1i	Cosmic Ray Neutron Counts (Kiel)					354	355	356	357	358	359	360	361	
F.1j	Cosmic Ray Neutron Counts (Tokyo)					354	355	356	357	358	359	360	361	
H.	<u>Miscellaneous</u>													
H.60	IUWDS Alert Decisions	349	350	351	352	353	354	355	356	357	358	359	360	
H.62	Abbreviated Calendar Record	355	356	357	358	359	360	361						

AUGUST 1974 DATA

Contents

	Page
<u>Alert Period</u>	
IUWDS Alert Periods (Advance and Worldwide)	4-5
<u>Daily Solar Indices</u>	
12-Month Tables Sunspot Numbers, R_z , and 2800 MHz Flux Adjusted to 1 A.U.	6
Combined Table Sunspot Numbers and Solar Fluxes	7
Graph of Sunspot Cycles	8
Zürich Smoothed Observed and Predicted Sunspot Numbers	9
<u>Solar Flares</u>	
Flares of Numerical Importance 1 or Greater	10
Subflares	11
No-Flare-Patrol Chart	12
<u>Solar Radio Waves</u>	
169 MHz Solar Interferometric Chart - Nancay	13
10.7 cm East-West Solar Scans - ARO, Ottawa	14
21 cm East-West Solar Scans - Fleurs	15
43 cm East-West Solar Scans - Fleurs	16
Selected Fixed-Frequency Occurrences	17
<u>Spacecraft Observations</u>	
Pioneers VI & VII	18
Pioneers VIII & IX	19
<u>Solar Proton Monitoring</u>	
NOAA 2 & 3	20-22
<u>Inferred IP Magnetic Field Polarities</u>	23

For explanations of the data contained herein see *Descriptive Text* published as supplement to February 1974 *Solar-Geophysical Data* (Number 354).

4
Aug 74

ALERT PERIODS INTERNATIONAL URSIGRAM AND WORLD DAYS SERVICE

AUGUST 1974

PRESTO MESSAGES (THE RAPID REPORT OF MAJOR EVENTS).

20/0423Z MAGSTORM BEGINS 18/21XX GRADUALLY INCREASED TO STORM AT 20/0000Z
23/1255Z MAGSTORM IN PROGRESS 23/1130Z 0600-0900Z, K=5, 0900-1200Z K=5.
29/0400Z RECURRENT MAGSTORM BEGINS 29/0300Z BOULDER K-INDEX EQUALS SIX.

SUMMARY OF THE GEOALERT WWA MESSAGES

SUMMARY OF THE GEOALERT WWA MESSAGES														
Message serial number	Date of issue	Date of observation	Wolf number	10cm solar flux	A index	Active Regions				Outstanding events	Forecasts			Alert Situations
						Location		No. of Flares			Date	Location	Desc*	
						Lat-Long	Total	M	X					
213	01	31	065	085	06	S09W67 S15W20 S08W31 S02E17	1 0 3 0	0 0 0 0	0 0 0 0		01	S09W67 S15W20 S08W31 S02E17	Q Q Q Q	SOLQUIET MAGQUIET
214	02	01	056	083	08	S14W32 S09W43 S15W21	1 2 0	0 1 0	0 0 0		02	S14W32 S09W43 S15W21	Q Q Q	SOLQUIET MAGQUIET
215	03	02	026	083	17	S10W58	0	0	0	MINOR GEOMAGNETIC STARTED 02/1225Z SUBSTORM LEVEL	03	S10W58	Q	SOLQUIET MAGALERT 03/06
216	04	03	029	081	23	S09W74 S11E56	2 0	0 0	0 0	MINOR GEOMAGNETIC DISTURBANCE CON- TINUES AT SUBSTORM LEVEL	04	S09W74 S11E56	Q Q	SOLQUIET MAGALERT 04/08
217	05	04	026	084	16	S10W87 S09E74	1 0	0 0	0 0	MINOR GEOMAGNETIC SUBSTORM CONTINUES	05	S10W87 S09E74	Q Q	SOLQUIET MAGALERT 05/08
218	06	05	029	084	15	S09E62 S06E77	0 0	0 0	0 0		06	S09E62 S06E77	Q Q	SOLQUIET MAGALERT 06/08
219	07	06	055	085	15	S12E08 S09E47 S06E61 S18E83	0 1 2 1	0 0 0 0	0 0 0 0		07	ALL GROUPS	Q	SOLQUIET MAGALERT MINOR 07/08
220	08	07	059	083	20	S09E34 S06E46 S17E59 S14E43	1 2 0 0	0 0 0 0	0 0 0 0		08	ALL GROUPS	Q	SOLQUIET MAGALERT MINOR 08/09
221	09	08	062	087	22	S09E21 S06E33 S18E51	1 1 1	0 0 0	0 0 0		09	ALL GROUPS	Q	SOLQUIET MAGALERT MINOR 09/09
222	10	09	068	085	10	S09E06 S07E19 S06E50 N08E78	2 0 0 0	0 0 0 0	0 0 0 0		10	S09E06 S07E19 S06E50 N08E78	Q Q Q Q	SOLQUIET MAGALERT MINOR 10
223	11	10	064	086	19	S09W05 S07E05 S06E36 N08E64	1 2 2 0	0 0 0 0	0 0 0 0		11	S09W05 S09E05 S06E36 N08E64	Q Q Q Q	SOLQUIET MAGALERT MINOR 11/12
224	12	11	121	092	11	S09W16 S06W08 S17E10 S06E18 N08E48 N08E37 S19E24	0 0 0 0 0 1 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0		12	S09W16 S06W08 S17E10 S06E18 N08E48 N08E37 S19E24	Q Q Q Q Q Q Q	SOLQUIET MAGNII
225	13	12	150	097	05	S09W32 S06W20 S17W01 S06E04 N08E35 N09E23 S18E08 N05W32 S19W07	0 1 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0		13	S09W32 S06W20 S17W01 S06W04 N08E35 N09E23 S18E08 N05W32 S19W07	Q Q Q Q Q Q Q Q Q	SOLQUIET MAGQUIET
226	14	13	149	093	07	S10W46 S08W34 S07W09 N08E21 N08E12 S20W04 S20W15 S15E79 N06W20	1 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0		14	ALL GROUPS	Q	SOLQUIET MAGQUIET
227	15	14	126	091	05	S09W58 S08W48 S07W21 N09E07 N09W02 S19W15 S12E61 S11W37	0 0 2 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0		15	ALL REGIONS	Q	SOLQUIET MAGQUIET

* Q=Quiet E=Eruptive A=Active P=Proton C=Caution D=Doubtful O.G.=Other Groups

ALERT PERIODS

INTERNATIONAL URSIGRAM
AND WORLD DAYS SERVICE

AUGUST 1974

SUMMARY OF THE GEOALERT WWA MESSAGES

Message serial number	Date of issue	Date of obser- vation	Wolf number	10cm solar flux	A index	Active Regions				Outstanding events	Forecasts			Alert Situations
						Location	No. of Flares				Date	Location	Desc*	
						Lat-Long	Total	M	X					
228	16	15	111	090	04	S09W75 S07W64 S05W37 N09W07 N09W19 S18W32 S13E49 S10W52	0 0 0 0 1 0 0 0	0 0 0 0 0 0 0 0		16	ALL REGIONS	Q	SOLQUIET MAGQUIET	
229	17	16	112	094	09	S09W90 S08W77 S05W49 N10W20 N09W33 S17W47 S13E35	0 0 1 0 3 2 0	0 0 0 0 0 0 0		17	ALL REGIONS	Q	SOLQUIET MAGALERT 19/XX	
230	18	17	065	096	06	S03W62 N10W46 S16W59 S12E24	3 1 1 0	0 0 0 0		18	ALL REGIONS	Q	SOLQUIET MAGALERT 19/XX	
231	19	18	056	094	08	S03W77 N10W60 S17W71 S14E11	1 4 1 0	0 0 0 0		19	ALL REGIONS	Q	SOLQUIET MAGALERT 19/23	
232	20	19	058	087	28	S04W90 N10W74 S17W74 S14W03 S02E71	1 0 0 0 0	0 0 0 0 0	A MINOR GEOMAGNETIC DISTURBANCE STARTED GRADUALLY 19/21XX	20	ALL REGIONS	Q	SOLQUIET MAGALERT 20/23	
233	21	20	044	081	37	N09W90 S14W15 N02E58 S12W17	0 0 0 0	0 0 0 0	MINOR GEOMAGNETIC STORM CONTINUES	21	ALL GROUPS	Q	SOLQUIET MAGALERT 21/23	
234	22	21	050	081	30	S14W29 N02E45 S12W33	3 1 5	0 0 0	MINOR GEOMAGNETIC STORM CONTINUES	22	S12W33 O. G.	C Q	SOLQUIET MAGALERT 22/23	
235	23	22	052	079	32	S15W42 N02E32 S12W47	0 1 8	0 0 0	MINOR GEOMAGNETIC STORM CONTINUES	23	S12W47 O.G.	C Q	SOLQUIET MAGALERT 23/23	
236	24	23	052	079	32	S15W55 N02E18 S11W60	0 0 3	0 0 0	MINOR GEOMAGNETIC STORM CONTINUES	24	S15W55 N02E18 S11W60	Q Q Q	SOLQUIET MAGALERT 24	
237	25	24	046	076	23	S15W68 N01E05 S11W73	0 1 1	0 0 0	MINOR GEOMAGNETIC STORM IS ENDING	25	S15W68 N01E05 S11W73	Q Q Q	SOLQUIET MAGNIT	
238	26	25	040	074	15	S15W79 N02W06 S12W86	0 0 0	0 0 0		26	S15W79 N02W06 S12W86	Q Q Q	SOLQUIET MAGQUIET	
239	27	26	011	072	06	N01W21	0	0		27	N01W21	Q	SOLQUIET MAGQUIET	
240	28	27	011	071	17	N01W34	1	0		28	N01W34	Q	SOLQUIET MAGQUIET	
241	29	28	011	070	10	N01W47	1	0		29	N01W47	Q	SOLQUIET MAGALERT MINOR RECURRENCE 29/05	
242	30	29	025	071	25	N02W60 N08W32	0 0	0 0	MINOR RECURRENT MAGSTORM BEGAN GRADUALLY 29/0330Z	30	ALL GROUPS	Q	SOLQUIET MAGALERT MINOR 30/05	
243	31	30	034	073	15	N01W75 S06W35 S12E67	0 0 0	0 0 0	MINOR GEOMAGNETIC DISTURBANCE CON- TINUES	31	N01W75 S06W35 S12E67	Q Q Q	SOLQUIET MAGALERT 31/05	
244	01	31	022	074	12	N01W88 S09E75	0 0	0 0	MINOR GEOMAGNETIC DISTURBANCE CON- TINUES	01	N01W88 S09E75	Q Q	SOLQUIET MAGALERT 01/05 MINOR	

* Q=Quiet E=Eruptive A=Active P=Proton C=Caution D=Doubtful O.G.=Other Groups

RELATIVE SUNSPOT NUMBERS ZURICH, R_Z

1973 FINAL					1974 PROVISIONAL							
JAY	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG
1	89	68	31	46	18	13	25	26	48	38	82	37
2	124	66	33	24	15	12	16	20	70	49	97	23
3	130	52	23	24	13	8	16	19	89	55	96	12
4	121	50	20	0	12	7	17	22	103	80	98	17
5	108	44	7	0	8	0	18	21	106	62	107	18
6	84	38	0	0	0	0	19	23	113	78	111	26
7	77	30	0	0	0	8	20	28	109	70	88	32
8	72	22	0	7	29	16	16	38	106	59	63	34
9	75	23	0	8	35	22	20	58	91	64	42	45
10	58	8	0	16	44	21	30	70	69	61	29	51
11	42	3	7	9	49	21	37	75	64	58	22	50
12	22	0	0	9	60	35	38	78	56	38	27	67
13	0	3	9	8	45	50	30	83	40	48	28	69
14	0	10	11	8	74	26	42	87	35	45	46	66
15	13	16	12	17	77	46	37	98	24	34	65	59
16	26	18	13	26	64	48	23	93	16	25	74	57
17	20	19	16	40	65	47	20	75	8	24	65	52
18	16	15	16	43	52	46	32	64	0	29	59	44
19	8	0	22	41	54	45	20	51	0	32	45	43
20	30	0	16	47	49	43	9	49	0	23	50	32
21	39	0	23	51	37	37	16	43	0	20	55	24
22	48	16	29	51	36	45	31	28	7	11	61	34
23	58	28	39	47	28	35	27	17	9	11	64	34
24	63	36	38	51	16	29	21	19	7	16	52	28
25	74	53	46	53	0	17	18	20	0	15	61	25
26	78	59	62	57	8	20	10	20	20	8	67	8
27	78	53	60	26	0	42	9	38	18	8	60	3
28	80	62	61	12	8	35	17	30	32	13	61	9
29	75	65	64	0	7	19	19	22	20	30	42	14
30	71	55	59	0	3	25	25	16	0	52	41	8
31		37		0	0		26		52		38	15
MEAN	59.3	30.7	23.9	23.3	29.3	27.7	22.7	44.4	42.3	38.7	61.6	33.7

1973 yearly mean = 38.0

DAILY SOLAR FLUX AT 2800 MHz OTTAWA ARO FLUX ADJUSTED TO 1 A.U., S_a

1973					1974							
DAY	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG
1	114.9	109.0	87.0	86.9	71.5	71.8	76.4	72.1	98.5	97.9	105.4*	85.1
2	129.2*	106.1	83.9	86.3	73.2	73.1	76.5	71.3	113.1	100.1	112.7*	85.2
3	136.5	103.5	81.1	82.7	73.3	73.1	77.1	71.6	115.5	98.9	118.5*	83.0
4	135.0*	94.9	77.4	78.6	72.5	72.9	79.0	73.3	118.0	98.2	127.8*	85.8
5	135.1*	90.6*	73.9	73.6	72.1	74.0	78.6	76.3	119.7	96.5	125.6*	86.5
6	130.9	85.9	73.2	70.9	74.7	75.4	77.5	80.0	123.0	95.0*	121.5	88.0
7	121.7*	82.2	72.1	70.4	76.0	77.4	76.0	80.2	119.3	92.8	110.9*	85.8
8	115.7	80.1	70.4	70.9	79.7	78.8	77.0	81.1	115.8	95.0*	104.7*	89.4
9	113.1*	79.1	70.4	71.2	84.9	80.8	80.2	87.8	110.0	95.1	95.5	87.5
10	106.7*	77.0	70.7	72.3*	89.2	80.5	86.1	93.5*	105.1	97.0	88.2	88.3
11	96.8	74.9	71.2	71.9	91.0*	77.5	85.9	99.8	104.3	95.3*	83.1	94.4
12	89.5	72.0	70.7	72.5	94.5	76.5	86.2	105.6*	97.1	91.7	83.3	99.4
13	84.6	70.5	72.6	73.1	94.8*	77.3	84.5	102.8	93.5	89.8	83.3	95.2
14	82.9	72.7	73.8	73.8	98.7	76.3	81.9	116.3	88.2	88.1	83.3	93.2
15	82.6	75.7	75.0	76.6	91.8	83.7	82.9	122.9*	84.9	84.7	85.5	92.1
16	83.9	75.5	75.6	79.7	90.0	84.7	81.8	115.0*	80.3	86.2	81.3	96.6
17	81.8	79.5	75.3	82.1	89.2	85.9	82.7	101.8	75.8	87.2	91.0	98.8
18	84.6	78.3	75.5	84.9	87.1	87.5	80.2	98.0	75.2	84.4	86.5	95.1*
19	86.6	76.7	75.4	87.8	85.8	82.7	80.0	87.5*	73.0	82.8	87.1	88.8
20	92.0	73.4	76.8	89.9	84.4	82.2	79.6	82.3	72.5	83.8	86.7	82.6
21	94.9	80.0	80.7	97.6	79.7	82.2	79.1	79.5	71.9	81.4	80.1	81.2*
22	99.5	85.0	84.7	96.7*	83.5*	82.2	80.0	75.3	72.2	82.3	95.3*	80.6
23	103.9	89.9	86.5	96.0	81.0	84.2	79.8	73.9	71.5	80.2	98.5	81.0
24	106.2	97.6*	87.0	98.1	77.8	80.9	76.6	75.0	72.4	78.1	92.1*	77.4
25	112.7	101.0	88.0*	97.6	74.1	78.6	74.3	76.5	72.4	78.8	99.5	75.7
26	115.5	101.0	91.8*	92.9	71.5	76.2	72.6	74.9	79.6	79.6	83.1	73.8
27	115.9	101.7*	88.8	88.6	70.7	76.4	71.8	75.3	85.1	82.4	87.9	72.7
28	118.1	100.7	90.7	81.7*	70.8	75.8	70.4	77.9	87.4	83.0	84.5	71.8
29	116.5	99.1	76.4	76.4	70.7	71.5	71.5	81.5	89.4	89.4*	85.2	72.4
30	116.5*	97.4*	95.7*	74.1	70.8		72.1	91.7	91.3	93.1*	95.9	74.2
31		90.5		72.0	71.3		72.9		95.1		87.4	75.6
MEAN	106.8	87.1	79.7	81.5	80.4	78.9	78.4	86.7	92.6	89.0	95.5	85.1


* adjusted for burst

DAILY SOLAR INDICES

AUGUST 1974

AUG 1974	YEAR DAY	BARTELS 27-DAY CYCLE NUMBER	SUNSPOT NUMBERS		OBSERVED FLUX OTTAWA 2800	SOLAR FLUX ADJUSTED TO 1 A.U.									
			R _Z	R _{A'}		AFCRL 15400	AFCRL 8800	AFCRL 4995	OTTAWA 2800	AFCRL 2695	AFCRL 1415	AFCRL 606	AFCRL 410	AFCRL 245	
1	213	11	37	28	82.6	522	275	127	85.1	81.4	56.7	41.5	21.2	9.4	
2	214	12	23	20	82.7	517	276	126	85.2	81.0	54.5	40.0	21.7	9.4	
3	215	13	12	11	80.6	531	272	123	83.0	79.7	52.9	37.9	20.6	9.4	
4	216	14	17	10	83.4	532	276	129	85.8	82.7	53.5	39.0	20.7	9.6	
5	217	15	18	19	84.1	521	276	128	86.5	81.2	52.0	38.2	22.1	9.4	
6	218	16	26	25	85.5	513	278	128	88.0	84.0	55.0	41.4	22.8	9.4	
7	219	17	32	30	83.5	503	278	127	85.8	82.7	55.7	39.9	22.5	10.2	
8	220	18	34	33	87.0	515	283	129	89.4	85.1	56.2	40.7	21.8	11.3	
9	221	19	45	40	85.1	514	277	128	87.5	83.9	59.0	41.0	22.6	10.6	
10	222	20	51	44	86.0	510	279	130	88.3	85.9	58.9	40.1	21.6	10.0	
11	223	21	50	55	91.9	521	286	137	94.4	90.0	60.3	41.9	24.4	11.1	
12	224	22	67	69	96.8	513	292	139	99.4	95.0	62.1	44.3	26.9	22.2	
13	225	23	69	67	92.8	521	286	136	95.2	91.5	61.2	44.3	24.0	9.7	
14	226	24	66	65	90.8	508	281	133	93.2	87.7	58.3	43.1	23.3	9.0	
15	227	25	59	58	89.8	526	285	132	92.1	87.0	60.0	43.4	25.1	9.2	
16	228	26	57	58	94.2	521	292	137	96.6	91.9	61.7	41.5	21.8	8.9	
17	229	27	52	51	86.4	524	289	138	98.8	95.2	62.7	45.6	26.7	10.7	
18	230	1	44	46	92.8*	525	284	139	95.1*	91.1	60.4	44.7	25.0	10.8	
19	231	2	43	40	86.7	520	285	130	88.8	83.7	55.5	42.1	26.2	11.1	
20	232	3	32	29	80.7	530	279	125	82.6	79.2	51.7	39.5	24.6	10.4	
21	233	4	28	31	79.4*	519	269	126	81.2*	79.2	52.7	42.4	26.1	10.1	
22	234	5	34	35	78.8	512	273	124	80.6	76.5	51.2	38.5	25.9	10.3	
23	235	6	34	34	79.3	518	270	124	81.0	78.0	52.3	38.9	23.7	9.4	
24	236	7	28	31	75.7	514	265	123	77.4	74.3	48.9	38.1	23.3	8.6	
25	237	8	25	24	74.1	516	272	118	75.7	72.4	48.0	37.8	24.7	8.6	
26	238	9	8	10	72.3	509	267	117	73.8	70.0	46.0	37.2	24.0	8.5	
27	239	10	8	9	71.2	515	264	117	72.7	70.3	47.4	37.7	22.8	8.6	
28	240	11	8	9	70.4	522	261	116	71.8	68.8	48.8	36.8	25.9	9.8	
29	241	12	14	10	71.0	509	259	112	72.4	64.2	48.2	37.6	23.6	9.6	
30	242	13	8	8	72.8	516	256	117	74.2	69.2	47.7	36.2	22.4	9.1	
31	243	14	15	14	74.2	512	267	120	75.6	72.0	47.8	37.8	23.0	9.5	
MEAN			33.7	32.7	83.0	518	276	127	85.1	81.1	54.4	40.3	23.6	10.1	

* Corrected for burst.



PREDICTED AND OBSERVED SUNSPOT NUMBERS

SMOOTHED OBSERVED AND PREDICTED SUNSPOT NUMBERS

CYCLE 20

MONTH	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1964										9.6	10.2	11.0
1965	11.7	12.0	12.5	13.6	14.6	15.0	15.5	16.4	17.4	19.7	22.3	24.5
1966	27.7	31.3	34.5	37.4	40.7	44.6	50.3	56.6	63.1	67.6	70.2	72.7
1967	75.0	78.8	82.2	84.6	87.4	91.3	94.1	95.3	95.3	95.0	97.1	100.6
1968	102.6	102.9	104.7	107.2	107.6	106.6	105.2	104.8	107.0	109.9	110.6	110.1
1969	110.0	109.6	108.0	106.4	106.2	106.1	105.8	106.4	105.4	104.1	104.6	104.9
1970	105.6	106.0	106.2	106.1	105.8	105.3	103.8	101.0	97.2	93.9	89.4	84.1
1971	80.4	77.8	74.4	70.9	68.1	66.7	65.4	64.6	65.8	66.2	66.8	69.4
1972	70.8	71.2	72.4	73.4	72.9	70.5	68.2	65.5	62.2	60.6	58.7	55.1
1973	50.9	46.5	44.2	42.7	40.7	39.1	37.6	36.3	34.7	33.2	32.7	32.6
1974	34.2	36.1	35.4 (1)	34.7 (2)	34.3 (3)	33.2 (5)	31.7 (6)	29.7 (6)	27.5 (7)	25.7 (8)	24.0 (9)	22.7 (9)
1975	21.5 (9)	20.1 (9)	19.0 (9)	17.9 (9)	16.7 (9)	15.7 (10)	14.9 (12)					

For each month, the upper figure is the observed or predicted Zürich smoothed sunspot number. The lower figure in parenthesis is the corresponding absolute value of the 90% prediction interval, an indication of the uncertainty above and below the predicted number. Observed numbers are those with no prediction intervals. The observed smoothed sunspot numbers are based on final Zürich numbers through 1973.

The predicted sunspot numbers are derived from a regression analysis based on cycles 8 through 19. Tests indicate that earlier cycles are from a different statistical population. From July 1968 - February 1970 a regression analysis based on cycles 1 through 19 was used because it had not then been proven that two populations exist.

10
Aug 74

SOLAR FLARES

PARTIAL LISTING

Solar Flares for which at least one observatory has assigned a numerical importance of "1" or greater.

AUGUST 1974

OBSERV- ATORY	OBSERVED UT				LOCATION					DURA- TION — MIN.	IM- POR- TANCE	OBS. COND. TYPE	MEASUREMENTS					REMARKS
	DATE AUG	START	END	MAX. PHASE	APPROX. LAT.	MER. DIST.	CENTRAL DISTANCE	MCNATH PLAGE REGION	CMP DAY				TIME UT	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH H α	MAX. INT. %	
PALE BOUL	01	2011	2138	2021	S 8	W38	.635	13095	29.0	87	1B	2	C		2.25			DE U
	01	2023E	21250	2026	S 9	W38	.639		29.0	620	1N	C	2026	2.46	3.12			
MITK	06	0519	0531D	0523	S 7	E69	.938	13124	11.4	12D	1N	C	0523	82.50			E	
ARCE UPIC	16	0804E	0905D		N09	W23	.395	13141	14.6	61D	1N	P	0804	1.96	2.20		HK	
	16	0810U	0825	0816U	N09	W25	.426		14.5	15U	SN	P	0816	.42				
UPIC	17	1220E	1300	1235	S19	W53	.841	13147	13.5	40D	1N	P	1235	1.26				
TEHR MCMA BOUL WEND	21	1258	1334	1305	S10	W22	.446		19.9	36	SN	2	C		.55			F E
	21	1302	1335	1307	S12	W26	.513	13175	19.6	33	SF	C	1307	.52	.60			
	21	1303	1342	1312	S12	W26	.513		19.6	39	SF	C	1312	.86	.95			
	21	1315	1342		S11	W28	.531		19.5	27	1F	V		3.09				

Note: Catania and Capri-S express Maximum Intensities in percent of the local undisturbed chromosphere instead of percent of the local continuum. Parentheses are used to indicate this difference.

"Remarks":

A = Eruptive prominence whose base is less than 90° from central meridian.
B = Probably the end of a more important flare.
C = Invisible 10 minutes before.
D = Brilliant point.
E = Two or more brilliant points.
F = Several eruptive centers.
G = No visible spots in the neighborhood.
H = Flare accompanied by a high speed dark filament.
I = Active region very extended.
J = Distinct variations of plage intensity before or after the flare.
K = Several intensity maxima.
L = Existing filaments show signs of sudden activity.
M = White-light flare.

N = Continuous spectrum shows effects of polarization.
O = Observations have been made in the calcium II lines H and K.
P = Flare shows helium D₃ in emission.
Q = Flare shows the Balmer continuum in emission.
R = Marked asymmetry in H α line suggests ejection of high velocity material.
S = Brightness follows disappearance of filament (same position).
T = Region active all day.
U = Two bright branches, parallel (||) or converging (Y).
V = Occurrence of an explosive phase: important and abrupt expansion in about a minute with or without important intensity increase.
W = Great increase in area after time of maximum intensity.
X = Unusually wide H α line.
Y = System of loop-type prominences.
Z = Major sunspot umbra covered by flare.

SOLAR FLARES

Date, time (UT) and coordinates of Subflares not included in preceding table.

AUGUST 1974


01 0012 S 6 W67	01 0830 S08 W38	01 1602 S14 W68	01 1619 S10 W75	01 2243E S 8 W44	01 2245E S10 W45
02 0011 S11 W34	02 0014E S16 W29	02 0625 S 9 W47	02 0945 S09 W53	02 0951 S10 W50	02 0955 S 9 W46
03 0220 S 5 W83	03 1133 S 5 W85	03 1705 S10 W70	03 1755E S 9 W70	03 1800 S10 W69	03 1918 S12 W74
03 2019 S11 W70	03 2117E S 9 W70	04 0248E S 8 W75	04 0645 S 9 W80	04 0905U S09 W85	04 0955 S09 W86
04 1239 S10 W90	04 1240E S20 W90	04 1355 S10 W89	04 1448E S10 W90	05 0043E S 8 E90	05 0701 S07 E87
05 0715 S09 W90	05 0803 S09 W90	05 0936 S09 W90	05 0949 S09 W90	05 1043 S19 E90	06 0004 S 6 E69
06 0917 S13 E55	06 0920E S14 E57	06 0924 S11 E90	06 1929 S17 E73	06 1932 S16 E76	06 1933E S19 E78
06 1933 S19 E80	07 0024 S13 E80	07 0536 S11 E56	07 1211 S07 E55	07 1353 S07 E53	07 1353 S 7 E52
07 1353 S 6 E54	07 1353 S 7 E55	07 1734 S 7 E38	07 1737 S08 E38	07 1739E S09 E37	08 0717 S20 E58
08 0720E S16 E60	08 1551 S09 E24	08 1734 S 5 E54	08 1734 S 6 E55	08 1735E S07 E57	09 0751 S 8 E17
09 0755 S 9 E16	09 0837 S 6 E17	09 0841E S 7 E14	09 0933E S05 E42	09 0940 S 6 E44	09 0943E S05 E45
09 1025 S12 E16	09 1928 S11 E 8	09 1930 S11 E 9	09 2338 S 7 E36	09 2341E S 6 E36	09 2346 S 7 E36
10 0850E S09 E41	10 1307 S11 W 2	10 1310 S10 W 2	10 1448 N 7 E68	10 1746 S 4 E 8	10 1749 S 5 E 8
10 1751E S 6 E 8	10 2033E S 7 E35	10 2332E S 7 E24	11 1210 S 6 E27	11 1244 S 7 W 2	11 1443 N08 E58
12 0102 S 5 E 8	12 0104 S 6 E 7	12 0931E S07 E16	12 1031E S18 E17	13 0800E S02 W10	13 1518 S04 W07
13 1607 S 7 W12	13 1611 S05 W12	13 2321E S 8 W44	14 0238E S 4 W 9	14 0239E S 4 W14	14 1305 S06 W15
14 1305 S 6 W14	14 1731E S06 W17	15 1121E S04 W29	15 1234 N 9 W 3	15 1412 S 3 W18	15 1849 N 9 W14
15 2053E S13 E20	16 0522 N10 W19	16 0742E S18 W52	16 0757E S12 E15	16 1020U S11 E45	16 1100 S12 E46
16 1114 S12 E44	16 1214E N08 W27	16 1231E S20 W53	16 1305E N10 W17	16 1305E N10 W15	16 1342E N 8 W32
16 1342 N 7 W33	16 1355 N08 W28	16 1415E N08 W30	16 1418 N 9 W28	16 1445 N08 W29	16 1520 N 7 W22
16 1621 S16 W44	16 1621 S17 W45	16 1902 N 9 W26	16 1947 S17 W43	16 1954 S17 W44	16 2019E N11 W29
16 2019 N10 W28	16 2020 S16 W44	16 2110 S17 W44	16 2111E S17 W45	16 2200 S 7 W49	16 2202E S 5 W50
17 0257E S 5 W33	17 0433E S 4 W53	17 0436E S 4 W53	17 0437E S11 E 1	17 0800E S18 W50	17 0833 N 7 W36
17 0834 N09 W35	17 1018E S11 E31	17 1157 N 7 W37	17 1333 S15 E39	17 1430 S 5 W59	17 1711E S12 W83
17 1715 S18 W58	17 1717 S18 W54	17 1824 S 6 W73	17 1827E S 6 W60	17 1827 S 6 W61	17 1934 S 3 W61
17 1952 S 4 W63	17 2003E S 3 W62	18 0441 N 9 W47	18 0459 S 7 W66	18 0904 N 9 W48	18 0943 N 9 W48
18 1111 N12 W48	18 1723 S18 W76	18 1735 S18 W78	18 2257E S16 E11	18 2302E S16 E10	19 0742 S11 E87
19 0827 S11 E85	19 1055 S 6 W85	20 0309 N11 E58	20 1838 N 3 E59	21 0352 N 4 E59	21 0617E S10 W20
21 0648 S10 W20	21 0750 S10 W20	21 0835 S10 W20	21 0835 S11 W23	21 0841E S12 W22	21 0912E N 4 E59
21 0916 N04 E59	21 0941E S12 W18	21 1017 S11 W24	21 1018 S10 W22	21 1215 N 4 E50	21 1216E N 3 E48
21 1216 N01 E49	21 1221 N01 E48	21 1613 S11 W26	21 1614 S12 W28	21 1614 S12 W27	21 1727 N01 E47
22 0431 S12 W35	22 0441E S12 W36	22 0612 S13 W38	22 0615 S12 W37	22 0615E S12 W34	22 0659 S13 W38
22 0805E S11 W33	22 0834E S11 W33	22 0956E S11 W33	22 1014E N13 E29	22 1023 S11 W33	22 1025E S13 W39
22 1037E S14 W38	22 1747 S13 W45	22 1749E S12 W45	22 1751 N 1 E37	22 1755 S12 W41	22 1940 S10 W43
22 1941 S11 W46	22 2148 S10 W46	22 2338 N 4 E36	23 0225 S13 W48	23 0340E S13 W48	23 0817E S12 W46
23 0845E S11 W51	23 2119 S10 W49	24 0314 S14 W59	24 1352 S 9 W68	24 1510 S 9 W70	24 1511 S 9 W68
24 1738 N 2 E11	24 1739 N 2 E12	24 1740 N02 E11	25 2103 S08 E14	26 1555 N 2 W18	26 1741 S19 W35

12
Aug 74

INTERVALS OF NO FLARE PATROL OBSERVATION FOR PRECEDING SOLAR FLARE TABLE

AUGUST 1974

HOUR-UT



Observatories included in total patrol:

Arcetri	Herstmonceux	Mitaka	Rome	Wendelstein
Boulder	Manila	Palehua	Tehran	
Bucharest	McMath-Hulbert	Ramey	Upice	


Times of no flare patrol are shown by the shaded area for each day divided into times of no cinematographic patrol bottom half of day) and times of neither visual nor cinematographic patrol (top half of day).

SOLAR RADIO EMISSION
INTERFEROMETRIC OBSERVATION

AUGUST 1974

Nangay

169 MHz




14
Aug 74

EAST - WEST SOLAR SCANS

August 1974

ALGONQUIN RADIO OBSERVATORY
CANADA


10.7 cm
Fan Beam with 1.5 minutes of arc
E - W Resolution



EAST-WEST SOLAR SCANS

AUGUST 1974

Fleurs, Australia

ESTIMATED QUIET SUN LEVEL
COLD SKY LEVEL21 cm
Fan-Beam with 2 minutes of arc
E-W Resolution


16
Aug 74

EAST-WEST SOLAR SCANS
AUGUST 1974

Flours, Australia

ESTIMATED QUIET SUN LEVEL
COLD SKY LEVEL

43 cm
Fan-Beam with 4 minutes of arc
E-W Resolution



SOLAR RADIO EMISSION
SELECTED FIXED FREQUENCY EVENTS

AUGUST 1974

AUG 1974	FREQUENCY STATION	TYPE	STARTING TIME	TIME OF MAXIMUM	DURATION	FLUX DENSITY $10^{-22} \text{ W m}^{-2} \text{ Hz}^{-1}$		INT	REMARKS
			UT	UT	MINUTES	PEAK	MEAN		
1	2800 OTTA	24	1820	1900	40	1.2	0.6		
	2800 OTTA	24	1900		420 D	1.2			
	2800 OTTA	4	2012	2015.2	11	19.8	7.2		
	2695 BOUL	45	2012.5	2016.5	12	19.0	5.0		
	2800 OTTA	29	2023	2023	130	5.0	2.8		
	2800 OTTA	27	2240		150	1.6	1.4		
	2800 OTTA	24	2240	2250	10	1.6	0.8		
	2695 BOUL	45	2242.5	2246.5	5	6.0	2.0		
	2800 OTTA	2	2243		6	4.2	2.1		
	2695 PENT	24	2250		110	1.6			
	2695 PENT	26	2440	2510	30	-1.6	-0.8		
2	2695 BOUL	3	1744	1745.5	2.5	3.0	1.0		
3	2695 PENT	24	1745	1915	90	1.8	0.9		
	2695 PENT	24	1915		220 D	1.8			
4	2595 PENT	20	1940	2145	200 D	2.4			
7	2800 OTTA	8	1847.8	1847.8		2.2			
8	2800 OTTA	27	1415 E		295 D	2.0			
	2800 OTTA	24	1415 E	1455	40 D	2.0			
	2800 OTTA	24	1455		190	2.0			
	2800 OTTA	26	1805	1910	65	-1.4	-0.7		
9	2695 PENT	24	2330	2405	35	1.6	0.8		
	2695 PENT	24	2405		110 D	1.6			
10	2800 OTTA	20	1748	1800	250	2.0	1.1		
	2695 PENT	24	2230	2435	125	4.0	2.1		
	2695 PENT	24	2435		80 D	4.0			
11	2695 PENT	24	1130	1300	90	3.4	1.7		
	2800 OTTA	24	1300		750 D	3.4			
	2800 OTTA	32	1730	1755	50	-1.0	-0.5		
12	2695 PENT	20	0050	0120	65 D	4.2			
	2800 OTTA	27	1150		490	2.4			
	2800 OTTA	24	1150	1240	50	2.4	1.2		
	2800 OTTA	24	1240		310	2.4			
	2800 OTTA	26	1800	2000	120	-1.4	-0.7		
	2800 OTTA	20	2120	2220	220	4.2	2.0		
14	2800 OTTA	20	1703	1735	35	1.2	0.6		
16	2800 OTTA	24	1427	1440	13	2.0	1.2		
	2800 OTTA	24	1440		410	2.0			
	2695 PENT	24	2130	2500	210	4.6	2.3		
	2695 PENT	24	2500		55 D	4.6			
17	2800 OTTA	26	1520	1800	160	-2.0	-1.0		
	2800 OTTA	1	1608	1609	3	5.4	2.7		
	2695 BOUL	3	1609	1610	2	6.0	2.0		
	2800 OTTA	24	1930	1940	10	2.0	1.0		
	2800 OTTA	24	1940		360 D	2.0			
	2800 OTTA	20	2200	2225	110	2.6	1.3		
18	2800 OTTA	20	1620	1750	180	2.6	1.3		
	2800 OTTA	8	2256.6	2256.6		2.0			
20	2800 OTTA	32	1510	1535	50	1.6	0.8		
21	2695 PENT	20	1300	1315	70	1.6	0.8		
	2800 OTTA	20	1610	1650	95	1.6	0.8		
22	2695 MANI	1	0446.7	0446.9	1.5	3.4	.9		
	2800 OTTA	20	1740	1810	110	2.8	1.6		
24	8800 SGMR	2	1352.8	1353.2	3.8	6.4	1.9		
	2695 PENT	4	1352	1353	2	63.0	31.5		
	2695 SGMR	4	1352	1352.8	3.5	63.0	18.9		
	2695 BOUL	8	1353	1353.5	2	66.0	28.0		
	2695 SGMR	4	1510.9	1511.3	.7	16.0	4.8		
	2800 OTTA	8	1511	1511.4	.6	20.0			
	2800 OTTA	8	1515.5		.4	2.0			
	2800 OTTA	40	1517	1517.2	1.7	4.0			
	2800 OTTA	20	1735	1745	105	3.2	1.3		
	2695 BOUL	3	1737.5	1746	25	5.0	2.0		

Observatories:

BOUL = Boulder

MANI = Manila

OTTA = Ottawa ARO

PENT = Penticton

SGMR = Sagamore Hill

18
Aug 74

PIONEER VI

AUGUST 1974

Date Aug. 1974	DSN Coverage (UT)	Data Time (UT) †	ESP (°)	SOLAR WIND				COSMIC RAY PROTONS ³ (particles/sec)		
				AMES ¹		MIT ²		6-13 (Mev*)	13-175 (Mev**)	>175 (Mev)
				U _{H⁺} †† (km/sec)	TAU (days)	U _{H⁺} (km/sec)	N _{H⁺} (H ⁺ /cc)			
6	1522-1754	1600 1700	-172.	756 756	-12.77	759 710	5.1 17.2	23.5 27.7	0.1 .11	0.74 .77
17	1216-1751	1300 1400 1500 1600 1700	-172.8	448 448 448 506 506	-12.69	Data excessively noisy due to spacecraft's orbital location. With the exception of Wolfe's peak velocity, data reduction not possible.				

PIONEER VII

AUGUST 1974

Date Aug. 1974	DSN Coverage (UT)	Data Time (UT) †	ESP (°)	SOLAR WIND				COSMIC RAY PROTONS ³ (particles/sec)		
				AMES ¹		MIT ²		6-13 (Mev*)	13-175 (Mev**)	>175 (Mev)
				U _{H⁺} †† (km/sec)	TAU (days)	U _{H⁺} (km/sec)	N _{H⁺} (H ⁺ /cc)			
7	1043-1600	1100 1200 1300 1400 1500	-094.8	440 440 500 500 536	-7.36			0.2 .2 .21 .16 .18	0.1 .11 .11 .11 .09	

¹ Wolfe - NASA/ARC

² Simpson - University of Chicago

* Includes He 0.6-13 Mev/nucleons and electrons ~0.5 Mev - see J. Retzler and J. A. Simpson, J. Geophys. Res., 74, 9, 2149-2160, 1969 for discussion of the electron response of Pioneer VII.

** Includes He >13 Mev/nucleons.

Q Used to indicate that a rate is at its quiescent level.

Note: The notes published with the March 1972 data continue to apply to the current data.

ESP = Earth-Sun Probe Angle.

† Data instantaneous at hour indicated.

†† Peak velocity.

PIONEER VIII

AUGUST 1974

Date Aug. 1974	DSN Coverage (UT)	Data Time (UT)	ESP (°)	SOLAR WIND ¹				IP E-FIELD ² 400 Hz (mv)	IMF ³		COSMIC RAY PROTONS ⁴ (particles/sec)	
				U _{H⁺} (km/sec)	N _{H⁺} (H ⁺ /cc)	T _{H⁺} (x10 ⁶ °K)	TAU (days)		B (γ)	φ (°)	>13.9 Mev	> 64Mev
9	1523-1623	1600	133.2	455.	---	0.088	9.84	0.629	2.2	146.	--	1.26
18	1321-1918	1300	133.8	491.	---	---	9.87	.367	4.	325.	7.22	1.23
		1400		483.	---	.089		.399	5.2	353.	7.35	1.38
		1500		472.	---	---		.216	5.	331.	7.23	1.07
		1600		482.	---	---		.204	2.4	351.	7.02	1.19
		1700		472.	---	---		.208	4.5	327.	7.24	1.13
		1800		465.	---	.104		.246	5.3	322.	7.13	1.14
		1900		485.	---	.098		.391	5.3	307.	7.14	1.27

¹ Wolfe - NASA/ARC² Scarfe - TRW, Inc.³ Ness - NASA/Goddard & Mariani - Univ. of Roma⁴ Webber - Univ. of N.H.

ESP = Earth-Sun Probe Angle.

PIONEER IX

AUGUST 1974

Date Aug. 1974	DSN Coverage (UT)	Data Time (UT)	ESP (°)	SOLAR WIND ¹				IP E-FIELD ² 400 Hz (mv)	IMF ³		COSMIC RAY PROTONS ⁴ (particles/sec)	
				U _{H⁺} (km/sec)	N _{H⁺} (H ⁺ /cc)	T _{H⁺} (x10 ⁶ °K)	TAU (days)		B (γ)	φ (°)	>13.9 Mev	>40 Mev
6	0807-1357	0800	-105.4	487.	---	0.13	-7.81	0.155	5.7	080.	5.89	1.21
		0900		480.	---	---		.155	5.	115.	5.97	1.11
		1000		490.	---	---		.148	6.2	101.	5.84	1.09
		1100		497.	---	---		.144	5.8	096.	5.79	1.43
		1200		533.	---	.106		.148	5.7	047.	5.88	1.12
		1300		492.	---	.106		.148	5.5	094.	6.01	1.16
		1400		490.	---	---		.129	6.1	126.	5.91	1.45
9	1005-1324	1000	-105.3	459.	---	.125	-7.8	.187	4.7	155.	6.05	1.13
		1100		464.	---	.16		.163	5.4	165.	5.95	1.07
		1200		464.	---	.135		.163	5.1	138.	5.84	1.26
		1300		465.	---	---		.14	5.2	116.	5.96	1.07
10	0925-1312	1000	-105.3	424.	---	---	-7.77	.148	6.5	154.	5.97	1.13
		1100		406.	---	---		.14	5.7	171.	5.95	1.07
		1200		404.	---	---		.14	6.2	140.	5.94	1.04
		1300		396.	---	---		.151	6.6	148.	6.04	1.24
17	0332-1027	0400	-105.2	664.	---	.432	-7.81	.215	6.2	343.	5.6	1.24
		0500		664.	---	.412		.164	5.1	330.	5.43	1.03
		0600		672.	---	---		.171	5.3	324.	5.45	1.3
		0700		640.	---	---		.262	7.3	335.	5.59	1.
		0800		641.	---	---		.302	6.7	326.	5.39	1.21
		0900		648.	---	---		.299	6.2	321.	5.4	1.1
		1000		662.	---	.22		.33	6.3	349.	5.42	1.3
18	0620-1217	0600	-105.2	678.	---	.239	-7.8	.187	5.3	029.	5.38	1.06
		0700		670.	---	.234		.253	4.9	320.	5.51	1.09
		0800		679.	---	.181		.224	5.1	014.	5.38	1.27
		0900		642.	---	.154		.231	5.1	358.	5.48	1.13
		1000		668.	---	---		.261	4.7	314.	5.4	1.04
		1100		645.	---	---		.287	5.3	040.	5.4	0.96
		1200		641.	---	.197		.261	4.9	330.	5.38	1.13

¹ Wolfe - NASA/ARC² Scarf - TRW, Inc.³ Sonett and Colburn - NASA/ARC⁴ Webber - Univ. of N.H.



ESP = Earth-Sun Probe Angle.

Note: Data sampled hourly unless otherwise noted.



20
Aug 74

> 10 Mev Protons from NOAA 2 and 3
Preliminary Raw Data - Polar Cap

AUGUST 1974





>30 Mev Protons from NOAA 2 and 3
Preliminary Raw Data - Polar Cap



22
Aug 74

>60 Mev Protons from NOAA 2 and 3
Preliminary Raw Data - Polar Cap

AUGUST 1974



INFERRED IP MAGNETIC FIELD

BARTELS ROTATION	DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	
1893	1971 DEC 20	A	T	A	A	A	A	A	A	A	A	A	T	T	A	T	T	A	T	A	-	T	T	T	T	T	T	T	T
1894	1972 JAN 16	-	T	A	A	A	A	A	T	T*	T	T	T	T	A	T	T	T	T	A	A	T	A	T	T	T	T	T	T
1895	FEB 12	A	A	A	T	A	A	A	A	A	A	T	T	T	A	T	A	T	A	T	-	A	A	T	T	T	T	T	T
1896	MAR 10	A	A	A	A	A	A	A	A	A	T	A	T	A	T	A	T	A	A	A	A	T	T	T	T	T	T	T	T
1897	APR 6	A	A	T	T	T	A	A	A	T	T	T	T	T	T	A	A	T	T	T	A	T	T	T	T	T	T	T	T
1898	MAY 3	A	A	A	A	A	T	-	A	A	T	T	T	T	T	T	T	A	A	T	A	A	A	T	A	A	T	T	T
1899	MAY 30	A	A	A	A	*	A	A	A	T	T	T	A	A	A	-	A	-	A	-	A	-	A	A	T	T	T	T	T
1900	JUN 26	A	A	A	A	A	T	A	A	T	A	T	T	T	T	A	A	A	T	T	T	A	A	A	T	A	T	T	T
1901	JUL 23	T	A	*	T	A	*	T	A	A	A	A	A	T	A	T	-	A	T	T	T	T	T	T	T	T	T	T	T
1902	AUG 19	A	-	A	-	A	A	A	A	A	A	A	A	T	A	A	A	A	A	T	T	T	T	T	T	A	A	A	A
1903	SEP 15	A	A	T	A	T*	A	A	A	A	A	A	T	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1904	OCT 12	T	T	A	-	T	A	-	A	*	A	T	A	T	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1905	NOV 8	A	A	T	A	A	T	A	T	A	T	A	T	A	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1906	DEC 5	T	T	T	T	A	A	T	-	T	-	T	T	T	A	A	-	T	A	T	A	A	T	T	T	T	T	T	T
1907	1973 JAN 1	T	T	T	T	T	T	T	A	T	A	T	A	T	A	T	A	A	A	A	A	A	A	A	A	A	A	A	A
1908	JAN 28	T	T	A	A	T	T	A	T	A	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1909	FEB 24	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T
1910	MAR 23	T	T	T	T	T	T	A	T	T	T	T	T	T	A	T	A	A	A	A	-	A	A	A	T	A	A	A	A
1911	APR 19	T	T	T	A	T	T	T	A	T	T	T	T	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1912	MAY 16	T	T	T	T	T	T	A	T	A	T	A	T	A	A	A	-	A	A	A	-	A	A	A	A	A	A	A	A
1913	JUN 12	T	A	T*	-	T	*	-	T	T	A	T	A	T	-	T	T	T	T	A	A	A	A	A	A	A	A	A	A
1914	JUL 9	T	T	T	T	A	A	T	T	-	T	A	T	T*	A	T*	-	A	A	T	A	T	A	-	T	T	T	T	T
1915	AUG 5	T	T	A	A	A	T	A	T	A	A	A	T	T*	T	T	A	T*	T	A	T	T	A	T	T	A	A	A	A
1916	SEP 1	T	T	A	T	T	T	A	A	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1917	SEP 28	A	A	T	A	T	A	T	T	A	A	A	A	A	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1918	OCT 25	T	T	T	T	A	T	A	A	T	A	T	A	A	A	A	T	A	T	T	T	T	T	T	T	T	T	T	T
1919	NOV 21	A	*	T	T	-	A	A	A	A	T	A	T	A	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1920	DEC 18	T	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T
1921	1974 JAN 14	T	A	A	T	-	T	A	A	T	A	A	A	A	A	A	-	A	A	-	A	T	T	T	T	A	T	T	T
1922	FEB 10	A	-	A	-	A	*	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1923	MAR 9	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1924	APR 5	A	A	A	A	-	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1925	MAY 2	-	-	A	A	A	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A
1926	MAY 29	T	T	A	A	A	*	-	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1927	JUN 25	T	A	T	A	A	-	A	-	A	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1928	JUL 22	T	T	A	A	A	A	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1929	AUG 18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

T = towards the sun
 A = away from the sun
 * = effect doubtful or not discernable
 - = missing data

The table shows daily inferences of the polarity of the interplanetary magnetic field made principally from magnetograms produced by magnetometers at the Vostok Antarctic Station of the USSR for the first half of the day and from the Thule Geopole Station of the U.S. Air Weather Service for the second half.

Note: Computer problems are responsible for the considerable amount of missing data in August 1974.

JULY 1974 DATA

Contents


	Page
<u>Daily Solar Activity Centers</u>	
H α Synoptic Chart	26
Descriptive Text for Kitt Peak Solar Magnetograms	27
Calibration of OSO-7 Fe XV 284Å Spectroheliograms	28-29
X-ray, Magnetograms, Calcium Plages, H α Spectroheliograms, Sunspots, Corona and 2 cm Spectroheliograms	30-91
Individual Regions of Solar Activity	92-102
Daily Calcium Indices	102
<u>Sudden Ionospheric Disturbances</u>	
Table of Events	103-105
Number of Events in each Plage Region	105
<u>Solar Radio Waves</u>	
Spectral Observations	106-121
Selected Events by Radioheliograph	122
<u>Cosmic Rays</u>	
Neutron Monitors Daily Values - Thule, Alert, Deep River, Calgary, Sulphur Mountain, Kiel, Tokyo	124
Chart of Variations - Thule, Alert, Deep River, Calgary, Sulphur Mountain, Kiel, Tokyo	125
<u>Geomagnetic Indices</u>	
Table of Indices Kp, Ci, Cp, Ap, aa	126
Chart of Kp by Solar Rotations and 12-Month Table of Daily Averages Ap	127
Equatorial Indices Dst	128
Principal Magnetic Storms	129
Sudden Commencements and Solar Flare Effects	130
<u>Radio Propagation Indices</u>	
North Atlantic Quality Figures and Forecasts	131
Transmission Frequency Ranges - North Atlantic Path	132-133
Quality Indices on Germany-Canada Path	134

Note: See page 121

For explanations of the data contained herein see *Descriptive Text* published as supplement to February 1974 *Solar-Geophysical Data* (Number 354).

H α SYNOPSIS CHART

JULY 1974



KITTE PEAK SOLAR MAGNETOGRAMS

Full disk magnetograms are now made daily at the new vacuum telescope on Kitt Peak in Arizona (long. = $111^{\circ}37'W$ lat. = $31^{\circ}57'N$). This telescope has an aperture of 24 inches (61 cm) a focal length of 120 feet (36.6 m) and produces a 13.4 inch (34.3 cm) diameter image of the sun at the entrance slit of a 35 foot (10.7 m) spectrograph. At the exit focus of the spectrograph is a Babcock type magnetograph which utilizes as detectors a pair of 512-element silicon-diode arrays. The diode spacing, referred to the entrance slit, is one arc-sec. Resolution achieved depends in practice mainly on "seeing", but in any case falls to zero at this one arc-sec limit. At present the magnetograms are taken in the wings of Fe I 8688.6, a line selected to faithfully record network, plage and penumbral magnetic flux but which underestimates umbral flux by a factor of about two. A full disk recording is made up of four swaths, taken in the geographic E-W direction, and requires 37 minutes of scan time.

The display of magnetograph data is by a CRT generated picture where bright represents positive flux and dark negative flux. The display intensity is non-linear in an effort to compress the dynamic range so that weak fields can be seen along with the strong sunspot fields. The noise is about 10^{17} maxwells (i.e., 15 gauss over one arc-sec). Blank areas indicate interfering clouds. We believe these high resolution maps will complement the Mt. Wilson iso-gauss charts. We mention that detailed numeric listings exist and can be retrieved from the observatory archives.

Note that during July and August, 1974 occasional swaths show the polarity reversed. This may persist through part of September. The polarity of each swath is set independently, and when there is an error the error will persist across the entire swath. Such polarity problems may be readily detected by a comparison of regional polarities on adjacent dates. For further information contact:

J. Harvey
or W. Livingston
Kitt Peak National Observatory

P.O. Box 26732
Tucson, Arizona 85726

CALIBRATION OF OSO-7 Fe XV 284Å SPECTROHELIOGRAMS

PUBLISHED MAY 1972 - MARCH 1974 IN "SOLAR-GEOPHYSICAL DATA"

The Fe XV 284Å Spectroheliograms published in *Solar-Geophysical Data* (Prompt Reports) were given in terms of raw counts per readout. The following information can be used to convert the counts to $\text{erg cm}^{-2} \text{sec}^{-1}$ at 1 a.u.

The flux received at 1 a.u. in the $284\text{\AA}$ line of Fe XV is

$$F \text{ (erg cm}^{-2} \text{ sec}^{-1}) = A \cdot K \cdot C$$

where A is an aperture factor, K is read from the attached graph and C is the count value. If C is the total count (that is, the sum of all data readouts over one large raster), then F is the total Fe XV flux from the entire sun. If C is the count level (that is, one data readout) read from a contour on the spectroheliograms, then F is the flux from an approximately one arc-minute square area on the sun.

The sensitivity of the OSO-7 instrument decayed with time. Thus K is a function of time, and as, a result of its mode of calculation, includes a correction for the varying earth-sun distance. The factor K was calculated by using the EUV vs. Radio Flux Regression Curves* to predict the daily total Fe XV flux from the sun, which should be accurate to $\pm 50\%$.

The factor K is calculated for the 10 x 20 arc-sec aperture on OS0-7. In addition, other apertures were used, a fact which was not always clearly noted with the publication. The following list is a summary of the aperture information. For the 10 x 20 arc-sec aperture $A = 1.00$, for the 20 x 20 arc-sec aperture $A = 0.559$, for the 60 x 20 arc-sec aperture $A = 0.196$.

- 1) Between May 1, 1972 and November 17, 1972 most spectroheliograms were made with the 10 x 20 arc-sec aperture. The exceptions, listed below, were made with the 20 x 20 arc-sec aperture:

[illegible]

- 2) Between November 18, 1971 and March 7, 1973 most spectroheliograms were made with 20 x 20 arc-sec aperture. The exceptions, listed below, were made with the 10 x 20 arc-sec aperture:


Nov.	21	22	24	25	26	28		
Dec.	6	7	9	10	11	13	15	19
Jan.	6	9	11					

- 3) Between March 8, 1973 and March 20, 1974 most spectroheliograms were made with 60 x 20 arc-sec aperture. The exceptions, listed below, were made with the 20 x 20 arc-sec aperture, all in 1973:

Mar.	14	16
Apr.	22	
May	6	9

R. D. Chapman, W. M. Neupert, R. J. Thomas

* R. D. Chapman and W. M. Neupert, J. Geophys. Res., in press.




JULY 1, 1974 ($P = -2.87$, $B_o = 2.87$, $L_o = 194.99$)

NASA GSFC
OSO-7

X-RAY
8-16A

McMATH-HULBERT


CALCIUM REPORT



1033 UT

COUNT = 5278
ROLL = 128.3°
P-TH = -6.64

POOR	D
30 - 4000	- 2.0
37 - 1500	- 2.5
43 - 4100	- 3.5



1130 UT

KITT PEAK

Counts per 0.125 sec.

Sp

Np


MAGNETOGRAM
Bright - Plus
Dark - Minus

MT. WILSON

DELTA Y = 17.3
DELTA X = 14.0

Np




MAGNETOGRAM
Solid - Plus
Dotted - Minus



22.41-24.63 UT

Levels
+ 5
+ 10
+ 20
+ 40
+ 80


1315 UT



X-RAY
8-16A

McMATH-HULBERT

CALCIUM REPORT



1106 UT
COUNT= 5791
ROLL = 132.9°
P-TH = -6.59



Counts per 0.125 sec.

Counts per
Sp
KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus



MT. WILSON
DELTA=17.5
DELTA=14.0

MAGNETOGRAM
Solid - Plus
Dotted - Minus



21.49-23.31 UT

Levels	+5	+10	+20	+40	+80
--------	----	-----	-----	-----	-----




JULY 3, 1974 (P = -1.96, B₀ = 3.09, L₀ = 168.51)

NASA GSFC
OSO-7

X-RAY
8-16A

McMATH-HULBERT


CALCIUM REPORT



1045 UT
COUNT = 6564
ROLL = 137.8°
P-TH = -6.54

Counts per 0.125 sec.

KITT PEAK



GOOD M
30 - 4000 - 3.0
43 - 4300 - 3.5


1400 UT

MAGNETOGRAM
Bright - Plus
Dark - Minus

MT. WILSON

DELTA Y = 17.4
DELTA X = 4.0



MAGNETOGRAM
Solid - Plus
Dotted - Minus



NO DATA

Levels
5
+1
+10
+20
+40
+80

17.93-19.69 UT




JULY 4, 1974 ($P = -1.50$, $B_0 = 3.20$, $L_0 = 155.28$)

NASA GSFC
OSO-7

X-RAY
8-16A


McMATH-HULBERT

CALCIUM REPORT



1022 UT
COUNT = 4991
ROLL = 143.1°
P-TH = -6.49

FAIR	M
30 - 4000 - 3.0	
31 - 1300 - 2.5	
43 - 4500 - 4.0	



KITT PEAK


Counts per 0.125 sec.

MAGNETOGRAM
Bright - Plus
Dark - Minus



MT. WILSON

DELTA Y = 17.5
DELTA X = 14.1

MAGNETOGRAM
Solid - Plus
Dotted - Minus



Levels
+ 5
+ 10
+ 20
+ 40
+ 80




JULY 5, 1974 (P = -1.05, B₀ = 3.31, L₀ = 142.04)

NASA GSFC
OSO-7


X-RAY
8-16A

McMATH-HULBERT

CALCIUM REPORT



FAIR	S
30 - 4000 - 3.0	
37 - 1700 - 3.0	
43 - 5000 - 3.5	
51 - 0700 - 3.0	



1134 UT

COUNT = 5608

ROLL = 150.1°

P-TH = -6.43

Counts per 0.125 sec.

Sp

KITT PEAK

Np

MAGNETOGRAM

Bright - Plus
Dark - Minus


MT. WILSON

DELTA TAY = 17.2

DELTA TAX = 14.0


Np

MAGNETOGRAM
Solid - Plus
Dotted - Minus





Levels
+5
+10
+20
+40
+80

1741 UT




22.76 - 24.67 UT



JULY 6, 1974 (P=-0.59, B₀=3.41, L₀=128.81)

NASA GSFC
OSO-7


X-RAY
8-16A



1105 UT
COUNT=9127
ROLL = 158.1°
P-TH = -6.37

McMATH-HULBERT

CALCIUM REPORT




GOOD	M
30-3700	-3.0
37-2200	-2.5
43-5000	-3.5
51-1000	-3.0

MAGNETOGRAM
Bright - Plus
Dark - Minus

MT. WILSON



DELTA Y=17.2
DELTA X=14.0

MAGNETOGRAM
Solid - Plus
Dotted - Minus



NO DATA

Levels
+ 5
+ 10
+ 20
+ 40
+ 80



JULY 7, 1974 ($P = -0.14$, $B_0 = 3.52$, $L_0 = 115.57$)


UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np



Intensities in Units
of $10^6 \text{ ergs cm}^{-2} \text{ sec}^{-1}$


1130 UT

Sp

KITT PEAK

Np

MAGNETOGRAM
Bright - Plus
Dark - Minus




MT. WILSON

DELTA Y = 17.1
DELTA X = 14.0

MAGNETOGRAM
Solid - Plus
Dotted - Minus

Np





22.14 - 23.57 UT

Sp

Note: OSO-7 has reentered the atmosphere. Thus, no more X-ray maps are available from this satellite. OSO-5 has been reacquired and X-ray maps, beginning with the July data, are expected soon for publication.

FAIR	D
37 - 2100	-3.0
43 - 5300	-3.5
50 - 1000	-2.5
51 - 1000	-3.0



JULY 8, 1974 (P = 0.31, B₀ = 3.62, L₀ = 102.34)


UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np




FAIR	D
37 - 0900 - 2.5	
43 - 5200 - 4.0	
51 - 1000 - 2.5	
57 - 0900 - 2.5	

Sp

KITT PEAK

Np

MAGNETOGRAM
Bright - Plus
Dark - Minus






MT. WILSON

DELTA TAY = 17.1
DELTA TAX = 14.0

Np

MAGNETOGRAM
Solid - Plus
Dotted - Minus





JULY 9, 1974 (P = 0.77, B₀ = 3.73, L₀ = 89.10)


UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT


CALCIUM REPORT

Np



Sp


KITT PEAK
MAGNETOGRAM
Bright - Plus
Dark - Minus





MT. WILSON

DELTA Y = 17.2
DELTA X = 14.0

MAGNETOGRAM
Solid - Plus
Dotted - Minus





JULY 10, 1974 (P=1.22, B₀=3.83, L₀=75.87)


UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np



GOOD	S
43 - 2000 - 2.5	
51 - 1300 - 2.5	
57 - 2700 - 3.0	

Intensities in Units
of 10^{-6} ergs $\text{cm}^{-2} \text{sec}^{-1}$

Sp

KITT PEAK


MAGNETOGRAM
Bright - Plus
Dark - Minus

MT. WILSON

DELTA T =
DELTA X =

Np

MAGNETOGRAM
Solid - Plus
Dotted - Minus



Levels
+ 5
+ 10
+ 20
+ 40
+ 80

JULY 11, 1974 (P = 1.67, B₀ = 3.93, L₀ = 62.63)


UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np



Intensities in Units
of $10^{-6} \text{ ergs cm}^{-2} \text{ sec}^{-1}$

Sp

KITT PEAK

Np

MAGNETOGRAM

Bright - Plus
Dark - Minus


MT. WILSON

DELTA Y = 17.4
DELTA X = 13.8



MAGNETOGRAM

Solid - Plus
Dotted - Minus

Np



Levels
+ 5
+ 10
+ 20
+ 40
+ 80




X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

2p



Intensities in Units
of 10^{-6} ergs $\text{cm}^{-2} \text{sec}^{-1}$

Sp

KITT PEAK

$\frac{d}{dt}$

MAGNETOGRAM


Bright - Plus
Dark - Minus

MT. WILSON

DELTA Y =
DELTA X =

NP

MAGNETOGRAM
Solid - Plus
Dotted - Minus



1844 UT

لما



W

لنا

NO DATA

SP

Levels	5	10	20	40	80
	+1	+1	+1	+1	+1



JULY 13, 1974 (P = 2.57, B₀ = 4.13, L₀ = 36.16)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np

E


W

E

Np

W

GOOD	M
57 - 3200 - 3.0	
63 - 0900 - 3.0	



Intensities in Units
of 10^{-6} ergs $\text{cm}^{-2} \text{sec}^{-1}$

1205 UT

Sp

Np

MAGNETOGRAM
Bright - Plus
Dark - Minus


MT. WILSON

Np

MAGNETOGRAM
Solid - Plus
Dotted - Minus

DELTA Y =
DELTA X =

NO DATA



1628 UT



W

E

Np

Sp

Levels
+ 5
+ 10
+ 20
+ 40
+ 80



JULY 14, 1974 (P=3.02, B_o=4.23, L_o=22.93)


UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np



FAIR	ID
57 - 3500 - 3.0	
62 - 1500 - 2.5	
63 - 0800 - 3.0	
64 - 0400 - 2.5	
67 - 0700 - 2.3	

Intensities in Units
of 10⁶ ergs cm⁻² sec⁻¹

Sp

KITT PEAK


Np

MAGNETOGRAM
Bright - Plus
Dark - Minus

MT. WILSON
DELTA_Y =
DELTA_X =

Np

MAGNETOGRAM
Solid - Plus
Dotted - Minus




E

NO DATA

W

E





NO DATA

W

Levels
+ 5
+ 10
+ 20
+ 40
+ 80

Sp

Sp



JULY 15, 1974 (P=3.46, B_o=4.33, L_o=9.70)

58
Jul 74


UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np



Sp

KITT PEAK

Np

MAGNETOGRAM


Bright - Plus
Dark - Minus

MT. WILSON



DELTA Y = 7.4
DELTA X = 3.9

Np

MAGNETOGRAM
Solid - Plus
Dotted - Minus



1438 UT



JULY 16, 1974 (P = 3.9l, B_o = 4.42, L_o = 356.47)


UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np



Sp

KITT PEAK

Np

MAGNETOGRAM
Bright - Plus
Dark - Minus

Sp


MT. WILSON

DELTA =
DELTA =

Np

MAGNETOGRAM
Solid - Plus
Dotted - Minus


E



W

E



W



Sp

Sp

Levels
+ 5
+ 10
+ 20
+ 40
+ 80



62
Jul 74

JULY 17, 1974 (P = 4.35, B₀ = 4.52, L₀ = 343.23)


UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np



Intensities in Units
of $10^6 \text{ ergs cm}^{-2} \text{ sec}^{-1}$

Sp

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus

MT. WILSON

DELTA_{TAX} = 17.2
DELTA_{TAX} = 14.0



MAGNETOGRAM
Solid - Plus
Dotted - Minus

Np



Sp

Np

Sp



Levels
5
+10
+20
+40
+80



JULY 18, 1974 (P = 4.79, B_o = 4.61, L_o = 330.00)


UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np



Intensities in Units
of 10^{-6} ergs $\text{cm}^{-2} \text{sec}^{-1}$

Sp

KITT PEAK

Np

MAGNETOGRAM

Bright - Plus
Dark - Minus


MT. WILSON

DELTA Y =
DELTA X =

Np


MAGNETOGRAM
Solid - Plus
Dotted - Minus

E



W

E





NO DATA

W

Levels
+ 5
+ 10
+ 20
+ 40
+ 80

Sp

Sp



JULY 19, 1974 (P = 5.23, B₀ = 4.71, L₀ = 316.77)


UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np



GOOD	S
57 - 3100 - 2.5	
62 - 1600 - 3.0	
63 - 2500 - 3.5	
64 - 0600 - 3.0	
67 - 2100 - 3.5	

Intensities in Units
of 10⁶ ergs cm⁻² sec⁻¹

Sp

KITT PEAK

Np


MAGNETOGRAM
Bright - Plus
Dark - Minus

MT. WILSON

DELTA Y =
DELTA X =

Np

MAGNETOGRAM
Solid - Plus
Dotted - Minus



E

W


E



W

Levels
+ 5
+ 10
+ 20
+ 40
+ 80

Sp

Sp





JULY 20, 1974 (P = 5.66, B₀ = 4.80, L₀ = 303.54)


UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np




Sp

KITT PEAK

Np

MAGNETOGRAM
Bright - Plus
Dark - Minus



E


MT. WILSON

DELTA Y = 17.5
DELTA X = 14.1


MAGNETOGRAM
Solid - Plus
Dotted - Minus

Np

Sp



Sp



NELC LA POSTA

Np

2.0CM

└

NO DATA

E

W

WEATHER

L

---- UT

Sp

ANT. TEMP. UNIT 100° K

JULY 21, 1974 (P = 6.10, B₀ = 4.89, L₀ = 290.31)


UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np




Sp

KITT PEAK

Np

MAGNETOGRAM
Bright - Plus
Dark - Minus

MT. WILSON



DELTA TAY = 17.4
DELTA TAX = 13.8

MAGNETOGRAM
Solid - Plus
Dotted - Minus

Np


Sp

W E

18.15 - 18.88 UT

Levels
+ 5
+ 10
+ 20
+ 40
+ 80

W E



NELC LA POSTA Np 2.0 CM

NO DATA

E CALIBRATION W

L 1834 UT Sp ANT. TEMP. UNIT 100° K

JULY 22, 1974 (P=6.53, B_o=4.98, L_o=277.08)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5


CATANIA

CALCIUM REPORT

Np

E

W



Intensities in Units
of $10^6 \text{ ergs cm}^{-2} \text{ sec}^{-1}$

0643 UT

Sp

KITT PEAK

Np

MAGNETOGRAM
Bright - Plus
Dark - Minus

MT. WILSON

DELTA =
DELTA =

Np

MAGNETOGRAM
Solid - Plus
Dotted - Minus

E

W

E



NO DATA

W

Levels
+ 5
+ 10
+ 20
+ 40
+ 80

Sp

Sp



74
Jul 74

JULY 23, 1974 (P = 6.96, B₀ = 5.06, L₀ = 263.85)


UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np



Intensities in Units
of $10^6 \text{ ergs cm}^{-2} \text{ sec}^{-1}$

Sp

KITT PEAK

Np

MAGNETOGRAM

Bright - Plus
Dark - Minus

MT. WILSON

DELTA TAY =
DELTA TAX =

Np

MAGNETOGRAM
Solid - Plus
Dotted - Minus

W

NO DATA

Np

Sp

Np

Sp

E

W

E

W

E

W

E

Levels
+ 5
+ 10
+ 20
+ 40
+ 80

NO DATA

Np

Sp

Np

Sp

E

W

E

W

E

W

E

1752 UT

W

E

W

E

W

E

W

E

W

E

W

E

W

E


W

E

W

E

W



JULY 24, 1974 (P = 7.38, B_o = 5.15, L_o = 250.62)


UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np



GOOD	M
67 - 1300 - 2.5	
84 - 2200 - 3.0	
88 - 1600 - 3.5	
95 - 1500 - 2.5	
01 - 2500 - 2.5	

Intensities in Units
of 10⁶ ergs cm⁻² sec⁻¹

1315 UT

Sp

KITT PEAK

Np

MAGNETOGRAM

Bright - Plus
Dark - Minus

MT. WILSON

DELTA TAY =
DELTA TAX =

Np

MAGNETOGRAM
Solid - Plus
Dotted - Minus

W

NO DATA

E

W

E



Levels
+ 5
+ 10
+ 20
+ 40
+ 80

1642 UT

WRONG POLARITY
THIS SUNNY

Sp

Sp



JULY 25, 1974 (P = 7.8l, B_o = 5.23, L_o = 237.39)


UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np



Intensities in Units
of $10^{-6} \text{ ergs cm}^{-2} \text{ sec}^{-1}$

Sp

Np

KITT PEAK


MAGNETOGRAM
Bright - Plus
Dark - Minus

MT. WILSON

DELTA TAY =
DELTA TAX =

Np

MAGNETOGRAM
Solid - Plus
Dotted - Minus



Levels
5
+10
+20
+40
+80

E

W



E

W

1535 UT

Sp

Sp



JULY 26, 1974 (P = 8.23, B₀ = 5.32, L₀ = 224.16)


UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np




Sp

KITT PEAK

Np

MAGNETOGRAM
Bright - Plus
Dark - Minus






MT. WILSON

DELTA Y = 17.4
DELTA X = 14.0

Np

MAGNETOGRAM
Solid - Plus
Dotted - Minus





JULY 27, 1974 (P = 8.65, B₀ = 5.40, L₀ = 210.93)


UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT


CALCIUM REPORT

Np




Sp




KITT PEAK
MAGNETOGRAM
Bright - Plus
Dark - Minus



MT. WILSON
DELTA Y = 17.4
DELTA X = 14.0
MAGNETOGRAM
Solid - Plus
Dotted - Minus



Levels
+ 5
+ 10
+ 20
+ 40
+ 80



2.0 CM

JULY 28, 1974 (P = 9.06, B_o = 5.48, L_o = 197.71)


UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np



KITT PEAK

Np

MAGNETOGRAM



Bright - Plus
Dark - Minus

MT. WILSON


DELTA Y =
DELTA X =

Np

MAGNETOGRAM
Solid - Plus
Dotted - Minus



Levels
+ 5
+ 10
+ 20
+ 40
+ 80



NELC LA POSTA

Np

2.0CM

└

NO DATA

E

EQUIPMENT

W

L

----- UT

Sp

ANT. TEMP UNIT 100° K

└

JULY 29, 1974 (P = 9.47, B_o = 5.56, L_o = 184.48)

UNIV. COLLEGE LONDON
LEICESTER UNIV.


X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np

Np



FAIR	D
84 - 1800 - 3.0	
95 - 0800 - 3.0	
01 - 2900 - 3.0	

Intensities in Units
of $10^6 \text{ ergs cm}^{-2} \text{ sec}^{-1}$

Sp

KITT PEAK

Np



MAGNETOGRAM
Bright - Plus
Dark - Minus

MT. WILSON


DELTA =
DELTA =

Np

MAGNETOGRAM
Solid - Plus
Dotted - Minus



Levels
+ 5
+ 10
+ 20
+ 40
+ 80



NELC LA POSTA

Np

2.0 CM

└

NO DATA

E

EQUIPMENT

W

L

Sp

ANT. TEMP. UNIT 100° K

-----UT

JULY 30, 1974 (P=9.88, B₀=5.63, L₀=171.25)


UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np



Sp

KITT PEAK


Np

MAGNETOGRAM
Bright - Plus
Dark - Minus


MT. WILSON
DELTA Y = 17.4
DELTA X = 4.0



Np

MAGNETOGRAM
Solid - Plus
Dotted - Minus



Sp





JULY 31. 1974 (P=10.29, B₀=5.7I, L₀=158.03)


UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np



FAIR	D
84-1800-2.5	
95-1400-3.5	
01-2800-3.0	
12-0400-2.5	

Sp

KITT PEAK

Np



MAGNETOGRAM

Bright-Plus
Dark-Minus

MT. WILSON

DELTA Y=17.4
DELTA X=13.9

MAGNETOGRAM
Solid-Plus
Dotted-Minus



Levels
+5
+10
+20
+40
+80

RAMEYAFB

31


Np

H α

BOULDER

Np

SUNSPOTS



E

W

1227 UT

Sp

NO DATA

CORONA
KISLOVODSK

Sp

NELC LA POSTA

└

2.0CM

└

Np

NO DATA

E

EQUIPMENT

W

L

----- UT

Sp

└

ANT. TEMP UNIT 100° K

92
Jul 74

REGIONS OF SOLAR ACTIVITY

JULY 1974

MCMATH REGION 13030				CMP DATE		1.0		RETURN OF REGION 12972				ROTATION 3						
				CALCIUM		PLAGE		DATA		SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT	CMD	L	AREA	INT	MW NO.	LAT	CMD	L	MAG.	H	STA	AREA	CNT	CLASS
74	6	23	13030	S08	E80	215	800	1.0										
74	6	24	13030	S10	E70	212	2200	1.5										
74	6	25	13030	S11	E60	208	3000	2.0										
74	6	26	13030	S12	E50	205	3600	2.0										
74	6	27	13030	S13	E40	202	3800	2.0										
74	6	28	13030	S12	E25	203	3800	2.0										
74	6	29	13030	S12	E15	201	3800	2.0	19428	S10	E12	202	(BF)	2				
74	6	30	13030	S12	E05	197	4000	2.0	19428	S09	W04	203	(B)	2	R	10	7	CRO
74	7	1	13030	S12	W10	198	4000	2.0	19428	S10	W16	202	(BP)	5	R	80	5	DSO
74	7	2	13030	S12	W25	195	4000	3.0	19428	S10	W31	202	(BP)	4	R	110	21	DSI
74	7	3	13030	S12	W35	195	4000	3.0	19428	S10	W45	204	(BP)	5	M	190	19	DSI
74	7	4	13030	S12	W50	197	4000	3.0	19428	S09	W59	203	(BP)	4	M	310	20	DKI
74	7	5	13030	S12	W60	195	4000	3.0	19428	S09	W71	203	(BP)	4	R	180	6	DAO
74	7	6	13030	S12	W65	187	3700	3.0	19428	S09	W88	208	AP					
74	7	7	13030	S20	W70	178	1500	1.0										

MCMATH REGION 13035				CMP DATE		1.0												
				CALCIUM PLAGE DATA				SUNSPOT DATA										
YR	MO	DA	MC NO.	LAT	CMD	L	AREA	INT	MW NO.	LAT	CMD	L	MAG.	H	STA	AREA	CNT	CLASS
74	6	25	13035	N13	E70	198	300	2.5										
74	6	26	13035	N12	E58	197	100	1.0										

MCMATH REGION 13044				CMP DATE		1.5												
				CALCIUM PLAGE DATA				SUNSPOT DATA										
YR	MO	DA	MC NO.	LAT	CMD	L	AREA	INT	MW NO.	LAT	CMD	L	MAG.	H	STA	AREA	CNT	CLASS
74	6	29	13044	N24	E26	190	100	1.0										
74	6	30	13044	N24	E13	189	100	1.0										

MCMATH REGION 13037				CMP DATE 2.7				RETURN OF REGION 12995				ROTATION 2				
				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
74	6	26	13037	S11 E83	172	1600	2.0	19424	S11 E75	179	(AP)	2	R	50	1	HSX
74	6	27	13037	S10 E70	172	1900	2.0	19424	S11 E60	179	(AP)	3	R	40	1	HSX
74	6	28	13037	S10 E55	173	1700	2.5	19424	S11 E48	179	(AP)	4	R	50	1	HSX
74	6	29	13037	S10 E42	174	1700	2.5	19424	S11 E35	179	(AP)	4	R	30	1	HSX
74	6	30	13037	S10 E29	173	1700	2.5	19424	S11 E20	179	(BP)	4	R	30	3	CSO
74	7	1	13037	S10 E15	173	1500	2.5	19424	S11 E10	176	(AP)	4	R	30	1	HSX
74	7	2	13037	S10 W02	172	1400	2.0	19424	S11 W04	175	(AP)	3	R	30	1	HSX
74	7	3	13037	S10 W12	172	1200	2.0	19424	S10 W18	177	(AP)	2	M	30	3	CRO
74	7	4	13037	S10 W25	172	1300	2.5	19424	S12 W29	173	(B)	1	M	10	3	BOXO
74	7	5	13037	S11 W37	172	1700	3.0	19424	S12 W41	173	(BP)	2	R	0	2	BOXO
74	7	6	13037	S11 W52	174	2200	2.5	19424	S12 W53	67	(BF)	3				
74	7	7	13037	S11 W65	173	2100	3.0	19424	S12 W66	172	(BP)	4				
74	7	8	13037	S11 W78	173	900	2.5	19424	S13 W80	173	(AP)	2				

MCMATH REGION 13045				CMP DATE		3.1									
				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT CLASS
74	6	30	13045	N17 E34	168	100	1.0								

MCMATH REGION 13042				CMP DATE		4.0									
				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT CLASS
74	6	28	13042	N42 E72	156	300	2.0								

REGIONS OF SOLAR ACTIVITY

JULY 1974

MCMATH REGION 13043				CMP DATE 4.1				RETURN OF REGION 12977				ROTATION 2				
				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
74	6	27						19426	S17 E88	151	AP					
74	6	28	13043	S16 E75	153	1500	3.5	19427	S15 E67	160	(BP)	2				
74	6							19426	S17 E76	151	(AP)	3	R	20	1	HSX
74	6	29	13043	S14 E62	154	2700	3.5	19427	S15 E56	158	(D)	4	R	170	15	EAI
74	6							19426	S18 E63	151	(AP)	4	R	30	1	HSX
74	6	30	13043	S15 E48	154	3200	3.5	19427	S14 E39	160	(D)	4	R	230	39	EAI
74	6							19426	S18 E48	151	(AP)	3				
74	7	1	13043	S14 E34	154	4100	3.5	19429	S21 E26	160	(BP)	1				
74	7							19427	S15 E27	159	(D)	5	R	450	30	FKI
74	7							19426	S17 E37	149	(AP)	4	R	60	1	HSX
74	7	2	13043	S14 E17	153	4200	3.5	19427	S14 E13	158	(D)	6	R	600	37	EKI
74	7							19426	S17 E23	148	(AP)	4	R	50	1	HSX
74	7	3	13043	S14 E07	153	4300	3.5	19427	S14 E01	158	(D)	6	M	940	55	FKC
74	7							19426	S17 E10	149	(AP)	3	M	60	1	HSX
74	7	4	13043	S14 W06	153	4500	4.0	19427	S14 W14	158	(D)	6	M	1020	58	FKC
74	7							19426	S18 W04	148	(AP)	3	H	30	1	HAX
74	7	5	13043	S14 W20	155	5000	3.5	19427	S14 W27	159	(D)	6	R	900	57	FKC
74	7							19426	S18 W16	148	(AP)	3	R	10	1	HSX
74	7	6	13043	S14 W33	155	5000	3.5	19427	S14 W40	160	(D)	5	R	720	70	EKC
74	7							19426	S17 W28	148	(AP)	3	R	10	1	HRX
74	7	7	13043	S14 W46	154	5300	3.5	19427	S14 W53	159	(D)	4				
74	7							19426	S17 W42	148	(AP)	3				
74	7	8	13043	S14 W60	155	5200	4.0	19427	S15 W65	158	(D)	5	B	470	27	EKC
74	7							19426	S17 W53	146	(AP)	1	B	0	1	ORX
74	7	9	13043	S13 W73	155	5100	3.5	19427	S14 W76	157	(D)	3	B	390	17	EKC
74	7	10	13043	S14 W86	154	2000	2.5	19427	S14 W88	154						

MCMATH REGION 13047				CMP DATE 5.2				RETURN OF REGION 12981*				ROTATION 2				
				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
74	6	30	13047	N09 E64	138	100	1.0									
74	7	1	13047	N09 E50	138	100	1.5									
74	7	2	13047	N09 E32	138	100	1.0									

MCMATH REGION 13046				CMP DATE 5.5				RETURN OF REGION 12981*				ROTATION 2				
				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
74	6	30	13046	N03 E66	136	100	1.0									
74	7	1	13046	N04 E53	135	100	1.5									
74	7	2	13046	N04 E35	135	200	1.5									
74	7	3	13046	N04 E25	135	200	1.5									
74	7	4	13046	N03 E12	135	100	1.0									
74	7	5	13046	N03 W01	136	100	1.0									
74	7	6	13046	N03 W14	136	100	1.0									
74	7	7	13046	N03 W27	135	200	1.5									
74	7	8	13046	N03 W40	135	200	1.0									
74	7	9	13046	N03 W54	136	100	1.0									
74	7	10	13046	N03 W70	138	100	1.0									

MCMATH REGION 13051				CMP DATE 6.1				RETURN OF REGION 12981*				ROTATION 2				
				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
74	7	4						19430	S16 E17	127	(BP)	2				
74	7	5	13051	S15 E08	127	700	3.0	19430	S15 E05	127	(BP)	4	R	20	10	GRO
74	7	6	13051	S15 W05	127	1000	3.0	19430	S12 W08	128	(BP)	4	R	70	12	DAO
74	7	7	13051	S15 W18	126	1000	3.0	19430	S14 W22	128	(BP)	3				
74	7	8	13051	S14 W33	128	1000	2.5	19430	S14 W36	129	(AP)	3	B	10	5	BXO
74	7	9	13051	S14 W46	128	1200	3.0	19430	S13 W51	132	(AP)	3	B	10	2	BXO
74	7	10	13051	S14 W60	128	1300	2.5		S14 W63				B	0	1	AXX
74	7	11	13051	S14 W72	128	1100	2.0									
74	7	12	13051	S14 W88	130	200	1.0									

*An asterisk beside the "Return of Region" number indicates that the new region is only part of the area of the old region.

96
Jul 74

REGIONS OF SOLAR ACTIVITY

JULY 1974

MCMATH REGION 13078

CMP DATE 15.2

CALCIUM PLAGE DATA

SUNSPOT DATA

YR	MO	DA	MC NO.	LAT CMO	L	AREA	INT	MW NO.	LAT CMO	L	MAG.	H STA	AREA	CNT	CLASS
74	7	18	13078	S19 W45	8	100	1.5								
74	7	19	13078	S19 W58	8	200	1.0								

MCMATH REGION 13062

CMP DATE 16.8

RETURN OF REGION 13002

ROTATION 3

CALCIUM PLAGE DATA

SUNSPOT DATA

YR	MO	DA	MC NO.	LAT CMO	L	AREA	INT	MW NO.	LAT CMO	L	MAG.	H STA	AREA	CNT	CLASS
74	7	10	13062	S17 E80	349	800	1.5								
74	7	11	13062	S17 E72	345	1000	2.5								
74	7	12	13062	S17 E60	343	1600	1.5								
74	7	13	13062	S17 E46	344	1600	2.0								
74	7	14	13062	S17 E32	345	1500	2.5								
74	7	15	13062	S18 E17	346	1600	2.5								
74	7	16	13062	S18 E03	345	1800	2.0								
74	7	17	13062	S17 W10	347	1800	2.0								
74	7	18	13062	S17 W23	346	1600	2.5	S14 W29				B	0	1	AXX
74	7	19	13062	S17 W36	346	1600	3.0								
74	7	20	13062	S17 W49	347	1200	2.5								
74	7	21	13062	S17 W62	346	700	1.0								

MCMATH REGION 13066

CMP DATE 17.1

CALCIUM PLAGE DATA

SUNSPOT DATA

YR	MO	DA	MC NO.	LAT CMO	L	AREA	INT	MW NO.	LAT CMO	L	MAG.	H STA	AREA	CNT	CLASS
74	7	14	13066	N07 E35	342	100	1.0								

MCMATH REGION 13074

CMP DATE 17.2

CALCIUM PLAGE DATA

SUNSPOT DATA

YR	MO	DA	MC NO.	LAT CMO	L	AREA	INT	MW NO.	LAT CMO	L	MAG.	H STA	AREA	CNT	CLASS
74	7	15						19439	N06 E25	335	BF				
74	7	17	13074	N06 W04	341	200	2.0	19439	N07 W04	339	(B)	1 B	0	3	BOX
74	7	18	13074	N07 W18	341	200	3.0								

MCMATH REGION 13063

CMP DATE 17.3

CALCIUM PLAGE DATA

SUNSPOT DATA

YR	MO	DA	MC NO.	LAT CMO	L	AREA	INT	MW NO.	LAT CMO	L	MAG.	H STA	AREA	CNT	CLASS
74	7	12	13063	S12 E67	336	500	3.0								
74	7	13	13063	S12 E53	337	900	3.0	19435	S12 E48	339	(BP)	3 B	0	3	BOX
74	7	14	13063	S12 E39	338	800	3.0	19435	S12 E33	341	BP				
74	7	15	13063	S11 E23	340	1000	3.5	19435	S11 E20	340	(BF)	4 B	20	37	CRI
74	7	16	13063	S11 E09	339	1400	3.5	19435	S11 E09	339	(BF)	5 B	300	42	DSI
74	7	17	13063	S11 W04	341	1600	3.5	19435	S10 W05	340	(B)	4 B	220	43	DAI
74	7	18	13063	S11 W17	340	2700	3.5	19435	S10 W17	340	(B)	4 B	120	49	DAO
74	7	19	13063	S11 W30	340	2500	3.5	19435	S11 W29	339	(BP)	3 B	50	12	DAO
74	7	20	13063	S10 W43	341	2500	3.0	19435	S11 W45	342	(BP)	3 B	40	11	CSO
74	7	21	13063	S10 W56	340	2600	3.0	19435	S11 W58	341	(BP)	3 B	40	11	CAO
74	7	22						19435	S11 W72	342	(BP)	2 B	20	3	BOX
74	7	23	13063	S10 W86	340	900	1.0								

MCMATH REGION 13064

CMP DATE 17.3

CALCIUM PLAGE DATA

SUNSPOT DATA

YR	MO	DA	MC NO.	LAT CMO	L	AREA	INT	MW NO.	LAT CMO	L	MAG.	H STA	AREA	CNT	CLASS
74	7	13	13064	S05 E56	334	200	1.5								
74	7	14	13064	S04 E40	337	400	2.5	19436	S05 E35	339	AP	B	0	2	BOX
74	7	15	13064	S04 E25	338	500	2.5	19436	S05 E21	339	(B)	2 B	0	2	BOX
74	7	16	13064	S04 E09	339	400	3.5	19436	S04 E08	340	(BP)	2 B	0	2	BOX
74	7	17	13064	S04 W02	339	500	2.5	19436	S03 W03	338	(B)	1 B	0	4	BOX
74	7	18	13064	S04 W16	339	600	2.0	19436	S05 W14	337	AF				
74	7	19	13064	S04 W30	340	600	3.0	19436	S04 W34	344	()	2 B	0	7	BOX
74	7	20	13064	S04 W45	343	900	3.0	19436	S04 W46	343	(BP)	2 B	10	5	BOX
74	7	21	13064	S04 W58	342	1000	3.0	19436	S04 W58	341	(BP)	1 B	0	2	AXX
74	7	22						19436	S03 W75	345	(AP)	2 B	10	1	AXX

REGIONS OF SOLAR ACTIVITY

JULY 1974

MCMATH REGION 13071

CMP DATE 18.8

				CALCIUM	PLAGE DATA			SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
74	7	15	13071	S06 E43	320	200	1.0								

MCMATH REGION 13083

CMP DATE 18.8

				CALCIUM	PLAGE DATA			SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
74	7	20	13083	N16 W23	321	100	1.5								

MCMATH REGION 13075

CMP DATE 19.4

				CALCIUM	PLAGE DATA			SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
74	7	17	13075	S05 E25	312	200	1.5								

MCMATH REGION 13073

CMP DATE 20.0

				CALCIUM	PLAGE DATA			SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
74	7	16	13073	N28 E45	303	100	1.5								

MCMATH REGION 13085

CMP DATE 20.0

				CALCIUM	PLAGE DATA			SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
74	7	21	13085	N02 W20	304	200	1.5								

MCMATH REGION 13090

CMP DATE 20.2

				CALCIUM	PLAGE DATA			SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
74	7	23	13090	N09 W48	302	100	1.0								

MCMATH REGION 13072

CMP DATE 20.7

RETURN OF REGION 13015

ROTATION 2

				CALCIUM	PLAGE DATA			SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
74	7	15	13072	N13 E69	294	300	1.0								
74	7	16	13072	N12 E55	293	400	1.0								
74	7	17	13072	N12 E43	294	400	1.0								
74	7	19	13072	N12 E14	296	300	1.0								
74	7	20	13072	N14 E03	295	100	2.0								
74	7	21	13072	N14 W10	294	100	1.5								

MCMATH REGION 13076

CMP DATE 20.7

				CALCIUM	PLAGE DATA			SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
74	7	17	13076	S27 E43	294	200	1.0								

MCMATH REGION 13067

CMP DATE 20.8

				CALCIUM	PLAGE DATA			SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
74	7	14	13067	S12 E86	291	700	2.5	19437	S14 E79	295	AP	8	100	1	HSX
74	7	15	13067	S13 E70	293	1000	2.0	19437	S13 E62	298	(AP)	3	8	110	3 CSO
74	7	16	13067	S13 E54	294	1500	2.5	19437	S13 E51	297	(AP)	4	8	110	3 CSO

(cont'd)

102
Jul 74

REGIONS OF SOLAR ACTIVITY

JULY 1974

MCMATH REGION 13101				CMP DATE 30.8				RETURN OF REGION 13043				ROTATION 3				
				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMO	L	AREA	INT	MW NO.	LAT CMO	L	MAG.	H	STA	AREA	CNT	CLASS
74	7	24	13101	S15 E80	164	2500	2.5	19444	S16 E74	170	(AP)	2	B	70	2	HSX
74	7	25	13101	S15 E68	163	2500	2.5	19444	S16 E61	168	(AP)	4	B	70	1	HSX
74	7	26	13101	S15 E57	160	3200	3.0	19444	S16 E50	166	(AP)	4	B	70	2	HSX
74	7	27	13101	S15 E45	159	3000	3.0	19444	S17 E36	167	(AP)	4	B	70	2	HSX
74	7	28	13101	S15 E30	162	3000	3.0	19444	S16 E19	167	(AP)	4				
74	7	29	13101	S15 E17	162	2900	3.0	19444	S15 E09	168	(AP)	3	B	30	9	HAX
74	7							19447	S14 E19	158	(AF)	1				
74	7	30	13101	S15 E04	162	3000	3.0	19444	S17 W04	168	(AP)	3	B	20	11	CRO
74	7	31	13101	S15 W08	160	2800	3.0	19444	S15 W17	167	(AP)	2	R	0	1	AXX
74	8	1	13101	S15 W23	160	2800	2.5	19444	S16 W33	166	(AP)	2	B	10	4	AXX
74	8		13101						S15 W17				B	10	6	8X0
74	8	2	13101	S15 W36	159	2900	2.5									
74	8	3	13101	S15 W50		2800	2.5									
74	8	4	13101	S15 W60		2500	2.5									
74	8	5	13101	S15 W75		2700	2.0									
74	8	6	13101	S15 W88		500	1.0									

MCMATH REGION 13117				CMP DATE 30.9												
				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
74	8	1	13117	N19 W23	160	100	2.0									

MCMATH REGION 13108					CMP DATE		31.8									
CALCIUM					PLAGE DATA			SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
74	7	27	13108	N17 E56	148	200	1.5									
74	7	28	13108	N17 E43	149	200	1.0									
74	7	29	13108	N17 E30	149	200	1.0									

MCMATH REGION 13125					CMP DATE 31.8														
CALCIUM					PLAGE DATA					SUNSPOT DATA									
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT		MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS		
74	8	5	13125	N19 W62		200	2.5												
74	8	6	13125	N19 W75		100	1.0												

The column marked STA is inserted to indicate the source of data for sunspot area, count and classification.
B = Boulder M = Manila R = Ramey

Note: New plage develops and grows rapidly in the midst of old plage 13030 after June 30.
Region 13043 may also contain some weak remnants of region 12990 of the previous rotation.
Region 13051 has formed in the position of old region 12984.
No calcium spectroheliogram was secured at the McMath-Hulbert Observatory on July 22, 1974.
Sunspot observations were made at Mt. Wilson Observatory on all days in July 1974.

DAILY CALCIUM PLAGE INDEX

JULY 1974

YR	MO	DAY	INDEX	YR	MO	DAY	INDEX	YR	MO	DAY	INDEX
74	7	1	22.9	74	7	11	9.7	74	7	21	14.8
74	7	2	27.3	74	7	12	11.7	74	7	22	*
74	7	3	26.6	74	7	13	13.9	74	7	23	13.8
74	7	4	27.8	74	7	14	17.1	74	7	24	16.1
74	7	5	27.9	74	7	15	19.7	74	7	25	17.2
74	7	6	25.5	74	7	16	20.2	74	7	26	19.6
74	7	7	19.8	74	7	17	22.3	74	7	27	18.0
74	7	8	14.5	74	7	18	26.2	74	7	28	18.4
74	7	9	11.1	74	7	19	23.7	74	7	29	18.2
74	7	10	7.7	74	7	20	19.0	74	7	30	18.0
								74	7	31	17.8

* NO OBSERVATIONS

SUDDEN IONOSPHERIC DISTURBANCES

JULY 1974

DAY	UNIVERSAL TIME				WIDE SPREAD INDEX	NUMBER OF STATION REPORTS BY TYPE								KNOWN FLARE	McMATH REGION
	START	END	MAX	IMP		SWF	SCNA	SEA	SPA	LF- SPA	SES	SFD			
01	0027	0055	0040	1-	1				1				0037E	13043	
01	0603	0636	0606	1-	1				1				0600	13030	
01	1036	1130	1041	1	5	3	1	2	3				1035	13043	
01	1107	1130	1111	1-	3				1		2		1114E	13043	
01	1156	1300	1206	1-	3		1		3		1		1155	13043	
01	1600	1642	1607	2	5	6	1	5	6	1	15		1556	13043	
01	1719	1741	1722	1-	1	2							1723	13043	
01	1826	1929	1838	1	5	3		2	2	1	13		1829E	13043	
01	2116	2342D	2202	2	1				1				*		
01	2145	2310	2200	1+	5	5	2	1	3	1	11		*		
01	2304	2304D		1-	1	1							2305	X-RAY	
02	0003	0124	0023	1-	5	1			3		3		0000E	13043	
02	0111E	0203	0121	1-	3				1		1		0109	13043	
02	0421	0455D	0424	1-	1				1				0424E	13043	
02	0455E	0536	0458	1-	1				1				0452	13043	
02	0609	0830	0721	2	3				1		1		0612	X-RAY	
02	0638	0850	0652	2	5	5		3	3		3		0630E	13043	
02	0711	0800	0720	2+	5	4	1	3			2		0703E	13043	
02	0944	1015	0951	2+	5	3		3	5		3		0943	13043	
02	1033	1050	1039	1-	1	1	1						1034	13043	
02	1153	1220	1158	1-	1				1				1158	13043	
02	1401	1500	1405	1-	3				2		1		1400E	13043	
02	1630	1738	1632	1-	5	1		1	3	1	7		1628	13043	
02	1807	1825	1812	1-	5				3	1	5		1805	13043	
02	1930	2030	1945	1-	5	1		1	3		12		1923	13043	
02	2149	2206	2151	1-	5	1			2		7		2140	13043	
02	2240	0030	2320	1	5	2	1		3		10		2242	13043	
02	2311	2341	2315	1	1	1							2315E	13043	
02	2352	0111D	0022	1-	1				1				2352	13043	
03	0205	0300	0215	1	5	2	1		3				0205	13043	
03	0305	0410	0320	2	3	2		1	3		1		0300	13043	
03	0416	0433	0420	1-	3				2				0416	13043	
03	0800	1100	0845	3-	5	2	1	2	3		2		0758	13043	
03	0830	1000	0840	3	5	4	2	6	5		3		0822E	13043	
03	0910	0923D	0923	1-	1						1		0905E	13043	
03	1110	1155	1120	1-	3			1	2		1		1111	13030	
03	1217	1250	1229	1-	5			1	1		2		1219	13043	
03	1255	1320	1300	1-	1				1		1		1253	13043	
03	1510	1615	1525	1-	3				1		2		1513E	13043	
03	1635	1717	1635	1-	1						1		1633	13043	
04	0309	0428	0321	1-	1				1				0306	13043	
04	0612	0625	0616	1-	3				1		1		0610	13043	
04	0641	0805	0650	3	5	5	2	5	6		4		0634E	13043	
04	0805	0845	0817	1-	1						1		0806	13043	
04	1319	1332D	1332	1-	5						3		1321E	13043	
04	1345	1505	1355	3	5	7	2	8	7		14		1339	13043	
04	1620	1631D	1631	1	5	3		1	1		11		1621	13043	
04	1644	1653D	1653	1-	3	1			;		1		1642	13043	
04	1715	1824	1820	1	3	1			2		1		1704	13043	
04	1728	1735D	1735	1-	1						1		1728E	13043	
04	1820	1930	1830	1	5	4	2	7	8	1	11		1818	13043	
04	1927	1950	1935	1-	3	1			1		4		NF		
04	2017	2035D	2035	1-	3				1		5		2014	13043	
04	2050	2244	2110	2	5	5	1	2	5	1	12		2039E	13043	
04	2224	2235	2227	1-	5	1			1		1		2221	13043	
04	2312	0110	0004	1-	3				2				2312	13043	

104
Jul 74

SUDDEN IONOSPHERIC DISTURBANCES

JULY 1974

DAY	UNIVERSAL TIME				WIDE SPREAD INDEX	NUMBER OF STATION REPORTS BY TYPE								KNOWN FLARE	McMATH REGION
	START	END	MAX	IMP		SWF	SCNA	SEA	SPA	LF- SPA	SES	SFD			
05	0048	0138	0105	1-	1				1				0048	13043	
05	0153	0336	0203	1-	5	1			3		4		0148E	13043	
05	0225	0250	0230	1-	3						4		0221E	13043	
05	0701	0720	0706	1-	3				2		1		0659	13043	
05	1205	1212D	1212	1	5	1	1	1	3		3		1157	13043	
05	1229	1330	1242	2	5	3	1	4	6		10		1228E	13043	
05	1326	1352	1335U	1-	3			2					1325	13043	
05	1357	1419	1404	1-	1			1					1353	13043	
05	1508	1620	1515	3	5	7	2	5	2	1	13		1507	13043	
05	1756	1845	1805	1-	1				1		1		1756	13043	
05	2137	2315	2145	3	5	5	2		7	1	10		2132	13043	
06	0816	0916	0820	1-	5	2	1	1	4		2		0815	13043	
06	1005	1104	1040	1	3				1		1		1008E	13043	
06	1034	1235	1057	2+	5	3	1	3	5	1	3		1036	13043	
06	1105	1349	1120	2+	5	2	1	3	6		5		1106	13043	
06	1349	1430	1353	1-	5				2		2		1348	13043	
06	1532	1600	1537	1-	1				1		1		1529E	13043	
06	1712	1723	1716	1-	1	1							1708	13043	
06	1846	1900	1850	3	5	3	2	1	6	1	12		1840E	13043	
06	1909	2100	1916	1-	5		2		1		7		1907	13043	
07	0704	0720	0706	1-	1			1					0704	13043	
07	0729	0826	0740U	1-	1			1					0726	13043	
07	0925	0955	0935	1+	3	1	1	2	4		2		0920	13043	
07	0956	1140	1016	2	5	3	2	2	5		4		NF		
07	1153	1200D	1200	2-	5	2	1	1	3		4		1150	13043	
07	1216	1250	1226	2-	5	2	1	3	5		9		1212	13043	
07	1251	1420	1313	1	3				2		2		NF		
07	1514	1600	1520	1+	5	3	1	2	5	1	11		1512	13043	
07	1715	1800	1724	1-	5	1		1	1	1	5		1720E	13043	
07	1820	1930	1837	1-	5	1			2	1	9		1820	13043	
07	2117	2218	2125	1-	5	1		1	3	1	10		2126E	13043	
08	0141	0318	0221	1-	1				1				*		
08	1020	1152	1050	1	3			1	1				1030	13043	
08	1230	1310	1236	1-	5	2			3		3		1229	13043	
08	1315	1400	1323	1	5	2		2	5		4		1311	13043	
08	1406	1445	1415	1-	5	1		1	3		3		NF		
08	1454	1530	1500	1-	3			1	1		1		1452	13043	
08	1539	1630	1546	3-	5	7	3	7	8	1	14		1540	13043	
08	2224	2351	2229	2	5	4	2	2	4	1	9		2223	13043	
09	0148	0300	0152	3-	5	3	1		2		2		0149E	13043	
09	0257D	0357D	0300	1	5	1			2				0257	13043	
09	0357E	0521D	0359	1-	1				1				0357	13043	
09	0521E	0539D	0524	1-	1				1				0521E	13043	
09	0539E	0604	0543	1-	1				1				0540	13043	
09	0639	0700	0654	1-	3				1		1		0640E	13043	
09	0714	0740	0720	1-	3	2	1		3		2		0713	13043	
09	0827	0850	0832	1-	3				1		2		0825	13043	
09	1101	1125	1112	1-	5	1		1	3		1		1104E	13043	
09	1137	1220	1148	2	5	2		3	3		4		1140E	13043	
09	1221	1252	1228	1-	3						2		1223E	13043	
09	1356	1445	1401	2	5	6	1	4	6	1	14		1335	13043	
09	1452	1513	1500	1-	3				2		2		1448	13043	
09	1731	1845	1743	1	5	3	1	1	4	1	13		1730	13043	
09	1854	2000	1859	1	5	3	2	2	3	1	11		1854	13043	
09	2336	0020	2345	1-	5				3		3		2337	13057	
12	1128	1131D	1131	1-	1			1					1126	13063	
15	1228	1305	1236	1-	1						1		1226	13063	
23	1443	1454	1445	1-	1			1					1446E	13088	
26	2228	2256	2233	1-	1				1				2228E	13095	

DAY	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
REGION																																
30	1		1																													
43	7	17	10	20	11	9	9	6	15																							
57									1																							
63												1		1																		
88																								1								
95																											1					
X-RAY	1	1																														
UNKNOWN					1				2	1																						
NO FP	2							1																								

106
Jul 74

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

JULY 1974

JUL 1974	TIMES OF OBSERVATION		STATION	EVENTS												SPECTRAL TYPE
	START UT	END UT		CENTIMETRIC BAND			DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
				START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	
01	0000	0735	CULG							0000	0710	1				IIIS
	0000	0230	BOUL						0000	0710	1				IS	
	0455	1811	DURN				0457.7	0457.9	3	0000	0106	1	0000	0106	1	CONT
	0327	1247	WEIS							0716.9	0717.1	1				IIIG
			WEIS							0719.5	0719.6	1				IIIB
			WEIS							0721.9	0722.3	2				IIIB
	0000	0957	MANI										0721.9	0722.3	3	IIIG
	0733	1610	OWIN				0733	1610	1	0733	1610	1				III
			WEIS							0737.0	1034.0	2				IC
			DURN							0753	1811	0				IIIG
			DURN							1014.8	1014.8	2				IC,CC
			WEIS							1014.8	1014.9	2				III
			OWIN							1014.8		2				IIIB
			DURN				1034.5	1034.7	2	1034.6	1034.6	1				IIIB
			DURN				1034.8	1035.9	2	1034.8	1035.9	2				IIIG,RS
			OWIN				1034.9	1036.4	2							IV
			WEIS				1035.0	1036.0	1							IIIG
	0914	2420	SGMR										1035.1	1036.1	1	III,CONT
			WEIS							1068.0	1701.0	2				III
			SGMR										1123.0	1123.4	1	IN
	1130	2400	BOUL							1123.2	1123.4	1				III
			SGMR							1227.8	2400	1	1227.8	2400	1	IIIB
			SGMR										1227.9	1228.1	1	CONT
			WEIS										1246.1	1250.1	1	III
			SGMR							1246.2	1246.4	1				IIIG
			WEIS										1250.1	2420.0	2	IIIB
			SGMR							1250.7	1250.9	1				CONT
			WEIS							1300	2400	1				IIIB
	1301	1822	BOUL							1336.6	1337.4	1				IS
			OWIN				1340.4	1340.5	1	1340.4	1340.5	1				IIIG
			WEIS							1340.5	1340.6	1				IIIG
			WEIS							1341.8	1342.0	1				IIIB
			HARV							1401	1405	2	1403			IIIG
			WEIS							1401.2	1423.4	2				IIIGG
			OWIN				1403.9	1404.6	2	1403.1	1404.1	1				IIIN,GG
			HARV							1411	1415	2				IIIG
			WEIS							1459.7	1601.9	2				IIIGG
			OWIN							1459.8	1501.8	2				IIIG
			HARV							1500	1502	3	1500	1502	3	IIIG
			BOUL							1500.3	2400	2	1500.3	2400	2	IIIN
			DURN							1503.9	1504.0	2				IIIG
			WEIS							1541.0	1747.4	1				IIIN,G
			DURN				1556.7	1604	2	1556.7	1604	2				IV
			OWIN				1556.8	1556.9	2	1556.8	1556.9	2				IIIG
			HARV							1558	1559	3	1558	1559	3	IIIG
			OWIN				1558.6	1558.9	1	1558.6	1558.9	1				IIIG
			HARV							1612	1613	3	1612	1613	3	IIIG
			HARV							1628	1629	3	1628	1629	3	IIIGG
			HARV							1713	1714	3	1713	1714	3	IIIG
			HARV							1719	1920	3	1719	1720	3	IIIB
			HARV							1723	1727	2	1723	1726	2	IIIGG
			HARV							1733	1744	2	1736	1744	2	UNCLF
			HARV							1820	1827	2	1820	1827	2	IIIGG
			HARV							1831	1906	1	1831	1906	1	IIIN
	1842	1917	WEIS													IIIS
	2035	2400	CULG				2104	2400	2	2104	2400	2				IS
			CULG				2145	2204	2				2145	2157	2	CONT
			CULG							2145	2159	3	2145	2157	3	IIIGG
			HARV							2145	2157	3	2145	2157	3	IIIGG
	2134	2400	SGMR										2145.7	2159.0	3	IV
			MANI										2146.0	2154.7	1	CONT
			MANI										2339.2	2344.8	3	IIIG
			MANI										2348.7	2349.4	3	III
			MANI										2354.9	2359.5	3	IIIG
02	0000	0613	CULG				0000	0613	1	0000	0613	2				IS,CONT
	0000	0230	BOUL							0000	0613	2	0000	0613	2	IIIS
			BOUL							0000	0205.9	2	0000	0205.9	2	CONT
			BOUL							0000	0207	2				IS
	0000	0957	MANI										0000.3	0019.2	2	IIIG
			CULG				0002	0004	2							FASTORIFT
			CULG				0008	0012	2							FASTORIFT
			CULG							0008	0012	1	0008	0012	1	IIIG
			CULG							0025	0155	1				IIIS
			CULG							0157.5	0159	2				IIIG
			MANI										0158	0159	2	IIIG
			MANI										0158.3	0201.2	2	IIIG
			MANI										0220.9	0221.4	1	IIIG
			MANI										0235.1	0236.9	1	IIIG
			MANI										0256.8	0257.2	1	III
			MANI										0326.8	0327.0	1	III
			MANI										0336.4	0338.2	1	IIIG
			MANI										0346.8	0347.0	1	III
	0339	1919	WEIS							0355.0	1834.0	2				IN
			CULG							0415.5	0416.5	1				UNCLF

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

JULY 1974

JUL 1974	TIMES OF OBSERVATION		STATION	EVENTS												SPECTRAL TYPE
	START UT	END UT		CENTIMETRIC BAND			DECI-METRIC BAND			METRIC BAND			DEKAMETRIC BAND			
				START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	
02	0455	1810	WEIS							0445.0	1229.0	2				IN
			DURN							0455 E	1810 D	1				IC
			CULG							0601.5	0611	3	0602	0611	2	IIIGG
			WEIS							0601.7	0607.3	3				IIIG
			MANT										0601.8	0610.9	3	IIIG
			DURN				0602	0730	3	06J1	0730	3				IV
			CULG				0602	0611	2							FASTORIFT
			WEIS							0608.2	0610.6	3				IIIGG
			WEIS							0612.5	0616.5	3				IIIGG
			MANT										0613.1	0625.9	2	IIIG
			WEIS							0619.5	0659.0	3				IIIN,GG
			MANT										0633.5	0830.0	3	CONT
			WEIS							0701.0	0702.0	3				IIIG
			WEIS							0704.0	0722.0	3				IV
			WEIS							0706.7	0815.0	3				IIIN,GG
	0717	0741	CULG													
	0735	2003	OWIN				0735	2003	1	0735	2003	1				IC
			OWIN							0743.6	0744.2	2				IIIG
			OWIN				0747.1	0748.1	2	0747.1	0748.2	2				IIIG
			OWIN				0802	0820	1	0802	0820	1				IV
			OWIN				0820.5	0822.0	3	0820.5	0822.0	3				IIIGG
			WEIS							0820.6	0822.3	3				IIIGG
			DURN				0820.9	0822.0	3	0820.5	0822.1	3				IIIGG
			WEIS							0824.5	1745.0					IIIN,GG
			MANT										0841.3	0905.6	1	IIIG
			MANT										0942.3	0945.5	1	V
	0914	2420	SGMR										0942.8	0944.3	2	III
			OWIN							0943.0	0944.1	3				IIIG
			SGMR										0944.3	2420.2	1	CONT
			OWIN				0946.6	0946.9	2							IIIG
			DURN				0950.9	0953.8	2	0946.5	0954.3	2				IV
			DURN				1018.9	1019.8	1	1018.0	1021.1	2				IV
			DURN							1030	1350	2				IC
			SGMR										1109.1	1111.4	3	IIIG
			OWIN				1109.3	1112.1	3	1109.3	1112.1	3				IIIGG
			BOUL							1143	2010	2				IS
			BOUL							1143.6	1943	2	1143.6	1943	2	CONT
			HARV							1231 E	2252 D	1				I
			OWIN				1233.5	1234.0	2	1233.5	1234.0	2				IIIG
			OWIN				1258.5	1300.0	3	1259.7	1300.0	3				IIIG
			DURN							1259.7	1259.7	2				III
			WEIS							1352.9	1358.0	3				IIIGG
			WEIS							1356.0	1540.0	3				IV
			HARV							1357	1358	2	1357		2	IIIG
			OWIN				1357.0	1357.1	2	1357.0	1357.1	2				IIIG
			WEIS							1359.3	1402.5	2				II
			HARV							1401	1403	3	1401	1402	3	IIIG
			DURN							1401.3	1401.9	2				IIIG
			OWIN				1401.3	1401.6	2	1401.0	1402.0	3				IIIG
			SGMR										1401.5	1403.0	3	III
			HARV							1411	1412	2	1411	1412	1	IIIG
			HARV							1421	1422	1	1421	1422	1	IIIG
			DURN				1421.1	1421.2	2	1421.1	1421.3	3				IIIG
			OWIN				1421.1	1421.5	3	1421.1	1421.5	3				IIIG
			HARV							1428	1429	3	1428	1429	3	IIIG
			HARV							1506	1508	2	1506	1508	2	IIIG
			OWIN							1506.5	1508.0	2				IIIG
			HARV							1513	1518	2	1513	1518	2	IIIGG
			HARV							1521	1523	2	1521	1523	2	IIIGG
			HARV							1528	1529	2	1528	1529	2	IIIG
			OWIN							1528.2	1528.5	2				IIIG
			HARV							1535	1537	2	1535	1537	2	IIIGG
	0735	2003	OWIN				1535.5	1536.4	2	1535.4	1537.5	3				IIIGG
			HARV							1543	1545	1	1543	1545	1	IIIG
			HARV							1552	1719	2	1552	1719	2	IIIN
			HARV							1556	1602	2	1556	1602	2	IIIGG
			OWIN							1558.7	1558.9	2				IIIG
			HARV							1606	1614	3	1606	1614	3	IIIGG
			DURN							1608.3	1608.7	2				IIIG
			OWIN				1608.3	1608.8	2	1607.5	1609.8	3				IIIGG
			OWIN				1610.6	1611.2	2	1610.6	1611.2	2				IIIG
			OWIN							1612.8	1613.8	2				IIIG
			HARV							1630	1635	3	1630	1635	3	IIIGG
			SGMR										1631.2	1655.2	3	IV
			DURN				1633.5	1644.5	3	1633.5	1645.8	3				IV
			OWIN				1635.1	1635.5	2	1635.1	1635.5	2				IIIG
			OWIN				1638.5	1640.0	2	1638.5	1640.0	2				IIIG
			HARV							1639	1647	3	1639	1647	3	IIIGG
			DURN				1641.6	1641.7	2	1641.6	1641.7	3				IIIG
			OWIN				1641.6	1641.9	3	1641.6	1641.9	3				IIIG
			OWIN				1642.8		3	1642.8		3				IIIG
			OWIN				1643.8	1645.1	1	1643.8	1645.1	1				IIIGG
			WEIS							1645.7	1647.7	1				IIIG
			OWIN				1652.8	1654.0	2	1652.8	1654.0	2				IIIG
			HARV							1653	1655	2	1653	1655	2	IIIGG
			HARV							1659	1703	2	1659	1703	2	IIIGG
			WEIS							1702.6	1847.2	2				IIIN
			HARV							1710	1712	1	1710	1712	1	IIIG
			HARV							1714	1718	3	1714	1718	3	IIIGG
			HARV							1720	1722	3	1720	1722	3	IIIGG

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

JULY 1974

JUL 1974	TIMES OF OBSERVATION		STATION	EVENTS										SPECTRAL TYPE			
	START UT	END UT		CENTIMETRIC BAND			DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND				
				START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	START UT		END UT	INT.	
02			OHIN				1720.2	1722.0	3	1720.1	1722.0	3				IIIGG	
			OURN				1720.5	1720.5	2	1720.2	1721.5	3				IIIGG	
			HARV							1723	1906	2	1723	1906	2	IIIS	
			HARV							1829	1833	2	1829	1833	2	IIIGG	
			HARV							1910	1937	3	1910	1937	3	IIIS	
			OHIN							1918.6	1918.0	2				IIIG	
			OHIN				1919.2		2	1919.2		2				IIIB	
			SGHR										1928.0	1938.1	2	IV	
			OHIN				1933.5	1934.9	2	1933.5	1934.9	2	1938	2144	2	IIIG	
			HARV							1938	2144	2				IIIN	
			OHIN				1940.5	1940.7	2	1940.5	1940.7	2				IIIG	
			BOUL							1943	2201.3	1	1943	2201.3	1	CONT	
			HARV							2032		3	2032		3	IIIB	
			HARV							2035	2036	3	2035	2036	3	IIIG	
			HARV							2052	2053	3	2052	2053	3	IIIG	
			BOUL							2052.5	2200	2	2052.5	2200	2	IIIN	
	2036	2400	CULG				2104	2400	2	2104	2400	2				IS, CONT	
			CULG							2104	2400	2				IIIS	
			CULG										2129	2248	1	IIIN	
			CULG							2133	2138	2	2133	2138	2	IIIGG,V	
			SGHR										2136.8	2137.7	3	III	
			HARV										2137	2138	3	IIIGG	
			BOUL										2201.3	2400	3	IV	
			CULG										2201.5	2206	2	IIIGG,V	
			SGHR										2201.8	2205.3	2	IIIG	
	2135	2400	MANT										2248.5	2304.6	1	IIIG	
			CULG				2251	2315	2							FASTDRIFT	
			SGHR													IIIG	
			MANT										2301.9	2314.1	2	V	
			MANT										2305.7	2300.7	2	V	
			MANT										2311.2	2314.6	2	IIIG	
			MANT										2329.4	2329.9	1	III	
	03	0000	0736	CULG				0000	0432	2	0000	0708	2				IS, CONT
				CULG							0000	0708	2				IIIS
		0000	0230	BOUL							0000	0220	3	0000	0220	3	IV
		0000	0958	MANT										0000.0	0559.8	2	CONT
			CULG				0148	0200	1							FASTDRIFT	
			CULG				0315	0320	2							FASTDRIFT	
0343		0749	WEIS							0352.0	1622.0	2				IN	
			CULG							0415	0455	1				UNCLF	
			WEIS							0416.0	1735.6	1				IIIS	
0455		1812	JURN							0455 E	1812					IDC,C,N	
			DURN							0503.5	1503.9	3				IIIGG	
			DURN							0523.8	0524.1	2				III	
			DURN							0553.1	0554.4	2				IV	
			MANT										0631.0	0631.7	1	III	
			WEIS							0723.7	0731.8	3				IIIGG	
			WEIS							0723.8	0730.0	3				IIIGG,RS	
			DURN				0723.8	0725.2	3	0723.8	0731.3	3				IV	
			MANT										0724.0	0725.5	3	III	
0752		1614	MANT				0752	1614	2	0752	1614	2	0728.2	0728.7	3	III	
			MANT										0807.7	0808.6	3	IC	
			DURN				0807.8	0808.0	1	0807.8	0808.2	2				III	
0800		1437	WEIS							0807.8	0808.5	3				IV	
			OHIN				0820	0903	2	0820	0903	2				IIIGG	
			WEIS							0826.0	1029.0	3				IV	
			WEIS							0826.5	1257.0	3				IIIGG,RS	
			WEIS							0827.0	0839.5	3				IIIGG	
			DURN				0827.2	0901.2	3	0827.2	0902.5	3				IV	
			MANT										0828.0	0837.1	4	IV	
			MANT										0837.2	0838.0	2	IV	
0915		2420	SGHR										0915.1	1900.0	2	CONT	
			OHIN				0919	0956	2	0919	0956	2				IV	
			DURN							0923.0	0929.5	2				IV	
			DURN							0938.5	0957	2				IV	
			DURN				0951.2	0953.6	3	0951	0953.6	3				IV	
			WEIS							1004.0	1026.0	1				IVP	
			OHIN				1058	1111	2	1058	1111	2				IV	
			DURN				1100.0	1100.4	2	1058.6	1106.9	3				IV	
1130		1935	BOUL							1130	1935	2	1130	1935	2	IV	
1231		2245	HARV							1231 E	2245	0				I	
			DURN				1239.8	1255.9	3	1239.8	1257.1	3				IV	
		OHIN				1240	1306	2	1240	1306	2				IV		
		HARV							1243	1247	2				IIIGG		
		OHIN				1426	1441	2	1426	1441	2				IV		
		DURN							1428.0	1438.8	3				IV		
1443	1917	WEIS										1503	1506	2	IIIG		
		HARV							1512	1524	3	1512	1524	3	IIIGG		
		HARV										1533	1558	2	I		
		HARV										1539	1540	3	IIIG		
		HARV							1539	1540	3				IIIG		
		OHIN				1543.6	1544.5	2	1543.6	1544.5	2				IIIG		
		HARV							1609	1614	3	1609	1614	3	IIIG,V		
		HARV							1631	1900	1	1631	1900	1	IIIN		
		HARV							1729	1731	1	1729	1731	1	IIIG		
		HARV							1735	1736	3	1735	1736	3	IIIB		
		DURN													IV		
		HARV				1811.1	1812.1	3	1811.1	1812.1	3				IIIG		
		HARV							1812	1813	3	1812	1813	3	IIIG		
		HARV							1821	1826	1	1821	1826	1	IIIGG		

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

JULY 1974

JUL 1974	TIMES OF OBSERVATION		STATION	EVENTS												SPECTRAL TYPE
	START UT	END UT		CENTIMETRIC BAND			DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
				START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	
03	2036	2400	HARV							1833	1840	1	1833	1840	1	IIIGG
			HARV							1834	1848	3	1837	1848	3	UNCLF
			SGMR										1900.0	2200.5	2	IIIG
			HARV							2039	2041	2	2039	2041	2	IIIG
			CULG							2104	2105	3	2104	2105	3	IIIG
			CULG							2104	2400	1				IIIS
			CULG							2106	2400	1				IS,CONT
			CULG							2113	2400	1				IS
			HARV										2120	2121	3	IIIN
			MANI,										2159.5	2200.5	2	IIIG
CULG										2200		3	IIIB			
HARV																
04	0000	0736	CULG							0000	0056	1				IIIS
			CULG										0000	0650	1	IS
			CULG										0000	0145	1	IIIN
			BOUL										0000	0145	1	IS,CONT
			CULG							0018	0026	2				CONT
			CULG							0056	0057	2				FASTDRIFT
			BOUL										0056	0059	2	IIIS
			MANI										0056.1	0057.7	2	IIIGG,V
			MANI										0056.1	0057.7	2	IIIG
			CULG										0056.3	0058.2	3	IIIG
04	0000	0958	CULG													IIIG
			MANI										0118.4	0131.0	1	IIIG
			MANI										0256	0257.5	2	IIIG,V
			CULG										0256.2	0256.9	3	III
			MANI													IIIS
			MANI										0402.8	0403.2	1	III
			MANI										0411.5	0411.7	1	III
			MANI										0442.2	0442.9	1	III
			WEIS										0450.3	0452.1	1	IIIG
			MANI										0450.4	0450.5	1	IIIB
04	0456	0758	WEIS													III
			CULG										0456.8	0457.1	1	IIIB
			WEIS										0456.9	0457.0	1	IIIG,V
			MANI										0610.5	0611	2	IIIG
			DURN										0610.6	0612.2	3	IIIG
			DURN										0610.7	0613.3	3	IIIG
			WEIS										0611.7	0612.3	2	IIIGG
			WEIS										0613	0640	1	I
			CULG										0615.4	0616.7	2	IIIG
			CULG										0626.8	0629.7	2	IIIG
04	0738	1603	CULG													IIIG,RS
			CULG										0628	0630	1	IIIG,V,U
			DURN										0631.5	0632.5	1	IIIG
			MANI										0631.5	0631.7	2	IIIG
			WEIS										0631.6	0632.4	3	III
			CULG										0631.7	0632.4	3	IIIG
			WEIS										0635	0636	1	IIIG
			WEIS										0635.3	0635.6	2	IIIG
			WEIS										0641.0	0646.7	3	IIIGG
			MANI										0641.6	0647.0	3	IIIG
04	1231	2246	CULG													IIIGG,V
			DURN										0642	0646	1	
			CULG										0643.5	0654.4	3	
			CULG										0641	0647	2	
			WEIS										0643.0	0710	3	
			MANI										0647	0652	2	
			WEIS										0647.3	0650.3	3	
			CULG										0650.0	0655.0	3	
			DURN										0652	0710	2	
			MANI										0653.6	0647.5	3	
04	0915	2419	WEIS													IIIGG
			SGMR										0738	1603	1	IIIG,V
			WEIS										1007.9	1008.2	1	CONT
			WEIS										1007.9	1008.2	1	IIIGG
			SGMR										1020.7	1021.0	1	IIIG
			SGMR										1104.8	1105.2	1	IIIB
			WEIS										1105.0	1105.3	1	III
			SGMR										1217.3	1219.1	2	III
			WEIS										1217.4	1719.8	1	IIIG
			HARV										1231 E	1735	1	I
04	0810	1812	SGMR													III
			SGMR										1312.6	1314.7	1	CONT
			DWIN										1334.8	1353.1	2	IIIG
			HARV													IIIGG
			SGMR													
			DWIN										1346.6	1447.7	1	
			SGMR										1352.8	1334	3	
			HARV										1353	1446	3	
			DWIN										1353	1358	3	
			SGMR										1353.0	1357.0	3	
04	1130	2400	DURN													IV
			BOUL										1353.2	1654	3	IIIGG,V
			BOUL										1353.2	1654	3	IIIGG
			DWIN										1353.3	1356.2	3	
			HARV										1356.2	1600	2	III
			SGMR										1357.0	1603	3	IV
			DWIN										1357.0	1603	3	IV
			HARV										1359.3	1407	3	II
			SGMR										1403	1412	3	IIIGG
			DURN										1404.9	1405.0	2	IIIG
04	0810	1812	BOUL													III
			HARV										1415	1416	3	IIIB
			SGMR										1415	1416	3	CONT
			DURN										1519.8	1705.5	1	
			BOUL													IV
			HARV										1529.3	1558	2	CONT
			SGMR										1634.2	2400	2	IIIG
			DURN										1646	1647	2	
			HARV													

110
Jul 74

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

JULY 1974

JUL 1974	TIMES OF OBSERVATION		STATION	EVENTS												SPECTRAL TYPE			
				CENTIMETRIC BAND			DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND						
	START UT	END UT		INT.	START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.						
04	2036	2400	HARV							1704	1736	3	1704	1736	3	IIIGG,V			
			HARV										1704	1713	2	I			
			SGMR										1705.5	1931.0	2	IV			
			DURN							1708.2	1733.8	2				IIIG,N			
			DURN				1718.4	1723.1	3	1718.4	1723.1	3				IV			
			DURN				1728.1	1729.7								IIIG			
			DURN				1731.5	1735.2	3	1731.7	1735.2	3				IV			
			HARV							1735	1807	1	1735	1807	1	IC			
			HARV							1740	1749	1	1740	1749	1	IIIGG			
			HARV							1752	1759	3	1752	1759	3	IIIGG			
			HARV							1807	1837	1				I			
			HARV							1807	2236	2	1808	2236	2	IIIN			
			HARV							1817	1833	3	1817	1833	3	IIIGG,V			
			HARV							1836	1923	2	1837	1923	2	IC			
			HARV							1846	1848	3	1846	1848	3	IIIG,V			
			HARV							1923	2246	0				I			
			HARV							1943	1944	3	1943	1944	3	IIIG			
			SGMR										2013.6	2013.8	2	III			
			SGMR										2050.0	2104.0	3	IV			
			HARV							2053	2114	3	2053	2114	3	IIIGG			
			CULG							2055	2400	2	2100	2318	1	IIIS			
			CULG							2100	2400	2				IS			
			CULG							2100.5	2111	2	2100.5	2101	2	IIIGG			
			CULG				2104	2124	2	2109	2124	2				FASTDRIFT			
			SGMR										2104.0	2215.0	2	CONT			
			CULG				2122.5	2129	1							FASTDRIFT			
			CULG				2136	2140	2							FASTDRIFT			
			CULG				2149	2153.5	2							FASTDRIFT			
			CULG				2155.5	2158	1							FASTDRIFT			
			CULG				2202.5	2203	1							FASTDRIFT			
			CULG				2218	2221	1							FASTDRIFT			
			CULG							2315	2318	2				IIIG,V			
			BOUL							2315.5	2319.2	2	2315.5	2319.2	2	IIIG			
			MANI										2316.0	2318.6	2	IIIG			
			CULG							2325	2337	1				CONT			
			BOUL							2327.5	2343.6	1	2326.5	2330.3	1	II			
			BOUL										2327.5	2343.6	1	II			
			05	0000	0230	BOUL							0000	0210	2	0000	0210	2	CONT
						CULG							0000	0655	1				IIIS
						CULG							0000	0712	2				IS
CULG							0043	0047	2	0043	0103	2	0045.5	0046	2	FASTDRIFT			
CULG													0043.7	0049.2	2	IIIGG,V			
MANI													0058.7	0102.2	2	IIIG			
MANU																IIIG			
CULG							0100	0102.5	1							FASTDRIFT			
CULG										0152.5	0159	2	0154.5	0157	1	IIIGG,V			
CULG							0152.5	0156.5	2							FASTDRIFT			
BOUL										0152.7	0158.4	2	0152.7	0158.4	2	IIIGG			
MANI													0152.7	0158.5	3	IIIG			
CULG							0204	0207	2							FASTDRIFT			
CULG										0214.5		1				RS,OP			
CULG										0337	0341	2				IIIGG,V			
MANI													0338.2	0340.9	2	IIIG			
MANI													0347.2	0349.6	1	IIIG			
CULG										0358.5		1				RS,OP			
WEIS										0404.0	0700.0	1				I			
WEIS										0451.2	0451.3	1				IIIB			
WEIS										0451.2	0451.3	3							
WEIS										0522.7	0522.8	1				IIIB			
CULG										0534	0604	1				N,RS,OP			
OWIN							0747	1700	1							I			
OWIN										0747	1555	1				IC			
WEIS										0824.6	0824.8	2				IIIG			
MANU													0824.6	0824.8	1	III			
DURN							0858.6	0858.7	2							IIIG			
OWIN							0923.3	0924.0	2							IIIG			
WEIS										0958.7	0958.8	1				IIIB			
OWIN										1038.5	1038.7	2				IIIG			
WEIS										1038.7	1039.0	2				IIIG			
OWIN							1038.9		1	1038.9		1				IIIB			
SGMR													1038.9	1041.2	1	IIIG			
WEIS										1040.5	1041.5	1				IIIG			
WEIS										1048.0	1049.1	1				IIIG			
WEIS										1101.2	1101.3	1				IIIB			
WEIS										1108.6	1110.0	1				IIIG			
SGMR													1108.9	1109.2	1	III			
WEIS										1127.5	1156.3	3				IIIGG			
WEIS										1139.5	1140.0	1				IIIG			
SGMR										1149.8	1152.4	1	1149.5	1150.1	2	III			
WEIS													1156.0	1159.1	1	IIIB			
SGMR																IIIG			
WEIS										1158.5	1159.0	1				IIIG			
BOUL										1203.2	1300	2	1203.2	1300	2	CONT			
OWIN							1203.3	1205.0	3	1203.3	1205.0	3				IIIG			
SGMR													1203.3	1212.1	3	CONT			
WEIS										1203.4	1211.3	3				IIIGG			
DURN							1203.4	1203.5	3	1203.4	1203.5					IIIG,RS			
DURN							1203.5	1204.0	2	1203.5	1204.0					IV			
DURN				1203.6	1204.6	3							IIIGG						

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

JULY 1974

JUL 1974	TIMES OF OBSERVATION		STATION	EVENTS												SPECTRAL TYPE		
	START UT	END UT		CENTIMETRIC BAND			DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND					
				START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.			
05	1231	2400	DURN				1206.0		1	1204.6	1204.8	2				UNCLF		
			OWIN				1212.5	1518	2	1206.3		1				IIIB		
			DURN							1516.2	1518.4	3	1227.1	1324.0	2	I		
			SGHR										1300	1509.8	1	CONT		
			HARV							1233	1241	2				IIIGG		
			BOUL													CONT		
			HARV							1302	1642	1	1428.1	1428.7	1	IN		
			SGHR													III		
			OWIN				1509.6	1525.6	3	1509.6	1525.6	3				IIIGG		
			WEIS							1509.7	1535.7	3				IIIGG		
			BOUL							1509.8	1709	3	1509.8	1709	3	IV		
			DURN							1509.9	1526	3				IIIGG,N		
			SGHR										1509.9	1515.3	3	IV		
			HARV							1510	1524	3	1510	1524	3	IIIGG,V		
			DURN				1510.1	1521.1	2	1510.1	1511.4	2				IV		
			DURN				1511.8	1514.3	3							IIIGG		
	1642	1917	SGHR							1525	2202	1	1515.3	1830.0	2	CONT		
			HARV										1525	2202	1	IIIN		
			HARV										1538	1641	1	IN		
			WEIS							1611.1	1611.2					IIIB		
			WEIS							1614.8	1614.9					IIIB		
			WEIS							1621.5	1621.7					IIIB		
			WEIS							1624.0	1624.5					IIIB		
			WEIS							1625.3	1625.4					IIIB		
			WEIS															
			HARV				1725	2210	1							IN		
			BOUL							2133.9	2205	1	2133.9	2205	1	CONT		
			CULG				2134	2136	2	2134	2136	2				IIIG		
			CULG				2134	2400		2134	2400					IS,W		
			CULG							2134	2400					IIIS,W		
			CULG				2136	2155	1				2136.7	2142.0	3	CONT		
			2036	2400	SGHR							2137	2150	3	2136.5	2141.5	2	IV
	CULG									2137	2154	3	2134	2145	3	IIIGG,V		
	HARV									2137	2400	2	2146	2244	2	IIIGG,V		
	HARV															I		
	HARV						2137	2153	3				2137.0	2138.0	1	IV		
	MANT												2139	2220	1	III		
	CULG																	
	CULG									2140	2310	1				CONT		
	SGHR												2142.0	2420.0	2	CONT		
	HARV									2147.5	2156	2	2149.5	2155	2	II		
	CULG									2148	2155	1						
	CULG						2201	2203	1							UNCLF		
	HARV						2201	2207	2							FASTDRIFT		
	CULG									2203.5	2400	1				IIIGG,V		
	BOUL									2205	2400	3	2205	2400	3	S,RS,OP		
	CULG									2207	2400	1				IV		
	CULG				2234	2305	1							I				
HARV				2234	2306	3	2234	2305	2				CONT					
06	0000	0028	HARV						0000	0028	0				I			
			CULG							0000	0710	1				IIIS		
			CULG							0000	0705	1				S,RS,OP		
			CULG				0000	0630	1	0000	0630	1				IS		
			BOUL										0000	0210	1	CONT		
			CULG							0141	0142	2				IIIG,V		
			CULG							0245	0246	2	0245	0246	2	IIIG,V		
			MANT										0245.1	0245.6	3	III		
			CULG				0305	0306	1				0401.0	0401.4	1	FASTDRIFT		
			MANT							0536	0538	2				III		
			CULG										0536.5	0537.2	3	IIIG,V		
			CULG				0538.5	0540	1							III		
			CULG							0538.5	0540.5	2				UNCLF		
			DURN							0538.6	0539.2	2				UNCLF		
			CULG							0540	0600	2				UNCLF		
			0455	1812	MANU									0553.8	0554.4	3	II	
	CULG						0554	0555	1	0554	0555	1				III		
	CULG									0621.5	0624	2				IIIG		
	MANT												0622.1	0623.5	2	IIIG,V		
	CULG									0650	0651	2				IIIG		
	CULG									0655.5		2	0655.5		1	IIIG		
	MANT												0655.7	0655.9	1	IIIB		
	CULG									0659	0702.5	2				III		
	MANT												0659.8	0701.8	2	IIIGG		
	CULG															IIIG		
	MANT						0700	0702	1				0733.3	0740.4	2	FASTDRIFT		
	MANT												0753.8	0759.0	2	IIIG		
	MANT												0813.3	0816.6	3	IIIG		
	MANT												0832.4	0832.8	2	IIIG		
	WEIS									0835.0	0835.7	2				I		
	0835	1918			OWIN				0843	1200	1	0843	1200	1				IIIG
			WEIS							0914.3	0915.0	2				I		
			WEIS							0936.1	0936.3	1				IIIG		
			WEIS							0938.0	0938.6	1				IIIG		
			WEIS							0940.3	0941.2	3				IIIG		
			OWIN				0940.3	0940.8	3	0940.3	0940.8	3				IIIG		
			MANT										0940.4	0940.6	2	III		
			DURN							0949.5	0949.6	3				IIIG		
			WEIS							0953.8	0953.9	1				IIIB		
			0843	1531														

112
Jul 74

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

JULY 1974

JUL 1974	TIMES OF OBSERVATION		STATION	EVENTS												SPECTRAL TYPE
	START UT	END UT		CENTIMETRIC BAND			DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
				START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	
06	0917	2419	WEIS							0955.3	0955.6	1				IIIB
			WEIS							0956.7	0956.8	1				IIIB
			WEIS							1003.2	1006.2	3				IIIGG
			OWIN				1004.2	1005.4	2	1004.2	1005.4	2				IIIGG
			SGMR							1008.7	1008.8	2	1004.3	1004.8	1	III
			WEIS										1011.0	1440.0	2	IIIB
			SGMR							1011.2	1012.2	3				CONT
			WEIS							1014.5	1018.3	3				IIIG
			OWIN				1014.6	1016.4	2	1014.6	1016.4	2				IIIGG
			DURN				1015.7	1127.4	3	1114.8	1027.4	3				IIIGG,N
			OWIN				1021.3	1021.5	2	1021.3	1021.5	2				IIIGG
			WEIS							1029.3	1029.5	1				IIIB
			WEIS							1032.3	1032.4	1				IIIB
			WEIS							1034.7	1039.8	3				IIIGG
			SGMR										1035.0	1039.8	3	IIIG
			OWIN				1035.7	1039.8	2	1035.7	1039.8	2				IIIGG
			OWIN				1102.8	1107.3	2	1102.8	1107.3	2				IIIGG
			WEIS							1103.2	1108.0	3				IIIGG
			SGMR										1103.2	1113.2	3	IIIG
			DURN				1105.4	1134.1	2	1105.7	1134.1	2				IV
			WEIS							1110.4	1113.7	3				IIIGG
			OWIN				1110.4	1147	3	1110.4	1147	3				IIIGG
			DURN				1110.5	1110.8	3	1110.5	1110.8	3				V
			WEIS							1114.7	1117.5	3				IIIG
			WEIS							1118.5	1118.6	1				IIIB
			WEIS							1120.4	1122.5	2				IIIG
			WEIS							1124.4	1126.2	3				IIIGG
			WEIS							1127.2	1127.4	2				IIIG
			WEIS							1135.9	1143.8	2				IIIG
			OWIN				1157.9		1							IIIB
			OWIN							1201.3	1203.9	1				IIIG
			WEIS							1201.3	1202.4	1				IIIG
			WEIS							1215.3	1218.7	1				IIIG
			WEIS							1222.1	1223.4	1				IIIG
			WEIS							1225.6	1225.7	1				IIIB
			WEIS							1233.1	1233.5	1				IIIG
	OWIN				1252.3	1252.6	1	1252.3	1252.6	1				IIIG		
	OWIN				1253.8	1254.3	2	1253.8	1254.3	2				IIIG		
	WEIS							1253.8	1256.4	2				IIIG		
	DURN				1253.9	1254.0	2	1253.9	1254.0	2				IIIG		
	0843	1931	HARV					1344		3					IIIG	
			HARV				1347	1350	1	1347	1350	3	1347	1350	3	IIIGG
			OWIN							1347.3	1347.6	2				IIIG
			WEIS							1347.4	1349.7	3				IIIG
			SGMR										1347.5	1356.2	3	IIIG
			OWIN				1348.1	1350.0	2	1348.1	1350.0	2				IIIG
			DURN							1348.2	1348.3	2				IV
			DURN				1349.6	1349.9	2	1349.6	1349.9	2				IIIG
			WEIS							1352.4	1353.8	3				IIIN
			OWIN							1352.4	1352.6	2				IIIG
			BOUL							1352.4	2400	2	1352.4	2400	2	IIIN
			OWIN				1352.9	1353.3	2	1352.9	1353.3	2				IIIG
			HARV				1353		1	1352	1354	3	1352	1354	3	IIIGG
			WEIS							1355.8	1356.1	2				IIIB
			HARV							1356	1840	2	1356	1840	2	IIIN
	1400	2400	BOUL										1400	1920	1	CONT
			WEIS							1418.4	1419.2	2				IIIG
			HARV				1520	1521	1	1520	1521	2	1520	1521	2	IIIG
			OWIN				1520.2		1	1520.2		1				IIIB
			WEIS							1520.4	1520.8	2				IIIG
			SGMR							1523.7	1524.4	3	1520.5	1534.0	3	IIIG
			WEIS							1524	1525	3	1524	1525	3	IIIG
			HARV							1524.2		1				IIIG,V
			OWIN				1524.2		1	1524.2		1				IIIB
			WEIS							1532.0	1533.5	3				IIIG
			DURN							1532.2	1532.2	3				III
			HARV				1533	1534	3	1532	1534	3	1532	1534	3	IIIG,V
			HARV				1621	1623	3	1621	1623	3	1621	1623	3	IIIGG
			SGMR										1621.0	1622.8	1	III
			WEIS							1621.2	1622.6	2				IIIG
			HARV				1642	1643	2	1642	1648	3	1642	1648	3	IIIGG,V
			WEIS							1642.5	1643.5	3				IIIG
			SGMR							1645.9	1647.6	3	1642.8	1648.0	2	IIIG
			SGMR										1702.0	1707.1	1	IIIG
			HARV				1705	1707	1	1705	1708	2				IIIG
			WEIS							1706.7	1707.3	2				IIIG
			HARV							1716	1725	1	1716	1725	1	IIIGG
			SGMR										1716.0	2118.0	1	CONT
			HARV							1720	1726	2				I
			WEIS							1720.6	1720.7	1				IIIB
			WEIS							1722.3	1724.6	1				IIIG
			HARV							1732	1734	3	1732	1734	3	IIIG
			WEIS							1732.4	1733.7	2				IIIG
			HARV							1736	1739	2	1736	1739	2	IIIG
			HARV							1806	1807	3	1806	1807	3	IIIG
			WEIS							1806.1	1806.9	1				IIIG
			HARV							1807	1901	1				IN
			HARV				1844	1921	2							I

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

JULY 1974

JUL 1974	TIMES OF OBSERVATION		STATION	EVENTS												SPECTRAL TYPE
	START UT	END UT		CENTIMETRIC BAND			DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT	
06			HARV							1845	1854	3	1845	1854	3	IIIG
			BOUL										1845	1900	2	CONT
			WEIS							1849.7	1850.0	1				IIIG
			HARV				1855	1858	2	1855	1900	2	1855	1900	2	IIIGG
			HARV				1901	1906	3	1901	1905	3	1901	1905	3	IIIGG,V
			HARV							1901	1950	1				I
			HARV				1901	1926	2				1901.7	1905.0	3	IVP N
			SGHR													IV
			WEIS							1902.2	1902.7	2				IIIG
			HARV				1908	1919	3	1907	1922	2	1907	1922	2	IIIGG
			BOUL							1920	2020	2	1920	2020	2	IV
			HARV							1925	1931	3	1925	1931	3	IIIGG
			HARV							1933	2002	2	1935	2002	2	UNCLF
			HARV				1941	2014	3							IV
			HARV							1950		3	1950		3	IIIB
			HARV							2010	2011	3	2010	2011	3	IIIG
			HARV							2024		3	2024		3	IIIB
	2037	2400	HARV							2100	2400	1				IIIN
			CULG				2104	2118	1	2100	2400	1				IIIG
			HARV				2105	2106	1	2101	2106	3	2101	2106	3	FASTDRIFT
			CULG				2115.5	2116	1							IIIGG
			HARV				2116	2118	3	2116	2118	3	2116	2118	3	IIIG
			SGHR										2116.0	2118.0	2	IIIG
			CULG							2117	2118					IIIG,H
			MAHT							2234						RS,DP,H
			CULG										2300	2400	1	CONT
			BOUL													
07	0000	0230	BOUL										0000	0200	1	CONT
	0000	0140	CULG							0000	0140	1				IIIN
	0000	0147	HARV													
			CULG							0033.5	0035.5	2				IIIG
			BOUL							0033.8	0034.8	2	0033.8	0034.8	2	IIIG
			BOUL							0123.4	0124.9	2	0123.4	0124.9	2	III
			CULG							0123.5	0125	2	0123.5	0125	1	IIIG,V
	0000	0958	MAHT										0123.7	0124.6	2	III
	0200	0736	CULG							0200	0642	1				IIIN
			CULG							0308	0311	1				IIIGG
			CULG							0331	0332.5	1				IIIG
			CULG				0440	0446								IS,H
	0343	1021	WEIS							0441.0	0917.0	2				I
			CULG							0500	0710	1				IS
	0847	1450	OWIN				0847	1450	1	0847	1450	1				I
			WEIS							0856.7	0857.0	2				IIIG
	0456	1812	DURN							0902	1224					I,OC,N
			WEIS							0912.3	0912.5	1				IIIB
			WEIS							0913.7	0913.8	1				IIIB
			DURN				1010.4	1013.4	1	1013.0	1013.4	3				IIIGG
			WEIS							1013.0	1013.4	2				IIIG
			OWIN				1013.2	1013.4	2	1013.2	1013.4	2				IIIG
			WEIS							1017.4	1020.3	1				IIIG
	0917	2419	SGHR							1220	1226	1	1054.7	1055.1	2	III
	1230	2400	BOUL							1220	1226	1	1220	1226	1	IIIG
			DWIN				1221.2	1221.5	2							IIIG
			DURN				1221.5	1222.5	2	1224.5	1224.8	2				IIIGG
			SGHR										1221.6	1229.1	3	IIIG
			DWIN				1224.5	1224.8	3							IIIG
			OWIN				1224.8	1226.3	1	1224.8	1226.3	1				IV
			SGHR										1258.5	1402.2	2	CONT
			BOUL							1332.4		1	1315	1453	1	CONT
			OWIN										1425.8	1512.6	2	IIIB
			SGMR										1425.8	1512.6	2	IIIG
			BOUL										1512.5	1513.1	2	III
			BOUL										1610.7	1611.7	1	III
	1231	2400	HARV							1613	1614	3	1613	1614	3	IIIG,U
			BOUL				1613.1	1614.5	2	1613.1	1614.5	2	1613.1	1614.5	2	IIIG
	1416	1915	WEIS				1613.2	1614.1	2							IIIS
			SGMR										1613.3	2044.5	3	IIIG
			BOUL										1626.6	1627.3	3	IIIG
			HARV							1749		3	1749			IIIB
			BOUL							1749.1	1749.4	1	1749.1	1749.4	1	III
			WEIS							1749.2	1749.3	1				IIIB
			BOUL										1822.2	1822.9	1	III
			BOUL										1835	1950	1	CONT
			HARV							1838	1947	2	1838	1947	2	IIIN
			BOUL										1838.9	1839.5	1	III
			HARV							1843	1845	3	1843	1845	3	IIIGG
			WEIS							1843.7	1844.4	1				IIIG
			BOUL							1843.7	1845.2	1	1843.7	1845.2	1	IIIG
			BOUL							1941.9	1942.1	1	1941.9	1942.1	1	III
			HARV							2046	2049	3	2046	2049	3	IIIG
			BOUL							2046.7	2049.6	2	2046.7	2049.6	2	IIIG
	2036	2400	CULG				2104	2125	1							IS
			CULG							2113	2217	1				IS
			CULG							2117	2400	1				IIIN
			CULG							2121	2122	1				IIIG
			BOUL										2124.9	2126.7	1	IIIG
			BOUL										2229.9	2230.2	1	III
			BOUL										2312	2400	1	CONT
		CULG							2319	2320	1				IIIG,V	
		BOUL							2328.8	2329.7	2	2328.8	2329.7	2	IIIG	

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

JULY 1974

[illegible]

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

JULY 1974

JUL 1974	TIMES OF OBSERVATION		STATION	EVENTS												SPECTRAL TYPE
	START UT	END UT		CENTIMETRIC BAND			DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
				START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	
09	2135	2400	MARI CULG HARV HARV CULG CULG HARV				2143.5 2144	2144 2145	2 3	2143.5 2143 2305 2305 2316.5 2353	2145 2145 2306 2306 2317 2	2 3 2 2 2 2				IIIG,U IIIG IIIG IIIG,U IIIG,U IIIG
	0000	0715	CULG							0000	0715	1				IIIN,U
	0000	0230	BOUL							0003	0128	1	0000	0115	1	CONT
	0000	0147	HARV HARV BOUL CULG							0007 0007.5 0007.5	0009 0009.0 0009	3 3 2	0007 0007.5 0007.5	0008 0009.0 0008.5	3 3 2	III IIIG,V,U III
	0000	0959	MARI CULG CULG MARI CULG CULG CULG CULG MARI										0007.5 0007.5 0149	0008.6 0008.6 0215	3 3 1	III III IIIG,U
			CULG MARI CULG CULG CULG CULG MARI				0257.5 0304	0259 0305	2	0255 0259.5 0415 0512.5	0259.5 0259.5 0715 0514.5	2 2 1 2	0255.5 0255.5	0259.6 0259	3 2	IIIG IIIGG,V,U IIIG,W IS
	0455	1835	DURN CULG MARI CULG CULG DURN CULG CULG DURN CULG DURN CULG DURN DURN WEIS DURN DURN WEIS WEIS SGMR DURN WEIS DURN OWIN SGMR WEIS DURN BOUL HARV DURN BOUL SGMR HARV DURN WEIS OWIN BOUL SGMR OWIN WEIS DURN DURN BOUL BOUL SGMR BOUL HARV HARV HARV WEIS OWIN DURN HARV HARV WEIS DURN BOUL DURN SGMR BOUL BOUL HARV DURN BOUL WEIS DURN HARV SGMR HARV HARV BOUL SGMR				0519.9 0520 0520 0523 0540	0520.4 0521 0521 0524 0710	1 1 2	0519.9 0520 0523 0540 0620 0621 0621 0621 0740 0808 0808.0 0918.0 0918.5	0523.8 0523 0526 1835 0621 0622.5 1603 0838 1424.0 0918.6 1107.7	3 2 2 0 2 2 1 3 1 2	0512.5 0520.5	0514.0 0524.6	2 3	IIIG IIIGG IIIGG,V IIIG IIIGG,V IS,W I,OC,N IIIG,V,U IIIG,U IC I,OC I IIIG,N
	0740	1603	OWIN DURN WEIS DURN DURN WEIS WEIS SGMR DURN WEIS DURN OWIN SGMR WEIS DURN BOUL HARV DURN BOUL SGMR HARV DURN WEIS OWIN BOUL SGMR OWIN WEIS DURN DURN BOUL BOUL SGMR BOUL HARV HARV HARV WEIS OWIN DURN HARV HARV WEIS DURN BOUL DURN SGMR BOUL BOUL HARV DURN BOUL WEIS DURN HARV SGMR HARV HARV BOUL SGMR				0740 0914.6 0918.5 1135.5 1141.7 1141.9	1603 0920.6 0918.8 1136.2 1142.3 1143.0	1 1 2 3 1 3	0740 0918.0 0918.6 1107.7 1148.9 1158.8 1159.4 1213.8 1231 1248	1603 0918.6 0918.8 1108.3 1155.6 1200.2 1159.5 1215.5 2000 1346	1 2 1 2 2 3 2 2 1 3				

116
Jul 74

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

JULY 1974

JUL 1974	TIMES OF OBSERVATION		STATION	EVENTS												SPECTRAL TYPE
	START UT	END UT		CENTIMETRIC BAND			DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
				START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	
09			WEIS							1854.3	1854.4	2				IIIB
	2057	2400	HARV				2106	2400	1	2000	2400	1				IN
			CULG							2106	2400	1				IS
	2135	2400	CULG							2110	2400	1				IIIN,U
			MANI										2143.9	2144.3	1	III
			BOUL				2214	2214.5	1							RS
			CULG				2214		3							IIIG
			HARV													
10	0000	0147	HARV							0000	0019	1				IN
	0000	0405	CULG							0000	0030	1				IS
			CULG							0000	0030	1				IIIN
	0000	0230	BOUL													
	0000	0959	MANI													
			HARV							0019	0147	2				I
			CULG							0030	0320	2				IS
			CULG							0030	0407	1				IIIS
			CULG							0320	0407	1				IS
			CULG							0353.5		1				IIIB,U
	0445	0714	CULG							0445	0705	1				IS
			CULG							0445	0700					IIIS,W
	0434	1833	DURN							0513	1833	1				I,N
	0349	1912	WEIS							0520.0	1446.0	1				IN
	0919	2417	SGHR													
	1123	1550	DMIN				1123	1550	1	1123	1550	1				I
	1231	2400	HARV							1316	1703	1				IN
	1130	2400	BOUL										1435.8	1436.4	1	III
			DMIN							1536.8		2				IIIB
			BOUL										1732.6	1733.0	1	III
			HARV							1924	2400	1				I
	2055	2400	CULG							2102	2400	1				IIIS
			BOUL							2102.2	2104.6	1	2102.2	2104.6	1	IIIG
			CULG				2122	2400		2110	2400					IS,W
	2136	2400	BOUL										2134.5	2134.9	1	III
			MANI													
			BOUL							2302.8	2303.0	1	2302.8	2303.0	1	III
			BOUL										2327.1	2327.3	1	III
			BOUL										2338.7	2338.9	1	III
			BOUL										2355.9	2356.6	1	IIIG
11	0000	0230	BOUL							0000	0146.9	1	0000	0146.9	1	IIIN
	0000	0716	CULG							0000	0708	1				IS
			CULG							0000	0655	1				IIIS
			CULG				0000	0637								IS,W
	0000	0147	HARV							0000	0146	1				I
			WEIS							0426.0	1344.0	1				IN
	0435	1835	DURN							0435 E	1835	2				I,OC,N
			CULG							0435	0436	1				IIIG,U
	0349	1632	WEIS							0435.5	0435.8	1				IIIB
	0000	0959	MANI										0435.7	0436.0	1	III
	0727	1557	DMIN				0727	1557	1	0727	1557	1				I
			DMIN				1005.0	1005.3	1	1005.0	1005.3	1				IIIG
	1130	2400	BOUL										1225	1942	1	CONT
	1232	2400	HARV							1232 E	1702	1				I
			DMIN				1248.8	1249.2	1	1248.8	1249.2	1				IIIG
			WEIS							1248.9	1249.2	1				IIIG
	1647	1914	SGHR										1416.9	1417.3	1	III
	0920	2417	HARV							1608	1609	1	1608	1609	1	IIIG
			WEIS							1608.3	1609.0	1				IIIV
	2154	2400	CULG				2103	2400								IS,W
			CULG							2110	2400	1				IIIS
	2136	2400	MANI													
			BOUL							2214.0	2214.4	1	2142.4	2142.7	1	IIIG
			BOUL										2214.0	2214.4	1	III
			BOUL										2218.3	2218.7	1	III
			BOUL										2318.4	2318.6	1	III
12	0000	0959	MANI													
	0000	0641	CULG							0000	0641	1				IIIS
			CULG							0000	0641	1				IS
			CULG				0000	0641								IS,W
	0000	0147	HARV							0017.6	0017.9	1	0017.6	0017.9	1	III
	0000	0230	BOUL							0531	1835	3				I,OC,N
	0435	0854	DURN							0602.0	1540.0	1				IN
	0350	1907	WEIS							0736	1311	1				I
	0736	1311	DMIN				0736	1311	1	0736	1311	1				IIIG
			DMIN				0900.4	0900.6	1	0900.4	0900.6	1				
	0904	1835	DURN													
	1130	2400	BOUL										1215	1620	1	CONT
	3222	46	HARV							1232 E	2246	1				I
	1231	2400	HARV							1338	1917	1				IN
			HARV				1854	2036	1				1903.7	1904.0	1	III
	0921	2416	SGHR							1918	2248	1				I
			HARV							1918.1	1918.4	1	1918.1	1918.4	1	III
			BOUL										2010	2130	1	CONT
			SGHR										2020.2	2020.6	1	III
	2100	2400	CULG				2100	2400	1	2100	2400	1				IS
	2137	2400	CULG							2104	2400	1				IIIS
			MANI													

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

JULY 1974

JUL 1974	TIMES OF OBSERVATION		STATION	EVENTS												SPECTRAL TYPE
	START UT	END UT		CENTIMETRIC BAND			DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
				START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	
12			HARV							2353	2400	1				I
13	0000	0147	HARV				0000	0547		0000	0647					IS, W
	0000	0647	CULG							0000	0647	1				IIIS
	0000	0959	MANU													
	0353	0554	WEIS													
	0436	1832	DURN							0436 E	1832	0 2				I, OC
	1130	2400	BOUL													
	1232	2400	HARV				1237	1401	1	1239	1448	1				IN
	0922	2416	SGHR										1453.1	1453.4	1	III
			SGHR										1800.9	1801.2	1	III
			HARV				1812	1852	1							IN
	1847	1908	WEIS													I
			HARV				1858	2400	1	1900	2031	1				IS
	2059	2400	CULG				2102	2400	1	2102	2400	1				IIIS
			CULG							2104	2400	1				
	2137	2400	MANI							2144	2317	1				IN
			HARV							2317	2400	1				I
			HARV													
14	0000	0147	HARV				0000	0147	1	0000	0147	1				I
			CULG							0000	0716	1				IIIS
	0000	0716	CULG				0000	0716	1	0000	0045	1				IS, OC
	0000	1000	MANI													
	0000	0230	BOUL													
			CULG							0045	0716	2				IS, OC
	0436	1835	DURN							0436 E	1835	0 3				I, C, OC
	0353	1905	WEIS							0442	1740	2				IOC
	0922	2415	SGHR													
	1130	2400	BOUL													
	1231	2400	HARV				1233	2256	1	1237	2400	1				I
	2059	2400	CULG				2102	2400	1	2102	2400	1				IS, OC
			CULG							2105	2400	1				IIIS
	2137	2400	MANI.													
15	0000	1000	MANI													
	0000	0230	BOUL													
	0000	0645	CULG				0000	0635	1	0000	0512	1				IS
			CULG							0000	0625					IIIS, W
	0000	0146	HARV				0008	0143	1	0003	0143	1				IN
			CULG							0040		1				IIIB, U
	0355	0729	WEIS							0426.0	1648.0					IN, OC
	0437	1834	DURN							0437 E	1834	0 2				I, C, OC
	0737	1910	WEIS													
	0825	1528	OWIN				0825	1528	1	0825	1528	1				IC
	0923	2415	SGHR													
			OWIN				1029.6	1030.0	2	1029.6	1030.0	2				IIIG
			OWIN				1049.8		1							IIIB
			OWIN							1050.3		1				IIIB
	1130	2400	BOUL													
	1231	2246	HARV													
	2059	2400	CULG				2101	2400	1	2115	2400	1				IS
			CULG							2119	2400					IIIS, W
	2138	2400	MANI													
16	0000	1000	MANI													
	0000	0230	BOUL													
			CULG							0000	0721	1				IIIS, U
	0000	0721	CULG				0000	0550	1	0000	0525	1				IS
			CULG							0353	0354	1				IIIG
			CULG							0358	0359	1				IIIG, U
	0437	0808	DURN							0437 E	1833	0 2				I, C, OC
			CULG				0550	0721	1	0525	0721	2				IS
			WEIS							0743.0	1443.0	2				IN
	0815	1833	DURN													
	0830	1559	OWIN				0830	1559	1	0830	1559	1				IC
	0741	1443	WEIS							0926.4	0926.5	1				IIIG
	1232	2245	HARV							1239	1952	1				I
	1300	2400	BOUL										1335	2400	1	CONT
	1517	1909	WEIS													
			HARV							1719	1848	1	1719	1848	1	IIIN
	0924	2414	SGHR										1730.5	1744.0	1	IIIG
			HARV													IN
	2057	2400	CULG				2101	2400	1	1952	2242	1				IS
			CULG							2109	2400	1				IIIS, U
	2138	2400	MANI							2110	2400	1				
17	0000	1000	MANI.													
	0000	0230	BOUL													
	0000	0641	CULG				0000	0641	1	0000	0641	1				CONT
			CULG							0000	0641	1				IS
	0438	1835	DURN							0443	1835	0 1				I, D, N
	0732	1558	OWIN				0732	1558	1	0732	1558	1				IC
	0357	1336	WEIS							1204.0	1209.0	2				IIIG
	1231	2245	HARV													
	0925	2413	SGHR										1302.8	1302.9	1	III
	1355	1904	WEIS													
			OWIN				1557.4	1557.6	1							IIIG
	2100	2400	CULG				2100	2400	1	2100	2400	1				IS

[illegible]

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

JULY 1974

JUL 1974	TIMES OF OBSERVATION		STATION	EVENTS												SPECTRAL TYPE
				CENTIMETRIC BAND			DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
	START UT	END UT		INT.	START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.			
23	0000	0637	CULG				0000	0005	1	0000	0637	1				IS
			CULG							0000	0110	1				IIIS
			CULG							0110	0637	1				IIIN
	0404	1129	WEIS													
	0440	0905	OURN													
	0736	0947	OWIN													
	0930	2409	SGMR													
	1140	1901	WEIS													
	1231	2246	HARV													
	2059	2400	CULG							2059	2400	1				IS
24	2109	2342	BOUL							2132	2400	1				IIIN
			CULG													
	2139	2400	MANT													
	0000	0555	MANT							0000	0310	1				IS
	0000	0641	CULG							0029	0626					IIIN,W
			CULG													
	0405	1555	WEIS													
	0603	1000	MANT							1723	1724	2	1723	1724	2	IIIG,U
	1231	2238	HARV							1723.2	1723.8	3	1723.2	1723.8	3	III
	1603	2400	BOUL										1723.4	1723.7	1	III
25	0931	2408	SGMR							1725.3	1725.4	1				IIIB
	1602	1903	WEIS							1853.7	1854.0	2	1853.7	1854.0	2	III
			BOUL							1908.9	1910.0	2	1908.9	1910.0	2	IIIG
			HARV							1909	1910	3	1909	1910	3	IIIG
			SGMR										1909.7	1910.2	2	III
	2057	2400	CULG							2118		1				IIIB
			CULG							2119	2347	1				IIIN
			MANT													
	2139	2400	BOUL										2346.5	2346.6	1	III
26	0000	1000	MANT							0002	0640					IIIN,W
	0000	0640	CULG							0448	0449	2				IIIG,U
	0406	1858	WEIS													
			CULG													
	0824	1832	DURN							0954.3	0954.5	1				IIIG
	0854	1545	OWIN				0954.3	0954.5	1	1250.3	1250.5	1				IIIG
			OWIN													
	1424	2400	BOUL				1500	1545	1	1500	1545	1				II
	0932	2407	SGMR										1745.5	1745.8	1	IIIN,W,U
	2057	2400	CULG							2100	2400					
27	2140	2400	MANT													
	0000	0738	CULG							0000	0738	1				IIIN,U
	0000	0230	BOUL							0148.7	0149.4	2	0148.7	0149.4	2	III
			CULG							0149		1				IIIB
			CULG							0334	0335.5	1				IIIG,U
			CULG				0414.5	0415	1	0414	0415	2				IIIG,U
	0407	0544	WEIS							0416.4	0416.7	2				IIIG
			CULG				0614	0615	1	0614	0616	2				IIIG,U
	0442	0810	DURN				0614.2	0614.4	1	0614.2	0614.4	2				IIIG
	0000	0642	MANT										0614.4	0614.8	2	III
28	0650	1002	MANT													
			CULG							0655	0720	2				II
	0734	1544	OWIN				0816.6	0817.8	1	0816.6	0817.8	1				IIIGG
			OWIN				1014.8	1015.1	1	1014.8	1016.0	1				IIIG
			OWIN				1155	1544	1							II
			OWIN							1311.1	1312.0	2				IIIG
			OWIN							1432.5	1434.3	2				IIIGG
	0818	1834	DURN				1430.8	1435.3	2	1431.4	1432.6	2				IIIG
	1200	2400	BOUL										1619.5	1621.0	1	IIIG
	1232	2246	HARV							1723	1724	3	1723	1724	3	IIIG
29			BOUL							1723.8	1724.2	2	1723.8	1724.2	2	III
	0933	2406	SGMR										1723.9	1724.5	1	III
			HARV							1916	1917	3	1916	1917	3	IIIB
			BOUL							1916.6	1916.7	1	1916.6	1916.7	1	III
			SGMR										1916.8	1917.0	1	III
	2039	2055	CULG							2123	2125	2	2123	2124	2	IIIG
			HARV							2123.6	2124.6	2	2123.6	2124.6	2	IIIG
			BOUL										2123.8	2124.5	1	III
			SGMR										2203.6	2204.2	1	III
			BOUL							2228	2234	3	2228	2231	3	IIIGG,V
30	2227	2400	CULG				2228	2231.5	1	2227	2232	2	2229	2230	1	IIIG,V
			BOUL							2228.2	2232.2	3	2228.2	2232.2	3	IIIG
			SGMR										2228.5	2230.2	2	III
	2140	2400	MANT										2228.7	2229.8	2	III
			CULG				2229.5	2234	1	2229.5	2248	2				II
			CULG							2230	2400	1				IS
			BOUL							2239.0	2245.3	2	2244.6	2248.9	2	II
			CULG							2312.5	2400	2				IIIN,W
31	0000	0738	CULG							0000	0700					IIIN,U
			CULG							0000	0705	1				IS
	0000	1004	MANT													
32			CULG							0032	0034	1				IIIG,U
			BOUL							0032.5	0034.0	2	0032.5	0034.0	2	IIIG
			BOUL							0044.8	0045.0	1				III

120
Jul 74

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

JULY 1974

JUL 1974	TIMES OF OBSERVATION		STATION	EVENTS												SPECTRAL TYPE
				CENTIMETRIC BAND			DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
	START UT	END UT		INT.	START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.			
27			CULG				0150	0700	1	0148	0149	1				IIIG
	0443	1834	CULG							0504	0550	1				IIIN
	0934	2405	DURN							0657	0658	2				I
	1200	2400	CULG													IIIG,U
	1222	1854	SGMR													
	1231	2245	BOUL													
	2038	2400	WEIS							2058	2400	1				IS
			HARV							2058	2400					IIIS,W
			CULG							2131.5		1				RS,OP
			CULG													
	2140	2400	MANT							2356.5		1				RS,OP
			CULG													
28	0000	0738	CULG							0000	0738	1				IS
	0000	1010	CULG							0000	0738	1				IIIS
	0000	0230	MANT													
			BOUL				0057	0738	1							I
			CULG							0159.5		1				OP
	0410	0525	CULG													
	0443	1831	WEIS							0502.5	1831	0 2				I,C,OC
			DURN							0522		1				RS,OP
	0936	2404	CULG													
	1200	2400	SGMR													
	1231	2246	BOUL							1257	1915	1				IN
	2038	2400	HARV				2052	2400		2052	2400	1				IS,DC
			CULG							2055	2400	1				IIIS
			CULG							2055	2102	1	2055	2102	1	IIIG
	2141	2400	HARV													
			MANT				2320		1	2320		1	2320		1	IIIB
			CULG													
29	0000	0738	CULG							0000	0738	1				IIIS
			CULG							0000	0738	1				IS,OC
			CULG				0000	0738	1							IS,W
	0000	1015	MANT													
	0000	0230	BOUL							0022		1				RS,OP
	0444	1834	CULG							0444 E	1213	2				I,DC
	1231	2246	DURN													
			HARV							1311.9	1312.0	2				III
			DURN				1311.9	1312.2	2	1311.6	1312.2	2				IIIG
	1049	1551	OWIN													III
	0936	2403	SGMR							1312.2	1312.8	1	1312.0	1312.8	2	IIIG
	1200	2400	BOUL													III
			BOUL										1549.3	1549.5	1	III
			SGMR										1549.4	1549.6	1	III
			SGMR										1652.7	1653.0	1	III
	2039	2400	CULG							2055	2400	1				IS,W
	2142	2400	CULG							2131	2400					IIIN,W
			MANT													
30	0000	0230	BOUL													IIIN,W
	0000	0738	CULG							0000	0650					IS,W
			CULG							0000	0355					IIIG
			CULG							0232	0235	2				IIIG
	0000	1015	MANT							0305.5	0306	2	0232.2	0233.9	2	IIIG
			CULG							0404.5	0406.5	2	0405.5	0406	1	IIIG
			CULG										0405.8	0406.1	1	III
			MANT							0429	0430	2	0429.4	0429.8	1	IIIG
			CULG													III
			MANT							0431.5		1				IIIB
	0444	0738	CULG													
			DURN										0509.9	0513.0	3	IIIG
			CULG				0512	0512.5	1	0509	0513.5	2	0510	0512.5	1	IIIGG,U
			CULG							0646	0647	2				IIIG
	0744	1547	OWIN													
	0759	1834	DURN													
	1412	1855	WEIS							1826	1828	2	1826	1828	2	IIIGG
	1231	2246	HARV										1827.8	1840.0	1	IIIG
	0937	2402	SGMR										1838	1840	2	IIIGG
			HARV													
	2142	2400	MANT							2225	2354					IIIN,W
	2039	2400	CULG							2247.4	2247.6	1	2247.4	2247.6	1	III
	1400	2400	BOUL							2247.5		1				IIIB
			CULG													
31																
						</										

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

JULY 1974

JUL 1974	TIMES OF OBSERVATION		STATION	EVENTS												SPECTRAL TYPE
				CENTIMETRIC BAND			DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
	START UT	END UT		INT.	START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.			
52	1200	2400	DWIN				1200	1545	1							IW
	1245	2246	BOUL							1905	1906	3	1905	1906	3	IIIG
	0938	2400	HARV										1906.0	1906.6	1	III
	2142	2400	SGHR													
	2038	2400	MANI							2311	2315	1				I
			CULG													

The symbols used in connection with the spectral type in describing the important bursts are as follows:

B = Single burst	RS = Reverse slope burst
G = Small group (< 10) of bursts	DP = Drifting pairs
GG = Large group (> 10) of bursts	DC = Drifting Chains
C = Underlying continuum (particularly with type I)	H = Herringbone
S = Storm in the sense of intermittent but	W = Weak
apparently connected activity	P = Pulsations
N = Intermittent activity in this period	CONT = Continuum
U = U-shaped burst of Type III	UNCLF = Unclassified activity

Note: Commencing 1974 April 1, the frequency range of the spectral equipment at the Harvard Radio Astronomy Station, Fort Davis, Texas, was reduced to 25-320 MHz for the sunspot minimum. The frequency range was temporarily increased to 25-2000 MHz for the period 1974 July 5 1730 UT to July 15 0146 UT.

122
Jul 74

SELECTED SOLAR EVENTS

JULY 1974

Culgoora

UT Date 1974. JULY	HELIOGRAPH EVENT							Spectral Type	REMARKS
	Start (UT)	End (UT)	Freq. (MHz)	Positions		Polar- ization	Inten- sity (1-3)		
				Central Dist. ($R_{\odot}$)	Position Angle (Deg.)				
June 30	-	2241	$\left\{ \begin{array}{l} 160 \\ 80 \\ 43.25 \end{array} \right.$	$\left\{ \begin{array}{l} .8 \\ .9 \\ 1.0 \end{array} \right.$	$\left\{ \begin{array}{l} 50 \\ 50 \\ 50 \end{array} \right.$	$\left\{ \begin{array}{l} 0 \\ 0 \\ - \end{array} \right.$	$\left\{ \begin{array}{l} 1 \\ 2 \\ 3 \end{array} \right.$	II	Recording started with event in progress.
July 4	0056	0059	$\left\{ \begin{array}{l} 80 \\ 43.25 \end{array} \right.$	$\left\{ \begin{array}{l} 0.7 \\ 1.0 \end{array} \right.$	$\left\{ \begin{array}{l} 180 \\ 180 \end{array} \right.$	$\left\{ \begin{array}{l} 0 \\ - \end{array} \right.$	$\left\{ \begin{array}{l} 1 \\ 3 \end{array} \right.$	III GG,V	
4	0256	0258	$\left\{ \begin{array}{l} 160 \\ 80 \\ 43.25 \end{array} \right.$	$\left\{ \begin{array}{l} 0.2 \\ 0.2 \\ 0.2 \end{array} \right.$	$\left\{ \begin{array}{l} 180 \\ 90 \\ 90 \end{array} \right.$	$\left\{ \begin{array}{l} 0 \\ 0 \\ - \end{array} \right.$	$\left\{ \begin{array}{l} 1 \\ 2 \\ 3 \end{array} \right.$	III G,V	*
5	-	2300	$\left\{ \begin{array}{l} 160 \\ 80 \end{array} \right.$	$\left\{ \begin{array}{l} 0.5 \\ 0.8 \end{array} \right.$	$\left\{ \begin{array}{l} 230 \\ 270 \end{array} \right.$	$\left\{ \begin{array}{l} r \\ r \end{array} \right.$	$\left\{ \begin{array}{l} 2 \\ 1 \end{array} \right.$	IVs	Recording started with event in progress
6	0245	0247	$\left\{ \begin{array}{l} 160 \\ 80 \\ 43.25 \end{array} \right.$	$\left\{ \begin{array}{l} 1.1 \\ 0.8 \\ 1.0 \end{array} \right.$	$\left\{ \begin{array}{l} 280 \\ 270 \\ 310 \end{array} \right.$	$\left\{ \begin{array}{l} 0 \\ 0 \\ - \end{array} \right.$	$\left\{ \begin{array}{l} 2 \\ 3 \\ 3 \end{array} \right.$	III G,V	*
7	2339	2343	$\left\{ \begin{array}{l} 160 \\ 80 \\ 43.25 \end{array} \right.$	$\left\{ \begin{array}{l} 1.0 \\ 1.0 \\ 1.0 \end{array} \right.$	$\left\{ \begin{array}{l} 270 \\ 270 \\ 310 \end{array} \right.$	$\left\{ \begin{array}{l} 0 \\ 0 \\ - \end{array} \right.$	$\left\{ \begin{array}{l} 2 \\ 3 \\ 3 \end{array} \right.$	III GG,V	
9	0255	0259	$\left\{ \begin{array}{l} 160 \\ 80 \\ 43.25 \end{array} \right.$	$\left\{ \begin{array}{l} 1.0 \\ 1.0 \\ 1.4 \end{array} \right.$	$\left\{ \begin{array}{l} 120 \\ 120 \\ 120 \end{array} \right.$	$\left\{ \begin{array}{l} 0 \\ 0 \\ - \end{array} \right.$	$\left\{ \begin{array}{l} 3 \\ 3 \\ 3 \end{array} \right.$	III GG,V U	Complex source structure
23	2310	2358	$\left\{ \begin{array}{l} 160 \\ 80 \\ 43.25 \end{array} \right.$	$\left\{ \begin{array}{l} 0.4 \\ 0.4 \\ 0.4 \end{array} \right.$	$\left\{ \begin{array}{l} 135 \\ 170 \\ 190 \end{array} \right.$	$\left\{ \begin{array}{l} \ell \\ \ell \\ - \end{array} \right.$	$\left\{ \begin{array}{l} 2 \\ 2 \\ 1 \end{array} \right.$	IVs	
25	0448	0450	$\left\{ \begin{array}{l} 160 \\ 80 \\ 43.25 \end{array} \right.$	$\left\{ \begin{array}{l} 0.8 \\ 1.0 \\ 1.4 \end{array} \right.$	$\left\{ \begin{array}{l} 110 \\ 90 \\ 80 \end{array} \right.$	$\left\{ \begin{array}{l} 0 \\ 0 \\ - \end{array} \right.$	$\left\{ \begin{array}{l} 1 \\ 2 \\ 1 \end{array} \right.$	III G, U	
26	0413	0415	$\left\{ \begin{array}{l} 160 \\ 80 \\ 43.25 \end{array} \right.$	$\left\{ \begin{array}{l} 0.5 \\ 0.7 \\ 1.2 \end{array} \right.$	$\left\{ \begin{array}{l} 135 \\ 120 \\ 90 \end{array} \right.$	$\left\{ \begin{array}{l} 0 \\ 0 \\ - \end{array} \right.$	$\left\{ \begin{array}{l} 3 \\ 2 \\ 1 \end{array} \right.$	III G, U	*
30	0232	0235	$\left\{ \begin{array}{l} 160 \\ 80 \\ 43.25 \end{array} \right.$	$\left\{ \begin{array}{l} 0.7 \\ 0.9 \\ 1.5 \end{array} \right.$	$\left\{ \begin{array}{l} 250 \\ 280 \\ 280 \end{array} \right.$	$\left\{ \begin{array}{l} 0 \\ 0 \\ - \end{array} \right.$	$\left\{ \begin{array}{l} 1 \\ 2 \\ 3 \end{array} \right.$	III G	*

Days without Heliograph observations: Nil

* Other type III observed at same position during day.

124
Jul 74

COSMIC RAY INDICES (Neutron Monitors)

JULY 1974

	THULE	ALERT	DEEP RIVER	CALGARY	SULPHUR MT	KIEL	TOKYO
JULY	Average cts/hr	Average cts/hr	Average cts/hr	Average cts/hr	Average cts/hr	Average cts/hr	Average cts/hr
1	4379.8	7246.8	6776.0	11662.1(7)	8612.8	6137.4	3478.0
2	4405.0	7277.5	6788.2(23)	11670.3(21)	8635.2	6147.5	3470.0
3	4401.5	7256.5	6769.5	11748.7	8636.2	6162.1	3485.2
4	4358.0	7197.5	6685.0	11530.8	8476.3	6087.0	3486.7
5	4340.0	7169.8	6648.6	11470.4	8430.7	6067.6	3473.0
6	4285.2	7071.4	6551.6	11332.4	8312.7	5984.6	3477.7
7	4186.6	6894.3	6388.9	11040.3	8084.4	5872.5	3434.7
8	4176.5	6872.7	6413.0	11027.0	8095.0	5845.3	3428.2
9	4247.5	6979.8	6492.1	11143.3	8245.5	5928.1	3457.0
10	4271.7	7030.5	6566.1	11328.5	8348.8	5974.3	3457.7
11	4302.2	7054.6	6623.6	11351.3	8388.1	6012.1	3452.7
12	4320.2	7089.2	6643.4	11393.1	8405.8	6028.7	3451.9
13	4326.3	7093.7	6625.3	11431.1	8387.9	6018.4	3451.7
14	4335.6	7117.0	6624.3	11428.7	8395.5	6022.5	3461.0
15	4344.1	7118.3	6660.1	11462.5	8439.3	6040.5	3473.5
16	4373.9	7169.9	6691.8	11483.6	8461.1	6060.2	3479.6
17	4379.1	7176.0	6685.3	11515.8	8489.5	6065.3	3475.5
18	4344.4	7128.0	6642.7	11461.6(23)	8423.0	6029.1	3460.0
19	4325.9	7087.8	6624.1	11417.9(9)	8389.9	6006.0	3464.8
20	4341.9	7111.9	6641.3	11391.2	8369.9	6019.2	3465.1
21	4325.8	7077.0	6630.4	11397.0	8361.5	5979.3	3475.1
22	4343.8	7116.3	6635.5	11421.9	8394.9	6009.5	3481.8
23	4332.1	7101.0	6623.2	11397.9	8378.6	6034.8	3488.2
24	4312.4	7056.5	6598.2	11362.2	8351.4	6008.2	3477.7
25	4321.1	7062.8	6609.0	11375.9	8355.3	6014.2	3482.0
26	4338.6	7100.0	6635.3	11441.4	8405.8	6019.7	3493.5
27	4388.0	7169.9	6683.3	11537.3	8488.2	6075.5	3506.4
28	4428.9	7238.5	6759.7	11683.3	8571.3	6128.4	3521.6
29	4477.0	7321.3	6825.6	11793.6	8687.8	6173.0	3536.6
30	4509.8	7376.3	6895.6	11939.1	8816.1	6240.4	3562.5
31	4507.8	7381.0	6901.0	11955.5	8797.1	6249.4	3568.5
MEAN	4346.2	7133.7	6656.0	11470.0	8472.1	6046.5	3479.9

() Number of hours for which data are available if less than 24.

Thule, Alert, Calgary, Sulphur Mountain and Kiel Scaling Factors = 100.

Deep River Scaling Factor = 300.


Tokyo " " = 128.

See *Descriptive Text* for other characteristics.

COSMIC RAY INDICES

(Pressure Corrected Hourly Totals)

JULY 1974




126
Jul 74

GEOMAGNETIC ACTIVITY INDICES

JULY 1974

Day	Three-Hour Range Indices Kp									Prel Ci	Cp	Ap	aa			
	1	2	3	4	5	6	7	8	Sum				N	S	M	
1 Q	3	2+	2+	2	2+	2-	3-	2+	19-	0.4	0.5	10	21	16	20	18
2	2	2	3+	3+	3-	3	2-	3-	21-	0.6	0.7	12	22	22	24	20
3 Q	2-	2-	3	3-	2	2-	2-	3	17+	0.4	0.5	9	23	17	21	20
4	5	4+	4-	2	4	5+	3+	5-	32+	1.2	1.3	31	46	34	31	49
5 D	5+	7-	5+	5	6-	6+	6-	6+	46+	1.8	1.8	74	76	83	81	78
6 D	7-	8+	9-	6	7+	6+	5	3	51+	1.9	1.9	130	102	182	155	79
7	4-	4-	2+	2+	2+	3+	2+	4-	24-	0.9	0.8	15	29	21	26	25
8 D	3+	3	3+	4	6-	5	5-	5+	34+	1.3	1.4	36	52	39	31	60
9	4	4	3-	3-	2+	2-	3	3	23+	0.8	0.9	15	31	27	37	21
10	3	3-	3+	4-	4+	3+	3+	4-	27+	1.0	1.0	20	37	40	37	40
11	2	3	2+	3-	3+	3	3+	3	23-	0.7	0.8	14	26	22	20	29
12	3-	3	2	4-	4	4-	5-	5-	28+	1.0	1.1	23	36	36	21	51
13	4-	3	3	3-	2+	2+	3-	2-	21+	0.7	0.7	12	27	25	31	22
14	4+	5+	4-	2	4-	2-	2+	4	27	1.1	1.1	23	33	34	40	27
15	3	3	3	2-	3-	2	1+	2+	19	0.5	0.6	10	21	22	26	18
16 Q	3-	3+	3	2+	2-	1	2-	2-	17+	0.4	0.5	10	18	20	22	16
17 Q	3	2-	1+	2-	2-	2+	3	2-	16+	0.2	0.5	8	22	13	17	18
18QQ	3-	2	1+	1+	1+	1	2-	1	12+	0.1	0.3	6	17	12	18	11
19QQ	1-	2-	1	1	2+	2+	2+	2	13+	0.2	0.3	6	16	11	10	18 K
20	2-	2	3-	2+	2+	2-	3	4-	19+	0.5	0.6	11	19	23	18	25
21 Q	3	1+	1	1	2-	2+	3-	3	16	0.3	0.5	9	20	15	16	20
22QQ	1-	1	3	1+	2-	2	2-	3	14+	0.4	0.4	8	15	13	12	17
23 D	5-	6+	5-	7	6+	6	7-	6-	47+	1.8	1.8	82	87	81	82	86
24 D	6-	6-	5	5	5	5+	5	4	41-	1.5	1.6	51	56	74	70	61
25	3	4-	4	5-	3	3+	3+	3+	28+	1.1	1.1	22	37	37	47	27
26	3-	5	3+	2+	3	3+	4	3	27-	0.9	1.0	20	38	27	27	33
27	3+	4-	5-	5-	4-	2+	4-	4-	30-	1.2	1.2	24	40	36	42	33
28	5-	5-	3-	3+	1+	3-	3	1+	24-	0.9	1.0	18	28	28	40	16
29	2-	4-	3-	3+	2	3	2+	3	21+	0.8	0.7	13	26	22	27	21
30QQ	2-	2+	3-	3+	1+	2-	2-	1+	16	0.6	0.5	8	17	18	23	11
31QQ	2+	2+	1	1	2-	1+	2-	1+	13-	0.2	0.3	6	13	13	14	12 CC
MEAN										0.82	0.88	24	33.9	32.7	33.4	

GEOMAGNETIC ACTIVITY INDICES



DAILY AVERAGE INDICES Ap


DAY	1973					1974						
	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL
1	12	5	5	4	4	17	13	20	17	9	28	10
2	16	6	31	7	2	9	12	18	15	18	18	12
3	7	6	48	5	5	11	8	20	39	24	19	9
4	8	12	12	18	29	13	7	10	35	34	9	31
5	9	15	10	14	17	14	8	18	18	35	6	74
6	13	9	12	9	10	12	7	20	26	6	6	130
7	8	8	6	28	8	2	10	13	18	15	3	15
8	9	8	6	11	7	10	5	17	13	13	6	36
9	5	44	10	12	21	7	4	33	16	11	7	15
10	4	27	21	8	8	14	14	30	28	3	15	20
11	4	12	11	6	8	6	30	32	19	5	32	14
12	5	7	15	4	4	5	40	15	3	5	29	23
13	10	8	17	10	4	5	20	10	7	4	21	12
14	8	4	7	8	6	8	12	16	5	10	18	23
15	4	12	6	8	8	15	4	3	4	30	37	10
16	3	14	30	10	4	15	7	42	4	26	16	10
17	2	10	27	17	6	16	11	9	6	38	15	8
18	4	7	22	19	3	24	1	3	48	24	10	6
19	6	3	20	4	13	9	4	2	39	18	13	6
20	9	12	20	6	29	14	12	23	46	18	18	11
21	6	15	37	23	34	16	23	68	35	18	7	9
22	12	17	20	7	25	5	14	39	31	22	8	8
23	22	63	6	8	18	4	44	42	29	25	7	82
24	46	28	7	26	4	4	29	34	19	39	8	51
25	29	27	5	42	3	50	34	28	20	14	10	22
26	18	25	3	18	4	38	28	20	21	11	40	20
27	26	8	4	14	6	34	26	22	19	14	54	24
28	28	4	20	6	11	18	27	18	23	10	26	18
29	20	4	86	5	19	22		34	19	7	19	13
30	13	4	28	4	15	21		20	16	17	15	8
31	9		19		17	19		24		30		6
MEAN	12	14	18	12	11	15	16	23	21	18	17	24

HOURLY EQUATORIAL DST VALUES (PROVISIONAL)

JULY 1974

NASA/GODDARD SPACE FLIGHT CENTER

DAY	(Time-UT)																							
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
1	-1	-7	-1	1	1	-2	-5	-5	-4	-3	-3	-6	-5	-2	1	3	2	3	0	-2	4	1	2	3
2	3	1	5	4	4	5	6	-1	-8	-4	-3	-7	-11	-9	-5	-4	-6	-4	-2	-2	0	3	2	-2
3	2	3	7	8	6	6	7	3	3	4	4	3	-1	-1	-1	1	1	2	6	12	17	12	5	-1
4	-4	-7	-15	-22	-28	-31	-32	-31	-27	-17	-15	-17	-12	-9	-6	1	-1	-6	-6	-3	0	1	-1	-7
5	-14	-32	-45	-46	-42	-60	-72	-78	-80	-79	-67	-60	-60	-64	-66	-68	-68	-59	-54	-44	-35	-46	-59	-55
6	-56	-44	-35	-16	-25	-136	-194	-189	-185	-183	-157	-143	-137	-135	-141	-133	-129	-119	-116	-118	-117	-110	-102	-92
7	-88	-94	-94	-85	-77	-75	-72	-71	-72	-73	-71	-69	-57	-48	-48	-46	-47	-46	-46	-45	-43	-40	-29	-29
8	-27	-25	-23	-32	-37	-38	-40	-40	-37	-40	-39	-37	-40	-36	-38	-39	-43	-39	-40	-42	-42	-52	-49	-50
9	-42	-40	-39	-43	-35	-41	-40	-41	-37	-35	-32	-33	-33	-31	-30	-30	-31	-30	-27	-30	-29	-29	-28	-27
10	-22	-21	-20	-23	-24	-29	-25	-25	-30	-29	-31	-31	-31	-28	-27	-26	-25	-23	-28	-28	-33	-31	-30	-27
11	-23	-21	-17	-14	-15	-21	-19	-19	-18	-17	-17	-18	-21	-16	-15	-16	-24	-26	-24	-24	-18	-16	-17	-15
12	-12	-14	-11	-12	-14	-20	-17	-16	-13	-11	-9	-11	-14	-14	-14	-14	-17	-26	-24	-20	-24	-17	-16	-16
13	-23	-31	-24	-16	-8	-10	-16	-17	-16	-14	-14	-12	-15	-11	-11	-15	-16	-14	-13	-5	0	2	2	0
14	-2	-12	-24	-22	-18	-20	-17	-26	-31	-25	-20	-18	-20	-27	-20	-17	-14	-14	-14	-14	-17	-14	-7	-12
15	-15	-22	-15	-14	-12	-16	-17	-18	-14	-7	-7	-9	-12	-10	-15	-17	-17	-16	-13	-12	-13	-12	-13	-12
16	-8	-11	-11	-11	-10	-17	-21	-22	-21	-19	-18	-19	-19	-12	-9	-6	-7	-6	-7	-11	-14	-15	-15	-16
17	-15	-15	-12	-8	-2	-5	-5	-11	-10	-6	-3	-11	-14	-12	-3	3	5	2	0	1	5	4	4	5
18	6	7	17	22	21	19	19	17	14	12	9	8	10	12	12	11	10	7	8	9	7	7	7	7
19	8	8	9	10	18	22	24	24	23	23	24	21	17	15	11	6	8	11	11	8	8	7	9	9
20	11	13	19	21	19	15	14	7	6	9	12	7	-5	-1	4	3	0	-1	1	3	3	-4	-1	0
21	0	-2	-2	-3	6	5	6	6	7	6	8	9	5	2	3	6	6	5	6	7	6	4	5	6
22	5	3	5	3	6	4	3	1	-1	-1	0	-1	0	-2	0	11	10	11	11	15	17	21	17	11
23	3	4	-10	-20	-27	-27	-37	-24	-24	-27	-44	-64	-47	-36	-34	-40	-61	-62	-63	-62	-61	-46	-39	-40
24	-37	-39	-43	-39	-34	-31	-40	-47	-42	-41	-45	-37	-35	-29	-28	-33	-29	-32	-32	-28	-27	-25	-22	-20
25	-18	-20	-16	-15	-16	-22	-20	-19	-20	-24	-15	-15	-16	-19	-25	-27	-27	-24	-21	-20	-19	-16	-15	-17
26	-15	-16	-13	-12	-20	-26	-18	-16	-15	-10	-10	-12	-14	-9	-9	-8	-7	-7	-7	-7	-9	-9	-2	3
27	4	-10	-8	-7	-7	-12	-20	-21	-20	-19	-17	-18	-21	-18	-12	-9	-12	-15	-17	-21	-20	-12	-11	-6
28	-8	-11	-16	-20	-17	-21	-14	-16	-18	-13	-15	-16	-14	-12	-13	-15	-18	-21	-19	-13	-9	-6	-7	-7
29	-5	-6	-7	-6	-6	-14	-15	-17	-12	-11	-15	-16	-12	-10	-11	-17	-21	-23	-19	-14	-10	-8	-10	-10
30	-3	-11	-7	-2	3	-2	-5	-8	-9	-11	-10	-5	-7	-7	-7	-9	-11	-11	-11	-12	-13	-12	-12	-9
31	-5	-8	-7	-5	-4	-9	-7	-6	-6	-4	-2	-2	4	6	6	4	4	4	2	2	5	4	7	6



PRINCIPAL MAGNETIC STORMS

JULY 1974

OBS. 2 letter IAGA code	GEO-MAG- NETIC LATI- TUDE	COMMENCEMENT			SC - AMPLITUDES			MAXIMUM 3 HOUR - INDEX K		RANGES			UT END	
		hr min	DAY	(UT)	TYPE	D(°)	H(γ)	Z(γ)	DAY(3 HOUR PERIOD)	K	D(°)	H(γ)	Z(γ)	DAY
NE	55.1N	2 04--												
CO	64.6N	4 01--	..	..	..	..	05(4) 06(2,3,5,6)	7	445	2480	2000	07	12	
SI	60.0N	4 01--	..	..	..	..	06(3)	9	200	1990	950	07	05	
NE	55.1N	4 0113	SC	1	22	3	04(2)	6	32	90	192	04	10	
HU	0.6S	4 0111	SC	--	9	3	06(2)	8	15	444	54	06	23	
GN	43.2S	4 01--	..	..	..	..	5(6)	6	19	120	130	06	03	
SI	66.0N	4 1535	SC	- 7.4	+23.3	+11.0	--	--	--	--	--	--	--	
NE	55.1N	4 1533	SC	2	13	3	05(4)	8	85	534	709	05	18	
WI	54.2N	4 1534	SC*	- 2 *	+84 *	0	04(6)	6	35	270	205	06	03	
FR	49.6N	4 1533	SC*	4	14	1	06(2)	9	72	645	545	07	05	
EB	43.9N	4 1534	SC*	+ 1.2	+34 *	+28 *	4(6) 5(1,2,7,8) 6(1)	5	16	143	103	--	--	
TU	40.4N	4 1533	SC	- 1	+ 8	+ 1	06(3)	9	52	295	55	09	08	
SJ	29.9N	4 1533	SC	0.5	15	3	06(2)	8	16	229	35	07	05	
HO	21.1N	4 1534	SC	+ 0	+12	+06	05(4)	5	13	144	55	--	--	
AL	9.5N	4 1534	SC	- 0.5	31	- 3	05(7)	6	4	124	34	05	24	
HY	7.6N	4 1534	SC	- 0.5	+28	- 2	05(7)	6	4	121	24	06	01	
GU	4.0N	4 1534	SC	0.1	23	-06	05(4)	5	10	180	20	06	03	
AN	1.5N	4 1534	SC	- 1.0	30	19	--	--	4	128	71	05	24	
TV	1.1S	4 1534	SC	0.0	26	38	--	--	2	128	139	05	24	
PM	18.7S	4 1533	SC	+ 0.5	+22	+19	05(2,4)	5	5	160	30	05	18	
HR	33.7S	4 1534	SC	1	16	4	05(2,7)	5	31	99	75	06	03	
KG	56.5S	4 1534	SC	--	--	--	06(2)	9	--	--	--	06	22	
SI	60.0N	5 1931	SC*	+ 8.5	-58.9*	-12.5*	--	--	--	--	--	--	--	
NE	55.1N	5 1931	SC*	3	36	6	--	--	--	--	--	--	--	
GU	4.0N	5 1931	SI	--	--	--	--	--	--	--	--	--	--	
PM	18.7S	5 1929	SC	+ 0.7	+19	+18	06(2)	8	7	380	150	09	06	
SI	60.0N	6 0322	SC*	-34.3	165.6*	104.4	06(3)	9	--	--	--	--	--	
NE	55.1N	6 0321	SC*	5	90	13	06(2,3)	9	318	1061	1215	07	10	
WI	54.2N	6 0321	SC*	-17 *	+55	- 3	06(2)	8	35	440	340	07	05	
EB	43.9N	6 0321	SC*	- 5.2*	+41 *		6(2)	7	18	213	114	09	04	
HO	21.1N	6 0321	SC	+ 0	+29	+14	06(2)	8	13	212	65	07	05	
AL	9.5N	6 0320	SC	- 1.5	33	-14	06(2)	8	5	248	56	06	20	
HY	7.6N	6 0320	SC	- 1.0	+34	- 8	06(2,3)	8	4	265	51	07	03	
GU	4.0N	6 0321	SC	- 0.5	66	-20	06(2)	9	10	380	40	09	14	
AN	1.5N	6 0320	SC	- 2.0	91	29	--	--	5	--	129	06	20	
TV	1.1S	6 0320	SC	0.5	91	11.8	--	--	4	404	--	06	20	
HR	33.7S	6 0321	SC*	8	41	37	06(2,3)	7	55	190	145	06	21	
GN	43.2S	6 0322	SC*	-12 *	-60 *	-40	6(2,3)	7	32	230	170	06	22	
HY	7.6N	7 1210	..	..	..	..	08(5,6)	4	8	64	39	09	13	
NE	55.1N	8 0913	SC	7	45	6	08(7,8)	5	16	144	70	09	07	
WI	54.2N	8 05--	..	..	..	..	08(5)	6	22	170	75	09	07	
FR	49.6N	8 06--	..	..	..	..	08(8)	5	17	160	60	09	06	
HU	0.6S	8 0100	..	..	..	..	08(6)	5	5	171	24	08	23	
NE	55.1N	13 19--	..	..	..	..	14(2)	6	45	112	179	15	10	
PM	18.7S	14 00--	..	..	..	..	14(2)	5	2	70	30	14	15	
SI	60.0N	22 07--	..	..	..	..	23(4)	8	150	1480	780	28	11	
NE	55.1N	22 21--	..	..	..	..	23(2)	7	60	314	556	26	10	
FR	49.6N	22 21--	..	..	..	..	23(2)	6	35	158	112	28	06	
EB	43.9N	22 23--	..	..	..	..	23(7)	6	20	156	138	24	24	
HY	7.6N	22 2345	..	..	..	..	23(4,5)	6	4	153	25	25	11	
KG	56.5S	22 01--	..	..	..	..	23(7)	7	--	--	--	25	--	
CO	64.6N	23 00--	..	..	..	..	23(4,5) 24(3,4) 25(4)	7	292	2320	1490	25	16	
WI	54.2N	23 01--	..	..	..	..	23(4)	7	35	310	170	28	06	
TU	40.4N	23 01--	..	..	..	..	23(2,4) 24(2)	6	17	130	45	28	12	
SJ	29.9N	23 0050	..	..	..	..	23(6)	6	10	110	38	24	16	
HO	21.1N	23 00--	..	..	..	..	23(2)	5	11	111	37	24	18	
GU	4.0N	23 0006	..	..	..	..	23(4)	6	10	210	50	25	18	
HU	0.6S	23 0100	..	..	..	..	23(5,6,7)	5	8	203	48	23	23	
PM	18.7S	23 00--	..	..	..	..	23(4)	6	5	200	70	26	09	
HR	33.7S	23 0100	..	..	..	..	23(7) 24(1)	6	38	142	125	24	23	
GN	43.2S	23 00--	..	..	..	..	23(4,5)	6	21	150	130	28	12	
CO	64.6N	27 02--	..	..	..	..	27(3,4)	7	144	1370	620	27	16	
NE	55.1N	27 0023	..	..	..	..	27(3)	6	41	126	153	28	12	

Reports were received from the following observatories:

College Sitka	Newport Witteveen	Fredericksburg Ebros	Tucson San Juan	Honolulu Alibag	Hyderabad Guam	Annamalainagar Huancayo	Trivandrum Port Moresby	Hermanus Gnangara Port-aux-Francais
------------------	----------------------	-------------------------	--------------------	--------------------	-------------------	----------------------------	----------------------------	---

SUDDEN COMMENCEMENTS AND SOLAR FLARE EFFECTS

JULY 1974

PRELIMINARY REPORT ON RAPID MAGNETIC VARIATIONS (by Dr. A. Romana)

The meaning of the station symbols is given in the IAGA-Bulletins nr. 12 and 32. Times of ssc and si are mean values. If given by ten or more stations they are underlined.

Sudden commencements followed by a magnetic storm or a period of storminess (ssc)

04 1534 A: SO NU WN WI DB LG IK CI QU HU LM; B: DO NI VL AQ KA KS SZ TO KG CZ;
C: VI EB (si: A: SI)
05 1930 A: SI KS QU; B: TO (si: B: HU; C: KA - bps: A: IK)
06 0322 A: WN WI VL DB LG AQ IK EB CI QU SZ HU LM TO; B: KA CZ (si: A: BI;
B: VI)

Sudden impulses found in the magnetograms (si)

n o n e

Solar-flare effects (sfe)

Effects confirmed by ionospheric or solar observations are underlined.

01	1142 - 1154	SZ	
02	0731 - 0837	WN TN	
02	1543 - 1612	LG (si: C: LM)	
03	0305 - 0335	KA	
03	0832 - 0902	WN WI DB AQ EB (ssc: B: QU - si: B: IK; C: LM)	
04	0647 - 0651	WN? NI LG IK EB KA QU (si: A: LM; B: WI VL AQ)	
04	1351 - 1358	WN WI EB HU TN (ssc: A: FR SZ LM; B: SO VI; C: NI - si: A: NU IK KS; B: DO VL AQ)	
05	1220 - 1230	WN.	13 1008 - 1017 QU
05	1508 - 1605	WN HU	14 1331 - 1341 SZ
06	1621 - 1633	HU	20 1143 - 1159 SZ
07	1210 - 1228	WN	31 0422 - 0440 KA

RADIO PROPAGATION QUALITY FIGURES AND FORECASTS



North Atlantic

JULY 1974

JUL 1974	WHOLE DAY INDICES NORTH ATLANTIC	ADVANCE FORECASTS (JC- REPORTS) FOR WHOLE DAY	NORTH ATLANTIC								GEOMAGNETIC INDICES	
			6-HOURLY QUALITY FIGURES				SHORT-TERM FORECASTS ISSUED ABOUT ONE HOUR IN ADVANCE OF				K _{FR}	A _{FR}
			00 TO 06	06 TO 12	12 TO 18	18 TO 24	02	08	14	20	HALF DAY (1) (2)	OBSERVED
01	6-	6	6o	5+	6-	6-	6	6	6	6	3 3	11
02	6-	6	7-	4+	6-	6-	6	6	6	6	3 3	12
03	6-	6	6+	5o	6-	6o	6	6	6	6	3 2	10
04	6-	5	6o	5-	5+	6o	6	5	5	6	(4) (4)	24
05	4+	4	6-	4+	4-	4+	5	4	5	4	(5) (4)	52
06	4+	4	5-	5-	4-	4-	2	2	3	3	(7) (5)	116
07	5+	5	4+	5-	6-	6o	2	3	5	5	3 3	16
08	5o	5	6o	4+	5-	6-	6	6	6	5	(4) (4)	27
09	5+	6	5o	5o	5+	6-	4	5	5	6	3 3	14
10	6-	6	6o	6o	5+	5o	5	6	5	6	3 3	18
11	6-	6	6-	5+	6+	6-	6	5	6	6	3 3	14
12	6-	5	6o	6-	6-	6-	6	6	6	6	3 (4)	20
13	6-	5	6-	6-	6-	6o	6	5	6	6	3 2	13
14	6-	5	6-	5+	6o	5+	6	5	5	6	(4) 3	24
15	6-	6	5o	5+	5+	6o	5	5	6	6	3 2	9
16	6o	6	6+	6o	5+	6o	6	5	6	6	3 1	11
17	6o	6	6o	6o	6-	6o	6	6	7	7	2 2	8
18	6+	6	7-	6+	6-	6o	6	6	7	7	2 1	6
19	6o	6	6+	5-	6o	6+	7	7	7	7	1 2	6
20	6-	6	6o	5-	6o	6-	7	6	6	6	2 2	9
21	6o	6	6o	6-	6+	7-	6	6	6	6	2 3	9
22	6o	5	7-	5o	6-	7o	6	6	6	6	2 2	11
23	5o	4	5+	5+	5-	5o	6	5	5	4	(5) (4)	42
24	5-	4	5o	5-	4-	5+	4	3	5	5	(5) (4)	35
25	5o	4	6-	4o	5o	6-	4	4	5	5	(4) 3	20
26	6-	5	6-	6-	6o	6o	5	5	6	6	3 3	17
27	6o	5	6o	6o	6-	6o	5	5	5	6	(4) 3	24
28	6o	5	6o	6o	6-	6+	5	5	5	5	(4) 2	16
29	6o	6	7-	6-	6o	6+	5	5	6	6	3 3	15
30	6-	6	6o	6-	6-	6o	6	5	6	6	3 2	11
31	6-	6	5+	5+	6o	6+	6	6	6	6	2 2	6

TRANSMISSION FREQUENCY RANGES -- NORTH ATLANTIC PATH



JULY 1974



TRANSMISSION FREQUENCY RANGES -- NORTH ATLANTIC PATH

133
Jul 74

JULY 1974



Field strengths from five frequencies, 6.425, 8.542, 12.813, 17.084 and 22.378 MHz, observed on a Lüchow.-Halifax circuit are represented above. Heavy solid lines represent field strengths ≥ -12 dB above $1 \mu\text{V/m}$ (transmitter power reduced to 1 kW). Observed field strengths between -12 dB above $1 \mu\text{V/m}$ and -40 dB above $1 \mu\text{V/m}$ are represented by the fine line. Adapted from Observations by Deutsche Bundespost


RADIO PROPAGATION QUALITY INDICES

JULY 1974

Quality Indices calculated for reception at Lüchow

	TOKYO	HALIFAX	AFRICA	CANBERRA
1	4.7	8.0	8.4	4.6
2	4.9	7.5	7.8	4.7
3	5.1	6.8	8.5	4.2
4	2.9	4.5	7.5	4.5
5	1.6	2.9	5.8	3.5
6	1.8	2.7	5.7	2.2
7	4.3	6.2	8.1	3.2
8	3.4	4.6	8.7	3.4
9	5.2	6.0	7.5	3.1
10	5.1	6.4	7.7	3.9
11	4.9	5.7	7.1	4.4
12	5.2	6.4	7.1	5.1
13	5.9	5.9	8.0	5.5
14	4.9	6.1	7.7	5.1
15	5.6	6.4	8.2	4.8
16	5.4	6.8	8.5	5.4
17	5.8	7.0	7.8	4.6
18	6.5	8.1	8.5	5.4
19	6.9	8.3	8.0	4.9
20	6.4	7.9	7.2	4.4
21	6.5	8.1	8.4	4.4
22	6.4	7.2	8.0	5.1
23	3.5	3.8	7.0	3.8
24	5.1	4.6	8.6	4.4
25	5.0	5.4	8.9	3.6
26	5.5	6.4	7.2	3.8
27	5.4	4.9	6.2	3.6
28	5.1	5.6	8.2	4.2
29	5.8	6.5	8.1	4.8
30	5.7	6.2	8.2	4.8
31	6.9	7.7	8.9	4.6


The method of calculation of the radio propagation indices has been changed. An absolute quality figure is calculated for a 24-hour period from Tokyo, Halifax, Mauritius (Africa) and Canberra. The figure 0.0 corresponds to a median field strength of -30 dB above 1 μ V/m (converted into 1 kW and referred to an omnidirectional antenna). The figures 1 to 10 are in steps of 5 dB with the figure 10.0 corresponding to a median field strength of +20 dB above 1 μ V/m. The field strength of the frequency with the highest value for each hour is used in place of a mean of all recorded frequencies. This is done on the assumption that the optimum frequency would be used for communication.



WORLD DATA CENTER A

FOR

SOLAR-TERRESTRIAL PHYSICS



The ICSU Panel on WDCs has recommended that it would be appropriate courtesy to acknowledge in publications that data were obtained from the originating station or investigator through the intermediary of the WDCs. The following statement is suggested:

"Data used in this study were provided by WDC-A for Solar-Terrestrial Physics, NOAA E/GC2, 325 Broadway, Boulder Colorado 80303, USA."