



U.S. DEPARTMENT OF COMMERCE
Rogers C. B. Morton, Secretary
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
Robert M. White, Administrator
ENVIRONMENTAL DATA SERVICE
Thomas S. Austin, Director

Solar - Geophysical Data

NO. 377 JANUARY 1976

Part I (Prompt Reports)

DATA FOR
DECEMBER 1975
NOVEMBER 1975

**NATIONAL GEOPHYSICAL AND SOLAR - TERRESTRIAL DATA CENTER
BOULDER, COLORADO**

For obtaining bulletins on a data exchange basis, send request to: World Data Center A for Solar-Terrestrial Physics, NOAA, Boulder, Colorado 80302.

For sale through the National Climatic Center, Federal Building, Asheville, NC 28801, Attn: Publications. Subscription Price: \$34.00 annually for both Part I (Prompt Reports) and Part II (Comprehensive Reports) or \$18.00 annually for either part. Annual supplement containing explanation is included. For foreign mailing add \$32.00 for both parts or \$16.00 for either part. Single issue price \$1.50 for either part and \$1.40 for the extra issue. Make checks and money orders payable to: Department of Commerce, NOAA.

To standardize referencing these reports in the open literature, the following format is recommended:

Solar-Geophysical Data, 366 Part I (or Part II), pages, February 1975, U.S. Department of Commerce, (Boulder, Colorado, U.S.A. 80302)

SOLAR - GEOPHYSICAL DATA

1

No. 377

Issued in two parts

Hope I. Leighton, Editor

J. Virginia Lincoln, Director
Solar - Terrestrial Data Services Division

CONTENTS

Part I (Prompt Reports)

	Page
Index for 1974 and 1975	2
Data for December 1975	3-21
Data for November 1975	23-114


Part II (Comprehensive Reports)

Index for 1974 and 1975	2
Data for July 1975	3-21
Data for June 1975	23-32
Miscellaneous Data	
Cosmic Rays - Alert and Deep River -- October 1975	33-35
Transmission Frequency Ranges (Addenda) -- October 1975	36

DECEMBER 1975 DATA

Contents

	Page
<u>Alert Period</u>	
IUWDS Alert Periods (Advance and Worldwide)	5
<u>Daily Solar Indices</u>	
12-Month Tables Sunspot Numbers, R_z , and 2800 MHz Flux Adjusted to 1 A.U.	6
Combined Table Sunspot Numbers and Solar Fluxes	7
Graph of Sunspot Cycles	8
Zürich Smoothed Observed and Predicted Sunspot Numbers	9
<u>Solar Flares</u>	
HC Solar Flares	10
No-Flare-Patrol Chart	11
<u>Solar Radio Waves</u>	
169 MHz Solar Interferometric Chart - Nançay	12
10.7 cm East-West Solar Scans - ARO, Ottawa	13
21 cm East-West Solar Scans - Fleurs	14
43 cm East-West Solar Scans - Fleurs	15
Selected Fixed-Frequency Occurrences	16
<u>Solar Wind Measurements</u>	
Scintillation Observations	17
<u>Spacecraft Observations</u>	
Pioneer VI	18
Solar X-ray Radiation	
SMS-2 GOES	19-20
<u>Inferred IP Magnetic Field Polarities</u>	21



ALERT PERIODS
INTERNATIONAL URSIGRAM
AND WORLD DAYS SERVICE

DECEMBER 1975

PRESTO MESSAGES (THE RAPID REPORT OF MAJOR EVENTS)

BOULDER 26/1430Z WEAK MAGSTORM IN PROGRESS 26/1430Z.

SUMMARY OF THE GEOALERT WWA MESSAGES

Message serial number	Date of issue	Date of observation	Wolf number	10 cm solar flux	A index	Active Regions				Outstanding events	Forecasts			Alert Situations
						Location		No. of Flares			Date	Location	Desc*	
						Lat-Long	Total	M	X					
335	1	30	00	73	27	-	0	0	0	1	SPOTNIL		SOLQUIET MAGALERT MINOR 01/02	
336	2	1	12	74	30	N07E39	0	0	0	2	N07E39	Q	SOLQUIET MAGALERT MINOR 02	
337	3	2	28	77	20	N06E25 N05E19 S00E17	0 0 0	0 0 0	0 0 0	3	N06E23 N05E17 S00E15	Q Q Q	SOLQUIET MAGALERT MINOR 03/03	
338	4	3	29	76	12	N07E10 N06E05	0 1	0 0	0 0	4	N07E10 N06E05	Q Q	SOLQUIET MAGNIL	
339	5	4	49	76	14	N06W03 N05W08	0 0	0 0	0 0	5	N06W04 N05W09	Q Q	SOLQUIET MAGQUIET	
340	6	5	33	80	07	N05W16	0	0	0	6	N05W16	Q	SOLQUIET MAGALERT MINOR 06/08	
341	7	6	17	78	07	N06W29	2	0	0	7	N06W29	Q	SOLQUIET MAGNIL	
342	8	7	18	76	03	N07W43	3	0	0	8	N07W43	Q	SOLQUIET MAGQUIET	
343	9	8	18	78	13	N06W58	1	0	0	9	N06W58	Q	SOLQUIET MAGQUIET	
344	10	9	10	76	13	N06W79	0	0	0	10	N06W80	Q	SOLQUIET MAGQUIET	
345	11	10	00	76	05	-	0	0	0	11	SPOTNIL		SOLQUIET MAGQUIET	
346	12	11	00	77	04	-	0	0	0	12	SPOTNIL		SOLQUIET MAGQUIET	
347	13	12	00	76	03	-	0	0	0	13	SPOTNIL		SOLQUIET MAGQUIET	
348	14	13	00	75	02	-	0	0	0	14	SPOTNIL		SOLQUIET MAGQUIET	
349	15	14	12	74	04	S08E28	0	0	0	15	S08E28	Q	SOLQUIET MAGQUIET	
350	16	15	18	74	06	S06E13	0	0	0	16	S06E13	Q	SOLQUIET MAGQUIET	
351	17	16	16	73	11	S06E02	0	0	0	17	S06E02	Q	SOLQUIET MAGQUIET	
352	18	17	17	73	08	S06W11	0	0	0	18	S06W11	Q	SOLQUIET MAGQUIET	
353	19	18	12	72	05	S06W23	0	0	0	19	S06W23	Q	SOLQUIET MAGQUIET	
354	20	19	00	71	03	-	0	0	0	20	SPOTNIL		SOLQUIET MAGQUIET	
355	21	20	00	72	03	-	0	0	0	21	SPOTNIL		SOLQUIET MAGQUIET	
356	22	21	00	71	06	-	0	0	0	22	SPOTNIL		SOLQUIET MAGQUIET	
357	23	22	00	71	08	-	0	0	0	23	SPOTNIL		SOLQUIET MAGQUIET	
358	24	23	00	72	05	-	0	0	0	24	-		SOLQUIET MAGQUIET	
359	25	24	34	74	02	S10W25 S12W15 S04E75	0 0 0	0 0 0	0 0 0	25	S10W25 S12W15 S04E75	Q Q Q	SOLQUIET MAGALERT 26/29	
360	26	25	13	73	15	S04E53	0	0	0	26	S04E53	Q	SOLQUIET MAGALERT 26/29	
361	27	26	11	74	30	S04E40	0	0	0	27	S04E40	Q	SOLQUIET MAGALERT 27/29	
362	28	27	00	75	24	-	0	0	0	28	SPOTNIL		SOLQUIET MAGALERT 28/29	
363	29	28	00	74	11	-	0	0	0	29	SPOTNIL		SOLQUIET MAGALERT 29	
364	30	29	00	75	12	-	0	0	0	30	SPOTNIL		SOLQUIET MAGNIL	
365	31	30	00	74	10	-	0	0	0	31	SPOTNIL		SOLQUIET MAGQUIET	
001	1	31	00	75	05	-	0	0	0	1	SPOTNIL		SOLQUIET MAGQUIET	

RELATIVE SUNSPOT NUMBERS
ZURICH, R_Z

1975 PROVISIONAL

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	30	0	0	0	26	7	23	37	14	15	6	7
2	30	22	7	6	33	11	18	36	16	8	0	23
3	28	28	14	6	29	8	22	46	19	9	7	20
4	19	27	11	0	23	7	22	78	29	10	18	26
5	18	20	14	21	28	7	23	93	25	8	22	22
6	23	26	14	0	20	7	33	104	24	10	27	18
7	32	34	7	15	16	0	23	102	24	9	30	22
8	29	29	18	17	0	0	19	89	23	16	30	18
9	37	22	19	9	0	0	16	83	17	15	30	8
10	31	18	20	13	9	0	23	80	10	8	22	0
11	30	13	20	0	0	9	29	72	10	8	30	0
12	31	18	15	0	0	0	33	45	16	8	24	0
13	32	9	15	0	0	0	49	52	25	16	20	0
14	11	8	17	0	7	0	44	34	17	30	28	0
15	20	8	18	0	7	8	43	31	8	23	27	0
16	17	8	30	0	8	19	39	26	14	19	30	7
17	16	0	30	0	0	17	23	19	14	8	32	8
18	20	0	24	0	8	12	29	16	18	18	37	8
19	20	0	20	0	0	16	36	8	13	16	31	7
20	18	7	16	0	0	0	26	22	30	12	36	0
21	16	8	9	0	0	7	30	23	27	7	36	0
22	16	0	0	0	8	0	27	0	23	0	26	0
23	15	0	0	7	8	12	19	8	0	0	12	0
24	7	12	0	8	7	20	30	8	0	7	19	18
25	7	9	0	7	0	24	33	11	0	0	8	14
26	7	0	13	7	0	33	30	16	0	0	7	8
27	0	0	7	26	7	38	29	18	0	0	0	0
28	7	0	0	19	13	36	26	10	0	0	0	0
29	7	0	0	16	0	23	20	10	0	0	0	0
30	7	0	7	20	0	22	27	21	7	0	0	0
31	0	0	8	0	8	0	34	21	0	0	0	0
MEAN	18.7	11.6	12.0	6.2	8.7	11.4	28.3	39.3	14.1	9.0	19.3	7.5

1974 yearly mean = 34.5

DAILY SOLAR SOLAR FLUX AT 2800 MHz
OTTAWA ARO

FLUX ADJUSTED TO 1 A.U., S₀

1975


DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	78.1	70.8	76.7	70.2	76.3	71.4	78.7	91.6	87.0	76.4	70.4	72.1
2	75.8	72.3	72.4	71.2	81.1	73.0	76.8	95.4	87.9	78.1	71.4	74.8
3	77.1	74.3	73.4	72.2	79.6	70.8	77.1*	97.0*	87.8	78.4	73.0	74.3
4	74.4	75.4	72.8	73.0	79.6	70.4	76.8	104.6	92.8	76.3	75.4	74.1
5	73.7	76.5	71.3	73.7	78.4	69.3	76.8	107.9	94.4	76.1	78.9	77.4
6	73.8	81.1	72.4	73.7	75.9	68.2	76.1	120.6*	94.0	75.1	80.1	75.8
7	75.7	79.4	71.9	74.3	73.6	68.1	74.1	123.2	91.1	74.3	80.5	73.7
8	77.7	78.8	72.5	73.6	71.9	67.5	74.0	123.7	88.5	74.0	80.9	76.0
9	79.9	77.1	73.8	73.4	70.6	67.7	73.3	115.9	84.3	75.4	78.8	73.3
10	80.5	76.7	73.3	72.4	70.1	68.8	73.0	116.5	82.5	74.3	78.9	73.3
11	81.2	74.8	73.0	72.3	69.8	68.1	77.6	107.3	81.1	73.3	78.6	74.3
12	82.4	74.9	74.2	70.8	69.6	68.4	82.7	104.5*	78.2*	74.8	79.9	73.4
13	80.4	73.7	75.6*	70.7	69.1	67.9	88.5*	98.0	75.2	79.0	79.2	72.8
14	77.7	72.0	75.0	69.7	68.7	68.5	89.0	90.9*	74.2	80.0	82.7	71.8
15	77.4	69.7	73.4	69.7	68.0	68.9	85.6	86.0	74.1	80.3	83.7	71.8
16	76.5	71.4	76.0	69.2	68.5	71.4	83.6	82.8	74.3	78.5	87.6	76.5
17	74.7	69.3	75.3	69.6	68.3	70.2	81.2	79.0	74.8	78.9	88.9	70.5
18	75.8	68.3	74.2	68.3	68.7	70.2	82.8	76.4	76.2	79.2	90.8*	69.6
19	74.1	70.0	72.9	67.5	68.9	71.0	81.9	76.7	76.2	78.0	93.0*	69.1
20	73.8	69.5	71.9	68.0	68.6	72.5	83.3	77.2	76.5	77.1	90.9	69.7
21	74.5	68.9	71.2	68.2	69.7	68.7	83.1	80.0	76.7	75.7	86.6	69.0
22	73.6	68.3	69.3	67.8	70.8	69.9	82.7	78.5	75.3	74.2	81.5	68.9
23	72.7	68.3	67.6	68.7	70.6	72.9	82.0	76.8	76.1	74.3	77.2	69.6
24	71.0	68.6	67.4	69.3	70.6	75.9	79.3	77.0	76.6	72.7*	74.7	71.4
25	70.3	69.4	67.5	71.6	70.2	77.7	79.8	80.6	76.7	72.1	73.7	71.0
26	70.5	68.8	68.6	72.1	69.0	79.8	80.0	81.3	76.7	71.9	71.9	71.8
27	70.1	69.4	67.3	74.4	70.5	81.5	78.5	83.6	75.7	72.1	70.7	72.5
28	70.7	68.6	67.8	74.8	70.6	80.7	76.5	83.3	76.1	71.7	70.4	71.5
29	70.4	0	69.0	73.2	71.0	79.4	75.5	84.7	75.9	70.8	70.9	72.5
30	70.9	0	69.0	73.4	71.0	78.8	78.9	86.2	75.8	70.2	70.6	71.9
31	70.1	0	70.5	0	71.1	0	81.9*	86.7	0	69.9	0	72.1
MEAN	75.0	72.4	71.7	71.2	71.6	71.9	79.7	92.7	80.4	75.3	79.1	72.3

* adjusted for burst

DAILY SOLAR INDICES
DECEMBER 1975

DEC 1975	YEAR DAY	BARTELS 27-DAY CYCLE NUMBER	SUNSPOT NUMBERS		OBSERVED FLUX OTTAWA 2800	SOLAR FLUX ADJUSTED TO 1 A.U.								
			R _Z	R _{A'}		AFCLR 15400	AFCLR 8800	AFCLR 4985	OTTAWA 2800	AFCLR 2695	AFCLR 1415	AFCLR 606	AFCLR 410	AFCLR 245
1	335	12	7	6	74.2	528	276	116	72.1	71.0	48.5	38.1	23.4	9.0
2	336	13	23	23	77.0	528	274	118	74.8	73.1	48.3	37.4	22.8	9.1
3	337	14	20	20	76.5	524	273	117	74.3	72.7	49.2	38.4	22.8	8.6
4	338	15	26	23	76.3	523	276	117	74.1	73.4	48.9	38.3	22.6	8.5
5	339	16	22	21	79.7	531	275	119	77.4	75.8	51.7	37.9	22.4	9.4
6	340	17	18	19	78.1	525	270	118	75.8	73.5	51.4	38.0	22.1	8.3
7	341	18	22	18	76.0	528	273	118	73.7	73.0	51.1	39.7	22.6	9.1
8	342	19	18	12	78.3	529	276	118	76.0	73.8	52.1	40.1	23.7	9.2
9	343	20	8	8	75.6	531	274	119	73.3	73.1	51.3	39.5	23.5	8.4
10	344	21	0	3	75.6	532	273	118	73.3	72.3	51.3	39.7	23.4	8.7
11	345	22	0	0	76.7	529	272	118	74.3	72.5	50.6	40.2	22.4	8.6
12	346	23	0	0	75.7	529	275	118	73.4	72.1	50.2	40.1	23.2	8.8
13	347	24	0	0	75.1	525	270	116	72.8	70.5	49.6	39.8	23.0	8.9
14	348	25	0	3	74.1	523	268	117	71.8	70.2	49.7	40.1	22.2	9.3
15	349	26	0	3	74.1	520	267	116	71.8	69.4	49.7	39.8	23.2	9.5
16	350	27	7	4	72.8	518	271	114	70.5	69.5	48.7	39.7	22.0	9.6
17	351	1	8	8	72.8	522	273	114	70.5	69.2	48.3	40.5	24.5	11.0
18	352	2	8	3	71.9	523	273	113	69.6	68.5	48.0	40.0	24.0	9.7
19	353	3	7	3	71.4	519	274	112	69.1	68.3	48.6	39.2	22.9	9.5
20	354	4	0	0	72.0	521	280	114	69.7	69.4	50.2	39.9	24.5	9.9
21	355	5	0	0	71.3	522	274	114	69.0	69.0	48.2	40.0	22.7	9.2
22	356	6	0	0	71.2	523	274	114	68.9	68.4	49.0	39.1	22.4	9.2
23	357	7	0	0	72.0	523	270	113	69.6	67.9	46.8	36.5	20.9	8.9
24	358	8	18	12	73.8	523	277	115	71.4	70.9	47.6	36.1	23.5	8.0
25	359	9	14	11	73.4	521	276	114	71.0	71.1	47.6	35.5	22.4	9.2
26	360	10	8	5	74.2	520	275	117	71.8	71.0	49.0	37.4	21.5	8.1
27	361	11	0	0	75.0	520	275	120	72.5	71.2	51.0	37.9	20.7	8.0
28	362	12	0	0	73.9	524	273	116	71.5	70.7	49.3	38.3	20.7	7.7
29	363	13	0	0	75.0	524	274	119	72.5	72.0	50.1	38.7	23.7	8.0
30	364	14	0	1	74.4	522	270	116	71.9	71.5	51.1	38.7	23.2	7.6
31	365	15	0	0	74.6	521	271	116	72.1	70.7	49.5	38.3	21.0	7.3
MEAN			7.5	6.6	74.6	524	273	116	72.3	71.2	49.6	38.8	22.7	8.8

* Adjusted for burst.



PREDICTED AND OBSERVED SUNSPOT NUMBERS

SMOOTHED OBSERVED AND PREDICTED SUNSPOT NUMBERS
CYCLE 20

MONTH	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1964										9.6	10.2	11.3
1965	11.7	12.0	12.5	13.6	14.6	15.0	15.5	16.4	17.4	19.7	22.3	24.5
1966	27.7	31.3	34.5	37.4	40.7	44.6	50.3	56.6	63.1	67.6	70.2	72.7
1967	75.0	78.8	82.2	84.6	87.4	91.3	94.1	95.3	95.3	95.0	97.1	100.6
1968	102.6	102.9	104.7	107.2	107.6	106.6	105.2	104.8	107.0	109.9	110.6	110.1
1969	110.0	109.6	108.0	106.4	106.2	106.1	105.8	106.4	105.4	104.1	104.6	104.9
1970	105.6	106.0	106.2	106.1	105.8	105.3	103.8	101.0	97.2	93.9	89.4	84.1
1971	80.4	77.8	74.4	70.9	68.1	66.7	65.4	64.6	65.8	66.2	66.8	69.4
1972	70.8	71.2	72.4	73.4	72.9	70.5	68.2	65.5	62.2	60.6	58.7	55.1
1973	50.9	46.5	44.2	42.7	40.7	39.1	37.5	36.1	34.4	32.6	31.8	31.5
1974	32.7	34.4	34.0	33.9	34.6	34.5	34.0	33.1	32.1	30.3	27.6	25.2
1975	23.9	22.2	21.3	18.6	16.9	16.0	15.3 (2.)	14.7 (5.)	14.2 (7.)	13.7 (9.)	13.3 (--)	12.9 (--)
1976	12.5 (--)	12.1 (--)	11.7 (--)	11.3 (--)	11.0 (--)	10.7 (--)	10.4 (--)					

For each month, the upper figure is the observed or predicted Zürich smoothed sunspot number. The lower figure in parenthesis is the corresponding absolute value of the 90% prediction interval, an indication of the uncertainty above and below the predicted number. Observed numbers are those with no prediction intervals. The observed smoothed sunspot numbers are based on final Zürich numbers through 1974.

The predicted sunspot numbers are derived from a regression analysis based on cycles 8 through 19. Tests indicate that earlier cycles are from a different statistical population. From July 1968 - February 1970 a regression analysis based on cycles 1 through 19 was used because it had not then been proven that two populations exist.

H α SOLAR FLARES


DECEMBER 1975

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM- POR- TANCE	OBS.			MEASUREMENTS			REMARKS
	DATE DEC	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MCNATH PLAGE REGION	CMP DAY			COND.	TYPE	TIME UT	MEAS. AREA Mill. of Disk	CORR. AREA Sq. Deg.		
					LAT.	MER. DIST.												
[MANI MITK	03 03	0429E 0439E	0429U 0447	0440D 0447	N02 N02	E14 E13	.279 .264		4.2 4.2	11D 80	SF SN	3 P	V	0429 0439	60 60	.6 .6	U E	
BOUL	04	2031	2033	2040	N 4	W 0	.177		4.9	9	SF	2	C	2033	117	1.2		
MCMA	05	1620	1623	1632	N03	W17	.331	13964	4.4	12	SF		C	1623	25	.3	D	
[MCMA BOUL PALE	06 06 06	1740 1741 1743	1745 1746	1750 1747	N03 N 4 N 5	W32 W32 W32	.549 .553 .558	13964	4.3 4.3 4.3	14D 9 4	SN SF SF	3 1 3	C C C	1747 1745 1745	35 32 16	.4 .4 .6	EL DE	
MANI	07	0136E	0144U	0150	N05	W37	.625		4.3	14D	SN	3	P	0144	50	.6	H	
[MITK MANI CATA	07 07 07	0606 0608E 1140	0609U 0614U 1145	0609D 0614D 1145	N05 N06 N05	W40 W39 W43	.663 .654 .700		4.3 4.3 4.3	30 60 5	SN SN SN	3 3 1	P V P	0609 0609 1140	90 40 56	1.2 .5 .8	D H H	
[RAMY RAMY	08 08	1418E 1418E	1418U 1419U	1433 1423D	N 5 N 6	W52 W52	.800 .803	13964	4.7 4.7	15D 50	SF 1F	3 3	C V		144 256		FDE DE	
MCMA	10	1727E		1753D	N03	W88	1.000	13964	4.1	260	SF		C	1730			OH	
ARCE	11	0926E		0944D	N06	W90	1.000		4.6	18D	SN		C	0927	58			
CATA	15	0925	0935	0940D	S06	E20	.340		16.9	15D	SN	1		0935	56	.6		
CATA	23	1030	1035	1045	S04	E90	1.000	13992	2.2	15	1F	1		1035	56			
BOUL	24	1943	1946	2008	S12	W29	.485		22.6	25	SF	2	C	1946	42	.5		

"Remarks":

- | | |
|--|--|
| <p>A = Eruptive prominence whose base is less than 90° from central meridian.
 B = Probably the end of a more important flare.
 C = Invisible 10 minutes before.
 D = Brilliant point.
 E = Two or more brilliant points.
 F = Several eruptive centers.
 G = No visible spots in the neighborhood.
 H = Flare accompanied by a high speed dark filament.
 I = Active region very extended.
 J = Distinct variations of plage intensity before or after the flare.
 K = Several intensity maxima.
 L = Existing filaments show signs of sudden activity.
 M = White-light flare.</p> | <p>N = Continuous spectrum shows effects of polarization.
 O = Observations have been made in the calcium II lines H and K.
 P = Flare shows helium D₃ in emission.
 Q = Flare shows the Balmer continuum in emission.
 R = Marked asymmetry in Hα line suggests ejection of high velocity material.
 S = Brightness follows disappearance of filament (same position).
 T = Region active all day.
 U = Two bright branches, parallel () or converging (Y).
 V = Occurrence of an explosive phase: important and abrupt expansion in about a minute with or without important intensity increase.
 W = Great increase in area after time of maximum intensity.
 X = Unusually wide Hα line.
 Y = System of loop-type prominences.
 Z = Major sunspot umbra covered by flare.</p> |
|--|--|

INTERVALS OF NO FLARE PATROL OBSERVATION
FOR PRECEDING SOLAR FLARE TABLE
DECEMBER 1975



Observatories included in total patrol:

- | | | | | |
|-----------|--------------|----------------|---------|-------------|
| Arcetri | Catania | Lvov | Mitaka | Tehran |
| Athens | Herstmonceux | Manila | Palehua | Upice |
| Boulder | Hurbanovo | McMath-Hulbert | Ramey | Wendelstein |
| Bucharest | Istanboul | | | |

Times of no flare patrol are shown by the shaded area for each day divided into times of no cinematographic patrol (bottom half of day) and times of neither visual nor cinematographic patrol (top half of day).

12
Dec 75

SOLAR RADIO EMISSION
INTERFEROMETRIC OBSERVATION

DECEMBER 1975

Nancay

169 MHz

5

Note: No noise centers were observed on 169 MHz at Nancay except on December 5, 1975.

Center at $W0.27$ solar radius
Diameter = 0.38 solar radius
Flux = $17 \times 10^{-22} \text{Wm}^{-2}\text{Hz}^{-1}$

10

15

20

25

30

E

C

W









EAST - WEST SOLAR SCANS

December 1975

ALGONQUIN RADIO OBSERVATORY
CANADA

10.7 cm.



Fan Beam with 1.5 minutes of arc
E-W Resolution
















13
NO
DATA

14
NO
DATA

15
NO
DATA



18
NO
DATA



14
Dec 75

**“DATA FOR EAST–WEST SOLAR SCANS AT 21CM
NOT RECEIVED AT TIME OF PUBLICATION.”**

**“DATA FOR EAST–WEST SOLAR SCANS AT 43CM
NOT RECEIVED AT TIME OF PUBLICATION.”**

SOLAR RADIO EMISSION SELECTED FIXED FREQUENCY EVENTS

DECEMBER 1975

	FREQUENCY STATION	TYPE	STARTING TIME	TIME OF MAXIMUM	DURATION	FLUX DENSITY $10^{-22} \text{ W m}^{-2} \text{ Hz}^{-1}$		INT	REMARKS
			UT	UT	MINUTES	PEAK	MEAN		
4	2800 OTTA	240 R	1702	1720	18	1.2	0.6		
	2800 OTTA	24P R	1720		226 0	1.2			
5	8800 MANI	4 S/F	0743.5	0750	35.5	24.5	11.2		
	2695 MANI	4 S/F	0743.1	0748.6	34.9	19.6	5.6		
	2800 OTTA	20 GRF	1900	1918	50	1.2	0.6		
6	2800 OTTA	20 GRF	1740	1746	20	0.8	0.4		
8	2800 OTTA	27 RF	1330		380	4	3		
	2800 OTTA	24 R	1330	1355	25	4	2		
	2800 OTTA	24P R	1355		185	4			
	2800 OTTA	26 FAL	1700	1950	170	-2	-1		
23	2695 BOUL	1 S	1936.5	1937	2.5	3	1		
24	2800 OTTA	27 RF	1740		135	0.8	0.7		
	2800 OTTA	24 R	1740	1745	5	0.8	0.4		
	2800 OTTA	24P R	1745		120	0.8			
	2800 OTTA	26 FAL	1945	1955	10	-0.8	-0.4		
25	2695 BOUL	1 S	1937	1938.5	2.5	4	1		
31	2695 BOUL	45 C	1839.5	1841.5	5	2	1		
	2695 BOUL	1 S	1940.5	1942.5	2.5	2	1		

Observatories:

BOUL = Boulder

MANI = Manila

OTTA = Ottawa ARO

PENT = Penticton

SGMR = Sagamore Hill

Explanation of Type Code:

1 Simple 1	6 Minor	22 Simple 3F	27 Rise and Fall	32 Absorption	44 Noise Storm in Progress
2 Simple 1F	7 Minor +	23 Simple 3AF	28 Precursor	40 Fluctuation	45 Complex
3 Simple 2	8 Spike	24 Rise	29 Post Burst Increase	41 Group of Bursts	46 Complex F
4 Simple 2F	20 Simple 3	25 Rise A	30 Post Burst Increase A	42 Series of Bursts	47 Great Burst
5 Simple	21 Simple 3A	26 Fall	31 Post Burst Decrease	43 Onset of Noise Storm	48 Major
					49 Major +

SOLAR WIND
Interplanetary Scintillations

DECEMBER 1975

UCSD 74 MHZ SCINTILLATIONS

DAY	3C48 VEL ERR	3C144 VEL ERR	3C147 VEL ERR	3C161 VEL ERR	3C237 VEL ERR	3C273 VEL ERR	3C298 VEL ERR	3C459 VEL ERR
1	358 15						342 26	
2							891 243	
4						499 72	927 253	
6	366 26					575 107	625 169	294 *
7	298 43					537 151		206 40
8				348 *		367 101	474 45	364 45
9						451 42	485 63	
10	280 20							
11	236 50							
12	361 42							
13	340 90					450 129	469 94	
14	277 29							252 61
16	221 45					569 126	413 55	
17	256 13						301 55	
18	281 47						419 95	
21	289 100					545 162		236 13
22	267 *					581 132		234 12
23	331 40					485 84	423 166	
24	196 *						415 89	264 21
25	290 17			426 *		447 107	489 30	442 18
26	394 23		512 *	431 *	482 *	603 128	719 118	762 84
27	386 34					852 252	855 154	
28							859 78	
29	453 47							495 46
30	361 58							
31	428 56						699 180	

DECEMBER	5				15				25			
	UT	LAT	DIST	DLGN	UT	LAT	DIST	DLGN	UT	LAT	DIST	DLGN
3C48	5.	6.	1.24	-7.	4.	5.	1.21	-9.	4.	4.	1.17	-11.
3C144	9.	0.	1.30	2.	8.	-1.	1.30	0.	7.	-2.	1.30	-2.
3C147	8.	5.	1.27	4.	7.	4.	1.28	1.	7.	3.	1.27	-1.
3C161	10.	-7.	1.25	4.	10.	-7.	1.26	2#	9.	-8.	1.27	-0.
3C237	14.	-2.	1.10	15.	13.	-3.	1.15	14.	12.	-4.	1.19	12.
3C273	16.	0.	0.93	22.	15.	-1.	0.98	17.	14.	-2.	1.04	17.
3C298	18.	13.	0.73	41.	17.	2.	0.83	33.	16.	3.	0.91	24.
3C459	2.	4.	1.08	-15.	2.	3.	1.03	-16.	1.	2.	0.98	-17.

* indicates data for which no error estimate is available, because only two antennas were operating.

PIONEER VI
DECEMBER 1975

Date 1975	DSN Coverage (UT)	Data Time (UT)	ESP (°)	SOLAR WIND				COSMIC RAY PROTONS ² (particles/sec)		
				AMES ¹		MIT		6-13 (Mev*)	13-175 (Mev**)	>175 (Mev)
				U _{H+} (km/sec) [†]	TAU (days)	U _{H+} (km/sec)	N _{H+} (H ⁺ /cc)			
16	1105-1244	1100	084.8	361.	6.8	352.	33.8	0.53	0.12	1.28
		1200		339.		352.	28.2	.52	.12	1.31
		1300		339.		350.	30.3	.48	.1	1.21

¹ Wolfe - NASA/ARC

² Simpson - University of Chicago

* Includes He 0.6-13 Mev/nucleons and electrons ~0.5 Mev - see J. Retzler and J. A. Simpson, J. Geophys. Res., 74, 9, 2149-2160, 1969 for discussion of the electron response of Pioneer VII.

** Includes He >13 Mev/nucleons.

Q Used to indicate that a rate is at its quiescent level.

ESP = Earth-Sun Probe Angle.

† Peak velocity.

Note: Data sampled hourly unless otherwise noted.

Note: December 16, 1975 was the tenth anniversary of this vehicle.
All instruments on the spacecraft except the magnetometer are operational.

SOLAR X-RAYS BY SATELLITE
SMS GOES

DECEMBER 1975

.5 - 4Å Hourly Averages (10^{-6} watts/m²)

MO	DA	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	15	17	18	19	20	21	22	23	24	Mean	
12/	1	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	0.21	
12/	2	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	3	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	4	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	5	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	6	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	7	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	8	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	9	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	10	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	11	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	12	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	13	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	14	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	15	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	16	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	17	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	18	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	19	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	20	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	21	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	22	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	0.21	
12/	23	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	24	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	25	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	26	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	27	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	28	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	29	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	30	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21
12/	31	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.21

Note: "B" indicates the flux was below the cut-off levels.
"Y" denotes periods of missing data.

SOLAR X-RAYS BY SATELLITE
SMS GOES

DECEMBER 1975

1 - 8Å Hourly Averages (10^{-5} watts/m²)

MO	DA	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Mean
12/	1	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	B
12/	2	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	3	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	4	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	5	0.01	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	6	B	B	B	B	B	0.09	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	7	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	8	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	9	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	10	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	11	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	12	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	13	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	14	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	15	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	16	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	17	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	18	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	19	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	20	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	21	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	22	M	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	23	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	24	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	25	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	26	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	27	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	28	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	29	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	30	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
12/	31	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B

Note: "B" indicates the flux was below the cut-off levels.
"M" denotes periods of missing data.


Note: No events were observed in December 1975.

INFERRED IP MAGNETIC FIELD

BARTELS ROTATION	DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	
1901	JUL 23	T	A	*	T	A	*	T	A	*	T	A	*	T	A	*	T	A	*	T	A	*	T	A	*	T	A	*	T
1902	AUG 19	A	-	A	-	A	-	A	-	A	-	A	-	A	-	A	-	A	-	A	-	A	-	A	-	A	-	A	
1903	SEP 15	A	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	
1904	OCT 12	T	T	A	-	T	A	-	T	A	-	T	A	-	T	A	-	T	A	-	T	A	-	T	A	-	T	A	
1905	NOV 8	A	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	
1906	DEC 5	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	
1907	1973 JAN 1	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	
1908	JAN 28	T	T	A	A	T	T	A	A	T	T	A	A	T	T	A	A	T	T	A	A	T	T	A	A	T	T	A	
1909	FEB 24	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	
1910	MAR 23	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	
1911	APR 19	T	T	A	T	T	A	T	T	A	T	T	A	T	T	A	T	T	A	T	T	A	T	T	A	T	T	A	
1912	MAY 16	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	
1913	JUN 12	T	A	*	T	A	*	T	A	*	T	A	*	T	A	*	T	A	*	T	A	*	T	A	*	T	A	*	T
1914	JUL 9	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	
1915	AUG 5	T	T	A	A	T	T	A	A	T	T	A	A	T	T	A	A	T	T	A	A	T	T	A	A	T	T	A	
1916	SEP 1	T	A	*	T	A	*	T	A	*	T	A	*	T	A	*	T	A	*	T	A	*	T	A	*	T	A	*	T
1917	SEP 28	A	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	
1918	OCT 25	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	
1919	NOV 21	A	*	T	T	-	A	A	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	
1920	DEC 18	T	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	
1921	1974 JAN 14	T	A	A	T	-	T	A	A	T	-	T	A	A	T	-	T	A	A	T	-	T	A	A	T	-	T	A	
1922	FEB 10	A	-	A	-	A	-	A	-	A	-	A	-	A	-	A	-	A	-	A	-	A	-	A	-	A	-	A	
1923	MAR 9	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
1924	APR 5	A	A	A	A	-	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
1925	MAY 2	-	-	A	A	*	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	
1926	MAY 29	T	T	A	A	*	-	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
1927	JUN 25	T	A	A	A	-	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
1928	JUL 22	T	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
1929	AUG 18	A	-	A	-	A	-	A	-	A	-	A	-	A	-	A	-	A	-	A	-	A	-	A	-	A	-	A	
1930	SEP 14	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	
1931	OCT 11	T	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
1932	NOV 7	T	A	-	T	A	-	T	A	-	T	A	-	T	A	-	T	A	-	T	A	-	T	A	-	T	A	-	
1933	DEC 4	T	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	
1934	DEC 31	T	A	T	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	
1935	1975 JAN 27	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	
1936	FEB 23	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
1937	MAR 22	A	A	A	A	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
1938	APR 18	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
1939	MAY 15	T	T	A	A	T	A	A	T	A	A	T	A	A	T	A	A	T	A	A	T	A	A	T	A	A	T	A	
1940	JUN 11	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
1941	JUL 8	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
1942	AUG 4	A	A	A	A	T	A	A	T	A	A	T	A	A	T	A	A	T	A	A	T	A	A	T	A	A	T	A	
1943	AUG 31	A	A	A	A	T	A	A	T	A	A	T	A	A	T	A	A	T	A	A	T	A	A	T	A	A	T	A	
1944	SEP 27	A	A	T	A	A	T	A	A	T	A	A	T	A	A	T	A	A	T	A	A	T	A	A	T	A	A	T	
1945	OCT 24	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	
1946	NOV 20	A	T	A	*	T	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	T	A	
1947	DEC 17	T	-	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	

T = towards the sun
A = away from the sun
* = effect doubtful or not discernable
- = missing data


The table shows daily inferences of the polarity of the interplanetary magnetic field. The first half of the day is based principally on magnetograms produced by the magnetometer at the Vostok Antarctic Station of the USSR. The magnetometer of the U.S. Air Weather Service operated by the Air Force Cambridge Research Laboratories at the Thule Geopole Station is used for the second half of the day.




NOVEMBER 1975 DATA

Contents





	Page
<u>Daily Solar Activity Centers</u>	
H α Synoptic Chart	25
X-ray, Magnetograms, Calcium Plages, H α Spectroheliograms Sunspots, Corona and 2 cm and 8.6 mm Spectroheliograms	26-85
Individual Regions of Solar Activity	86-92
Daily Calcium Indices	92
<u>Sudden Ionospheric Disturbances</u>	
Table of Events	93
Number of Events in each Plage Region	93
<u>Solar Radio Waves</u>	
Spectral Observations	94-101
Selected Events by Radioheliograph	102
<u>Cosmic Rays</u>	
Neutron Monitors Daily Values	103
Chart of Variations	104
<u>Geomagnetic Indices</u>	
Table of Indices Kp, Cp, Ap, aa	105
Chart of Kp by Bartel's 27-day Rotation and 12-Month Table of Daily Averages Ap	106
Equatorial Indices Dst	107
Principal Magnetic Storms	108-109
Sudden Commencements and Solar Flare Effects	110
<u>Radio Propagation Indices</u>	
North Atlantic Quality Figures and Forecasts	111
Transmission Frequency Ranges - North Atlantic Path	112-113
Quality Indices on Paths to Germany	114







H α SYNOPTIC CHART









NOVEMBER 1, 1975 (P = 24.64, B₀ = 4.40, L₀ = 232.51)







NOVEMBER 2, 1975 (P = 24:48, $B_0 = 4.30$, $L_0 = 219.33$)





CORONA
KISLOVODSK
NO DATA 5°, 140°




8.6 MM

2.0 CM



Ant. Temp. Unit 100°K

Ant. Temp. Unit 100°K


NOVEMBER 3, 1975 (P = 24.30, $B_0 = 4.20$, $L_0 = 206.14$)







- DETECTABLE (0)
- 0 x 20
- 0 x 500
- HIGHLY VARIABLE




FAIR	EC
146	0184
147	0232




- Levels
- + 5
 - + 10
 - + 20
 - + 40
 - + 80




NOVEMBER 4, 1975 (P = 24.12, B₀ = 4.10, L₀ = 192.96)




- DETECTABLE (D)
- 0 x 20
- 0 x 500
- HIGHLY VARIABLE







GOOD	M
22	0500 3.5
26	1400 3.5



- Bright - Plus
- Dark - Minus




- Levels
- + 5
- + 10
- + 20
- + 40
- + 80




Ant. Temp. Unit 100°K

Ant. Temp. Unit 100°K



NOVEMBER 5, 1975 (P = 23.93, $B_0 = 3.99$, $L_0 = 179.77$)



- DETECTABLE (D)
- D x 20
- D x 500
- ⊙ HIGHLY VARIABLE







GOOD M
22 0700 2.5
26 2800 4.0
27 0200 2.5



Levels
+ 5
+ 10
+ 20
+ 40
+ 80





DELTA Y =
DELTA X =







Ant. Temp. Unit 100°K





Ant. Temp. Unit 100°K





NOVEMBER 6, 1975 (P = 23.73, $B_0 = 3.89$, $L_0 = 166.59$)













NOVEMBER 7, 1975 (P = 23.53, B₀ = 3.78, L₀ = 153.40)













NOVEMBER 8, 1975 (P = 23.31, B₀ = 3.67 L₀ = 140.22)





NOVEMBER 9, 1975 (P = 23.09, $B_0 = 3.56$, $L_0 = 127.03$)













Ant. Temp. Unit 100°K

Ant. Temp. Unit 100°K





Ant. Temp. Unit 100°K





NOVEMBER 10, 1975 (P = 22.86, $B_0 = 3.45$, $L_0 = 113.85$)













NOVEMBER 11, 1975 (P = 22.63, B₀ = 3.34, L₀ = 100.67)













NOVEMBER 12, 1975 (P = 22.38, $B_0 = 3.22$, $L_0 = 87.48$)









NOVEMBER 13, 1975 (P = 22.13, B₀ = 3.11, L₀ = 74.30)













NOVEMBER 14, 1975 (P = 21.87, B₀ = 2.99, L₀ = 61.12)







Levels
+ 5
+ 10
+ 20
+ 40
+ 80











NOVEMBER 15, 1975 (P = 21.6i, B₀ = 2.88, L₀ = 47.93)













NOVEMBER 16, 1975 (P=21.33, B₀=2.76, L₀=34.75)













NOVEMBER 17, 1975 (P = 21.05, B₀ = 2.64, L₀ = 21.57)













NOVEMBER 18, 1975 (P = 20.76, B₀ = 2.52, L₀ = 8.38)













NOVEMBER 19, 1975 (P = 2046, $B_0 = 2.40$, $L_0 = 355.20$)













NOVEMBER 20, 1975 (P = 20.16, $B_0 = 2.28$, $L_0 = 342.02$)













NOVEMBER 21, 1975 (P = 19.85, $B_0 = 2.16$, $L_0 = 328.84$)









NOVEMBER 22, 1975 (P = 1953, $B_0 = 2.04$, $L_0 = 315.66$)













NOVEMBER 23, 1975 (P = 1920, $B_0 = 1.92$, $L_0 = 302.48$)







NOVEMBER 24, 1975 (P = 18.87, $B_0 = 1.79$, $L_0 = 289.29$)







NOVEMBER 25, 1975 (P=18.53, B₀=1.67, L₀=276.11)



25
RAMEY AFB




1134 UT



NELC LA POSTA


2.0 CM



2133 UT





NELC LA POSTA





8.6 MM




2002 UT

NOVEMBER 26, 1975 (P = 18.18; B₀ = 1.54, L₀ = 262.93)








NOVEMBER 27, 1975 (P = 17.83, $B_0 = 1.42$, $L_0 = 249.75$)





- DETECTABLE (0)
- 0 x 20
- 0 x 500
- HIGHLY VARIABLE



- Levels
- ± 5
 - ± 10
 - ± 20
 - ± 40
 - ± 80

27
RAMEY AFB




NELC LA POSTA

Np

NO DATA

WEATHER



Sp

Ant. Temp. Unit 100°K


2.0 CM

NELC LA POSTA

Np

NO DATA

WEATHER



Sp


Ant. Temp. Unit 100°K

8.6 MM

CORONA
NO DATA

NO DATA





WEATHER





Sp

Ant. Temp. Unit 100°K

NOVEMBER 28, 1975 (P = 17.47, $B_0 = 1.29$, $L_0 = 236.57$)



28
RAMEY AFB



NELC LA POSTA

2.0 CM

NELC LA POSTA

8.6 MM



NO DATA

NO DATA

WEATHER

WEATHER

W




Sp

Sp




Ant. Temp. Unit 100°K

Ant. Temp. Unit 100°K



NOVEMBER 29, 1975 (P = 17.11, B₀ = 11.7, L₀ = 223.39)



- DETECTABLE (D)
- D x 20
- D x 500
- ⊙ HIGHLY VARIABLE



- Levels
- 5
 - + 10
 - + 20
 - + 40
 - + 80



NELC LA POSTA Np 8.6 MM


NO DATA

EQUIPMENT W


NELC LA POSTA Np 2.0 CM

NO DATA

EQUIPMENT W




Sp Ant. Temp. Unit 100°K






Sp Ant. Temp. Unit 100°K

NOVEMBER 30, 1975 (P = 16.73, B₀ = 1.04, L₀ = 210.22)





- DETECTABLE (D)
- D x 20
- D x 500
- HIGHLY VARIABLE

T (10⁶ K)



- Levels
- + 5
- + 10
- + 20
- + 40
- + 80



8.6 MM
Np

NELC LA POSTA
Np

2.0 CM
Np

NELC LA POSTA
Np

NO DATA

NO DATA


EQUIPMENT
W

E

W

EQUIPMENT
E

Ant. Temp. Unit 100°K
Sp



Ant. Temp. Unit 100°K
Sp



REGIONS OF SOLAR ACTIVITY
NOVEMBER 1975

MCMATH REGION 13935				CMP DATE 6.4				CALCIUM PLAGE DATA				SUNSPOT DATA				
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS	
75	11	11	13935	S11 W68	161	500	2.5									
75	11	12	13935	S11 W82	161	700	2.5									
MCMATH REGION 13921				CMP DATE 6.6				CALCIUM PLAGE DATA				SUNSPOT DATA				
75	11	2	13921	S20 E92	157	200	1.0									
MCMATH REGION 13922				CMP DATE 6.9				CALCIUM PLAGE DATA				SUNSPOT DATA				
75	11	2	13922	S02 E62	147	200	2.0									
75	11	3						19636	S04 E42	151	(BF)	3	B	10	3	BX0
75	11	4	13922	S03 E34	150	500	3.5	19636	S05 E31	153	(BP)	4	B	30	11	BXI
75	11	5	13922	S03 E19	152	700	2.5	19636	S05 E16	155	(BP)	4	B	40	17	CA0
75	11	6	13922	S03 E05	154	800	2.5	19636	S05 E03	154	(BP)	4	B	50	17	DAI
75	11	7	13922	S04 W12	153	700	2.5	19636	S05 W11	154	(BP)	3	B	30	3	BX0
75	11	8	13922	S04 W23	155	800	2.5	19636	S05 W25	155	(BP)	2				
75	11	9	13922	S04 W39	154	600	2.5									
75	11	10	13922	S04 W52	156	500	2.5									
75	11	11	13922	S04 W64	157	600	2.0									
75	11	12	13922	S05 W77	156	600	2.0									
MCMATH REGION 13931				CMP DATE 7.1				CALCIUM PLAGE DATA				SUNSPOT DATA				
75	11	8	13931	S41 W20	152	100	1.0									
MCMATH REGION 13923				CMP DATE 7.9				RETURN OF REGION 13887*				ROTATION 2				
				CALCIUM PLAGE DATA				SUNSPOT DATA								
75	11	2	13923	S10 E68	141	200	1.0									
MCMATH REGION 13927				CMP DATE 9.6				CALCIUM PLAGE DATA				SUNSPOT DATA				
75	11	4	13927	S08 E69	115	100	1.0									
75	11	5	13927	S08 E54	117	200	2.5									
75	11	6	13927	S08 E40	119	300	2.5	19639	S08 E37	120			B	10	2	BX0
75	11	7	13927	S08 E23	118	400	2.5	19639	S08 E24	119	(BP)	2	B	10	1	AXX
75	11	8	13927	S08 E13	119	400	2.0	19639	S08 E08	122	(AP)	1				
75	11	9	13927	S08 W05	120	300	2.5									
75	11	10	13927	S08 W17	121	300	2.5									
75	11	11	13927	S08 W28	121	300	2.0									
75	11	12	13927	S08 W41	120	300	2.0									
75	11	13	13927	S09 W55	120	300	1.0									
75	11	14	13927	S09 W70	120	100	1.0									
MCMATH REGION 13926				CMP DATE 10.9				RETURN OF REGION 13890				ROTATION 2				
				CALCIUM PLAGE DATA				SUNSPOT DATA								
75	11	4	13926	N05 E87	97	1400	3.5	19638	N03 E80	104	(AP)	3	B	80	1	HSX

(Cont'd)

*An asterisk beside the "Return of Region" number indicates that the new region is only part of the area of the old region.

92
Nov 75

REGIONS OF SOLAR ACTIVITY

NOVEMBER 1975

MCMATH REGION 13963

CMP DATE 30.7

CALCIUM PLAGE DATA

SUNSPOT DATA

YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	12	01	13963	S09 W13		200	1.5	19644	S10 W14		BP				
75	12	02	13963	S09 W29		200	1.5								
75	12	03	13963	S09 W39		100	1.0								
75	12	04	13963	S10 W53		200	1.0								

No calcium spectroheliograms were obtained at the McMath-Hulbert Observatory on Nov. 1, 3, 25, 26, 27, 29 and 30, 1975. No sunspot observations were made at Mt. Wilson Observatory on November 27 and 28, 1975.

DAILY CALCIUM PLAGE INDEX

NOVEMBER 1975

YR	MO	DAY	INDEX	YR	MO	DAY	INDEX	YR	MO	DAY	INDEX
75	11	1	*	75	11	11	11.2	75	11	21	8.1
75	11	2	3.5	75	11	12	9.7	75	11	22	8.2
75	11	3	*	75	11	13	7.0	75	11	23	5.7
75	11	4	2.4	75	11	14	8.5	75	11	24	5.8
75	11	5	5.6	75	11	15	9.2	75	11	25	*
75	11	6	8.7	75	11	16	10.8	75	11	26	*
75	11	7	8.8	75	11	17	10.6	75	11	27	*
75	11	8	10.1	75	11	18	11.3	75	11	28	2.2
75	11	9	9.4	75	11	19	11.3	75	11	29	*
75	11	10	9.5	75	11	20	9.6	75	11	30	*

* NO OBSERVATIONS

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

NOVEMBER 1975

NOV 1975	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE
	START UT	END UT		DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT	
10	2006	2400	CULG										
	2154	2400	MANI										
11	0000	0918	MANI										
	0000	0716	CULG				0240		1				IIIB
			CULG				0652	0652.5	1				IIIB
	0713	1535	DURN										
	0733	1405	WEIS										
	1133	2121	SGMR										
	1330	2400	BOUL										
	1345	2340	HARV										
	2016	2400	CULG										
	2154	2400	MANI										
12	0000	0918	MANI				0003.5	0005	1	0003.5	0005	1	IIIG
	0000	0714	CULG										
	0648	1535	DURN										
	0730	0945	WEIS				1122.8	1123.0	1				IIIB
	1055	1445	WEIS				1204.8	1205.2	2				IIIB
			WEIS				1414.2	2331.0	2	1414.2	2331.0	2	IIIN
	1330	2400	BOUL				1634	1635	1	1634	1635	1	IIIG
	1346	2340	HARV				1644		3	1644		3	IIIB
			HARV				1711		2	1711		2	U
			HARV							1819.0	1819.4	1	III
	1135	2120	SGMR				1819	1821	3	1819	1821	3	IIIG,V
			HARV				1830	1831	3	1830	1831	3	IIIB
			HARV				1905		2	1905		2	IIIB
			HARV				1914		2	1914		2	IIIB
			HARV				2059		1				IIIB
	2016	2400	CULG				2116	2121	1	2116.5	2121	1	IIIGG
			CULG	2115.5	2116.5	1	2117		3	2117		3	IIIB
			HARV				2121		2	2121		2	IIIB
			CULG				2157	2207.5	1	2157	2206	1	IIIGG,V
			HARV				2202	2205	1	2202	2205	1	IIIG
		CULG				2253		1				IIIB	
		CULG				2328.5	2332	1	2328.5	2332	1	IIIG,V	
2155	2400	MANI							2331.6	2331.8	2	III	
		CULG							2345.5		1	IIIB	
13	0000	0716	CULG				0000	0716	1	0000	0716	1	IIIN
			CULG				0015	0020	1	0017	0019	1	IIIG
			CULG				0137	0138	1	0137	0138	1	IIIG
			CULG				0203.5	0206	1	0203.5	0206	1	IIIG
			CULG	0324	0327	1	0322	0328	1	0322	0328	1	IIIGG
	0000	0918	MANI							0331.2	0332.5	3	IIIG
			CULG				0351.5		1	0351.5		1	IIIB
			CULG	0430	0432	1	0430	0434	2	0430.5	0433.5	1	IIIGG
			CULG				0524.5	0526.5	1				IIIG
			MANI							0527.3	0528.2	2	IIIG
			MANI							0618.7	0621.0	3	CONT
			CULG	0618	0621	1	0618	0621	2	0618	0620.5	2	IIIG,V
			WEIS										
	0730	0758	WEIS										
	0802	1136	WEIS										
	1136	2119	SGMR										
	1143	1446	WEIS										
	0651	1535	DURN	1306.3	1306.5	2							IIIG
		DURN	1311.5	1311.6	2							III	
1330	2400	BOUL											
1345	2340	HARV											
2016	2400	CULG											
2155	2400	MANI											
14	0000	0716	CULG				0112	0125					
			CULG	0405	0412	1	0404.5	0411	2	0405	0411	2	IIIN,W IIIGG,V,U
	0000	0918	MANI							0406.1	0411.0	3	CONT
	0000	0918	MANI							0406.3	0410.1	3	IIIG
			CULG				0412	0427	2				IIH
		MANI							0413.0	0418.5	3	CONT IIIG,W	
		CULG	0417	0417.5									

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

NOVEMBER 1975

NOV 1975	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE
	START UT	END UT		DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT	
14			CULG	0450	0452	1	0450	0452	2	0450.5	0452	1	IIIG,V
			MANI							0451.8	0453.5	3	IIIG
			CULG				0539	0540	1				IIIG
	0654	1535	DURN	0818.3	0820.5	1							III,DCIM
	1137	2118	SGMR										
	0725	1444	WEIS				1255.3	1257.6	2				IIIG
			WEIS				1343.6	1344.0	3				IIIG
			WEIS				1411.7	1412.6	2				IIIG
			DURN	1411.7	1411.9	2	1411.7	1411.9	2				IIIG,U
	1330	2400	BOUL				1412.0	1412.8	1	1412.0	1412.8	1	IIIG
			DURN	1412.3	1412.4	2							III
			BOUL							1526.8	1527.0	1	III
			BOUL				1532.5	1533.1	1	1532.5	1533.1	1	III
	1345	2340	HARV				1532	1533	1	1532	1533	1	IIIG
			BOUL				1547.3	1547.6	1	1547.3	1547.6	1	III
			BOUL				1549.0	1550.4	2	1549.0	1550.4	2	IIIG
			HARV				1549	1550	2	1549	1550	2	IIIG
			BOUL				1718.3	1718.6	1	1718.3	1718.6	1	IIIG
			HARV				1718		2	1718		2	IIIB
			BOUL				1720.2	1721.0	1	1720.2	1721.0	1	IIIG
			BOUL				1745	1840	1				IS
			BOUL				1758.4	1759.3	1	1758.4	1759.3	1	IIIG
		2016	2400	CULG									
	2155	2400	MANI										
15	0000	0917	MANI				0552.5	0553	1				IIIG
	0000	0717	CULG				0556	0557	1	0556	0556.5	1	IIIG
			CULG				0654.5						IIIB,W
	0656	0742	DURN										
	0749	1530	DURN	1030.2	1030.3	1							III,RS
			DURN	1114.6	1114.7	2							IIIG,RS
	1139	2117	SGMR										
	0724	1210	WEIS				1141.0	1147.0	2				IIIGG
			DURN	1141.1	1147.0	3	1141.1	1147.0	3				IIIGG,RS,0
			WEIS				1143.5	1145.5	2				IIIGG
			WEIS				1149.5	1154.2	3				II
			DURN	1149.5	1151.5	3							DCIM
			DURN	1158.8	1203.8	3	1159.4	1203.8	3				IIIG,DCIM
			WEIS				1159.4	1159.6	3				IIIB
			DURN	1207.8	1209.6	3	1208.0	1209.6	3				IIIG,DCIM
			WEIS				1208.0	1209.5	2				IIIGG,RS
			DURN	1212.3	1215.3	3	1213.8	1214.5	1				IIIG,DCIM
			DURN	1216.4	1218.6	3	1218.5	1218.6	3				IIIG,N,RS
			DURN	1224.3	1224.5	1							IIIG,RS
			DURN	1226.6	1226.6	2							III
			DURN	1232.3	1232.5	2							IIIG
	1330	2400	BOUL				1348	1530	2	1348	1530	2	IV
			DURN	1432.3	1432.6	2							IIIG
		BOUL				1432.7	1435.1	2	1432.7	1435.1	2	III	
		DURN				1433.2	1433.3	3				I	
		BOUL							1530	1928	1	CONT	
		BOUL				1530	1918	1				IS	
		BOUL				1918	2328	3	1928	2328	3	IV	
1345	2340	HARV				1951	2215	1	2024	2106	1	I	
2016	2400	CULG				2016	2400	1				IIIN	
		CULG	2016	2400	1	2016	2400	2				IS,CONT,DC	
		HARV				2113	2200	1	2113	2200	1	IIIN	
		CULG				2147	2147.5	2	2147	2147.5	2	IIIG,V	
		CULG							2150	2400		IIIN,W	
	2156	2400	MANI										
16	0000	0717	CULG				0000	0717	1				IS,CONT,DC
			CULG	0000	0717	1				0213	0550	1	IN
			CULG	0114	0717	1	0000	0717	1				IIIN
			CULG	0114	0115.5	1							FASTDRIFT
			CULG	0242	0243	2	0242	0243	1	0242	0243	1	IIIG
			CULG				0452	0452.5	2	0452	0452.5	2	IIIG
			CULG							0533.7	0550.3	3	IIIG
	0000	0917	MANI	0534	0543	1	0534	0550	2	0534	0550	2	IIIGG,V

98
Nov 75

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

NOVEMBER 1975

NOV 1975	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE			
	START UT	END UT		DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND						
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT				
16	0000	0917	CULG	0534	0550	1	0545	0553	1				II	CONT		
			CULG				0550	0717	2					H	CONT	
			MANI								0616.8	0701.3	2		CONT	
		0658	1532	CULG	0617	0625	1								IIIGG	
	CULG			0626	0627	1									IIIG	
	CULG			0630	0637	1									IIIGG	
	DURN			0658 E	1532 D	3	0658 E	1532 D	3							IC,N
	DURN			0705.0	0708.2	3	0705.0	0708.2	3							IIIGG,DCIM
	CULG			0705	0708	2										IIIGG
		1330	2400	DURN	0740.9	0741.1	3	0740.9	0741.1	2					III	
	DURN			0806.2	0806.3	2									IIIG	
	BOUL						1348	1449.2	1	1348	1449.2	1				CONT
		1345	2340	BOUL				1355	1449.2	2					IS	
	BOUL						1449.2	2000	3	1449.2	2000	3	IV			
	HARV						1455	1456	2							IIIGG
		1140	2116	HARV				1507	1554	1					IN	
	SGMR										1518.0	2116.0	1		CONT	
	HARV						1529	1531	2			1530	1531	2		IIIGG
	HARV						1647	1702	1			1649	1702	1		I
	HARV						1702	1744	2			1702	1744	2		I
	HARV						1742	1827	1			1742	1827	1		IIIN
	HARV						1744	2014	1			1744	2014	1		I
	HARV						1839	1944	2			1829	1944	2		IIIN
	BOUL											2000	2319	1		CONT
	HARV						2015	2018	2			2015	2018	2		IIIGG
		2017	2400	CULG				2017	2400	1					IIIS	
	CULG			2017	2400	1					2017	2047	1		IIIN	
	CULG			2017	2400	1	2017	2400	1						IS,CONT,DC	
	HARV						2027		2			2027		2		IIIG
		2156	2400	CULG				2146	2157	1					II	
BOUL										2155	2157	1		II		
MANI										2147.3	2202.6	2		II		
			CULG	2250.5	2251.5	2								IIIG		
			CULG	2340.5	2341	2								IIIG		
17	0000	0700	CULG	0000	0700	1	0000	0700	1					IS,CONT		
	CULG			0000	0700		0000	0700						IIIN,W		
	0000	0917	MANI													
	0659	1005	DURN	0659 E	1005 D	3	0659 E	1005 D	3					IC,N		
	DURN			0753 E	1005 D	3	0753 E	1005 D	3					DCIM,N		
	1141	2115	SGMR							1141.0	2115.0	3		CONT		
	1330	2400	BOUL				1346	2328	3	1346	2328	3	IV			
	1346	2340	HARV				1346	1640	1					I		
			HARV				1640	1816	1					IN		
			HARV				1648	1650	3	1648	1650	3		IIIGG,V		
			HARV				1651	1654	1	1651	1654	1		IIIG		
			HARV				1757	1800	1	1758	1800	1		IIIG		
			HARV				1816	1940	2					I		
			HARV				1823	1950	2					IIIS		
			HARV				1940	2224	1					IN		
			HARV				2000	2001	3	2000	2001	3		IIIG		
			HARV				2017	2021	3	2017	2021	3		IIIGG		
		2017	2400	CULG	2017	2400	1	2017	2400	2					IS,CONT	
	CULG							2017	2400	1	2017	2400	1		IIIS	
	CULG								2019	2020.5	3	2019	2020.5	2		IIIGG,V
	CULG								2055	2110	1	2055	2110	1		IIIGG
	HARV								2055	2103	2	2055	2103	2		IIIGG
	HARV								2105	2110	1	2105	2110	1		IIIGG
		2156	2400	MANI												
CULG							2330	2400	1						SCIN	
18	0000	0717	CULG	0000	0717	1	0000	0717	1	0000	0717	1		IIIS		
	CULG			0000	0717	1	0000	0717	2					IS,CONT,DC		
	CULG						0136.5	0137.5	2	0136.5	0137.5	2		IIIG		
	CULG									0140.5		2		IIIB		
	CULG						0404	0413	1					IIIGG		
	0000	0917	MANI							0407.7	0411.2	2		IIIG		
	0659	1528	DURN	0659 E	1528 D	3	0659 E	1528 D	3					IC,N		
	1142	2114	SGMR							1142.0	2114.0	2		CONT		

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS
NOVEMBER 1975

NOV 1975	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE									
	START UT	END UT		DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND												
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT										
18	1345 1330	2340 2400	HARV	1354	1400	3	1345	1817	1	1352.2	2326	3	IV	I								
			BOUL				1352.2	2326	3					OCIM								
			DURN											IIIN								
	2017 2400	2017	2400	HARV	2017	2400	2	1634	2014	1	2017	2400	2	2	IN							
				HARV				1817	1931	1					I							
				HARV				1931	2009	1					I							
				HARV				2009	2021	2					2009	2021	2	I				
				CULG				2017	2400	2					2017	2400	2	IS,CONT,DC				
				CULG				2017	2400	2					2017	2035	2	IIIS				
				HARV				2018	2154	2					2018	2154	2	IIIS				
				HARV				2021	2124	3					2021	2124	3	I				
				HARV				2033		3					2033		3	IIIG				
				CULG											2035	2400	1	IIIS				
				HARV				2124	2333	2					2124	2204	2	I				
				HARV				2155	2231	1					2155	2231	1	IIIN				
	CULG	2330	2340		2330	2340		SCIN														
	2157	2400	MANI					2339.6	2346.4	2	IIIG											
	19	0000	0717	CULG	0000	0135	2	0000	0135	2	0000	0717	1	1	IS,CONT,DC							
CULG				0000				0717	2	IIIS												
CULG				0110				0140	1	SCIN												
0000 0917		0135	0717	CULG	0135	0717	1	0135	0717	1	0330.5	0333	2	2	IS,CONT,DC							
				CULG				0329	0333	2					IIIGG							
				MANI											0330.2	0333.5	3	CONT				
				CULG				0422	0435	1								SCIN				
				CULG				0430	0433	1								IIIG				
				MANI											0431.0	0437.8	2	IIIG				
				DURN				0700 E	1528 D	3					0700 E	1528 D	3	0708.2	0708.6	3	IG,N	
				MANI											0708	0709	2	0708	6709	2	III	
				CULG											0720.9	0723.7	3				IIIG	
9 0760 1528	0700	1528	DURN	0723.2	0723.7	3	0723.2	0723.5	2	0720.9	0723.7	3	3	IIIG								
			DURN				0802.8	0806.4	3					IIIGG								
			DURN				0804.6	0804.6	3								III					
			DURN				0845.2	0846.1	3					0845.2	0846.1	3				IIIGG		
			DURN				0850.4	0946.5	3					0858.3	0946.5	2				IIIGG		
			SGMR														1144.0	2113.0	1	IV	CONT	
			HARV				1346	2340						1354	1623	1					IN	
			BOUL				1330	2400						1400	2325	3	1400	2325	3	IV	IN	
			HARV											1542	1723	1	1542	1723	1		IIIN	
			HARV											1623	1906	1					I	
			HARV											1724	1751	2	1724	1751	2		IIIS	
			HARV											1751	2007	1	1751	2007	1		IIIS	
HARV				1906	2221	1					IN											
HARV				2007	2159	1	2007	2159	1		IIIN											
CULG	2017	2400	1	2017	2335	1	2017	2400	1		IS,CONT,DC											
CULG				2017	2400	1	2017	2400	1		IIIS											
MANI	2157	2400					2316.2	2316.6	3		III											
HARV				2317		1	2317		1		IIIG											
CULG	2317	2318	1	2317	2318	2	2317	2318	2		IIIG,V											
CULG				2335	2400	2					IS,CONT,DC											
20	0000	0717	CULG	0000	0717	1	0000	0717	2	0000	0620	1	1	IS,CONT,DC								
			CULG				0000	0600	1					0000	0620	1	IIIS					
			MANI											0134.3	0134.5	3	III					
	0000 0917	0135	0135.5	CULG	0135	0135.5	1	0135	0135.5	2	0135	0135.5	2	2	IIIG							
				CULG				0500	0717	1								I				
				CULG				0500	0717	2								IIIS				
				DURN				0701 E	1535 D	3					0701 E	1535 D	3				IC,N	
				DURN				0827.2	0831.4	3					0827.2	0831.4	3				IIIGG	
				DURN				1030	1430	3					1030	1430	2				IV	
				SGMR														1145.0	2112.0	2		CONT
				HARV				1401	2340						1401	1438	1					I
				BOUL				1400	2400						1404.1	2328	3	1404.1	2328	3	IV	I
	HARV				1438	1930	2					I										
	HARV				1502	1600	1	1502	1600	1		IIIN										
	HARV				1544	1547	1	1544	1547	1		IIIG										
	HARV				1600	1705	1	1600	1705	1		IIIS										
	HARV							1603	2053	1		I										
	HARV				1705	1927	2	1705	1927	2		IIIS										
HARV				1927	2108	1	1927	2108	1		IIIS											

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

NOVEMBER 1975

NOV 1975	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE	
	START UT	END UT		DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND				
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT		
25	0000	0917	MANI											
	0000	0719	CULG											
	1151	2109	SGMR											
	1400	2400	BOUL											
	1402	2340	HARV											
	2019	2400	CULG											
	2201	2400	MANI											
26	0000	0917	MANI											
	0000	0719	CULG											
	1152	2109	SGMR											
	1320	1602	DURN											
	2201	2400	MANI											
	2019	2400	CULG	2205	2255									IS,W
	1400	2400	BOUL				2228.3	2239.2	1					II
			CULG				2229.5	2245	1					II
			BOUL							2231.3	2239.0	1		II
	1401	2340	HARV				2231	2235	1					I
			BOUL				2234.7	2327.6	1	2234.7	2327.6	1		IV
		CULG	2239.5	2240		2233	2235	1					IIIG	
		CULG				2239	2400	1					CONT	
		CULG				2251	2252	1					UNCL	
27	0000	0713	CULG				0000	0035	1					CONT
	0000	0917	MANI											
	1153	2108	SGMR											
	1400	2400	BOUL				2041.1	2041.3	1	2041.1	2041.3	1		III
	1402	2340	HARV				2041		2					IIIB
	2202	2400	MANI											
	2056	2400	CULG				2304	2304.5						IIIG,W
28	0000	0720	CULG											
	0000	0917	MANI											
	1155	2108	SGMR											
	1400	2400	BOUL											
	1401	2340	HARV											
	2020	2400	CULG											
	2203	2400	MANI											
29	0000	0917	MANI											
	0000	0720	CULG											
	1039	1525	DURN											
	1156	2107	SGMR											
	1400	2400	BOUL											
	1401	2340	HARV											
	2020	2400	CULG											
2203	2400	MANI												
30	0000	0917	MANI											
	0000	0720	CULG											
	1157	2107	SGMR											
	1400	2400	BOUL											
	1401	2340	HARV											
	2020	2400	CULG											
2204	2400	MANI												

The symbols used in connection with the spectral type in describing the important bursts are as follows:

- | | |
|---|-------------------------------|
| B = Single burst | RS = Reverse slope burst |
| G = Small group (< 10) of bursts | DP = Drifting pairs |
| GG = Large group (> 10) of bursts | DC = Drifting Chains |
| C = Underlying continuum (particularly with type I) | H = Herringbone |
| S = Storm in the sense of intermittent but
apparently connected activity | W = Weak |
| N = Intermittent activity in this period | P = Pulsations |
| U = U-shaped burst of Type III | CONT = Continuum |
| | UNCLF = Unclassified activity |

SELECTED SOLAR EVENTS
NOVEMBER 1975

Culgoora

UT Date 1975 NOV.	HELIOGRAPH EVENT						Spectral Type	REMARKS	
	Start (UT)	End (UT)	Freq. (MHz)	Positions		Polarization			Intensity (1-3)
				Central Dist. (R_g)	Position Angle (Deg.)				
3	0221	0223	80	(1.1 ((1.0	70)) 120)	0	+	IIIG,U	
13	0203	0206	160 80 43.25	0.7 1.2 1.5	120 120 120	0 0 -		IIIG	*
14	0404	0416	160 80 43.25	1.3 1.3 1.5	150 140 120	0 0 -))	IIIGG,V	
	0412	0419	160 80 43.25	1.3 1.3 1.5	150 140 120	0 0 -))	II	followed by type IV at approx. same positions
16	0217	0219	160 80 43.25	0.7 0.9 1.0	150 140 130	0 0 -))	IIIG	*
	2240/15	0518	160 80	0.9 1.0	140 140	R R))	I	(This source persisted until end of observations on Nov. 21
18	0310	0312	43.25	1.2	330	-)	IIIG	*
19	0327	0335	(80 (43.25	0.3 1.1	330 320	0 -))	IIIG	*

Days without Heliograph observations: Daily observations

* Other type IIIbursts observed at same position during day.

† Because of equipment modifications which are in progress, intensity classifications are not available. An indication of intensities can be obtained from corresponding entries in "Solar Radio Emission - Spectral Observations"


COSMIC RAY INDICES
(Neutron Monitors)
NOVEMBER 1975

NOV. 1975	THULE Average cts/hr	ALERT Average cts/hr	DEEP RIVER Average cts/hr	CALGARY Average cts/hr	SULPHUR MT Average cts/hr	KIEL Average cts/hr	CLIMAX Average cts/hr	TOKYO Average cts/hr
1	4555.5	7614.7	7109.8	11857.5	9057.1(23)	6390.2	4291.7	3556.9
2	4505.8	7532.0	7042.0	11743.2	-- (0)	6332.9	4265.5	3548.5
3	4472.3	7481.0	7004.6	11684.3	-- (0)	6316.1	4260.3	3551.0
4	4483.5	7484.8	6993.2	11648.3	-- (0)	6289.9	4234.6	3534.1
5	4441.0	7436.6	6934.0	11575.2	-- (0)	6249.1	4177.7	3510.7
6	4444.3	7432.4	6941.3	11586.8	-- (0)	6256.4	4193.1	3507.0
7	4459.3	7453.7	6935.2	11621.7	-- (0)	6249.3	4184.7	3511.1
8	4475.4	7470.4	6980.5	11733.2	8999.2(7)	6274.4	4216.9	3532.2
9	4468.6	7473.1	7021.0	11816.6	8987.6	6317.7	4277.7	3553.8
10	4450.3	7449.1	6987.2	11709.4	8918.0	6293.0	4223.2	3540.3
11	4438.3	7426.1	6977.2	11683.8	8878.4	6272.4	4225.9	3542.2
12	4433.1	7397.2	6965.4	11674.2	8825.4	6265.3	4193.2	3530.4
13	4423.9	7392.2	6946.0	11584.1	8755.8	6247.3	4147.5	3518.4
14	4424.4	7399.1	6970.6	11583.5	8785.8	6232.4	4154.8	3512.8
15	4428.6	7411.1	6980.1	11640.5	8837.3	6238.5	4170.6	3515.2
16	4450.2	7454.3	6984.8	11691.5	8885.2	6309.4	4188.5	3534.0
17	4443.2	7434.0	6951.5	11673.3	8865.8	6304.6	4207.9	3532.9
18	4440.3	7420.0	6950.3	-- (0)	8842.5	6287.0	4215.0(6)	3530.1
19	4411.2	7368.1	6907.4	11632.0(4)	8770.9	6231.8	-- (0)	3513.0
20	4395.0	7342.3	6883.2	11535.3	8745.1	6203.2	-- (0)	3511.2
21	4414.8	7381.5	6886.8	11471.5	8711.6	6201.3	-- (0)	3505.7
22	4400.4	7342.3	6879.9	11440.8	8670.2	6184.4	-- (0)	3513.7
23	4363.3	7288.4	6862.7	11424.3	8665.0	6161.5	-- (0)	3521.8
24	4390.8	7330.4	6909.7	11491.2	8663.8(18)	6199.2	-- (0)	3528.0
25	4421.6	7377.1	6969.2	11613.6	-- (0)	6244.2	4189.5	3537.6
26	4437.1	7391.5	6997.3	11684.4	-- (0)	6276.8	4206.0	3542.1
27	4471.1	7445.6	7012.7	11761.0	-- (0)	6329.5	4238.7	3544.3
28	4501.3	7499.4	7050.4	11851.3	-- (0)	6357.9	4269.1	3554.2
29	4468.2	7449.3	6997.2	11742.1	8942.3(7)	6327.3	4261.2	3548.3
30	4473.4	7448.3	6961.2	11697.0	8940.0(7)	6306.9	4231.4	3553.8
MEAN	4446.2	7427.5	6966.4	11650.1	8837.4	6271.7	4217.7	3531.2

() Number of hours for which data are available if less than 24. Number of Section Hours at Climax if sum of both sections is less than 40 hours.

Thule, Alert, Calgary, Sulphur Mountain, Kiel and Climax Scaling Factors = 100.
Deep River Scaling Factor = 300.
Tokyo Scaling Factor = 128.

COSMIC RAY INDICES
(Neutron Monitors)
NOVEMBER 1975




GEOMAGNETIC ACTIVITY INDICES

NOVEMBER 1975

Day	Three-Hour Range Indices Kp									Cp	Ap	aa			
	1	2	3	4	5	6	7	8	Sum			N	S	M	
1 Q	1+	1+	2-	2+	2-	1	1-	3+	13+	0.4	7	15	18	12	21
2 D	2+	3	2	3+	4-	4	7-	6	31	1.4	36	48	46	24	71
3 D	6	6-	6-	5+	5	6	6-	5+	45-	1.7	65	75	76	75	76
4 D	5+	5+	5	5	5	4+	4	3-	37-	1.5	41	60	52	58	54
5	3+	3-	3-	5-	3	4+	4	3+	28	1.1	22	43	37	39	41
6	3+	3+	2-	2+	3+	3	0+	1-	18	0.6	11	21	23	23	21
7	3-	3-	2-	3-	2+	3+	2+	1+	19	0.6	10	20	24	19	26
8 Q	2	2-	3-	2	1	2	2-	1+	14+	0.3	7	14	11	13	12 C
9	2	3+	5-	4-	4	6-	6+	4-	33+	1.4	37	52	60	40	72
10	3	2-	2-	3-	3-	3-	4	6-	24	1.0	20	38	28	18	49
11	4	3-	2+	3-	2	3-	3	3-	22	0.8	13	27	32	24	34
12	4-	3-	2	2-	1+	2	2	2-	17	0.5	9	16	16	19	14
13QQ	1+	2+	1+	1-	0+	0	1-	0+	7	0.1	4	7	8	9	6 CC
14QQ	0+	1-	0+	0+	0+	1	2	1	6	0.1	3	7	11	8	11 CC
15QQ	1	1	1	0+	0	1-	1	3	8	0.2	4	9	9	8	10 CC
16QQ	2+	2+	2+	1	1	1-	1+	1	12	0.3	6	11	12	12	11 CC
17	1-	1-	2	2+	4+	4+	4	4-	22	0.9	17	36	30	13	52
18 Q	3	2-	2-	2+	2-	1	1	1	13+	0.3	7	13	15	19	9
19 Q	2	3-	4-	1+	1	1	2+	1+	15+	0.5	8	15	15	18	13
20	2+	2	2	1	1-	3-	3-	3+	17-	0.5	9	23	16	16	24
21	5-	3+	4+	4-	2-	1	3	3-	24+	1.0	18	29	26	34	21
22 D	2	3+	5	6-	5	6+	6+	4-	37+	1.6	50	85	89	55	120
23 Q	4+	2-	2+	1-	1-	1+	1	1	13	0.4	8	14	12	19	8 K
24	1+	1	0+	2	4	4	4-	3-	19	0.8	13	24	29	12	40
25	4+	3-	3	3	3	3	2	2+	23+	0.8	15	24	23	25	23
26	1	2+	4+	4+	4-	1-	1	2-	19	0.8	14	19	36	41	15
27QQ	2+	1-	2	1+	1	1+	1	2-	11+	0.2	5	12	9	12	10 C
28	3-	1+	3	2+	3	2+	2-	1	17+	0.5	9	16	19	19	16
29	2	3-	5-	5	4-	5-	5	3+	31	1.3	29	53	47	39	62
30 D	5	5-	4+	4-	5	4-	5-	5-	36-	1.4	36	52	49	39	62
MEAN										0.77	18	29.3	29.4	29.4	

GEOMAGNETIC ACTIVITY INDICES



DAILY AVERAGE INDICES Ap

DAY	1974	1975										
	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV
1	6	7	37	21	7	6	24	12	9	7	6	7
2	15	4	23	10	5	16	28	6	7	6	2	36
3	15	7	12	11	6	19	12	7	5	3	11	65
4	9	32	10	9	7	14	11	6	6	3	9	41
5	7	27	17	30	10	34	12	5	29	4	6	22
6	4	26	8	20	15	35	11	6	7	13	25	11
7	8	44	15	3	25	22	6	12	5	7	38	10
8	13	36	8	2	32	14	4	37	14	6	45	7
9	42	7	11	8	52	16	5	35	15	24	37	37
10	20	6	38	80	35	19	4	17	15	26	24	20
11	21	4	36	53	34	2	14	18	7	26	8	13
12	18	4	35	37	27	3	27	5	4	19	12	9
13	22	32	27	29	29	6	14	10	5	17	7	4
14	13	33	25	29	21	14	8	13	16	13	9	3
15	14	15	21	20	7	3	13	15	18	8	5	4
16	8	21	30	27	6	28	17	12	5	6	10	6
17	18	29	14	13	5	14	12	14	9	13	8	17
18	28	22	15	17	6	7	12	15	6	14	4	7
19	27	10	11	11	5	15	12	9	4	8	3	8
20	21	10	8	14	25	23	6	6	15	7	5	9
21	19	6	8	3	23	12	9	6	17	6	6	18
22	14	8	7	6	15	11	5	6	12	4	6	50
23	17	12	32	13	25	8	4	6	10	4	7	8
24	14	10	17	14	17	5	3	6	6	2	4	13
25	12	5	20	8	8	14	4	33	9	3	4	15
26	12	5	9	17	9	18	5	19	5	14	5	14
27	21	14	5	34	5	10	4	11	6	14	5	5
28	12	12	12	38	3	5	4	10	5	8	9	9
29	11	6	22	2	11	26	4	4	27	5	12	29
30	6	7	10	6	6	22	5	5	14	2	9	36
31	14	16		13		4		5	6		19	
MEAN	15	16	18	20	16	13	11	12	10	10	12	18

HOURLY EQUATORIAL DST VALUES (PROVISIONAL)

NOVEMBER 1975

NASA/GODDARD SPACE FLIGHT CENTER

(Time-UT)

(Units-Gammas)

DAY	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
1	-28	-27	-23	-22	-23	-20	-20	-23	-22	-18	-12	-10	-8	-8	-8	-10	-12	-9	-9	-8	-10	-8	-8	-11
2	-7	-8	-12	-15	-13	-14	-13	-10	-6	-5	-3	-23	-34	-33	-24	-24	-31	-37	-53	-56	-63	-57	-57	-56
3	-52	-55	-58	-56	-59	-63	-66	-70	-76	-70	-63	-54	-54	-49	-50	-54	-53	-59	-57	-64	-62	-66	-71	-67
4	-56	-56	-53	-63	-64	-56	-57	-55	-56	-51	-43	-42	-41	-43	-43	-42	-48	-49	-43	-43	-42	-39	-36	-31
5	-26	-25	-27	-26	-27	-26	-34	-36	-29	-26	-34	-34	-30	-30	-30	-33	-42	-41	-37	-36	-38	-40	-38	-37
6	-35	-38	-38	-34	-34	-36	-33	-31	-29	-30	-32	-33	-29	-27	-21	-24	-28	-25	-25	-23	-24	-23	-24	-23
7	-20	-23	-27	-26	-26	-24	-19	-18	-18	-20	-21	-24	-26	-24	-22	-24	-24	-27	-24	-23	-23	-24	-26	-25
8	-22	-23	-22	-20	-21	-21	-22	-23	-25	-24	-25	-25	-25	-25	-24	-22	-22	-20	-21	-21	-23	-26	-28	-27
9	-27	-26	-20	-16	-9	-10	-1	-8	-25	-33	-32	-31	-30	-29	-42	-66	-89	-108	-114	-99	-90	-94	-88	-81
10	-70	-62	-48	-40	-40	-41	-40	-36	-34	-26	-23	-23	-21	-21	-25	-29	-22	-24	-28	-40	-36	-43	-53	-45
11	-47	-46	-41	-36	-35	-36	-34	-32	-29	-27	-26	-26	-25	-22	-19	-18	-18	-21	-27	-26	-26	-25	-25	-25
12	-28	-39	-34	-31	-27	-26	-24	-23	-21	-19	-20	-20	-21	-19	-19	-23	-23	-24	-24	-24	-24	-23	-22	-21
13	-20	-18	-17	-16	-16	-15	-12	-13	-13	-12	-10	-9	-9	-7	-9	-11	-14	-14	-15	-13	-10	-9	-11	-11
14	-10	-10	-9	-9	-9	-9	-10	-11	-12	-10	-10	-11	-11	-11	-11	-13	-12	-12	-11	-11	-14	-15	-15	-14
15	-14	-14	-11	-10	-8	-10	-11	-9	-7	-5	-5	-5	-7	-8	-8	-9	-9	-10	-11	-10	-10	-8	-8	-12
16	-14	-13	-15	-18	-20	-18	-19	-19	-17	-19	-21	-21	-18	-16	-11	-7	-4	-2	-1	-4	1	2	2	11
17	12	13	8	9	9	12	19	18	15	13	9	-4	-24	-42	-56	-68	-79	-85	-90	-91	-93	-93	-84	-74
18	-57	-52	-48	-44	-42	-38	-36	-32	-25	-15	-19	-16	-19	-18	-17	-19	-20	-21	-19	-18	-19	-17	-16	-9
19	-1	-4	-4	-6	-6	-6	-15	-17	-13	-11	-13	-14	-13	-11	-6	-6	-5	-1	-1	-11	-16	-17	-18	-17
20	-15	-14	-9	-8	-6	-4	-4	-7	-7	-9	-8	-6	2	6	5	0	-6	-13	-13	-10	-13	-17	-14	-9
21	-12	-10	-7	-8	-15	-21	-22	-27	-26	-28	-33	-27	-22	-21	-19	-17	-18	-18	-16	-20	-20	-21	-20	-6
22	0	-1	6	5	3	0	3	-12	-26	-22	-27	-39	-36	-43	-50	-77	-90	-82	-102	-101	-94	-95	-92	-86
23	-73	-62	-56	-50	-46	-45	-41	-33	-30	-26	-25	-26	-27	-25	-24	-24	-27	-27	-30	-29	-30	-30	-30	-25
24	-20	-20	-18	-16	-18	-16	-16	-17	-16	-14	-11	-4	1	2	0	-15	-17	-26	-30	-34	-38	-36	-36	-30
25	-26	-22	-24	-24	-23	-27	-25	-26	-26	-25	-25	-16	-10	-10	-10	-23	-19	-21	-18	-17	-21	-22	-18	-16
26	-14	-14	-12	-12	-14	-10	-7	-10	-9	-20	-25	-22	-18	-11	-11	-15	-15	-16	-15	-14	-14	-15	-14	-14
27	-19	-22	-21	-18	-15	-14	-13	-15	-18	-17	-15	-14	-14	-16	-18	-16	-16	-15	-14	-15	-14	-17	-16	-14
28	-13	-9	-8	-6	-8	-13	-18	-14	-11	-8	5	11	6	2	3	-3	-7	-6	-6	-8	-10	-11	-5	-4
29	-4	-5	-3	1	3	10	1	-20	-16	-11	-19	-28	-33	-33	-29	-35	-46	-51	-49	-48	-50	-50	-54	-50
30	-43	-42	-49	-40	-36	-40	-42	-40	-39	-35	-27	-28	-29	-33	-36	-37	-36	-41	-43	-42	-51	-53	-46	-37



NOV

PRINCIPAL MAGNETIC STORMS

NOVEMBER 1975

OBS. 2 letter IAGA code	GEOMAG- NETIC LATI- TUDE	COMMENCEMENT			SC - AMPLITUDES			MAXIMUM 3 HOUR - INDEX K		RANGES			UT END	
		DAY	hr min (UT)	TYPE	D(°)	H(γ)	Z(γ)	DAY (3 HOUR PERIOD)	K	D(°)	H(γ)	Z(γ)	DAY	HOURL
MB	21.3N	1	22--	02(7) 03(6) 04(1)	5	4	41	27	06	03	
HD	07.6N	1	2200	02(5,6,7) 03(4,5,6,7) 04(5) 05(4,6)	5	6	147	21	05	22	
CO	64.6N	2	09--	03(4)	8	495	2860	1780	05	24	
SI	60.0N	2	09--	03(4)	-	140	--	--	04	16	
NE	55.1N	2	03--	03(3,4)	7	59	286	435	06	18	
WI	54.2N	2	15--	02(7) 03(6)	7	45	260	105	05	22	
FR	49.6N	2	15--	04(1)	6	35	160	95	06	07	
BD	48.9N	2	09--	03(3)	6	45	136	120	06	08	
TU	40.4N	2	15--	03(3,4) 04(1)	6	22	120	25	05	51	
SJ	29.9N	2	1100	02(7)	6	6	126	35	04	24	
HO	21.9N	2	08--	03(3)	5	8	94	29	04	--	
AL	09.5N	2	04--	02(4,6,7,8) 03(4,5,6,7) 04(5,6)	5	6	145	22	04	20	
GU	04.0N	2	0839	03(4)	5	0	80	20	04	17	
AN	01.5N	2	04--	--	-	5	157	54	04	20	
HU	00.6S	2	1059	02(6)	6	11	220	34	04	21	
TV	01.1S	2	04--	--	-	4	178	83	04	20	
AP	16.0S	2	08--	03(3)	5	6	101	29	06	01	
PM	18.7S	2	07--	02(4) 03(4,6) 04(4)	5	6	110	50	06	17	
HR	33.7S	2	08--	02(6,7,8) 03(6,7)	5	27	115	96	04	21	
GN	43.2S	2	06--	03(5,6,7) 04(4,5)	6	20	110	120	04	21	
TO	46.7S	2	11--	03(4)	6	22	140	80	04	21	
KG	56.5S	2	09--	02(7) 03(6)	9	--	--	--	06	18	
CO	64.6N	9	07--	09(6)	8	429	1940	1350	09	22	
SI	60.0N	9	07--	09(6)	7	100	580	480	09	21	
NE	55.1N	9	01--	09(3,6,7)	5	38	206	96	12	08	
WI	54.2N	9	07--	09(6,7)	6	45	205	200	10	02	
BD	48.9N	9	0753	SC*	4	55	-18	09(6)	5	17	194	40	10	08
SJ	29.9N	9	0151	09(6)	6	5	167	22	11	37	
HO	21.9N	9	01--	09(6)	5	8	67	17	--	--	
MB	21.3N	9	0150	09(7) 10(8)	5	4	90	10	11	06	
AL	09.5N	9	01--	09(6)	6	4	246	22	09	22	
HD	07.6N	9	0200	09(6)	6	4	247	15	11	01	
GU	04.0N	9	0148	09(3)	5	0	110	20	11	05	
AN	01.5N	9	01--	--	-	3	255	64	09	22	
HU	00.6S	9	0147	09(6)	6	10	271	45	10	24	
TV	01.1S	9	01--	--	-	5	266	117	09	22	
HR	33.7S	9	02--	09(6,7) 10(8)	6	33	191	174	10	03	
GN	43.2S	9	03--	09(7)	7	27	110	130	10	07	
TO	46.7S	9	03--	09(3,6,7)	5	30	140	110	09	22	
HD	07.6N	16	1800	17(6)	6	5	228	12	18	18	
CO	64.6N	17	08--	17(5,6)	7	338	1320	1260	17	24	
NE	55.1N	17	08--	17(5,6)	5	29	98	83	18	03	
AL	09.5N	17	06--	17(5)	6	4	216	21	17	20	
AN	01.5N	17	06--	--	-	3	235	36	17	20	
TV	01.1S	17	06--	--	-	2	254	--	17	20	
HR	33.7S	17	04--	17(5,6)	5	18	170	106	18	12	
NE	55.1N	20	20--	22(4)	7	47	313	275	24	01	
BD	48.9N	20	19--	22(6)	6	30	206	106	23	08	
WI	54.2N	21	2305	SC	- 2	+26	0	22(6,7)	7	52	295	90	23	01
FR	49.6N	21	2305	SC*	- 0.5	+12	- 2	22(3,4,5,6,7)	5	18	190	80	23	01
TU	40.4N	21	23--	22(4,6)	6	15	175	20	23	03	
HO	21.9N	21	2304	SC	- 0	+ 5	+ 3	22(4)	5	8	94	29	22	22
AL	09.5N	21	2304	SC	- 0.4	10	- 4	22(6)	6	5	208	26	22	20
HD	07.6N	21	2306	SC	- 0.3	+10	- 1	22(6)	6	5	214	14	23	01
GU	04.0N	21	2305	SC	--	15	-04	22(6)	6	0	140	20	22	21
AN	01.5N	21	2304	SC	- 0.5	12	..	--	-	4	200	59	22	20
TV	01.1S	21	2304	SC	0.0	10	12	--	-	3	198	--	22	20
PM	18.7S	21	2304	SC*	- 0.9*	+12	+ 8	22(4,6)	6	7	120	60	22	22
HR	33.7S	21	2304	SC	+ 1	+13	+ 9	22(6)	6	37	173	155	23	01
CO	64.6N	22	06--	22(4)	8	610	2440	1720	22	21	
SI	60.0N	22	06--	22(4)	-	190	--	640	22	22	
HU	00.6S	22	0210	22(7)	6	10	276	39	23	01	
AP	16.0S	22	00--	22(4)	5	5	141	17	23	02	
GN	43.2S	22	02--	22(6)	7	28	110	170	22	23	
TO	46.7S	22	03--	22(4,5,6)	6	30	180	110	22	23	
HD	07.6N	23	0632	SC	- 0.1	+ 3	0	24(5)	5	1	69	16	24	22
PM	18.7S	23	0631	SC	+ 0.3	+ 6	+ 5	26(3,4)	5	5	70	50	27	00

PRINCIPAL MAGNETIC STORMS

NOVEMBER 1975

OBS. 2 letter IAGA code	GEOMAG- NETIC LATI- TUDE	COMMENCEMENT			SC - AMPLITUDES			MAXIMUM 3 HOUR - INDEX K		RANGES			UT END	
		DAY	hr min (UT)	TYPE	D(°)	H(γ)	Z(γ)	DAY (3 HOUR PERIOD)	K	D(°)	H(γ)	Z(γ)	DAY	HOURL
HU	00.6S	24	1050	24(5,6)	5	08	177	37	25	24
HD	07.6N	25	1200	25(6) 26(4)	4	2	91	16	26	24
CO	64.6N	29	07--	29(4) 01(4) 02(3)	7	314	1380	1070	03	02
SI	60.0N	29	06--	29(4)	7	70	460	460	03	01
NE	55.1N	29	04--	01(4)	6	46	161	179	04	20
WI	54.2N	29	07--	29(6,7) 30(7)	6	50	195	90	30	24
FR	49.6N	29	04--	29(3,4) 30(1,5) 01(1,2,8) 02(4)	5	35	110	50	03	02
BD	48.9N	29	04--	30(5)	6	36	125	126	03	04
TU	40.4N	29	04--	29(3,4,7) 30(1,2,5) 01(1,2,4) 02(4)	5	19	120	25	03	03
SJ	29.9N	29	0434	SC	--	6	--	29(6)	5	8	90	25	01	06
HO	21.9N	29	04--	30(5)	5	5	89	13	--	--
AL	09.5N	29	04--	29(3,4,7)	5	3	145	23	29	21
HD	07.6N	29	0430	29(3,4,5,6,7) 30(5) 01(6)	5	5	156	21	03	01
GU	04.0N	29	0433	29(3)	5	0	90	20	30	24
AN	01.5N	29	04--	--	-	4	161	65	29	21
HU	00.6S	29	0432	29(6)	6	10	191	29	30	24
TV	01.1S	29	04--	--	-	4	180	127	29	21
PM	18.7S	29	04--	30(1)	5	6	100	50	03	30
HR	33.7S	29	04--	29(3,4,6) 30(5,7)	5	25	109	106	12	03
GN	43.2S	29	04--	29(4,6) 30(5,8) 01(5,6)	5	16	90	130	02	18
KG	56.5S	29	06--	06(6)	7	--	--	12	03	06

Reports were received from the following observatories:

College Sitka Newport	Witteveen Fredericksburg Boulder	Tucson San Juan M'Bour	Honolulu Alibag Hyderabad	Guam Annamalainagar	Huancayo Trivandrum	Apia Port Moresby	Hermanus Gnangara	Toolangi Port-aux-Francais
-----------------------------	--	------------------------------	---------------------------------	------------------------	------------------------	----------------------	----------------------	-------------------------------

110
Nov 75

SUDDEN COMMENCEMENTS AND SOLAR FLARE EFFECTS

NOVEMBER 1975

PRELIMINARY REPORT ON RAPID MAGNETIC VARIATIONS (by Dr. A. Romana)

The meaning of the station symbols is given in the IAGA-Bulletins nr. 12 and 32. Times of ssc and si are mean values. If given by ten or more stations they are underlined.

Sudden commencements followed by a magnetic storm or a period of storminess (ssc)

21 2305 A: LG LM; B: IK CI FR QU BA PM HU PP DU; C: NI VI CF (si: B: NU PE; C: TL?)

Sudden impulses found in the magnetograms (si)

23 0631 A: SO NU LG FR; B: DO WN IK; C: ES? NI (ssc: B: VI QU BA PM HU; C: PP)

Solar-flare effects (sfe)

Effects confirmed by ionospheric or solar observations are underlined.

07 1517 - 1524 LG

11 1033 - 1119 NI (si: C: LM)

21 0957 - 1027 TL? QU

RADIO PROPAGATION QUALITY FIGURES AND FORECASTS



NOVEMBER 1975

North Atlantic

NOV 1975	WHOLE DAY INDICES NORTH ATLANTIC	ADVANCE FORECASTS (JC- REPORTS) FOR WHOLE DAY	NORTH ATLANTIC								GEOMAGNETIC INDICES		
			6-HOURLY QUALITY FIGURES				SHORT-TERM FORECASTS ISSUED ABOUT ONE HOUR IN ADVANCE OF				K_{FR}		A_{FR}
			00 TO 06	06 TO 12	12 TO 18	18 TO 24	02	08	14	20	HALF DAY (1) (2)		OBSERVED
01	60	6	5+	60	7-	6+	5	5	5	5	2	1	5
02	60	5	60	60	60	60	5	5	5	5	3	(4)	22
03	5-	5	50	4+	50	4+	4	3	4	4	(5)	(5)	40
04	5-	4	4+	5-	50	50	3	3	4	4	(5)	3	28
05	50	4	5-	4+	60	50	4	4	5	5	3	3	14
06	5-	5	50	3+	5+	5+	4	4	5	5	3	2	11
07	50	5	5+	4+	5+	5-	5	5	5	6	2	2	9
08	50	5	50	50	50	5+	5	5	5	6	2	1	6
09	5+	6	5+	50	5+	5+	5	5	4	5	3	(4)	20
10	6-	6	5+	50	6+	6-	4	4	4	5	2	3	15
11	6-	6	6-	5+	6+	6-	5	5	5	6	3	2	11
12	6-	6	60	5+	6-	6-	5	5	5	6	3	2	9
13	6-	6	6-	50	6-	60	6	6	6	6	1	0	2
14	6-	6	5+	50	6+	6+	5	5	6	6	0	1	2
15	6+	6	60	6+	6+	60	6	6	6	6	1	1	2
16	6+	6	60	6+	6+	60	6	6	6	6	2	1	6
17	60	6	60	7-	60	60	5	5	5	5	2	3	10
18	6+	6	6-	6+	7-	6+	5	5	5	6	2	1	6
19	60	6	60	60	7-	6-	5	5	5	6	3	1	9
20	60	6	60	6+	60	6-	6	5	6	6	2	2	5
21	6-	6	6-	6-	7-	5+	5	5	5	5	(4)	2	17
22	5+	6	50	5+	60	5+	5	5	5	4	(4)	(5)	34
23	6-	6	5+	5+	60	6-	3	3	5	5	2	1	5
24	6-	6	6-	5+	60	6-	5	5	5	5	1	3	10
25	6-	6	6-	5-	6-	6-	5	5	5	5	3	3	16
26	6-	6	50	5+	60	60	5	5	4	5	3	2	9
27	6-	5	60	6-	6-	60	5	5	5	6	2	1	5
28	5+	5	6-	50	60	50	5	5	5	5	3	2	11
29	6-	4	5+	60	6+	5+	5	5	5	5	(4)	(4)	24
30	5+	4	50	5+	60	6-	4	4	4	4	(4)	(4)	28


TRANSMISSION FREQUENCY RANGES -- NORTH ATLANTIC PATH

NOVEMBER 1975



TRANSMISSION FREQUENCY RANGES -- NORTH ATLANTIC PATH

NOVEMBER 1975



Field strengths from five frequencies, 6.425, 8.542, 12.813, 17.084 and 22.378 MHz, observed on a Lüchow - Halifax circuit are represented above. Heavy solid lines represent field strengths ≥ -12 dB above $1 \mu\text{V/m}$ (transmitter power reduced to 1 kW). Observed field strengths between -12 dB above $1 \mu\text{V/m}$ and -40 dB above $1 \mu\text{V/m}$ are represented by the fine line.

Adapted from Observations by Deutsche Bundespost


RADIO PROPAGATION QUALITY INDICES

NOVEMBER 1975


Quality Indices calculated for reception at Lüchow

	TOKYO	HALIFAX	MAURITIUS	CANBERRA	BRACKNELL
1	7.2	8.5	9.4	5.1	13.8
2	7.0	6.3	8.9	5.2	13.6
3	5.4	3.0	8.3	5.0	13.4
4	5.5	2.8	6.9	4.7	12.3
5	5.8	4.1	7.8	4.7	12.9
6	4.8	4.8	8.2	4.5	12.2
7	6.0	5.2	9.2	5.0	13.3
8	7.3	6.4	8.1	4.9	12.9
9	5.4	4.5	9.4	5.0	12.8
10	6.0	6.3	7.9	4.7	13.6
11	6.6	6.0	7.7	4.9	13.5
12	7.0	6.4	7.5	5.2	13.7
13	7.2	7.1	7.6	5.3	13.7
14	6.8	7.6	6.6	6.2	13.1
15	6.9	8.0	7.2	5.4	14.4
16	7.3	7.6	7.4	6.0	13.7
17	7.8	7.3	7.4	5.8	13.6
18	7.4	7.7	6.5	5.5	13.4
19	7.0	7.3	6.0	5.4	13.5
20	7.0	7.0	6.3	5.5	12.1
21	7.0	6.6	6.5	5.4	13.2
22	7.3	6.0	6.3	5.7	13.6
23	7.2	5.4	6.0	4.5	13.5
24	6.0	5.7	6.9	5.4	13.8
25	5.5	4.9	6.8	5.0	13.1
26	6.3	5.2	6.7	5.1	13.9
27	6.6	5.4	6.7	5.2	13.4
28	5.8	6.4	6.0	5.3	14.2
29	7.0	6.0	6.9	5.4	14.0
30	5.7	5.5	6.6	4.8	13.3
MEAN	6.5	6.0	7.3	5.2	13.4

The method of calculation of the radio propagation indices changed in July 1974. An absolute quality figure is calculated for a 24-hour period from Tokyo, Halifax, Mauritius (Africa) and Canberra. The figure 0.0 corresponds to a median field strength of -30 dB above 1 μ V/m (converted into 1 kW and referred to an omnidirectional antenna). The figures 1 to 10 are in steps of 5 dB with the figure 10.0 corresponding to a median field strength of +20 dB above 1 μ V/m. The field strength of the frequency with the highest value for each hour is used in place of a mean of all recorded frequencies. This is done on the assumption that the optimum frequency would be used for communication.



WORLD DATA CENTER A
FOR
SOLAR-TERRESTRIAL PHYSICS



The ICSU Panel on WDCs has recommended that it would be appropriate courtesy to acknowledge in publications that data were obtained from the originating station or investigator through the intermediary of the WDCs. The following statement is suggested:

"Data used in this study were provided by WDC-A for Solar-Terrestrial Physics, NOAA E/GC2, 325 Broadway, Boulder Colorado 80303, USA."