



U.S. DEPARTMENT OF COMMERCE

Rogers C. B. Morton, Secretary

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

Robert M. White, Administrator

ENVIRONMENTAL DATA SERVICE

Thomas S. Austin, Director

Solar - Geophysical Data

NO. 378 FEBRUARY 1976

Part I (Prompt Reports)

DATA FOR
JANUARY 1976
DECEMBER 1975

**NATIONAL GEOPHYSICAL AND SOLAR - TERRESTRIAL DATA CENTER
BOULDER, COLORADO**

For obtaining bulletins on a data exchange basis, send request to: World Data Center A for Solar-Terrestrial Physics, NOAA, Boulder, Colorado 80302.

For sale through the National Climatic Center, Federal Building, Asheville, NC 28801, Attn: Publications. Subscription Price: \$34.00 annually for both Part I (Prompt Reports) and Part II (Comprehensive Reports) or \$18.00 annually for either part. Annual supplement containing explanation is included. For foreign mailing add \$32.00 for both parts or \$16.00 for either part. Single issue price \$1.50 for either part and \$1.40 for the extra issue. Make checks and money orders payable to: Department of Commerce, NOAA.

To standardize referencing these reports in the open literature, the following format is recommended:

Solar-Geophysical Data, 366 Part I (or Part II), pages, February 1975, U.S. Department of Commerce, (Boulder, Colorado, U.S.A. 80302)

SOLAR - GEOPHYSICAL DATA

No. 378

Issued in two parts

Hope I. Leighton, Editor

J. Virginia Lincoln, Director
Solar - Terrestrial Data Services Division

CONTENTS

Part I (Prompt Reports)

	Page
Index for 1975 and 1976	2
Data for January 1976	3-24
Data for December 1975	25-117

Part II (Comprehensive Reports)

Index for 1975 and 1976	2
Data for August 1975	3-41
Data for July 1975	43-52
Miscellaneous Data	
Spectral Radio - Culgoora -- August 1975	53-56
21 and 43 cm Solar Scans - Fleurs -- December 1975	57-58

INDEX FOR 1975 - 1976 DATA PUBLISHED IN "SOLAR-GEOPHYSICAL DATA"

	1975					1976
	Aug	Sep	Oct	Nov	Dec	Jan
A. Solar and Interplanetary Phenomena						
A.1 Sunspot Drawings	374A 28	375A 24	376A 28	377A 26	378A 28	
A.2a Zürich Provisional Relative Sunspot Numbers R_z	373A 7	374A 7	375A 7	376A 7	377A 7	378A 7
A.2b Zürich Final Sunspot Numbers R_z	378A 6	378A 6	378A 6	378A 6	378A 6	
A.2c American Relative Sunspot Numbers R_A'	373A 7	374A 7	375A 7	376A 7	377A 7	378A 7
A.3a Mt. Wilson Magnetograms	374A 28	375A 24	376A 28	377A 26	378A 28	
A.3b Mt. Wilson Magnetic Characteristics of Sunspots	374A 90	375A 84	376A 90	377A 86	378A 90	
A.3c Kitt Peak Magnetograms	374A 28	375A 24	376A 28	377A 26	378A 28	
A.4 H α Spectroheliograms	374A 28	375A 24	376A 28	377A 26	378A 28	
A.5 Calcium Plage Drawings - McMath (or Catania)	374A 28	375A 24	376A 28	377A 26	378A 28	
A.5a Calcium Plage (McMath) and Sunspot Regions	374A 90	375A 84	376A 90	377A 86	378A 90	
A.5b McMath Daily Calcium Plage Indices	374A 95	375A 90	376A 96	377A 92	378A 94	
A.6 H α Synoptic Charts	374A 26	375A 23	376A 27	377A 25	378A 27	
A.7b Coronal Line Emission	374A 28	375A 24	376A 28	377A 26	378A 28	
A.7f Helium D3 Chromosphere (Big Bear)						378A 23
A.8aa 2800 MHz - Daily Values of Solar Flux (ARO-Ottawa)	373A 7	374A 7	375A 7	376A 7	377A 7	378A 7
A.8ac 2800 MHz - Daily Values of Adj. Solar Flux (ARO-Ottawa)	373A 7	374A 7	375A 7	376A 7	377A 7	378A 7
A.8g Daily Values of Adjusted Solar Flux (AFCRL)	373A 7	374A 7	375A 7	376A 7	377A 7	378A 7
A.9cb 8.6 mm Radio Maps of the Sun (NELC - La Posta)	374A 28	375A 24	376A 28	377A 26	378A 28	
A.9d 2 cm Radio Maps of the Sun (NELC - La Posta)	374A 28	375A 24	376A 28	377A 26	378A 28	
A.10a 169 MHz - Interferometric Observations (Nancay)	373A 15	374A 12	375A 12	376A 14	377A 12	378A 13
A.10c 21 cm East-West Solar Scans (Fleurs)	373A 17	374A 14	375A 14	376A 16	378B 57	378A 15
A.10d 43 cm East-West Solar Scans (Fleurs)	373A 18	374A 15	375A 15	376A 17	378B 58	378A 16
A.10e 10.7 cm East-West Solar Scans (Ottawa-ARO)	373A 16	374A 13	375A 13	376A 15	377A 13	378A 14
A.11g Solar X-ray (SMS/GOES)	373A 25	374A 20	375A 18	376A 21	377A 19	378A 20
A.11h Solar X-ray (OSO-8; 1975-057A)	374A 28	375A 24	376A 28	377A 26	378A 28	
A.12ba Cosmic Ray Protons (Pioneers 6 & 7)	---	374A 18	---	---	377A 18	---
A.12bb Cosmic Ray Protons (Pioneers 8 & 9)	---	374A 19	---	---	---	---
A.12e Energetic Solar Particles (IMP H & J)						
A.13a Solar Wind (Pioneers 6 & 7)	---	374A 18	---	---	377A 18	378A 19
A.13d Solar Wind from IPS Measurements	373A 24	374A 17	375A 17	376A 20	377A 17	378A 18
A.13e Solar Plasma (IMP H & J)						
A.17 Interplanetary Magnetic Field (Pioneer 8)	---	374A 19	---	---	---	---
A.17 Interplanetary Magnetic Field (Pioneer 9)	---	374A 19	---	---	---	---
A.17c Inferred IP Magnetic Field	373A 29	374A 23	375A 20	376A 24	377A 21	378A 24
A.18 Interplanetary Electric Field (Pioneer 8)	---	374A 19	---	---	---	---
A.18 Interplanetary Electric Field (Pioneer 9)	---	374A 19	---	---	---	---
B. Ionospheric (and Radio Wave Propagation) Phenomena						
B.51ca High Latitude Quality Figures and Forecasts	374A115	375A103	376A113	377A111	378A114	
B.52 Graphs of Transmission Frequency Range	374A116	375A104	376A114	377A112	378A115	
B.53 Quality Figures Based on Frequency Ranges	374A118	375A106	376A116	377A114	378A117	
C. Flare-Associated Events						
C.1a Optical Observations Flares	373A 10	374A 20	375A 10	376A 10	377A 10	378A 10
C.1ba Optical Observations Flares (Standardized Data)	378B 4					
C.1d Flare Patrol Observations	373A 14	374A 11	375A 11	376A 13	377A 11	378A 12
C.1d Flare Patrol Observations	378B 25					
C.1e Flare Indices (by day)	378B 24					
C.1f Flare Indices (by Region)						
C.3 Solar Radio Waves - Outstanding Occurrences	378B 26					
C.3t Solar Radio Waves - Fixed Frequencies - Selected	373A 19	374A 16	375A 16	376A 18	377A 16	378A 17
C.3t 43.25, 80 and 160 MHz Selected Bursts (Cuigoora)	374A107	376B 26	376A105	377A102	378A101	
C.4a Solar Radio Spectral Obs. (Fort Davis)	374A 99	375A 92	376A 98	377A 94	378A 96	
C.4b Solar Radio Spectral Obs. (Boulder)	374A 99	375A 92	376A 98	377A 94	378A 96	
C.4d Solar Radio Spectral Obs. (Cuigoora)	378B 54	376B 24	376A 98	377A 94	378A 96	
C.4e Solar Radio Spectral Obs. (Weissenau)	374A 99	375A 92	376A 98	377A 94	378A 96	
C.4f Solar Radio Spectral Obs. (Sagamore Hill)	374A 99	375A 92	376A 98	377A 94	378A 96	
C.4h Solar Radio Spectral Obs. (Dwingeloo)	---	---	376A 98	---	---	
C.4i Solar Radio Spectral Obs. (Dürnten)	374A 99	375A 92	376A 98	377A 94	378A 96	
C.4j Solar Radio Spectral Obs. (Manila)	374A 99	375A 92	376A 98	377A 94	378A 96	
C.5e Solar X-ray (SMS/GOES)	373A 27	374A 22	375A 18	376A 23	377A 23	378A 22
C.6 Sudden Ionospheric Disturbances	374A 96	375A 91	376A 97	377A 93	378A 95	
D. Geomagnetic and Magnetospheric Phenomena						
D.1a Geomagnetic Indices Kp, Kn, Ks, Km, Ap, aa, Cp	374A110	374A 98	376A108	377A105	378A105	
D.1ba 27-day Chart of Kp Indices	374A111	374A 99	376A109	377A106	378A107	
D.1c 27-Day Chart of Cp	378A108	378A108	378A108	378A108	378A108	
D.1d Principal Magnetic Storms	374A113	374A101	376A111	377A108	378A112	
D.1e Reduced Magnetograms	---					
D.1f Sudden Commencement and Solar Flare Effects	374A114	374A102	376A112	377A110	378A113	
D.1g Equatorial Indices Dst	374A112	374A100	376A110	377A107	378A111	
F. Cosmic Rays						
F.1a Cosmic Ray Neutron Counts (Deep River)	374A108	375A 96	377B 34	377A103	378A104	
F.1b Cosmic Ray Neutron Counts (Climax)	374A108	375A 96	376A106	377A103	378A104	
F.1e Cosmic Ray Neutron Counts (Alert)	374A108	375A 96	377B 34	377A103	378A104	
F.1f Cosmic Ray Neutron Counts (Calgary)	374A108	375A 96	376A106	377A103	378A104	
F.1g Cosmic Ray Neutron Counts (Sulphur Mountain)	374A108	375A 96	376A106	377A103	378A104	
F.1h Cosmic Ray Neutron Counts (Thule)	374A108	375A 96	376A106	377A103	378A104	
F.1i Cosmic Ray Neutron Counts (Kiel)	374A108	375A 96	376A106	377A103	378A104	
F.1j Cosmic Ray Neutron Counts (Tokyo)	374A108	375A 96	376A106	377A103	378A104	
H. Miscellaneous						
H.60 IUNDS Alert Decisions	373A 4	374A 4	375A 5	376A 5	377A 5	378A 5
H.62 Abbreviated Calendar Record						


Note: A = Part I, B = Part II.

374A 28 listed under 1975 Aug shows that data for August 1974 were contained in *Solar-Geophysical Data* Number 374 - Part I beginning on page 28.

JANUARY 1976 DATA

Contents

	Page
<u>Alert Period</u>	
IUWDS Alert Periods (Advance and Worldwide)	5
<u>Daily Solar Indices</u>	
12-Month Tables Sunspot Numbers, R_z , and 2800 MHz Flux Adjusted to 1 A.U.	6
Combined Table Sunspot Numbers and Solar Fluxes	7
Graph of Sunspot Cycles	8
Zürich Smoothed Observed and Predicted Sunspot Numbers	9
<u>Solar Flares</u>	
H α Solar Flares	10-11
No-Flare-Patrol Chart	12
<u>Solar Radio Waves</u>	
169 MHz Solar Interferometric Chart - Nançay	13
10.7 cm East-West Solar Scans - ARO, Ottawa	14
21 cm East-West Solar Scans - Fleurs	15
43 cm East-West Solar Scans - Fleurs	16
Selected Fixed-Frequency Occurrences	17
<u>Solar Wind Measurements</u>	
Scintillation Observations	18
<u>Spacecraft Observations</u>	
Pioneer VII	19
<u>Solar X-ray Radiation</u>	
SMS-2 GOES	20-22
<u>Coronal Holes</u>	
Helium D3 Chromosphere	23
<u>Inferred IP Magnetic Field Polarities</u>	24



ALERT PERIODS
INTERNATIONAL URSIGRAM
AND WORLD DAYS SERVICE

JANUARY 1976

PRESTO MESSAGES (THE RAPID REPORT OF MAJOR EVENTS)

BOULDER 11/0100Z MAGSTORM BEGINS GRADUALLY 10/1450Z K=5 11/0000Z and 11/0100Z.

SUMMARY OF THE GEOALERT WWA MESSAGES

Message serial number	Date of issue	Date of observation	Wolf number	10 cm solar flux	A index	Active Regions				Outstanding events	Forecasts			Alert Situations
						Location Lat-Long	No. of Flares Total M X				Date	Location Lat-Long	Desc*	
01	01	31	00	75	05	-	0	0	0		01	SPOTNIL		SOLQUIET MAGQUIET
02	02	01	00	75	03	-	0	0	0		02	SPOTNIL		SOLQUIET MAGALERT 03/05
03	03	02	11	74	03	S08W50	0	0	0		03	S08W50	Q	SOLQUIET MAGNIL
04	04	03	00	74	09	-	0	0	0		04	SPOTNIL		SOLQUIET MAGQUIET
05	05	04	00	74	08	-	0	0	0		05	SPOTNIL		SOLQUIET MAGQUIET
06	06	05	00	74	08	-	0	0	0		06	SPOTNIL		SOLQUIET MAGQUIET STRATWARM ALERT/ TUESDAY/ MINOR STRATWARM EXISTS, MINUS 15°C NEAR 55N 110E at 10 MB UPPER STRATOSPHERE WARMING MOVED FROM SUBTROPICS ATLANTIC TO SIBERIA DECEMBER 20 TO JANUARY 4.
07	07	06	00	74	07	-	0	0	0		07	SPOTNIL		SOLQUIET MAGQUIET STRATWARM ALERT/ WEDNESDAY/ MINOR STRATWARM EXISTS. WARM SYSTEM SLOPES UPWARD FROM NEAR 55N 110E AT 10 MB TO NW SIBERIA NEAR 2 MB.
08	08	07	00	74	06	-	0	0	0		08	SPOTNIL		SOLQUIET MAGQUIET STRATWARM ALERT/ THURSDAY/ MINOR WARMING CONTINUES IN MID STRATOSPHERE OVER CENTRAL SIBERIA.
09	09	08	00	73	04	-	0	0	0		09	SPOTNIL		SOLQUIET MAGQUIET STRATWARM ALERT/ FRIDAY/ STRATWARM ENDS. DECREASING TEMPERATURES LOWER STRATOSPHERE. UPPER LEVEL WARM AIR ANOMALY DEVELOPING EASTERN USA EASTWARD TO EUROPE WITH MAXIMUM OVER SIBERIA.
10	10	09	00	72	03	-	0	0	0		10	SPOTNIL		SOLQUIET MAGQUIET
11	11	10	00	73	13	-	0	0	0	A MINOR GEOMAGNETIC DISTURBANCE STARTED 10/1450Z IS BELOW STORM LEVEL	11			SOLQUIET MAGALERT 11/12
12	12	11	27	75	20	S07W25 S11E83	0 1	0 0	0 0	MINOR MAGSTORM IS DECREASING	12	S07W25 S11E83	Q Q	SOLQUIET MAGALERT 12
13	13	12	38	80	14	S07W43 S11E68	0 2	0 1	0 0		13	S07W43 S11E68	Q E	SOLQUIET MAGNIL
14	14	13	28	83	10	S08W56 S11E58	0 3	0 0	0 0		14	S08W56 S11E58	Q E	
15	15	14	24	86	08	S08W72 S11E42	0 15	0 0	0 0		15	S08W72 S11E42	Q E	SOLQUIET MAGQUIET
16	16	15	28	83	05	S11E29	3	0	0		16	S11E29	Q	MAGQUIET
17	17	16	29	81	06	S11E15	1	0	0		17	S11E15	Q	SOLQUIET MAGQUIET
18	18	17	27	79	09	S11E03	0	0	0		18	S11E03	Q	SOLQUIET MAGQUIET
19	19	18	28	79	08	S11W10	0	0	0		19	S11W10	Q	SOLQUIET MAGQUIET
20	20	19	21	78	07	S11W23	1	0	0		20	S10W23	Q	SOLQUIET MAGALERT 21/26
21	21	20	15	77	09	S11W37	1	0	0		21	S11W37	Q	SOLQUIET MAGALERT MINOR RECURRENCE 21/25
22	22	21	14	74	21	S11W54	0	0	0		22	S11W54	Q	SOLQUIET MAGALERT MINOR RECURRENCE 22/25
23	23	22	15	74	17	S11W67	0	0	0		23	S11W67	Q	SOLQUIET MAGALERT MINOR RECURRENCE 23/25
24	24	23	11	72	15	S11W81	0	0	0	MINOR MAGNETIC DISTURBANCE CONTINUES	24	S11W81	Q	SOLQUIET MAGALERT MINOR 24/25
25	25	24	00	71	15	-	0	0	0		25	SPOTNIL		SOLQUIET MAGALERT MINOR 25
26	26	25	00	70	10	-	0	0	0		26	SPOTNIL		SOLQUIET MAGNIL
27	27	26	00	70	04	-	0	0	0		27	SPOTNIL		SOLQUIET MAGQUIET
28	28	27	12	69	04	S05W04	0	0	0		28	S05W05	Q	SOLQUIET MAGQUIET
29	29	28	00	69	04	-	0	0	0		29	-		SOLQUIET MAGQUIET
30	30	29	23	70	07	S04W30 N07E36	0 0	0 0	0 0		30	S04W31 N07E35	Q Q	SOLQUIET MAGQUIET
31	31	30	11	71	07	S04W42	0	0	0		31	S04W42	Q	SOLQUIET MAGQUIET
32	01	31	00	71	21	-	0	0	0	A MINOR GEOMAGNETIC DISTURBANCE STARTED GRADUALLY 31/0430Z	01	SPOTNIL		SOLQUIET MAGALERT MINOR 01/02

6
Jan 76

RELATIVE SUNSPOT NUMBERS
ZURICH, R_Z

DAY	1975 FINAL											1976 PROVISIONAL	
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN
1	30	0	0	0	26	7	23	37	14	15	0	7	0
2	30	18	9	0	33	11	18	35	16	8	0	23	0
3	28	27	14	0	34	8	22	46	19	6	7	20	0
4	19	27	13	0	32	7	16	78	29	10	18	23	0
5	18	20	14	0	30	7	23	93	25	8	22	21	0
6	23	26	14	0	20	7	33	104	24	10	27	18	0
7	29	34	7	7	14	0	23	102	24	9	30	29	0
8	29	29	18	17	0	0	19	89	23	16	33	18	0
9	37	22	20	15	0	0	16	83	17	15	30	8	0
10	32	18	20	7	8	0	23	80	10	8	26	0	0
11	30	13	18	0	0	9	29	72	10	8	30	0	0
12	28	18	15	0	0	0	33	45	16	10	24	0	20
13	32	9	15	0	0	0	43	52	19	21	22	0	26
14	13	8	17	0	7	0	46	34	17	20	29	7	36
15	20	8	24	0	7	8	43	31	8	21	28	7	20
16	19	8	30	0	8	19	39	26	14	18	28	7	22
17	16	0	29	0	0	17	25	19	14	16	30	9	24
18	20	0	22	9	8	12	32	16	18	16	33	8	20
19	20	0	20	0	0	15	36	8	13	15	36	7	18
20	23	7	14	0	0	0	28	22	30	10	35	0	16
21	16	8	9	0	0	7	30	23	27	7	31	0	11
22	16	0	0	0	8	0	27	7	23	0	23	0	10
23	15	0	0	7	8	12	19	14	0	0	12	0	10
24	7	12	0	8	7	20	30	9	0	7	11	15	0
25	7	9	0	7	0	24	33	11	0	0	9	14	0
26	7	0	7	7	0	33	30	16	0	0	7	8	0
27	0	0	0	22	7	38	29	18	0	0	0	0	7
28	7	0	0	21	13	36	26	10	0	0	0	0	0
29	7	0	0	16	0	23	20	10	0	0	0	0	14
30	7	0	0	20	0	22	27	21	7	0	0	0	8
31	0		8		8		34	21		0		0	0
MEAN	18.9	11.5	11.5	5.1	9.0	11.4	28.2	39.7	13.9	9.1	19.4	7.8	8.5

1975 yearly mean = 15.5

DAILY SOLAR FLUX AT 2800 MHz
OTTAWA ARO

FLUX ADJUSTED TO 1 A.U., S₀

DAY	1975											1976	
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN
1	79.1	70.8	70.7	70.2	76.3	71.4	78.7	91.6	87.0	76.4	70.4	72.1	72.1
2	75.8	72.3	72.4	71.2	81.1	73.0	75.8	95.4	87.9	78.1	71.4	74.8	71.2
3	77.1	74.3	73.4	72.2	79.6	70.8	77.1*	97.0*	87.8	78.4	73.0	74.3	71.3
4	74.4	75.4	72.8	73.0	79.6	70.4	76.8	104.6	92.8	76.3	75.4	74.1	71.8
5	73.7	76.5	71.3	73.7	79.4	69.3	76.8	107.9	94.4	76.1	78.9	77.4	71.9
6	73.8	81.1	72.4	73.7	75.9	68.2	76.1	120.0*	94.0	75.1	80.1	75.8	71.7
7	75.7	79.4	71.9	74.3	73.6	68.1	74.1	123.2	91.1	74.3	80.5	73.7	71.6
8	77.7	78.8	72.5	73.6	71.9	67.5	74.0	123.7	88.5	74.0	80.9	76.0	70.9
9	79.9	77.1	73.8	73.4	70.6	67.7	73.3	119.9	84.3	75.4	78.8	73.3	69.4
10	80.5	76.7	73.3	72.4	70.1	68.8	73.0	116.5	82.5	74.3	78.9	73.3	70.5
11	81.2	74.8	73.0	72.3	69.8	68.1	77.5	107.3	81.1	73.3	78.6	74.3	72.1
12	82.4	74.9	74.2	70.8	69.6	68.4	82.7	104.5*	78.2*	74.8	79.9	73.4	76.9
13	80.4	73.7	75.6*	70.7	69.1	67.9	88.5*	98.0	75.2	75.0	79.2	72.8	0.0
14	77.7	72.0	75.0	69.7	68.7	68.5	89.0	90.9*	74.2	80.0	82.7	71.8	82.1*
15	77.4	69.7	73.4	69.7	68.0	68.9	85.6	86.0	74.1	80.3	83.7	71.8	80.4
16	76.5	71.4	76.0	69.2	68.5	71.4	83.6	82.8	74.3	78.5	87.6	70.5	78.1
17	74.7	69.3	75.3	69.6	68.3	70.2	81.2	79.0	74.8	78.9	86.9	70.5	76.6
18	75.8	68.3	74.2	68.3	68.7	70.2	82.8	76.4	76.2	79.2	90.8*	69.6	76.7
19	74.1	70.0	72.9	67.5	68.9	71.0	81.9	76.7	76.2	78.0	93.0*	69.1	75.2
20	73.8	69.5	71.9	68.0	68.6	72.5	83.3	77.2	76.5	77.1	90.9	69.7	74.6
21	74.5	68.9	71.2	68.2	69.7	68.7	83.1	80.0	76.7	75.7	86.6	69.0	72.1
22	73.6	68.3	69.3	67.8	70.8	69.9	82.7	78.5	75.3	74.2	81.5	68.9	70.9
23	72.7	68.3	67.6	68.7	70.6	72.9	82.0	76.8	76.1	74.3	77.2	69.6	70.2
24	71.0	68.6	67.4	69.3	70.6	75.9	79.3	77.0	76.8	72.7*	74.7	71.4	68.5
25	70.3	69.4	67.5	71.6	70.2	77.7	79.4	80.6	76.7	72.1	73.7	71.0	68.2
26	70.5	68.8	68.6	72.1	69.0	79.8	80.0	81.3	76.7	71.9	71.9	71.8	68.2
27	70.1	69.4	67.3	74.4	70.5	81.5	78.5	83.6	75.7	72.1	70.7	72.5	67.2
28	70.7	68.6	67.8	74.8	70.6	80.7	76.5	83.3	76.1	71.7	70.4	71.5	67.1
29	70.4	68.6	69.0	73.2	71.0	79.4	75.5	84.7	75.9	70.8	70.9	72.5	67.4
30	70.5	69.0	69.0	73.4	71.0	78.8	78.9	86.2	75.8	70.2	70.6	71.9	68.9
31	70.1		70.5		71.1		81.9*	86.7		69.9		72.1	69.1
MEAN	75.0	72.4	71.7	71.2	71.6	71.9	79.7	92.7	80.4	75.3	79.1	72.3	72.4


* adjusted for burst

DAILY SOLAR INDICES

JANUARY 1976

DEC 1975	YEAR DAY	BARTELS 27-DAY CYCLE NUMBER	SUNSPOT NUMBERS		OBSERVED FLUX OTTAWA 2800	SOLAR FLUX ADJUSTED TO 1 A.U.									
			R _Z	R _A '		AFGL 15400	AFGL 8800	AFGL 4995	OTTAWA 2800	AFGL 2695	AFGL 1415	AFGL 606	AFGL 410	AFGL 245	
1	1	16	0	2	74.6	523	272	116	72.1	70.6	49.6	38.3	21.8	7.4	
2	2	17	0	0	73.6	524	274	117	71.2	71.3	49.6	37.7	21.4	7.4	
3	3	18	0	0	73.7	525	273	118	71.3	71.4	49.5	38.4	21.4	7.6	
4	4	19	0	0	74.3	525	273	119	71.8	71.6	49.3	39.1	21.4	7.5	
5	5	20	0	0	74.4	525	276	118	71.9	71.9	51.0	42.2	23.0	7.9	
6	6	21	0	0	74.1	525	272	118	71.7	70.8	50.1	37.4	21.0	8.3	
7	7	22	0	0	74.0	524	270	118	71.6	70.8	50.7	40.6	20.6	8.1	
8	8	23	0	0	73.3	523	272	117	70.9	59.8	49.1	40.4	20.9	8.2	
9	9	24	0	0	71.8	523	273	118	69.4	69.5	47.6	39.9	21.1	8.3	
10	10	25	0	0	72.9	525	274	117	70.5	70.0	48.3	39.9	22.0	8.6	
11	11	26	0	3	74.6	530	276	118	72.1	71.4	---	---	23.6	8.5	
12	12	27	20	22	79.5	528	280	124	76.9	76.4	---	---	24.0	9.5	
13	13	1	26	33	82.7	525	283	130	80.0	79.2	---	---	33.9	28.3	
14	14	2	36	31	84.9*	530	---	---	82.1*	---	---	---	---	---	
15	15	3	20	25	83.1	530	282	127	80.4	79.1	52.6	36.7	23.5	10.6	
16	16	4	22	26	80.7	530	281	126	78.1	77.8	53.2	34.5	22.9	9.2	
17	17	5	24	20	79.1	531	279	123	76.6	76.0	49.1	36.8	23.0	10.7	
18	18	6	20	17	79.2	526	282	122	76.7	76.1	51.6	37.9	24.5	10.1	
19	19	7	18	16	77.7	528	285	122	75.2	74.7	50.4	39.0	26.2	16.1	
20	20	8	16	14	77.1	522	280	120	74.6	74.6	52.0	36.7	21.1	8.1	
21	21	9	11	12	74.5	521	274	120	72.1	71.4	50.2	35.5	24.5	11.0	
22	22	10	10	10	73.2	522	---	---	70.9	---	---	---	---	---	
23	23	11	10	10	72.4	521	277	118	70.2	69.8	50.3	35.3	23.0	8.2	
24	24	12	0	2	70.7	520	275	118	68.5	69.9	54.9	40.0	27.2	9.4	
25	25	13	0	0	70.4	524	275	117	68.2	68.5	46.0	38.1	21.3	8.6	
26	26	14	0	0	70.4	525	273	118	68.2	66.6	48.3	36.5	20.0	8.3	
27	27	15	7	3	69.3	526	271	117	67.2	65.6	48.6	35.1	19.3	7.9	
28	28	16	0	1	69.2	525	269	116	67.1	66.1	48.9	33.5	20.1	7.5	
29	29	17	14	2	69.5	525	267	115	67.4	66.6	49.2	32.0	21.3	7.2	
30	30	18	8	1	71.0	525	273	116	68.9	68.3	49.1	33.6	24.2	8.1	
31	31	19	0	1	71.2	525	273	115	69.1	68.6	48.3	33.7	24.2	8.5	
MEAN			8.5	8.3	74.7	525	275	119	72.4	71.5	49.9	37.3	22.8	9.5	

* Adjusted for burst.



PREDICTED AND OBSERVED SUNSPOT NUMBERS

SMOOTHED OBSERVED AND PREDICTED SUNSPOT NUMBERS
CYCLE 20

MONTH	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1964										9.6	10.2	11.0
1965	11.7	12.0	12.5	13.6	14.6	15.0	15.5	16.4	17.4	19.7	22.3	24.5
1966	27.7	31.3	34.5	37.4	40.7	44.6	50.3	56.6	63.1	67.6	70.2	72.7
1967	75.0	78.8	82.2	84.6	87.4	91.3	94.1	95.3	95.3	95.0	97.1	100.6
1968	102.6	102.9	104.7	107.2	107.6	106.6	105.2	104.8	107.0	109.9	110.6	110.1
1969	110.0	109.6	108.0	106.4	106.2	106.1	105.8	106.4	105.4	104.1	104.6	104.9
1970	105.6	106.0	106.2	106.1	105.8	105.3	103.8	101.0	97.2	93.9	89.4	84.1
1971	80.4	77.8	74.4	70.9	68.1	66.7	65.4	64.6	65.8	66.2	66.8	69.4
1972	70.8	71.2	72.4	73.4	72.9	70.5	68.2	65.5	62.2	60.6	58.7	55.1
1973	50.9	46.5	44.2	42.7	40.7	39.1	37.5	36.1	34.4	32.6	31.8	31.5
1974	32.7	34.4	34.0	33.9	34.6	34.5	34.1	33.1	32.1	30.2	27.5	25.2
1975	23.0	22.1	21.3	18.6	16.8	16.0	15.0	14.7	14.2	13.7	13.3 (--)	12.9 (--)
1976	12.5 (--)	12.1 (--)	11.7 (--)	11.3 (--)	11.0 (--)	10.7 (--)	10.4 (--)					

For each month, the upper figure is the observed or predicted Zürich smoothed sunspot number. The lower figure in parenthesis is the corresponding absolute value of the 90% prediction interval, an indication of the uncertainty above and below the predicted number. Observed numbers are those with no prediction intervals. The observed smoothed sunspot numbers are based on final Zürich numbers through 1975.

The predicted sunspot numbers are derived from a regression analysis based on cycles 8 through 19. Tests indicate that earlier cycles are from a different statistical population. From July 1968 - February 1970 a regression analysis based on cycles 1 through 19 was used because it had not then been proven that two populations exist.

10
Jan 76

H α SOLAR FLARES

JANUARY 1976

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM- POR- TANCE	OBS.		MEASUREMENTS			REMARKS
	DATE	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MCNATH PLAGE REGION	CMP DAY			COND.	TYPE	TIME UT	MEAS. AREA Mill of Disk	CORR. AREA Sq. Deg.	
					LAT.	NER. DIST.											
PALE	JAN 01	1909	1911	1914	S 9	N46	.715		29.3	5	SF	3	C		6		
ARCE	05	0915E		0940D	N06	W90	1.000		29.6	25D	S		C	0930	15		
RAMY	11	2139	2140	2148D	S 6	E80	.982		17.9	9D	SF	3	C		72		FDE
PALE	11	2140	2141	2153	S11	E82	.987		18.1	13	SN	2	C		46		DE
MITK	12	0406	0411	0418	S11	E78	.974		18.0	12	SN		C	0411	60		E
HTPR	12	0823	0830	0832	S11	E77	.970		18.1	4	SF		C	0830	30		E
HTPR	12	0928	0928	0930	S11	E77	.970		18.2	2	SF		C	0928	20		
HTPR	12	1040	1045	1110	S12	E75	.961		18.1	30	SF		C	1045	20		E
HTPR	12	1113	1129	1140	S12	E75	.961		18.1	27	SN		C	1129	40		
HTPR	12	1319E		1328	S12	E73	.951		18.0	90	SF		C	1324	20		
HTPR	12	1350E		1355	S12	E73	.951		18.1	50	SF		C	1353	20		E
HTPR	12	1400		1404D	S12	E73	.951		18.1	40	SN		C	1401	40		
RAMY	12	1500E	1501	1508D	S10	E76	.966		18.3	8D	SF	3	V		48		DE
PALE	12	1833	1857	1932	S12	E74	.956		18.3	59	SF	2	C		40		
PALE	12	1945	1957	2002	S12	E73	.951		18.3	17	SN	2	C		30		DE
PALE	12	2049	2053	2056D	S12	E72	.946		18.3	7D	SN	2	C		26		DE
PALE	12	2109E	2110U	2117D	S11	E72	.946		18.3	8D	SN	2	C		40		DE
PALE	12	2200	2206	2247D	S12	E68	.922		18.0	47D	SN	2	C		51		DE
TEHR	13	0858E	0903U	0916D	S14	E62	.877		18.0	18D	SB	2	C		48		H
HTPR	13	0858	0900	0914	S12	E65	.900		18.2	16	SN		C	0900	40		
BUCA	13	0859		0925	S12	E64	.893		18.2	26	SN		C	0901	97	2.1	E
ATHN	13	0903E	0905	0916	S14	E61	.869		18.0	13D	SB	3	C		32		OE
HTPR	13	1029	1031	1037	S12	E65	.900		18.3	8	SF		C	1031	20	.3	E
HTPR	13	1402	1421	1426	S12	E63	.885		18.3	24	SF		C	1421	20	.3	E
RAMY	13	1421E	1422U	1426	S10	E62	.878		18.2	5D	SF	4	C		50		FDE
RAMY	13	1421E	1422U	1426	S10	E62	.878		18.2	5D	SF	4	V		50		FDE
PALE	14	0314	0317	0320	S12	E52	.783		18.0	6	SB	3	C		41		H
MITK	14	0315	0316	0325	S11	E57	.833		18.4	10	SF		C	0316	50	1.0	D
HTPR	14	0827	0829	0833	S12	E53	.793		18.3	6	SF		C	0829	40	.7	
BUCA	14	0829		0840	S11	E53	.793		18.3	11	SF		C	0831	54	.9	D
HTPR	14	0858	0858	0901	S12	E55	.813		18.5	3	SF		C	0858	10	.1	
TEHR	14	0917E	0919	0926D	S10	E49	.749		18.1	9D	SN	3	C		48		H
ATHN	14	0917E	0920	0926	S12	E52	.783		18.3	9D	SN	4	V		32		DE H
ATHN	14	0917E	0920	0926	S12	E52	.783		18.3	9D	SN	4	C		32		DE H
HTPR	14	0918	0919	0927	S12	E54	.803		18.4	9	SN		C	0919	30	.5	
MONT	14	0919	0920	0930	S11	E53	.793		18.4	11	SF		C	0920	20		D
HTPR	14	1040	1047	1054	S12	E53	.793		18.4	14	SN		C	1047	90	1.4	
ATHN	14	1044E	1047	1055	S12	E52	.783		18.3	11D	SN	4	C		32		H
ATHN	14	1044E	1047	1055	S12	E52	.783		18.3	11D	SN	4	V		32		H
MONT	14	1046	1047	1054	S11	E53	.793		18.4	8	SF		C	1047	40		DH
ATHN	14	1155	1158	1207	S12	E52	.783		18.4	12	SN	4	V		48		F H
ATHN	14	1155	1203	1207	S12	E52	.783		18.4	12	SB	4	C		16		DE H
HTPR	14	1156	1158	1210	S12	E52	.783		18.4	14	SN		C	1158	70	1.1	
MONT	14	1202E	1202	1211	S11	E52	.783		18.4	9D	SF		C	1202	20		DH
RAMY	14	1204E	1205U	1215	S10	E50	.761		18.3	11D	SN	3	V		60		F H
RAMY	14	1204E	1205U	1215	S10	E50	.761		18.3	11D	SN	3	C		60		F H
HTPR	14	1338	1342	1346	S12	E52	.783		18.5	8	SN		C	1342	50	.8	
ATHN	14	1339E	1341	1350	S11	E50	.761		18.3	11D	SB	4	C		48		DE
ATHN	14	1339	1341	1350	S11	E50	.761		18.3	11	SB	4	V		48		DE
HTPR	14	1408	1411	1416	S13	E50	.761		18.3	8	SN		C	1411	70	1.0	
HTPR	14	1436	1437	1444	S13	E51	.772		18.4	8	SF		C	1437	30	.5	
HTPR	14	1533	1537	1550	S13	E50	.761		18.4	17	SN		C	1537	100	1.6	
MCMA	14	1733E		1745D	S12	E47	.727	14029	18.3	12D	SF		C	1733	40	.6	E
RAMY	14	1832	1839	1932	S11	E49	.749		18.4	6D	SB	4	C		72		DE H
PALE	14	1833	1835U	1852D	S11	E46	.714		18.2	19D	SB	3	C		54		DE
RAMY	14	1835E	1841	1847D	S11	E48	.738		18.4	12D	SB	4	V		80		DE H
MCMA	14	1859	1903	1919D	S13	E49	.750	14029	18.5	20D	SB		C	1903	40	.6	E
PALE	14	1906	1906	1910	S12	E43	.678		18.0	4	SN	3	C		31		DE
PALE	14	2152	2157D	2157D	S12	E42	.666		18.1	5D	SB	3	V		57		HDE
PALE	14	2152	2153	2214	S12	E42	.666		18.1	22	SB	3	C		63		HDE
PALE	15	0207	0224	0241	S12	E38	.613		17.9	34	SF	3	C		29		
ARCE	15	1050		1050D	S11	E36	.585		18.2		SF		C	1050	30	.4	C
HTPR	15	1321	1324	1324	S12	E38	.613		18.4	3	SF		C	1324	10	.1	
HTPR	15	1513	1517	1521	S11	E38	.612		18.5	8	SF		C	1517	10	.1	
UPIC	16	0955	1000U	1005	S12	E25	.425		18.3	10	SF		P	1000	82		

H α SOLAR FLARES

JANUARY 1976

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM- POR- TANCE	OBS.		MEASUREMENTS			REMARKS
	DATE JAN	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MC ² MATH PLAGE REGION	CMP DAY			COORD.	TYPE	TIME UT	MEAS. AREA MIL of Dia.	CORR. AREA Sq. Deg.	
					LAT.	MER. DIST.											
RAMY	16	1938	1949	1941D	S10	E18	.310		18.2	3D	SF	3	C		20		DE
	16	1938	1949	1942D	S11	E18	.313		18.2	4D	SF	3	V		20		DE
HTPR	17	1041	1043	1049	S09	E12	.209		18.3	8	SF		C	1043	30	.3	
RAMY	18	1131	1133	1141	S13	W 8	.173		17.9	10	SF	3	C		108		F
HTPR	18	1347	1349	1403	S13	W08	.173		18.0	16	SN	3	C	1349	30	.3	
HTPR	18	1412	1418	1436	S10	W03	.074		18.4	24	SF		C	1418	20	.2	E
MITK	19	0208	0213	0240	S13	W11	.215		18.3	32	SN		C	0213	80	.8	E
	19	0216E	0216U	0219D	S12	W11	.207		18.3	30	SF	2	P	0216	80	.8	F
ARCE	19	0820E		0912D	S11	W16	.281		18.1	520	SN		C	0835	124	1.3	TF
BUCA	19	0825		0900	S13	W14	.259		18.3	34	SF		P	0835	215	2.1	E
MONT	19	1145	1148	1152	S11	W21	.360		17.9	7	SF		C	1148	20		D
PALE	20	0143	0144	0202	S12	W25	.425		18.2	19	SF	3	C		23		H U
MONT	20	1251	1253	1300	S12	W28	.470		18.4	9	SF		C	1253	40		E
HTPR	20	1251	1253	1258	S11	W29	.483		18.4	7	SF		C	1253	20	.3	
HTPR	20	1411	1413	1427	S13	W35	.573		18.0	16	SF		C	1413	10	.2	E
HTPR	20	1527	1527	1535	S13	W36	.587		17.9	8	SF		C	1527	10	.2	
HTPR	21	0933	0933	0943	S12	W46	.714		17.9	10	SF		C	0933	10	.2	E
HTPR	28	0956	1001	1018	S04	W06	.118		28.0	22	SF		C	1001	20	.2	
MONT	28	0956	1004	1018	S06	W08	.140		27.8	22	SF		C	1004	20		G
HTPR	28	1222	1228	1231	N07	E58	.862		3.9	9	SF		C	1228	10	.2	
HTPR	28	1515	1517	1600	N07	E56	.845		3.8	45	SF		C	1517	10	.2	
MONT	29	1228	1235	1244	N07	E45	.732		3.9	16	SF		C	1235	20		

"Remarks":


- A = Eruptive prominence whose base is less than 90° from central meridian.
- B = Probably the end of a more important flare.
- C = Invisible 10 minutes before.
- D = Brilliant point.
- E = Two or more brilliant points.
- F = Several eruptive centers.
- G = No visible spots in the neighborhood.
- H = Flare accompanied by a high speed dark filament.
- I = Active region very extended.
- J = Distinct variations of plage intensity before or after the flare.
- K = Several intensity maxima.
- L = Existing filaments show signs of sudden activity.
- M = White-light flare.

- N = Continuous spectrum shows effects of polarization.
- O = Observations have been made in the calcium II lines H and K.
- P = Flare shows helium D₃ in emission.
- Q = Flare shows the Balmer continuum in emission.
- R = Marked asymmetry in H α line suggests ejection of high velocity material.
- S = Brightness follows disappearance of filament (same position).
- T = Region active all day.
- U = Two bright branches, parallel (||) or converging (Y).
- V = Occurrence of an explosive phase: important and abrupt expansion in about a minute with or without important intensity increase.
- W = Great increase in area after time of maximum intensity.
- X = Unusually wide H α line.
- Y = System of loop-type prominences.
- Z = Major sunspot umbra covered by flare.

12
Jan 76

INTERVALS OF NO FLARE PATROL OBSERVATION
FOR PRECEDING SOLAR FLARE TABLE

JANUARY 1976



Observatories included in total patrol:

Arcetri	Bucharest	Manila	Monte Mario	Tehran
Athens	Haute Provence	McMath-Hulbert	Palehua	Upice
Boulder	Herstmonceux	Mitaka	Ramey	Wendelstein

Times of no flare patrol are shown by the shaded area for each day divided into times of no cinematographic patrol (bottom half of day) and times of neither visual nor cinematographic patrol (top half of day).

SOLAR RADIO EMISSION
INTERFEROMETRIC OBSERVATION

JANUARY 1976

Nançay

169 MHz

5

JANUARY 1976 : noise storm centers observed at 169 MHz (Nançay FRANCE).

JANUARY:

10

day	location (solar radius)	flux (10^{-22} W/m ² /Hz)	diameter (solar radius)
13	0,96 E	29	0,18
13	0,78 E	54	0,26
14	0,65 E	26	0,39
19	0,44 W	40	0,31

15

20

25

30

E

























C

W

EAST-WEST SOLAR SCANS
JANUARY, 1976

ALGONQUIN RADIO OBSERVATORY
CANADA

10.7 cm
Fan Beam with 1.5 minutes of arc
E-W Resolution




EAST-WEST SOLAR SCANS

JANUARY 1976

Fleurs, Australia

ESTIMATED QUIET SUN LEVEL
COLD SKY LEVEL


21 cm
Fan-Beam with 2 minutes of arc
E-W Resolution



EAST-WEST SOLAR SCANS
JANUARY 1976

Fleurs, Australia

43 cm
Fan-Beam with 4 minutes of arc
E-W Resolution



SOLAR RADIO EMISSION
SELECTED FIXED FREQUENCY EVENTS

JANUARY 1976

	FREQUENCY STATION	TYPE	STARTING TIME	TIME OF MAXIMUM	DURATION	FLUX DENSITY $10^{-22} \text{ W m}^{-2} \text{ Hz}^{-1}$		INT	REMARKS
			UT	UT	MINUTES	PEAK	MEAN		
9	2695 BOUL	1 S	2247.5	2248	3	2	1		
11	2800 OTTA	240 R	1940	2000	20	3	1.5		
	2695 PENT	24P R	2000		160 D	3			
12	2800 OTTA	8 S	1454.9	1455	0.3	1	0.5		
	2800 OTTA	27F RF	1700		310	2.4	1.2		
	2800 OTTA	24 R	1700	1735	35	2.4	1.2		
	2800 OTTA	24P R	1735		235	2.4			
	2695 BOUL	8 S	1930.5	1931	1	11	4		
	2695 PENT	26 FAL	2130	2210	40	-2.4	-1.2		
14	2800 OTTA	23 GRF	1400		210	2.2	1.6		
	2800 OTTA	1 S	1534	1535	6	1	0.6		
	2800 OTTA	40 F	1628.8	1632.3	6	7.8			
	2800 OTTA	21 GRF	1831	1845	30	1.4	0.8		
	2800 OTTA	1 S	1833	1834	2	4.4	1.4		
	2695 PENT	20 GRF	1955	2050	100	1.6	1		
	2695 PENT	26F FAL	2140	2210	30	-1.8	-1.2		
15	2695 PENT	20 GRF	1920	1923	92	2.2	1.1		
	2800 OTTA	20 GRF	1920	1923	11	1.4	0.7		
16	2800 OTTA	1 S	1714.9	1715.5	3	1.8	0.6		
	2695 BOUL	22 GRF	1715	1716	7.5	3	1		
17	2695 PENT	8 S	2142.3	2142.3	0.1E	12.5			
18	2695 PENT	1 S	1348	1348.7	1.5	1.4	0.7		
23	2695 BOUL	45 C	1957.5	2000	3.5	3	1		

Observatories:

BOUL = Boulder

MANI = Manila

OTTA = Ottawa ARO

PENT = Penticton

SGMR = Sagamore Hill

Explanation of Type Code:

1 Simple 1	6 Minor	22 Simple 3F	27 Rise and Fall	32 Absorption	44 Noise Storm in Progress
2 Simple 1F	7 Minor +	23 Simple 3AF	28 Precursor	40 Fluctuation	45 Complex
3 Simple 2	8 Spike	24 Rise	29 Post Burst Increase	41 Group of Bursts	46 Complex F
4 Simple 2F	20 Simple 3	25 Rise A	30 Post Burst Increase A	42 Series of Bursts	47 Great Burst
5 Simple	21 Simple 3A	26 Fall	31 Post Burst Decrease	43 Onset of Noise Storm	48 Major
					49 Major +

18
Jan 76

SOLAR WIND
Interplanetary Scintillations

JANUARY 1976

UCSD 74 MHZ SCINTILLATIONS

DAY	3C48 VEL ERR	3C144 VEL ERR	3C147 VEL ERR	3C161 VEL ERR	3C237 VEL ERR	3C273 VEL ERR	3C298 VEL ERR	3C459 VEL ERR
3	402 72					470 149		344 *
4	326 50							198 20
5	304 78							241 37
6							411 122	
7						633 150		
8	184 30							
9	242 37						366 41	
10							507 166	
11	350 12	543 144		478 57	702 *			339 112
11								349 10
12	261 31	420 13		324 33	639 *		824 70	
13	286 8	346 29						
14	439 54	319 *						499 71
16								267 66
17							474 78	289 36
18								411 *
20	290 *							705 *
21	404 *			704 *				
22						687 203	486 160	661 228
23	523 50			313 *			567 73	322 53
24								273 8
25	323 57						412 69	359 *
26	292 37			264 105				
27	300 92							
28							370 59	
29	435 *			220 11				205 19
30						474 *		
31	214 21			365 *	344 *			

JANUARY	5	15	25
	UT LAT DIST DLON	UT LAT DIST DLON	UT LAT DIST DLON
3C48	3. 3. 1.13 -13.	2. 2. 1.09 -14.	1. 1. 1.04 -15.
3C144	7. -3. 1.28 -5.	6. -4. 1.27 -7.	5. -5. 1.24 -9.
3C147	6. 2. 1.26 -3.	5. 2. 1.25 -5.	4. 1. 1.23 -7.
3C161	8. -9. 1.27 -2.	7. -10. 1.26 -4.	7. -11. 1.25 -6.
3C237	12. -5. 1.23 10.	11. -6. 1.26 8.	10. -6. 1.28 6.
3C273	14. -3. 1.09 16.	13. -4. 1.14 14.	12. -5. 1.18 13.
3C298	15. 0. 0.97 17.	15. 0. 1.02 17.	14. -1. 1.07 16.
3C459	0. 2. 0.92 -23.	23. 4. 0.83 -32.	23. 6. 0.73 -42.

* indicates data for which no error estimate is available, because only two antennas were operating.

3C459 observed at 0 hr.UT before January 11, at 23 hr.UT after January 11.

PIONEER VII

JANUARY 1976

Date Jan. 1976	DSN Coverage (UT)	Data Time (UT)	ESP (°)	SOLAR WIND				COSMIC RAY PROTONS ² (particles/sec)		
				AMES ¹		MIT		6-13 (Mev*)	13-175 (Mev**)	>175 (Mev)
				U _{H+} (km/sec)	TAU (days)	U _{H+} (km/sec)	N _{H+} (H ⁺ /cc)			
25	1254-1843	1400 1500 1600 1700 1800 1900	-033.5	739.† 739. 739. 739. 739. 739.	-2.8					

¹ Wolfe - NASA/ARC

² Simpson - University of Chicago

* Includes He 0.6-13 Mev/nucleons and electrons ~0.5 Mev - see J. Retzler and J. A. Simpson, J. Geophys. Res., 74, 9, 2149-2160, 1969 for discussion of the electron response of Pioneer VII.

** Includes He >13 Mev/nucleons.

Q Used to indicate that a rate is at its quiescent level.

ESP = Earth-Sun Probe Angle.

† Peak velocity.

Note: Data sampled hourly unless otherwise noted.

SOLAR X-RAYS BY SATELLITE
SMS GOES

JANUARY 1976

.5 - 4Å Hourly Averages (10^{-6} watts/m²)

NO	DA	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Mean
1/1	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.01
1/2	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/3	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/4	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/5	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/6	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/7	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/8	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/9	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/10	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/11	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/12	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/13	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/14	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/15	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/16	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/17	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/18	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/19	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/20	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/21	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/22	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/23	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/24	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/25	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/26	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/27	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/28	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/29	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/30	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/31	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B

Note: "B" indicates the flux was below the cut-off levels.
"M" denotes periods of missing data.

SOLAR X-RAYS BY SATELLITE
SMS GOES

JANUARY 1976

1 - 8Å Hourly Averages (10^{-5} watts/m²)

MO	DA	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Mean
1/	1	B	B	B	B	B	B	0.11	B	B	B	B	B	B	B	B	B	B	B	B	0.17	B	B	B	B	0.01
1/	2	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	3	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.05	B	B	B	B	B
1/	4	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.02	B	B	B	B	B
1/	5	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.04	B	B	B	B	B
1/	6	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	7	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	8	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	9	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	10	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	11	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	12	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	13	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	14	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	15	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	16	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	17	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	18	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	19	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	20	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	21	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	22	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	23	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M
1/	24	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	25	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	26	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	27	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M
1/	28	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	29	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	30	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
1/	31	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B

Note: "B" indicates the flux was below the cut-off levels.
"M" denotes periods of missing data.

22
Jan 76


SOLAR X-RAYS BY SATELLITE
SMS GOES
JANUARY 1976

DAY	BEGIN TIME	.5-4A Wm ⁻²	1-8A Wm ⁻²	MAX TIME	.5-4A Wm ⁻²	1-8A Wm ⁻²	1/2P TIME	.5-4A Wm ⁻²	1-8A Wm ⁻²
12	0216	0.0E+00	1.9E-07	0229	2.0E-07	3.2E-06	0250	4.2E-08	1.7E-06
12	0613	0.0E+00	3.6E-07	0624	9.5E-07	1.0E-05	0631	1.6E-07	5.4E-06
12	1451	0.0E+00	2.4E-07	1456	4.7E-07	4.9E-06	1458	1.2E-07	2.6E-06
13	0356	3.2E-10	2.6E-07	0905	6.1E-07	5.7E-06	0920	1.0E-07	3.0E-06
14	0914	2.9E-10	3.7E-07	0925	3.5E-07	3.1E-06	0929	7.6E-08	1.8E-06
14	1043	8.3E-09	6.3E-07	1048	3.2E-07	3.6E-06	1051	8.5E-08	2.1E-06
14	1155	1.5E-09	5.6E-07	1201	3.6E-07	4.2E-06	1206	1.3E-07	2.4E-06
14	1336	1.5E-10	5.1E-07	1341	2.9E-07	3.5E-06	1344	7.7E-08	2.0E-06
14	2149	1.6E-10	3.4E-07	2157	2.5E-07	3.9E-06	2200	6.1E-08	2.1E-06

CORONAL HOLES

Helium D3 Chromosphere at Solar Limb

JANUARY 1976



INFERRED IP MAGNETIC FIELD

BARTELS ROTATION	DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
1934	DEC 31	T	A	T	T	A	T	A	-	A	A	AT	-	A	A*	A	T	T	T	T	T	T	T	T	T	T	T	T
1935	1975 JAN 27	T	T	A	T	ATT	A	A*	A	T	A	T	A	T	T	T	AT	T	T	T	T*	T	T	A*	AT	T	A	A
1936	FEB 23	T	A	A	A*	T	A	A	A	A	AT	A	A	A	A	T	T	A	T	T	T	T	A*	T	T	T	T	A
1937	MAR 22	A	A	A	T	A	A*	A	A	A	A	A	T	*	T	A	T	T	A*	T	A	AT	A	T	T	T	T	A
1938	APR 18	A	A	A	A	A	A	A	A	A	A	A	T	T	A	A	T	T	T	T	T	T	A*	T	T	T	T	A
1939	MAY 15	T	A	T	A	T	A	A	A	A	A	A	A	-	-	-	-	-	-	-	-	-	-	*	-	*	T	T
1940	JUN 11	A	A	A	A	A	A	A	*	-	-	-	A	A	T	A	A	A	T	T	T	T	A	A	T	A	TA	A
1941	JUL 8	A	A	A	A	A	A	A	A	A	T	A	A	A	A*	-	A	A*	A	T	T	T	A	AT	T	T	T	A
1942	AUG 4	A	A	A	A	A	T	A	A	A	A	A	A	A	A	T	T	T	*	T	T	T	T	T	T	T	T	A
1943	AUG 31	A	A	A	T	A	A	A	A	A	A	A	A	A	A	A	A*	A	T	T	T	T	T	T	T	T	T	A
1944	SEP 27	A	A	A	A	A	T	A	T	-	A	-	A	A*	A	A	A	A	AT	*	T	A	T	T	T	T	T	A
1945	OCT 24	T	T	T	T	T	T	A	A	A	A	A	A*	A	A	A	AT	-	AT	AT	T	T	T	T	T	T	T	T
1946	NOV 20	A	T	A	*	T	A	A	T*	A	A	A	-	A	A	A	A	A	A	AT	A	T	T	T	T	*	T	T
1947	DEC 17	T	T	T	T	T	T	T	A*	A	T	A	*	A	A	A	A	A	A	T	T*	A	T	T	T	T	A*	TA*
1948	1976 JAN 13	T	A	T	T	T	T	A	A	A	A	A	-	A	A	A	A	A	A	-	A	T	T	T	T	T	T	T


T = towards the sun A = away from the sun * = effect doubtful or not discernable - = missing data

The table shows daily inferences of the polarity of the interplanetary magnetic field. The first half of the day is based principally on magnetograms produced by the magnetometer at the Vostok Antarctic Station of the USSR. The magnetometer of the U.S. Air Weather Service operated by the Air Force Geophysics Laboratories at the Thule Geopole Station is used for the second half of the day.


DECEMBER 1975 DATA

Contents

	Page
<u>Daily Solar Activity Centers</u>	
H α Synoptic Chart	27
X-ray, Magnetograms, Calcium Plages, H α Spectroheliograms	
Sunspots, Corona and 2 cm and 8.6 mm Spectroheliograms	28-89
Individual Regions of Solar Activity	90-94
Daily Calcium Indices	94
<u>Sudden Ionospheric Disturbances</u>	
Table of Events	95
Number of Events in each Plage Region	95
<u>Solar Radio Waves</u>	
Spectral Observations	96-100
Selected Events by Radioheliograph	101
<u>Cosmic Rays</u>	
Chart of Variations	102-103
Neutron Monitors Daily Values	104
<u>Geomagnetic Indices</u>	
Table of Indices Kp, Kn, Ks, Km, Cp, Ap, aa	105
12-Month Table of Daily Averages Ap	106
Chart of Kp by Bartel's 27-day Rotation	107
Chart of C9	108
aa graph 1868-1975	109
Chart of Dst by Bartel's Rotation	110
Equatorial Indices Dst	111
Principal Magnetic Storms	112
Sudden Commencements and Solar Flare Effects	113
<u>Radio Propagation Indices</u>	
North Atlantic Quality Figures and Forecasts	114
Transmission Frequency Ranges - North Atlantic Path	115-116
Quality Indices on Paths to Germany	117





DECEMBER 1, 1975 (P = 16.36, B₀ = 0.91, L₀ = 197.04)



- DETECTABLE (0)
- B x 20
- B x 500
- ⊙ HIGHLY VARIABLE


KITT PEAK





MAGNETOGRAM
Bright - Plus
Dark - Minus







MT. WILSON





MAGNETOGRAM
Solid-Plus
Dotted-Minus













DECEMBER 2, 1975 (P = 15.97, B₀ = 0.79, L₀ = 183.86)











DECEMBER 3, 1975 (P = 15.58, B₀ = 0.66, L₀ = 170.68)







DECEMBER 4, 1975 (P = 15.18, B₀ = 0.53, L₀ = 157.50)













CORONA
KISLOVODSK
NO DATA - 10°, 90°, 95°
305°, 320°, 325°, 335°
355°







DECEMBER 5, 1975 (P = 14.78, B₀ = 0.40, L₀ = 144.33)







17.48-19.36 UT









DECEMBER 6, 1975 (P = 14.37, B₀ = 0.28, L₀ = 131.15)





DECEMBER 7, 1975 (P = 13.96, B₀ = 0.15, L₀ = 117.97)





8.6 MM
NELC LA POSTA Np
NO DATA
EQUIPMENT W
Sp Ant. Temp. Unit 100°K

2.0 CM
NELC LA POSTA Np
NO DATA
EQUIPMENT W
Sp Ant. Temp. Unit 100°K





8.6 MM
NELC LA POSTA Np
NO DATA
EQUIPMENT W
Sp Ant. Temp. Unit 100°K





2.0 CM
NELC LA POSTA Np
NO DATA
EQUIPMENT W
Sp Ant. Temp. Unit 100°K

8.6 MM
NELC LA POSTA Np
NO DATA
EQUIPMENT W
Sp Ant. Temp. Unit 100°K





2.0 CM
NELC LA POSTA Np
NO DATA
EQUIPMENT W
Sp Ant. Temp. Unit 100°K





DECEMBER 8, 1975 (P = 13.54, B₀ = 0.02, L₀ = 104.79)













DECEMBER 9, 1975 (P = 13.12, B₀ = -0.11, L₀ = 91.62)






DECEMBER 10, 1975 (P = 12.69, B₀ = -0.24, L₀ = 78.44)












DECEMBER 11, 1975 (P = 12.26, B₀ = -0.36, L₀ = 65.26)







- DETECTABLE (10)
- 0 x 20
- 0 x 500
- HIGHLY VARIABLE



- Levels
- 5
 - ± 10
 - ± 20
 - ± 40
 - ± 80



DECEMBER 12, 1975 (P = 11.82, B₀ = -0.49, L₀ = 52.09)





Levels
+ 5
+ 10
+ 20
+ 40
+ 80

MAGNETOGRAM
Solid - Plus
Dotted - Minus

DELTA TAY =
DELTA TAX =

MAGNETOGRAM
Bright - Plus
Dark - Minus



NELC LA POSTA Np 8.6 MM

NELC LA POSTA Np 2.0 CM

NO DATA



NO DATA

WEATHER W





WEATHER W






Sp Ant. Temp. Unit 100°K

Sp Ant. Temp. Unit 100°K









DECEMBER 13, 1975 (P = 11.38, B₀ = -0.62, L₀ = 38.91)





DECEMBER 14, 1975 (P = 10.94, B₀ = -0.75, L₀ = 25.74)





8.6 MM

Np

NELC LA POSTA

2.0 CM

Np

NELC LA POSTA

NO DATA

NO DATA

W



WEATHER

E

W

WEATHER

E



Sp

Sp

Sp


Ant. Temp. Unit 100°K

Ant. Temp. Unit 100°K

Ant. Temp. Unit 100°K

DECEMBER 15, 1975 (P = 10.49, B₀ = -0.87, L₀ = 12.56)

LOCKHEED
X-RAY (2-14 keV)
OSO-8





- DETECTABLE (D)
- 0 x 20
- 0 x 500
- HIGHLY VARIABLE

T (10⁶ K)

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus




CALCIUM REPORT

CATANIA



MT. WILSON

DELTA T = 12.7
DELTA X = 9.5

MAGNETOGRAM
Solid - Plus
Dotted - Minus



- Levels
- 5
- +1
- 10
- +20
- +40
- +80




NELC LA POSTA

Np

NO DATA

WEATHER

Sp



Ant. Temp. Unit 100°K


2.0 CM

└

NO DATA

W

└



Ant. Temp. Unit 100°K


NELC LA POSTA

Np

NO DATA

WEATHER

Sp



Ant. Temp. Unit 100°K

8.6 MM


└

NO DATA

W


└

DECEMBER 16, 1975 (P = 10.04, B₀ = -1.00, L₀ = 359.39)




- DETECTABLE (D)
- 0 x 20
- 0 x 500
- HIGHLY VARIABLE


T (10⁶ K)







MAGNETOGRAM
Bright - Plus
Dark - Minus







FAIR M
84 - 0900 - 2.5







Levels
+ 5
+ 10
+ 20
+ 40
+ 80











DECEMBER 17, 1975 (P = 9.58, $B_0 = -1.13$, $L_0 = 346.21$)













DECEMBER 18, 1975 (P = 9.12, $B_0 = -1.26$, $L_0 = 333.04$)





DECEMBER 19, 1975 (P = 8.66, B₀ = -1.38, L₀ = 319.86)









Ant. Temp. Unit 100°K



Ant. Temp. Unit 100°K

DECEMBER 20, 1975 (P = 8.19, $B_0 = -1.51$, $L_0 = 306.69$)



- DETECTABLE (D)
- D x 20
- D x 500
- HIGHLY VARIABLE






8.6 MM
Np
NO DATA
WEATHER
W


NELC LA POSTA
Np
NO DATA
WEATHER
E

2.0 CM
Np
NO DATA
WEATHER
W

NELC LA POSTA
Np
NO DATA
WEATHER
E



Ant. Temp. Unit 100°K




Ant. Temp. Unit 100°K

Sp




Ant. Temp. Unit 100°K

DECEMBER 21, 1975 (P = 7.72, $B_0 = -1.63$, $L_0 = 293.51$)







- DETECTABLE (D)
- 0 x 20
- 0 x 500
- ⊙ HIGHLY VARIABLE





T (10^6 K)







- Levels
- + 5
 - + 10
 - + 20
 - + 40
 - + 80











DECEMBER 22, 1975 (P = 7.25, $B_0 = -1.76$, $L_0 = 280.34$)













DECEMBER 23, 1975 (P = 6.78, B₀ = -1.88, L₀ = 267.17)













DECEMBER 24, 1975 (P = 6.30, B₀ = -2.01, L₀ = 253.99)







DECEMBER 25, 1975 (P = 5.82, B₀ = -2.13, L₀ = 240.82)







DECEMBER 26, 1975 (P = 5.34, $B_0 = -2.25$, $L_0 = 227.65$)



- DETECTABLE (0)
- 0 x 20
- 0 x 500
- ⊙ HIGHLY VARIABLE

T (10^6 K)

1245 UT




MT. WILSON

MAGNETOGRAM

Solid-Plus
Dotted-Minus





DELTA TAY = 12.7
DELTA TAX = 9.5



Levels
+ 5
+ 10
+ 20
+ 40
+ 80

17.70-19.15 UT

26
RAMEY AFB







Ant. Temp. Unit 100°K





1913 UT

Ant. Temp. Unit 100°K


2048 UT

DECEMBER 27, 1975 (P = 4.86, B₀ = -2.37, L₀ = 214.48)








DECEMBER 28, 1975 (P = 4.38, B₀ = -2.50, L₀ = 201.31)







- DETECTABLE (D)
- 0 x 20
- 0 x 500
- HIGHLY VARIABLE




MAGNETOGRAM
Solid-Plus
Dotted-Minus

- Levels
- + 5
 - + 10
 - + 20
 - + 40
 - + 80






DECEMBER 29, 1975 (P = 3.90, B₀ = -2.62, L₀ = 188.13)






- DETECTABLE (ID)
- 0 x 20
- 0 x 500
- HIGHLY VARIABLE



T (10⁶ K)



- Levels
- + 5
 - + 10
 - + 20
 - + 40
 - + 80











Ant. Temp. Unit 100°K




Ant. Temp. Unit 100°K

DECEMBER 30, 1975 (P = 3.41, B₀ = -2.74 L₀ = 174.96)








DECEMBER 31, 1975 (P = 2.93, B₀ = -2.85, L₀ = 161.79)



- DETECTABLE (D)
- 0 x 20
- 0 x 500
- HIGHLY VARIABLE





- | | |
|----------|----|
| FAIR | GD |
| 168-1325 | -- |
| 170-0884 | -- |



- Levels
- 5
 - + 10
 - + 20
 - + 40
 - + 80

31
RAMEY AFB



NELC LA POSTA

Np

┌

NO DATA

WEATHER

Sp



Ant. Temp. Unit 100°K


2.0 CM

┌

NO DATA

W

┌



Ant. Temp. Unit 100°K

NELC LA POSTA

Np

┌

8.6 MM

WEATHER

Sp

┌

Ant. Temp. Unit 100°K

90
Dec 75

REGIONS OF SOLAR ACTIVITY
DECEMBER 1975

MCMATH REGION 19643 CMP DATE 1.2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	11	29						19643	N36 E18	195	AF					

MCMATH REGION 13958 CMP DATE 2.1

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	11	28	13958	S01 E45	183	100	1.5									

MCMATH REGION 13959 CMP DATE 2.6

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	11	28	13959	N24 E52	176	100	1.5									

MCMATH REGION 13969 CMP DATE 2.8

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	12	4	13969	N39 W24	172	100	1.5									

MCMATH REGION 13960 CMP DATE 3.5 RETURN OF REGION 13922 ROTATION 2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	11	23	13960	S09 E65	163	800	2.0									
75	12	1	13960	S10 E22	165	400	1.5									
75	12	2	13960	S10 E09	162	400	1.0									
75	12	3	13960	S10 W01	163	300	1.0									
75	12	4	13960	S10 W14	162	300	1.0									
75	12	5	13960	S10 W26	161	300	1.0									
75	12	6	13960	S10 W42	163	300	1.0									
75	12	7	13960	S12 W53	162	200	1.0									

MCMATH REGION 13967 CMP DATE 4.4

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	12	2	13967	S26 E18	153	100	1.0									
75	12	3	13967	S26 E10	152	100	1.0									

MCMATH REGION 13964 CMP DATE 4.8

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	12	1	13964	N06 E42	145	500	2.5	19645	N06 E42	144	(BF)	3	M	30	8	BX0
75	12	2	13964	N05 E25	146	1400	3.0	19646	N00 E22	152	(A)	1				
75	12							19647	N05 E24	150	(BP)	3	B	20	2	CS0
75	12							19645	N06 E30	144	(BP)	4	B	60	6	DS0
75	12	3	13964	N06 E15	147	1500	3.0	19647	N05 E10	151	(BP)	2	B	10	5	BX0
75	12							19645	N06 E16	145	(B)	4	B	70	14	DA0
75	12	4	13964	N06 E02	146	1100	3.0	19647	N04 W05	151	(B)	2	B	10	5	BX0
75	12							19645	N05 E01	145	(BF)	4	B	70	24	DAI
75	12	5	13964	N06 W13	148	1300	3.0	19645	N05 W12	146	(BP)	4	R	80	23	DAI
75	12	6	13964	N06 W27	149	1500	3.0	19645	N05 W27	148	(BP)	4	B	160	7	DSI
75	12	7	13964	N06 W38	147	1600	3.0	19645	N05 W41	148	(BP)	4	B	60	8	CSI
75	12	8	13964	N06 W52	147	1800	3.0	19645	N05 W56	149	(BP)	3	B	30	8	CS0
75	12	9						19645	N06 W72	154	(AP)	2	B	10	1	AXX
75	12	10	13964	N06 W78	148	1400	2.5	19645	N06 W85	153	AP					

REGIONS OF SOLAR ACTIVITY

DECEMBER 1975

MCMATH REGION 13982 (CONT) CMP DATE 16.3 RETURN OF REGION 13937* ROTATION 2

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	12	10	13982	S06 E78	353	500	1.0								
75	12	12	13982	S07 E48	354	300	1.0								
75	12	13	13982	S08 E34	354	300	1.5								
75	12	14	13982	S07 E23	354	300	1.5								
75	12	15	13982	S07 W04	355	300	1.5								
75	12	17	13982	S07 W17	354	300	1.5								
75	12	18	13982	S07 W31	355	300	1.5								
75	12	19	13982	S07 W49	357	300	1.0								
75	12	21	13982	S08 W72	357	200	1.0								

MCMATH REGION 13985 CMP DATE 16.8

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	12	13	13985	N34 E40	348	100	1.5								
75	12	14	13985	N36 E28	349	100	1.5								

MCMATH REGION 13984 CMP DATE 17.3 RETURN OF REGION 13937* ROTATION 2

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	12	12	13984	S06 E60	342	900	2.5								
75	12	13	13984	S07 E45	343	800	2.0								
75	12	14	13984	S07 E36	341	1400	2.5	19648	S08 E30	344	(EP)	2			
75	12	15						19648	S06 E20	344	(AF)	2	R	10	8 BXO
75	12	16	13984	S06 E08	343	900	2.5	19648	S07 E06	345	(AF)	2	B	10	6 AXX
75	12	17	13984	S06 W05	342	800	2.5	19648	S06 W07	344	(AF)	3	B	10	7 AXX
75	12	18	13984	S06 W18	342	800	2.5		S06 W22				B	10	2 AXX
75	12	19	13984	S07 W36	344	800	2.5								
75	12	21	13984	S07 W60	345	600	2.0								
75	12	23	13984	S07 W89	348	200	1.0								

MCMATH REGION 13988 CMP DATE 17.3

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	12	16	13988	N19 E08	343	200	1.0								

MCMATH REGION 13993 CMP DATE 19.8

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	12	24	13993	S01 W65	309	100	1.0								

MCMATH REGION 13987 CMP DATE 20.1

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	12	14	13987	N10 E71	306	200	1.0								

MCMATH REGION 13994 CMP DATE 22.5

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	12	24	13994	S10 W30	274	300	2.0	19649	S07 W28	273	(BF)	2	B	20	2 HSX
75	12	27	13994	S11 W69	274	200	1.5		S12 W18				B	0	1 AXX

*An asterisk beside the "Return of Region" number indicates that the new region is only part of the area of the old region.

REGIONS OF SOLAR ACTIVITY
DECEMBER 1975

MCMATH REGION 13998 CMP DATE 26.1

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	12	29	13998	S03 W46	226	200	1.0								

MCMATH REGION 14001 CMP DATE 29.1

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	12	29	14001	N04 W07	187	200	1.0								

MCMATH REGION 13992 CMP DATE 30.1

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	12	23	13992	S02 E39	170	300	1.5								
75	12	24	13992	S03 E76	168	700	3.0	19650	S04 E73	172	AP	B	20	1	HSX
75	12	25						19650	S04 E58	173	(AP)	3 B	10	3	AXX
75	12	26						19650	S04 E45	173	(AP)	1 B	0	1	AXX
75	12	27	13992	S03 E34	171	600	2.5								
75	12	29	13992	S04 E07	173	600	2.0								
76	1	03	13992	S04 W63		400	2.0								
76	1	04	13992	S05 W77		400	1.0								

MCMATH REGION 13997 CMP DATE 30.2

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	12	27	13997	N37 E34	171	100	1.0								

MCMATH REGION 14002 CMP DATE 31.3

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	12	29	14002	S07 E23	157	200	1.0								

MCMATH REGION 13995 CMP DATE 31.6 RETURN OF REGION 13964* ROTATION 2

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	12	27	13995	N05 E51	154	800	2.5								
75	12	29	13995	N05 E26	154	800	2.0								
76	1	03	13995	N05 W45		600	2.0								
76	1	04	13995	N05 W58		500	2.0								
76	1	05	13995	N04 W70		400	2.0								

Note: Region 13966 is new plage that has developed near the location of region 13927 of the previous rotation. No calcium spectroheliograms were obtained at the McMath-Hulbert Observatory on December 9, 11, 15, 20, 22, 25, 26, 28, 30 and 31, 1975. No sunspot observations were made at Mt. Wilson Observatory on December 12 and 27, 1975.

DAILY CALCIUM PLAGE INDEX
DECEMBER 1975

YR	MO	DAY	INDEX	YR	MO	DAY	INDEX	YR	MO	DAY	INDEX
75	12	1	2.1	75	12	11	*	75	12	21	0.6
75	12	2	5.5	75	12	12	3.2	75	12	22	*
75	12	3	6.2	75	12	13	2.6	75	12	23	0.0
75	12	4	5.6	75	12	14	4.6	75	12	24	1.0
75	12	5	6.7	75	12	15	*	75	12	25	*
75	12	6	7.2	75	12	16	3.3	75	12	26	*
75	12	7	6.8	75	12	17	2.7	75	12	27	2.7
75	12	8	6.9	75	12	18	2.4	75	12	28	*
75	12	9	*	75	12	19	1.8	75	12	29	3.3
75	12	10	4.9	75	12	20	*	75	12	30	*
								75	12	31	*

* NO OBSERVATIONS

96
Dec 75

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

DECEMBER 1975

DEC 1975	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE
	START UT	END UT		DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT	
01	0000	0917	MANI										
	0000	0721	CULG										
	0712	1522	DURN										
	1158	2106	SGMR										
	1400	2330	BOUL										
	1401	2340	HARV										
	2020	2400	CULG										
	2204	2400	MANI										
02	0000	0917	MANI										
	0000	0721	CULG										
	0713	0750	DURN										
	1159	2106	SGMR										
	1400	2330	BOUL										
	1402	2340	HARV										
	2021	2113	CULG										
	2124	2400	CULG										
2204	2400	MANI											
03	0000	0917	MANI										
	0000	0721	CULG										
	0714	1520	DURN										
	1200	2106	SGMR										
	1400	2330	BOUL										
	1401	2340	HARV										
	2022	2400	CULG										
	2205	2400	MANI										
04	0000	0917	MANI										
	0000	0721	CULG										
	0724	1514	DURN										
	1202	2105	SGMR										
	1400	2330	BOUL										
	1401	2340	HARV										
	2023	2400	CULG										
	2205	2400	MANI										
05	0000	0917	MANI										
	0000	0722	CULG										
	0714	1514	DURN										
	1203	2105	SGMR										
	1400	2330	BOUL										
	1402	2340	HARV										
	2023	2400	CULG										
	2206	2400	MANI										
06	0000	0917	MANI										
	0000	0451	CULG										
	0509	0722	CULG										
	0714	0738	DURN										
	0805	1514	DURN	1018.3	1018.6	2	1018.3	1018.6	2				IIIG I
			DURN				1118.5	1119.3	2				
	1203	2105	SGMR										
	1400	2330	BOUL										
	1400	2340	HARV										
	2206	2400	MANI										
2023	2400	CULG	2242	2243	1	2242	2243	1				IIIG	
		CULG	2318	2319	1	2318	2319	1				IIIG	
		CULG				2343	2345	1				IIIG	
07	0000	0722	CULG	0019	0022	1	0019	0022	1				IIIG
			CULG	0111	0126	1	0111	0126	1	0111	0126	1	IIIGG
			CULG	0117	0118	2	0117	0118	2				IIIG
			CULG	0136	0137	2	0136	0137	2	0136	0137	2	IIIG,v
	0000	0917	MANI							0137.6	0138.5	0	III
			CULG	0141	0155	1	0141	0155	1				IIIGG
			CULG	0408	0409	1	0408	0409	1				IIIG
			CULG	0605	0608	1	0605	0608	1	0605	0608	1	IIIG
			MANI							0607.2	0608.4	3	IIIG
			CULG				0609	0610	1				IIIG

100
Dec 75

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

DECEMBER 1975

DEC 1975	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE
	START UT	END UT		DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT	
30	0000	0919	MANI										
	0000	0734	CULG										
	0753	1520	DURN										
	1218	2113	SGMR										
	1418	2345	HARV										
	1430	2400	BOUL										
	2034	2400	CULG										
	2218	2400	MANI										
31	0000	0919	MANI										
	0000	0735	CULG										
	0735	1520	DURN										
	1218	2114	SGMR										
	1418	2345	HARV										
	1430	2400	BOUL										
	2035	2400	CULG										
	2219	2400	MANI										

The symbols used in connection with the spectral type in describing the important bursts are as follows:

- | | |
|--|---|
| <ul style="list-style-type: none"> B = Single burst G = Small group (< 10) of bursts GG = Large group (> 10) of bursts C = Underlying continuum (particularly with type I) S = Storm in the sense of intermittent but apparently connected activity N = Intermittent activity in this period U = U-shaped burst of Type III | <ul style="list-style-type: none"> RS = Reverse slope burst DP = Drifting pairs DC = Drifting Chains H = Herringbone W = Weak P = Pulsations CONT = Continuum UNCLF = Unclassified activity |
|--|---|

SELECTED SOLAR EVENTS
DECEMBER 1975

Culgoora

UT Date 1975. December	HELIOGRAPH EVENT							Spectral Type	REMARKS
	Start (UT)	End (UT)	Freq. (MHz)	Positions		Polar- ization	Inten- sity (1-3)		
				Central Dist. (R_{\odot})	Position Angle (Deg.)				
7	0019	0022	80	0.6	340	0	†	IIIG	*
21	0033	0035	80	1.3	300	0	†	IIIG	

Days without Heliograph observations:NIL.....

* Other type III bursts observed at same position during day.

† Because of equipment modifications which are in progress, intensity classifications are not available. An indication of intensities can be obtained from corresponding entries in "Solar Radio Emission-Spectral Observations".

COSMIC RAY INDICES
(Neutron Monitors)
DECEMBER 1975


DEC. 1975	THULE Average cts/hr	ALERT Average cts/hr	DEEP RIVER Average cts/hr	CALGARY Average cts/hr	SULPHUR MT Average cts/hr	KIEL Average cts/hr	CLIMAX Average cts/hr	TOKYO Average cts/hr
1	4466.1	7446.3	6986.8	11629.4	-- (0)	6296.2	4192.3(22)	3540.1
2	4457.5	7435.2	6965.7	11579.4	-- (0)	6283.6	4183.9(30)	3533.8
3	4444.9	7408.7	6953.2	11540.8	-- (0)	6266.2	4169.7	3526.5
4	4429.0	7383.6	6951.6	11567.8	-- (0)	6225.9	4185.7	3525.1
5	4434.8	7404.0	6930.5	11577.7	8821.7(3)	6232.9	4179.7	3517.1
6	4447.8	7422.5	6943.3	11607.6	8803.9	6243.7	4170.0	3520.0
7	4452.9	7445.0	6984.8	11621.2	8812.4	6255.1	4174.9	3520.0
8	4477.4	7454.2	7018.8	11666.7	8832.8	6272.0	4198.8	3537.7
9	4474.4	7430.6	7010.1	11653.9	8804.6	6270.3	4197.4	3539.7
10	4448.6	7414.9	6965.8	11660.1	8814.4	6237.3	4186.3	3527.0
11	4451.4	7404.0	6963.6	11699.1	8848.9	6234.7	4194.7	3531.8
12	4461.4	7436.1	6958.5	11682.6	8835.7	6266.4	4185.1	3531.4
13	4474.7	7461.0	6970.8	11678.3	8851.8	6263.1	4200.2	3537.2
14	4465.8	7468.0	6947.0	11671.8	8847.9	6260.1	4201.1	3539.5
15	4476.6	7469.5	6969.4	11641.3	8835.9	6264.5	4188.5	3550.5
16	4478.1	7477.5	7011.0	11628.6	8842.9	6291.5	4192.1	3549.5
17	4487.5	7486.0	7018.5	11641.2	8842.8	6302.9	4214.8	3557.5
18	4490.3	7495.5	7047.7	11656.5	8843.6	6299.7	4215.5	3560.6
19	4500.8	7530.6	7067.9	11702.3	8884.7	6306.0	4220.2	3561.8
20	4513.6	7538.6	7073.8	11760.3	8919.6	6308.7	4227.7	3563.9
21	4533.2	7567.7	7086.7	11778.9	8957.0	6320.8	4239.5	3568.9
22	4533.3	7579.0	7085.9	11798.2	8964.3	6319.1	4246.7	3576.7
23	4541.4	7581.8	7108.9	11841.7	9002.0	6341.6	4266.6	3575.3
24	4556.3	7610.3	7119.1	11874.4	9020.0	6384.5	4280.3	3582.9
25	4547.0	7604.8	7107.8	11863.9	8996.3	6382.6	4282.2	3574.4
26	4509.2	7559.3	7044.3	11793.4	8949.8	6311.3	4243.5	3561.0
27	4473.3	7491.8	7017.7	11703.6	8891.0	6273.4	4235.8	3557.0
28	4490.4	7501.5	7035.3	11711.3	8858.9	6289.2	-- (0)	3541.2
29	4474.2	7467.7	6999.6	11708.5	8857.8	6275.6	4228.8(24)	3544.8
30	4471.1	7485.1	7003.0	11719.8	8875.2	6285.1	4212.4	3547.9
31	4478.1	7506.8	7019.7	11750.8	8915.5	6301.0	4219.9	3548.8
MEAN	4482.0	7482.8	7011.8	11690.7	8876.1	6286.0	4211.5	3546.8

() Number of hours for which data are available if less than 24. Number of Section Hours at Climax if sum of both sections is less than 40 hours.

Thule, Alert, Calgary, Sulphur Mountain, Kiel and Climax Scaling Factors = 100.
Deep River Scaling Factor = 300.
Tokyo Scaling Factor = 128.


COSMIC RAY INDICES
(Neutron Monitors)

Bartel's Rotations 1946 and 1947



COSMIC RAY INDICES (Neutron Monitors)

Bartel's Rotations 1946 and 1947



GEOMAGNETIC ACTIVITY INDICES

DECEMBER 1975

Day	Three-Hourly Indices Kp								Sum	Three-Hourly Indices Km								Ap	aa				Cp	
	1	2	3	4	5	6	7	8		1	2	3	4	5	6	7	8		N	S	M			
1	0	5-	4+	4+	4+	4	5-	4+	4	35-	4-	4-	4-	4	4	4	4	4	32	49	41	42	48	1.3
2	0	4	4	4+	5-	4-	3	4	4	32-	3+	3+	3+	4	4-	3	4-	3+	27	44	46	47	43	1.2
3		4-	2-	2+	3	3	3-	2+	3-	21+	3	1+	2-	3-	3	3-	2+	3-	12	25	22	23	25	0.7
4		3	3-	2+	3+	3+	3+	2	1+	21+	2+	2-	2	3	3+	3-	1+	1+	13	21	21	19	24	0.7
5		2+	1+	2+	2	3-	2+	2+	2	17+	2-	1	2	2+	3-	2	2+	2-	8	17	17	13	22	0.5
6		1	2	1-	2-	3-	2	2+	2-	14	1+	2-	1-	2	3-	2	2+	2-	7	17	13	10	21	0.3
7	QQ	1+	1-	1-	1-	9+	1+	1+	1	8-	1-	1	1	1	0+	1+	1+	1+	4	11	7	8	10	C 0.1
8		2	4	3-	2-	3-	4-	4-	5-	25	2	3	1+	2-	3-	4-	4-	5-	1E	34	35	19	51	1.0
9	D	5-	3	1+	4-	4	3	1-	1+	22-	4-	3-	2-	3+	4	3	1-	2-	1E	25	33	34	24	0.9
10		0+	0+	1-	3-	4-	3	0+	1+	12+	1-	0+	1-	2+	4-	3-	0+	1	8	12	18	8	22	0.4
11	Q	1-	1+	2+	2-	1-	1+	2+	1-	11	1-	1	2-	2-	1+	2-	2+	1-	5	12	13	11	13	C 0.2
12	QQ	1+	1-	1-	1-	0+	0+	0+	1-	5	1	1	1	1+	0+	0+	0+	1-	3	4	9	8	5	CC 0.1
13	QQ	0	0	0+	1-	0+	2-	1	1	5	0	0+	1-	1	1-	1+	1+	1	3	6	6	4	8	CC 0.0
14	Q	1	0+	1	1	2	2	2	3-	12	1-	0+	0+	1+	2+	2	2+	3	6	13	15	7	22	0.3
15		3+	3-	2+	1+	2-	2-	1+	2+	17-	3	2	2	2-	2	2-	2-	3-	9	18	20	24	14	0.5
16		3+	4-	3-	3-	2	3-	3	3	23	3-	3	2	2	2-	3-	3-	3-	14	26	22	22	26	0.6
17		2	4	2-	1-	2-	3-	2-	2+	16+	1+	3	2	1-	2-	2+	2+	2+	9	17	18	15	21	0.5
18	Q	2+	2-	1	1+	2	2-	2-	2	14-	2	1	1	1	2+	2-	1+	2	6	13	14	11	17	0.3
19	Q	1+	2+	1-	1	2	3-	1	0+	11+	1	2-	1	1+	2+	3-	1-	0+	6	12	13	10	15	KK 0.3
20	QQ	1	3-	1-	0+	0	0	0	0+	5	1-	2-	1-	0+	0	0	0+	0+	3	7	7	10	4	CK 0.1
21		1	1-	1-	2+	3+	3	3-	2	16-	1	1-	1-	3-	3+	3	3-	2+	9	17	24	13	27	0.5
22		4-	2+	2+	2	2-	2+	3-	2+	19+	3	2-	2+	2-	2+	2	3-	2+	10	22	19	22	21	0.6
23		2-	3	2	1+	2-	1-	2	2+	15-	1+	2	1+	1+	2	1-	2-	2+	7	12	17	15	15	K 0.4
24	QQ	0	1-	0	0	0	0+	2-	2	5-	0	1-	0	0	0	0+	2	2	2	9	5	4	10	C 0.0
25		3	4-	4-	3	4-	3	2	4	26	3-	3	3+	3-	4-	3-	2+	4-	18	29	39	34	34	1.0
26	D	4+	4-	4+	4	5-	5	5	4	35	3+	3	4-	3+	5-	5-	4+	3+	34	55	54	39	71	1.4
27	O	3+	4+	5	3	3-	5+	5	4-	32+	2+	4	4	2+	3-	5-	4+	3+	31	47	56	46	57	1.3
28		4+	3+	3	2	1	3-	2	4-	22	4-	3-	2+	2+	1+	3-	3-	3	15	24	24	27	21	0.8
29		3	4-	3+	3-	3	2+	4-	2+	24	3-	2+	3	3-	3	2	4-	2	15	26	25	26	25	0.9
30		4-	3+	2+	2+	2	2-	3-	2	20	3	3-	2-	2+	2	2-	2+	2	11	17	23	21	19	0.6
31	Q	3	3-	1	1	1-	1	2-	2	13	2	2	1	1	1	2-	2-	2	7	15	11	16	10	KK 0.3
												Mean	12	21.2	22.2	21.7	0.58							

Day	Three-Hourly Indices Kn								Three-Hourly Indices Ks							
	1	2	3	4	5	6	7	8	1	2	3	4	5	6	7	8
1	4	4	4-	4+	4	4+	4	4-	4-	3-	3+	4-	4	4-	4-	4+
2	4-	4-	4-	4+	4-	3	4	4-	3	3-	3	4-	3+	3	3	3
3	3	1+	2	3	3	3-	2	3-	3	1+	2-	3-	3	3-	2+	3-
4	3-	2	2	3	3+	3	1	1	2	1+	2	3-	3	3-	2-	2-
5	2-	1	2	2+	3-	2+	3-	2	1+	1-	2-	2	3-	2	2	1+
6	1+	2-	1-	2-	3	2	3-	1+	1	1+	1-	2	3-	2	2+	2-
7	1-	1	1	1-	0+	1+	1+	1	1-	1	1	1	0+	1+	1+	1+
8	1+	3	2-	2-	3-	4	4-	4+	2+	3	1+	2	3-	4-	4-	5-
9	4	2+	1+	3+	4	3	1-	2-	3+	3-	2	3+	4-	3	1-	2
10	0+	0+	0+	3-	4-	3	0	1	1-	0+	1	2+	3+	2+	1-	1
11	1-	1	1+	1+	1+	2-	2-	0	1	1	2-	2	1+	2-	3-	1
12	1-	1-	1	1	0	1-	0	0+	1+	1+	1+	1+	0+	0+	0+	1-
13	0	0	0+	1-	1-	2-	1+	1-	0	1-	1	1	1	1+	1+	1
14	0+	0+	1+	1	2	2	2	3-	1+	0+	1+	1+	2+	2+	3-	3
15	3	2+	2	1+	2-	2-	1+	3-	3-	2-	2	2-	2	2	2+	3-
16	3-	3	2+	2	2-	3-	3-	3-	3-	3-	2	2	2-	3-	3-	3-
17	1+	3	1+	1	2-	3-	2	2+	2-	3+	2-	1+	2-	2+	2+	3-
18	1+	1+	1	1	2+	2	1+	2-	2	1	1	1	2	2-	2-	2
19	1	2-	1	1	2+	3-	1-	1-	1	1+	1	1+	2	2	1-	0+
20	1-	2-	1-	0	0	0	0+	0+	1-	1+	1	1-	0	0	1-	1-
21	1	0+	1-	2+	3+	3	3-	2-	1	1-	1-	3-	3+	3	3-	3-
22	3	1+	2	2-	2-	2	3-	2	3	2	2+	2-	3-	2	3-	2+
23	1+	2+	2-	1+	2-	1	2-	2+	2-	2-	1+	1	1-	1-	2-	2
24	0	1-	0	0	0	0+	2	2	0	1	0	0	0	0+	2-	2
25	3-	3	3	3-	4	3	2	4-	3-	3	3+	3-	3+	3-	3-	3
26	4-	3	4	4-	5-	5	4+	3+	3+	3-	4-	3+	5-	4+	4+	4-
27	2+	4	4-	2+	3	5	4+	3+	3-	4-	4	2+	3-	5-	4+	3
28	4-	3	2+	2	1	3	3-	3+	4-	2+	2+	3-	2-	3-	3-	3-
29	2+	3-	3	3-	3+	2+	4-	2	3-	2+	3-	3-	3-	2-	3+	2+
30	3	3	2	2+	2	2-	2	2	3	2	2-	2+	2	2-	2+	2+
31	2+	2+	1+	1+	1+	2-	2	2-	2-	1+	1-	1	1	1+	1+	2


GEOMAGNETIC ACTIVITY INDICES

Kp Chart for year on following page.


DAILY AVERAGE INDICES A_p

1975												
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	7	37	21	7	0	24	12	9	7	6	7	32
2	4	23	10	5	16	28	6	7	6	2	36	27
3	7	12	11	6	19	12	7	5	3	11	65	12
4	32	10	9	7	14	11	6	6	3	9	41	13
5	27	17	30	10	34	12	5	29	4	6	22	8
6	26	8	20	15	35	11	6	7	13	25	11	7
7	44	15	7	25	22	6	12	5	7	38	10	4
8	36	5	2	32	14	4	37	14	6	45	7	18
9	7	11	8	32	16	5	35	15	24	37	37	16
10	6	38	30	35	19	4	17	15	26	24	20	8
11	4	36	53	34	2	14	18	7	26	8	13	5
12	4	35	37	27	3	27	5	4	19	12	9	3
13	32	27	29	29	6	14	10	5	17	7	4	3
14	33	25	29	21	14	8	13	16	13	9	3	6
15	15	21	20	7	3	13	15	13	8	5	4	9
16	21	30	27	6	28	17	12	5	6	10	6	14
17	29	14	13	5	14	12	14	9	13	8	17	9
18	22	15	17	6	7	12	15	6	14	4	7	6
19	10	11	11	5	15	12	9	4	8	3	8	6
20	10	5	14	25	23	6	6	15	7	5	9	3
21	6	8	3	23	12	9	6	17	6	6	18	9
22	8	7	1	15	11	5	6	12	4	6	50	10
23	12	32	13	25	8	4	6	10	4	7	8	7
24	10	17	14	17	5	3	6	6	2	4	13	2
25	5	20	8	8	14	4	33	9	3	4	15	18
26	5	9	17	9	18	5	19	5	14	5	14	34
27	14	5	34	5	10	4	11	6	14	5	5	31
28	12	12	32	3	5	4	10	5	8	9	9	15
29	6		22	2	11	26	4	27	5	12	29	15
30	7		10	6	6	22	5	14	2	9	36	11
31	16		13		4		5	6		19		7
MEAN	16	11	20	16	13	11	12	10	10	12	18	12

DAYS IN SOLAR ROTATION INTERVAL



KEY



▲ = sudden commencement

PLANETARY MAGNETIC
THREE - HOUR - RANGE INDICES
Kp 1975


(preliminary indices to 1976 January 19)

R9	Rot- No.	1st day	C9
455 422 442	19	J 1	3. . 355 244 666 422 2. . 365 . 35 556 654 . 44
112 346 423	73	J28	654 . 44 422 446 532 2. . 234 332 777 766 755
333 346 532	F24	766 755 64 . 62 232 24 . . . 57 777 777 665	
334 565 432	1910	M23	777 665 446 876 2. . . 2. . 5. 77 777 777 764
355 435 421	11	A 19	777 764 466 675 432 2. 4 443 . 12 576 665 567
344 421 133	12	M 16	665 557 54 . 122 2. . . 5 453 2. . 266 655 375
433 544 334	13	J 12	655 335 665 . 12 6. . 57 653 2. . . 3 211 122
312 211 122	14	J 9	211 122 64 . 132 1. 4 26 645 563 4. 2 232 211
331 . . . 235	15	A 5	232 211 . 13 2. . . . 213 576 566 542 . . . 342
775 312 245	16	S 1	. . . 342 227 632 2. 3 421 . 34 476 662 . . . 167
553 211 22	17	S 28	. . . 67 333 . 12 534 42 . 665 556 512 . . . 576
453 211 112	18	O 25	. . . 576 5 . 2 54 263 32 . 32 234 5. . 512 675
345 311 112	19	N 21	512 675 411 . . . 64 32 . 522 . . . 211 . 46 665
344 . . . 134	1920	D 18	. 46 665 . . . 35 444 234 43 . 214 . . . 244 462
543 . . . 111	19	J 14	244 462 44 . . 7 665 555 432 222 311 466 531
234 332 222	F 10	466 531 . 23 . 35 476 666 655 535 534 666 424	
232 222 122	74	M 9	666 424 . 72 . . 5 767 665 556 554 466 565 446
245 643 222	1924	A 5	565 446 5 76 766 655 555 542 566 614
666 421 112	25	M 2	566 614 33 66 655 555 664 342 246 655
235 543 221	26	M 29	246 655 211 . 12 466 556 442 352 222 277 654
136 642 344	27	J 25	277 654 232 678 464 545 353 221 132 277 556
443 323 454	28	J 22	277 556 532 . 15 655 554 443 267 666
332 12 345	29	A 18	267 666 622 556 456 645 543 211 14 277 56
551 124 467	1930	S 14	277 . 56 676 466 664 456 632 231 363 477 677
642 112 223	31	O 11	477 677 716 734 . 65 666 532 256 277
121 233 211	32	N 7	256 277 663 442 355 546 542 . . . 144 211 247
112 333 312	1933	D 4	211 247 555 534 256 655 444 335 331 421 266
222 322 221	19	O 31	421 266 676 211 . 66 456 533 123 311 431 246
112 222 111	75	J 27	431 246 533 424 236 666 656 443 222 645 213
. . . 12 221	F 23	645 213 533 265 . . 2 776 665 644 34 . 134 246	
. . . 111 111	1937	M 22	134 246 652 321 122 466 766 665 211 116 546
. . . 222 111	38	A 18	116 546 422 14 546 654 45 . . 4 64 245
111 111 111	39	M 15	64 245 332 145 313 . 5 633 331 . . . 464 234
111 123 222	40	J 11	464 234 333 121 653 . . . 113 664 512
233 222 223	41	J 8	664 512 443 442 6 533 . . . 211 62 144
665 322 111	42	A 4	62 144 411 145 121 44 322 211 164 111 . . .
222 121 221	43	A 31	111 . . . 311 566 543 213 421 4 421 . . .
. . . 112 221	44	S 27	421 . . . 321 667 662 322 122 . . . 111 111 123
. . . 122 223	45	O 24	. . . 123 252 677 533 65 421 . . . 412 257 244
311 122 111	46	N 20	257 244 412 666 633 211 542 . . . 124 211 223
111 . . .	1947	D 17	211 123 215 664 431 . . 5 434 411 774 241 433
	19	J 13	241 433 preliminary
	F 9		
	76	M 7	

Symbol	.	1	2	3	4	5	6	7	8	9	
R	=	0	1-15	16-30	31-45	46-60	61-80	81-100	101-130	131-170	171...
R9, C9	=	0	1	2	3	4	5	6	7	8	9
Cp	=	0.0-0.1	0.2-0.3	0.4-0.5	0.6-0.7	0.8-0.9	1.0-1.1	1.2-1.4	1.5-1.8	1.9	2.0-2.5

DAILY GEOMAGNETIC CHARACTER FIGURES C9 AND 3-DAY MEAN SUNSPOT NUMBERS R9


For explanation and previous years see J. Bartels, *Abhandlungen der Akademie der Wissenschaften zu Göttingen, Beiträge zum I.G.J., Heft 3 (1958)* (may be requested from Institut für Geophysik, Postfach 876, 34 Göttingen, Germany).



The above graph is computed from a series of points based on yearly averages of "aa" indices. The ordinate of each point (one point per month) is a twelve month average such that the points plotted at the marked ten year intervals are in each case averages for January to December of that year. The graph begins with the average for 1868 and ends with the average for 1975. This graph was provided by Dr. P. N. Mayaud of the Institut de Physique du Globe, Paris, France, who also provides the daily values of "aa" on a monthly basis.

GEOMAGNETIC ACTIVITY INDICES

Hourly Equatorial Dst



Note the changes in sensitivity as well as the changing 0 reference level.

HOURLY EQUATORIAL DST VALUES (PROVISIONAL)


DECEMBER 1975

NASA/GODDARD SPACE FLIGHT CENTER

(Units-Gammas)

(Time-UT)

DAY	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
1	-37	-40	-38	-38	-37	-42	-42	-44	-41	-39	-34	-38	-40	-35	-39	-39	-35	-37	-34	-36	-31	-29	-27	-26
2	-33	-31	-31	-29	-29	-29	-27	-27	-33	-35	-39	-35	-34	-28	-24	-29	-29	-25	-25	-36	-31	-33	-33	-34
3	-32	-28	-27	-28	-28	-29	-30	-31	-32	-29	-25	-22	-22	-22	-25	-22	-19	-18	-19	-18	-22	-22	-27	-29
4	-27	-25	-23	-25	-26	-25	-25	-24	-31	-31	-25	-22	-22	-25	-30	-29	-26	-20	-20	-21	-23	-23	-22	-22
5	-23	-22	-21	-21	-20	-19	-20	-24	-28	-25	-23	-23	-21	-18	-14	-15	-15	-18	-20	-20	-21	-22	-21	-19
6	-15	-15	-17	-17	-14	-13	-16	-17	-19	-19	-21	-20	-16	-12	-12	-10	-12	-20	-24	-23	-20	-17	-14	-13
7	-11	-11	-12	-10	-9	-10	-14	-15	-13	-13	-12	-12	-11	-10	-8	-8	-5	-5	-3	-4	-5	-5	-7	-7
8	-5	1	0	-6	-14	-16	-17	-18	-18	-16	-17	-16	-14	-17	-4	-8	-11	-15	-8	-8	-21	-31	-33	-40
9	-34	-33	-34	-31	-26	-27	-33	-30	-26	-25	-25	-31	-33	-36	-39	-39	-32	-27	-23	-19	-17	-7	-8	-11
10	-13	-15	-18	-19	-19	-16	-16	-13	-12	-13	-14	-20	-28	-34	-29	-28	-27	-25	-25	-23	-21	-18	-15	-18
11	-17	-17	-16	-14	-13	-14	-14	-14	-13	-6	-8	-10	-11	-15	-12	-12	-11	-10	-11	-9	-13	-10	-8	-8
12	-8	-8	-7	-5	0	2	1	-2	-5	-7	-8	-9	-10	-10	-10	-11	-11	-10	-9	-9	-7	-5	-4	-5
13	-6	-7	-8	-8	-6	-2	-2	-4	-2	1	4	3	3	3	-1	-3	-3	-5	-6	-5	-3	-4	-3	-1
14	-2	1	2	6	8	6	7	8	10	9	6	7	10	3	3	1	-1	0	2	2	5	-5	-8	-5
15	-2	-4	-14	-14	-8	-6	-6	-12	-14	-11	-6	-7	-7	-3	-3	-6	-8	-9	-6	-7	-8	-5	8	10
16	10	2	0	3	-1	-5	-5	-5	-6	-2	-3	0	-1	1	4	1	-5	-3	-3	-7	-5	-3	-1	-2
17	-3	-2	-3	-5	-3	-8	-12	-10	-11	-12	-13	-11	-10	-7	-7	-7	-6	-5	-4	-6	-5	-4	-7	-8
18	-8	-9	-9	-11	-10	-8	-9	-8	-7	-5	-7	-4	-7	-7	-3	-4	-5	-4	-3	-4	-3	-6	-5	-4
19	1	3	0	0	1	0	1	-1	-5	-4	-5	-3	-3	1	2	3	3	3	2	1	1	1	0	0
20	2	3	0	-2	-1	-4	-3	-3	-1	-2	-2	-1	-2	-2	-2	-1	0	-1	-3	-5	-2	2	2	2
21	2	3	0	1	2	3	5	9	11	9	3	7	5	10	0	-3	4	10	10	-4	-3	0	3	0
22	-4	-8	-9	-5	-2	-3	-2	0	3	4	2	2	0	-4	-4	-5	-2	-4	-4	-6	-7	-5	-5	-9
23	-5	-6	-5	-2	-4	-2	-6	-10	-10	-8	-6	-5	-6	-2	-2	0	2	3	1	0	3	4	-2	-4
24	-4	-4	-6	-5	-4	-3	-2	-1	-2	-1	-2	-2	-1	-1	0	1	1	3	3	2	-4	-8	-7	-6
25	-7	-5	-1	0	-9	-12	-9	-2	3	-2	-6	-10	-12	-8	-14	-22	-16	-12	-8	-5	-6	-7	-13	-13
26	-7	-9	-16	-15	-15	-14	-14	-21	-22	-16	-24	-32	-37	-34	-36	-37	-34	-34	-21	-17	-21	-19	-17	-19
27	-19	-15	-13	-11	-22	-28	-34	-46	-40	-29	-24	-25	-28	-29	-26	-33	-34	-34	-41	-39	-43	-49	-53	-45
28	-38	-16	-34	-31	-32	-29	-28	-28	-24	-20	-18	-17	-18	-16	-11	-9	-4	-7	-9	-8	-6	-9	-19	-23
29	-22	-24	-23	-22	-23	-27	-32	-31	-28	-27	-24	-24	-22	-22	-17	-12	-10	-11	-15	-21	-17	-14	-14	-16
30	-17	-20	-20	-18	-16	-15	-17	-18	-21	-23	-27	-22	-18	-19	-19	-16	-13	-15	-14	-15	-15	-12	-13	-17
31	-18	-16	-16	-13	-11	-11	-13	-10	-10	-10	-11	-11	-10	-12	-11	-8	-3	-5	-4	-4	-2	-3	-2	-3



112
Dec 75

PRINCIPAL MAGNETIC STORMS

DECEMBER 1975

OBS. 2 letter LAGA code	GEO MAG- NETIC LATI- TUDE	COMMENCEMENT			SC - AMPLITUDES			MAXIMUM 3 HOUR - INDEX K		RANGES			UT END	
		DAY	hr min (UT)	TYPE	D(')	H(γ)	Z(γ)	DAY (3 HOUR PERIOD)	K	D(')	H(γ)	Z(γ)	DAY	HOUR
WI	54.2N	1	00--	01(6,7)	6	28	150	60	03	01	
AL	09.5N	1	06--	01(6)	5	4	68	19	01	23	
AN	01.5N	1	06--	--	-	4	68	40	01	23	
HU	00.6S	1	0137	01(5,6)	5	7	115	36	03	01	
TV	01.1S	1	06--	--	-	3	72	62	01	23	
AL	09.5N	8	11--	08(8)	5	2	54	11	09	02	
HD	07.6N	8	0030	08(8)	5	3	97	14	09	23	
AN	01.5N	8	11--	--	-	2	49	23	09	02	
TV	01.1S	8	11--	--	-	3	51	50	09	02	
HR	33.7S	8	11--	08(6,8)	5	15	58	60	09	01	
HD	07.6N	21	1030	21(5,6,7)	4	2	63	11	22	23	
AL	09.5N	24	24--	25(3,5) 26(5,6) 27(2)	5	4	99	27	27	00	
HD	07.6N	24	2000	26(5,6) 27(7)	5	5	103	21	27	23	
AN	01.5N	24	24--	--	-	3	111	37	27	00	
TV	01.1S	24	24--	--	-	3	129	78	27	00	
NE	55.1N	25	00--	26(5,6) 27(2,3,6)	5	45	130	121	28	09	
WI	54.2N	25	20--	26(6,7) 27(6,7)	6	37	250	70	28	06	
FR	49.6N	25	23--	26(3) 27(2,6)	5	26	140	45	28	07	
BD	48.9N	25	04--	26(5)	5	26	113	52	28	11	
TU	40.4N	25	01--	26(3,5,6,7) 27(2)	5	13	115	20	28	12	
HU	00.6S	25	0232	26(6)	6	9	239	52	27	23	
PM	19.7S	25	02--	27(6)	5	9	100	--	29	17	
GN	43.2S	25	03--	26(5) 27(6)	6	20	90	90	29	09	
TO	46.7S	25	03--	26(5,6) 27(2,3,6)	5	20	120	60	28	09	
CO	64.6N	26	08--	26(5) 27(6)	7	259	1780	820	28	06	
HR	33.7S	26	11--	26(6)	5	14	86	66	26	22	
HR	33.7S	27	14--	27(6,7)	5	10	77	86	28	02	

SUDDEN COMMENCEMENTS AND SOLAR FLARE EFFECTS

DECEMBER 1975

PRELIMINARY REPORT ON RAPID VARIATIONS (by Dr. A. Romana)

The meaning of the station symbols is given in the IAGA-Bulletins nr. 12 and 32. Times of ssc and si are mean values. If given by ten or more stations they are underlined.

Sudden commencements followed by a magnetic storm or a period of storminess (ssc)

n o n e

Sudden impulses found in the magnetograms (si)

09 1225: A: LG HU LM DU; B: EB? CI PP? (bp: C: KA; sfe: BA)

Solar-flare effects (sfe)

Effects confirmed by ionospheric or solar observations are underlined.

11 1625 - 1634 LG

13 1603 - 1614 LG

14 1247 - 1302 LG SZ (ssc: B: BA - cr: B: PP?)



RADIO PROPAGATION QUALITY FIGURES AND FORECASTS
DECEMBER 1975

North Atlantic

DEC 1975	WHOLE DAY INDICES NORTH ATLANTIC	ADVANCE FORECASTS (JC- REPORTS) FOR WHOLE DAY	NORTH ATLANTIC								GEOMAGNETIC INDICES		
			6-HOURLY QUALITY FIGURES				SHORT-TERM FORECASTS ISSUED ABOUT ONE HOUR IN ADVANCE OF				K _{FR}		A _{FR}
			00 TO 06	06 TO 12	12 TO 18	18 TO 24	02	08	14	20	HALF DAY (1) (2)		OBSERVED
01	50	4	5+	4+	50	5-	4	4	4	5	(5)	(4)	30
02	50	5	5-	5+	5+	50	4	4	4	5	(4)	3	24
03	5+	5	5+	5+	6-	5-	4	4	5	5	2	2	10
04	50	5	5-	50	6-	5-	5	5	5	6	3	2	11
05	6-	5	5-	60	60	5+	5	5	5	6	2	2	7
06	6-	5	5+	60	60	5+	5	5	5	5	2	1	6
07	6-	5	6-	5+	60	60	5	5	5	5	1	0	2
08	6-	5	6+	50	7-	6-	5	5	5	5	2	(4)	17
09	6-	5	5+	6-	6-	5+	5	5	5	5	3	2	12
10	5+	5	5+	5+	6-	5+	5	5	5	6	1	1	4
11	6-	6	5+	5-	60	60	5	5	5	6	1	1	3
12	60	6	60	6-	60	60	6	6	6	6	1	0	2
13	60	6	60	60	60	60	5	5	5	5	1	1	3
14	60	6	60	60	7-	60	5	5	5	5	1	2	5
15	60	6	60	6-	6+	60	5	5	5	6	3	1	9
16	6-	6	60	5+	60	6-	5	5	5	5	3	2	12
17	6-	6	6-	60	6+	5+	5	5	5	6	2	2	9
18	5+	5	5-	6-	60	6-	5	5	5	6	2	1	5
19	60	5	5+	60	70	5+	5	5	6	6	2	1	4
20	6-	5	50	5+	6+	6-	5	5	6	6	1	0	2
21	60	5	50	60	6+	60	5	5	6	6	1	3	8
22	60	5	6-	6-	7-	6-	5	5	5	5	2	2	8
23	6-	5	6-	6-	6+	6-	5	5	5	6	2	1	6
24	6-	5	50	6-	7-	6-	5	6	5	6	1	0	2
25	6-	6	5+	6+	60	6-	5	5	5	5	3	3	18
26	5+	5	5+	6-	5+	50	5	4	5	4	(4)	(4)	27
27	6-	4	6-	5+	60	6-	4	4	5	4	(4)	(4)	25
28	60	4	6-	5+	6+	6+	4	4	4	4	3	2	12
29	6-	5	6-	50	6-	60	5	5	5	5	3	3	13
30	6-	5	6-	50	7-	60	5	5	5	6	3	2	10
31	6-	5	60	50	6-	6+	5	5	5	6	2	2	7



TRANSMISSION FREQUENCY RANGES -- NORTH ATLANTIC PATH

DECEMBER 1975



TRANSMISSION FREQUENCY RANGES -- NORTH ATLANTIC PATH

DECEMBER 1975



Field strengths from five frequencies, 6.425, 8.542, 12.813, 17.084 and 22.378 MHz, observed on a Lüchow.-Halifax circuit are represented above. Heavy solid lines represent field strengths ≥ -12 dB above $1 \mu\text{V/m}$ (transmitter power reduced to 1 kW). Observed field strengths between -12 dB above $1 \mu\text{V/m}$ and -40 dB above $1 \mu\text{V/m}$ are represented by the fine line. Adapted from Observations by Deutsche Bundespost USCOMM - EAR.


RADIO PROPAGATION QUALITY INDICES

DECEMBER 1975

Quality Indices calculated for reception at Lüchow

	TOKYO	HALIFAX	MAURITIUS	CANBERRA	BRACKNELL
1	6.6	4.2	4.3	5.0	13.4
2	6.6	4.5	4.8	5.1	13.4
3	6.6	5.0	4.5	5.5	12.8
4	6.4	4.3	3.9	4.3	12.9
5	6.3	6.3	4.1	4.8	12.8
6	7.1	6.4	5.4	4.9	13.2
7	7.3	6.4	4.3	4.9	12.3
8	7.5	7.0	3.5	5.1	13.5
9	8.0	5.6	5.4	5.4	12.7
10	7.6	6.6	4.6	4.8	12.6
11	6.7	7.6	5.1	5.5	13.4
12	7.5	6.7	4.8	5.8	13.1
13	7.5	8.2	5.5	6.0	13.5
14	7.7	7.3	4.2	6.4	13.2
15	7.7	7.5	4.2	6.0	13.4
16	8.2	7.4	5.3	6.3	13.0
17	8.0	6.4	4.7	5.9	13.0
18	8.6	5.9	5.2	5.5	13.3
19	8.6	6.9	5.4	5.6	13.1
20	8.3	6.7	4.8	5.4	13.5
21	8.0	7.3	4.0	5.5	13.2
22	8.4	7.2	4.7	6.1	14.1
23	8.1	6.7	4.8	5.7	14.0
24	8.0	6.4	4.0	5.4	13.8
25	8.7	7.9	4.5	6.2	14.4
26	8.7	6.3	4.7	6.3	14.0
27	8.0	5.5	3.8	5.5	13.3
28	8.1	3.9	3.5	5.0	12.7
29	7.4	5.5	3.3	5.4	12.4
30	7.3	5.8	3.3	5.1	12.6
31	8.1	6.3	3.3	5.1	13.0
MEAN	7.7	6.3	4.4	5.5	13.2

Note: Reduced transmitter power and the shut off of the 13034 kHz transmitter has resulted in uncertainty in the Mauritius Quality Indices beginning December 1975. The circuit will be replaced by the recordings of five frequencies on Moscow - Lüchow (1,700 km).



WORLD DATA CENTER A
FOR
SOLAR-TERRESTRIAL PHYSICS



The ICSU Panel on WDCs has recommended that it would be appropriate courtesy to acknowledge in publications that data were obtained from the originating station or investigator through the intermediary of the WDCs. The following statement is suggested:

"Data used in this study were provided by WDC-A for Solar-Terrestrial Physics, NOAA E/GC2, 325 Broadway, Boulder Colorado 80303, USA."