



U.S. DEPARTMENT OF COMMERCE
Elliot L. Richardson, Secretary
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
Robert M. White, Administrator
ENVIRONMENTAL DATA SERVICE
Thomas S. Austin, Director

Solar - Geophysical Data

NO. 380 APRIL 1976

Part I (Prompt Reports)

DATA FOR
MARCH 1976
FEBRUARY 1976

**NATIONAL GEOPHYSICAL AND SOLAR - TERRESTRIAL DATA CENTER
BOULDER, COLORADO**

For obtaining bulletins on a data exchange basis, send request to: World Data Center A for Solar-Terrestrial Physics, NOAA, Boulder, Colorado 80302.

For sale through the National Climatic Center, Federal Building, Asheville, NC 28801, Attn: Publications. Subscription Price: \$34.00 annually for both Part I (Prompt Reports) and Part II (Comprehensive Reports) or \$18.00 annually for either part. Annual supplement containing explanation is included. For foreign mailing add \$32.00 for both parts or \$16.00 for either part. Single issue price \$1.50 for either part and \$1.40 for the extra issue. Make checks and money orders payable to: Department of Commerce, NOAA.

To standardize referencing these reports in the open literature, the following format is recommended:

Solar-Geophysical Data, 366 Part I (or Part II), pages, February 1975, U.S. Department of Commerce, (Boulder, Colorado, U.S.A. 80302)

SOLAR - GEOPHYSICAL DATA

1

No. 380

Issued in two parts

Hope I. Leighton, Editor

J. Virginia Lincoln, Director
Solar - Terrestrial Data Services Division

CONTENTS

Part I (Prompt Reports)

	Page
Index for 1975 and 1976	2
Data for March 1976	3-31
Data for February 1976	32-123

Part II (Comprehensive Reports)

Index for 1975 and 1976	2
Data for October 1975	3-10
Data for Spetember 1975	11-20
Miscellaneous Data	21-29

Energetic Solar Particles and Plasma
IMP 7 and 8 - August 1975

Cosmic Rays
Calgary and Sulphur Mountain - January 1976

INDEX FOR 1975 - 1976 DATA PUBLISHED IN "SOLAR-GEOPHYSICAL DATA"

	1975					1976		
	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar
A. Solar and Interplanetary Phenomena								
A.1 Sunspot Drawings	374A 28	375A 24	376A 28	377A 26	378A 28	379A 26	380A 36	
A.2a Zürich Provisional Relative Sunspot Numbers R_z	373A 7	374A 7	375A 7	376A 7	377A 7	378A 7	379A 7	380A 7
A.2b Zürich Final Sunspot Numbers R_z	378A 6	378A 6	378A 6	378A 6	378A 6	378A 6		
A.2c American Relative Sunspot Numbers R_A	373A 7	374A 7	375A 7	376A 7	377A 7	378A 7	379A 7	380A 7
A.3a Mt. Wilson Magnetograms	374A 28	375A 24	376A 28	377A 26	378A 28	379A 26	380A 36	
A.3b Mt. Wilson Magnetic Characteristics of Sunspots	374A 90	375A 84	376A 90	377A 86	378A 90	379A 88	380A 94	
A.3c Kitt Peak Magnetograms	374A 28	375A 24	376A 28	377A 26	378A 28	379A 26	380A 36	
A.4 H α Spectroheliograms	374A 28	375A 24	376A 28	377A 26	378A 28	379A 26	380A 36	
A.5 Calcium Plage Drawings - McMath (or Catania)	374A 28	375A 24	376A 28	377A 26	378A 28	379A 26	380A 36	
A.5a Calcium Plage (McMath) and Sunspot Regions	374A 90	375A 84	376A 90	377A 86	378A 90	379A 88	380A 94	
A.5b McMath Daily Calcium Plage Indices	374A 95	375A 90	376A 96	377A 92	378A 94	379A 93	380A100	
A.6 H α Synoptic Charts	379B 14	380B 12	376A 27	377A 25	378A 27	379A 25	380A 33	
A.7b Coronal Line Emission	374A 28	375A 24	376A 28	377A 26	378A 28	379A 26	380A 36	
A.7f Helium D3 Chromosphere (Big Bear)						378A 23	379A 21	380A 30
A.8aa 2800 MHz - Daily Values of Solar Flux (ARO-Ottawa)	373A 7	374A 7	375A 7	376A 7	377A 7	378A 7	379A 7	380A 7
A.8ac 2800 MHz - Daily Values of Adj. Solar Flux (ARO-Ottawa)	373A 7	374A 7	375A 7	376A 7	377A 7	378A 7	379A 7	380A 7
A.8g Daily Values of Adjusted Solar Flux (AFGL)	373A 7	374A 7	375A 7	376A 7	377A 7	378A 7	379A 7	380A 7
A.9cb 8.6 mm Radio Maps of the Sun (NELC - La Posta)	374A 28	375A 24	376A 28	377A 26	378A 28	379A 26	380A 36	
A.9d 2 cm Radio Maps of the Sun (NELC - La Posta)	374A 28	375A 24	376A 28	377A 26	378A 28	379A 26	380A 36	
A.10a 169 MHz - Interferometric Observations (Nangay)	373A 15	374A 12	375A 12	376A 14	377A 12	378A 13	379A 12	380A 15
A.10c 21 cm East-West Solar Scans (Fleurs)	373A 17	374A 14	375A 14	376A 16	377A 12	378A 15	379A 14	380A 17
A.10d 43 cm East-West Solar Scans (Fleurs)	373A 18	374A 15	375A 15	376A 17	377A 13	378A 16	379A 15	380A 18
A.10e 10.7 cm East-West Solar Scans (Ottawa-ARO)	373A 16	374A 13	375A 13	376A 15	377A 11	378A 14	379A 13	380A 16
A.11g Solar X-ray (SMS/GOES)	373A 25	374A 20	375A 18	376A 21	377A 19	378A 20	379A 19	380A 26
A.11h Solar X-ray (OSO-8; 1975-057A)	374A 28	375A 24	376A 28	377A 26	378A 28	379A 26	380A 36	
A.12ba Cosmic Ray Protons (Pioneers 6 & 7)	---	374A 18	---	---	377A 18	---	---	---
A.12bb Cosmic Ray Protons (Pioneers 8 & 9)	---	374A 19	---	---	---	---	---	---
A.12e Energetic Solar Particles (IMP H & J)	380B 23							
A.13a Solar Wind (Pioneers 6 & 7)	---	374A 18	---	---	377A 18	378A 19	379A 18	---
A.13d Solar Wind from IPS Measurements	373A 24	374A 17	375A 17	376A 20	377A 17	378A 18	380A123	380A 25
A.13e Solar Plasma (IMP H & J)	380B 22							
A.17 Interplanetary Magnetic Field (Pioneer 8)	---	374A 19	---	---	---	---	---	---
A.17 Interplanetary Magnetic Field (Pioneer 9)	---	374A 19	---	---	---	---	---	---
A.17c Inferred IP Magnetic Field	373A 29	374A 23	375A 20	376A 24	377A 21	378A 24	379A 22	380A 31
A.18 Interplanetary Electric Field (Pioneer 8)	---	374A 19	---	---	---	---	---	---
A.18 Interplanetary Electric Field (Pioneer 9)	---	374A 19	---	---	---	---	---	---
B. Ionospheric (and Radio Wave Propagation) Phenomena								
B.51ca High Latitude Quality Figures and Forecasts	374A115	375A103	376A113	377A111	378A114	379A115	380A119	
B.52 Graphs of Transmission Frequency Range	374A116	375A104	376A114	377A112	378A115	379A116	380A120	
B.53 Quality Figures Based on Frequency Ranges	374A118	375A106	376A116	377A114	378A117	379A118	380A122	
C. Flare-Associated Events								
C.1a Optical Observations Flares	373A 10	374A 20	375A 10	376A 10	377A 10	378A 10	379A 10	380A 10
C.1ba Optical Observations Flares (Standardized Data)	378B 4	379B 4	380B 4					
C.1d Flare Patrol Observations	373A 14	374A 11	375A 11	376A 13	377A 11	378A 12	379A 11	380A 14
C.1d Flare Patrol Observations	378B 25	379B 8	380B 7					
C.1e Flare Indices (by day)	378B 24	379B 7	380B 6					
C.1f Flare Indices (by Region)	379B 22	380B 20						
C.3 Solar Radio Waves - Outstanding Occurrences	378B 26	379B 9	380B 8					
C.3t Solar Radio Waves - Fixed Frequencies - Selected	373A 19	374A 16	375A 16	376A 18	377A 16	378A 17	379A 16	380A 19
C.3t 43.25, 80 and 160 MHz Selected Bursts (Culgoora)	374A107	376B 26	376A105	377A102	378A101	379A102	380A106	
C.4a Solar Radio Spectral Obs. (Fort Davis)	374A 99	375A 92	376A 98	377A 94	378A 96	379A 95	380A102	
C.4b Solar Radio Spectral Obs. (Boulder)	374A 99	375A 92	376A 98	377A 94	378A 96	379A 95	380A102	
C.4d Solar Radio Spectral Obs. (Culgoora)	378B 54	376B 24	376A 98	377A 94	378A 96	379A 95	380A102	
C.4e Solar Radio Spectral Obs. (Weissenau)	374A 99	375A 92	376A 98	377A 94	378A 96	379A 95	380A102	
C.4f Solar Radio Spectral Obs. (Sagamore Hill)	374A 99	375A 92	376A 98	377A 94	378A 96	379A 95	380A102	
C.4h Solar Radio Spectral Obs. (Dwingeloo)	---	---	376A 98	---	---	379A 95	---	
C.4i Solar Radio Spectral Obs. (Dürnten)	374A 99	375A 92	376A 98	377A 94	378A 96	379A 95	380A102	
C.4j Solar Radio Spectral Obs. (Manila)	374A 99	375A 92	376A 98	377A 94	378A 96	379A 95	380A102	
C.5e Solar X-ray (SMS/GOES)	373A 27	374A 22	375A 18	376A 23	377A 23	378A 22	---	380A 28
C.5e Sudden Ionospheric Disturbances	374A 96	375A 91	376A 97	377A 93	378A 95	379A 94	380A101	
D. Geomagnetic and Magnetospheric Phenomena								
D.1a Geomagnetic Indices Kp, Kn, Ks, Km, Ap, aa, Cp	374A110	374A 98	376A108	377A105	378A105	379A108	380A112	
D.1ba 27-day Chart of Kp Indices	374A111	374A 99	376A109	377A106	378A107	379A109	380A114	
D.1c 27-Day Chart of C9	378A108	378A108	378A108	378A108	378A108	378A108		
D.1d Principal Magnetic Storms	374A113	374A101	376A111	377A108	378A112	379A113	380A117	
D.1e Reduced Magnetograms	---	---	---	---	---	---	---	
D.1f Sudden Commencement and Solar Flare Effects	374A114	374A102	376A112	377A110	378A113	379A114	380A118	
D.1g Equatorial Indices Dst	374A112	374A100	376A110	377A107	378A111	379A112	380A116	
F. Cosmic Rays								
F.1a Cosmic Ray Neutron Counts (Deep River)	374A108	375A 96	377B 34	377A103	378A104	379A103	380A107	
F.1b Cosmic Ray Neutron Counts (Climax)	374A108	375A 96	376A106	377A103	378A104	379A103	380A107	
F.1e Cosmic Ray Neutron Counts (Alert)	374A108	375A 96	377B 34	377A103	378A104	379A103	380A107	
F.1f Cosmic Ray Neutron Counts (Calgary)	374A108	375A 96	376A106	377A103	378A104	380B 28		
F.1g Cosmic Ray Neutron Counts (Sulphur Mountain)	374A108	375A 96	376A106	377A103	378A104	380B 28		
F.1h Cosmic Ray Neutron Counts (Thule)	374A108	375A 96	376A106	377A103	378A104	379A103	380A107	
F.1i Cosmic Ray Neutron Counts (Kiel)	374A108	375A 96	376A106	377A103	378A104	379A103	380A107	
F.1j Cosmic Ray Neutron Counts (Tokyo)	374A108	375A 96	376A106	377A103	378A104	379A103	380A107	
H. Miscellaneous								
H.60 IUWDS Alert Decisions	373A 4	374A 4	375A 5	376A 5	377A 5	378A 5	379A 5	380A 4
H.62 Abbreviated Calendar Record	379B 15	380B 13						

Note: A = Part I, B = Part II.

374A 28 listed under 1975 Aug shows that data for August 1975 were contained in *Solar-Geophysical Data* Number 374 - Part I beginning on page 28.

Errata: In "Solar-Geophysical Data, Explanation of Data Reports" published February 1976 the "Key" to the index for 1975 on page 83 is in error on five lines. A.11g should read A.11e; A.11h read A.11g; A.12ba read A.11h; A.12bb read A.12ba; and A.12d read A.12bb.

MARCH 1976 DATA

Contents

	Page
<u>Alert Period</u>	
IUWDS Alert Periods (Advance and Worldwide)	4-5
<u>Daily Solar Indices</u>	
12-Month Tables Sunspot Numbers, R_z , and 2800 MHz Flux Adjusted to 1 A.U.	6
Combined Table Sunspot Numbers and Solar Fluxes	7
Graph of Sunspot Cycles	8
Zürich Smoothed Observed and Predicted Sunspot Numbers	9
<u>Solar Flares</u>	
H α Solar Flares	10-13
No-Flare-Patrol Chart	14
<u>Solar Radio Waves</u>	
169 MHz Solar Interferometric Chart - Nançay	15
10.7 cm East-West Solar Scans - ARO, Ottawa	16
21 cm East-West Solar Scans - Fleurs	17
43 cm East-West Solar Scans - Fleurs	18
Selected Fixed-Frequency Occurrences	19-23
Selected Solar Radio Burst	24
<u>Solar Wind Measurements</u>	
Scintillation Observations	25
<u>Spacecraft Observations</u>	
(No observations)	
<u>Solar X-ray Radiation</u>	
SMS-2 GOES	26-28
Selected X-ray Event	29
<u>Coronal Holes</u>	
Helium D3 Chromosphere	30
<u>Inferred IP Magnetic Field Polarities</u>	31

4
Mar 76

ALERT PERIODS
INTERNATIONAL URSIGRAM
AND WORLD DAYS SERVICE

MARCH 1976

PRESTO MESSAGES (THE RAPID REPORT OF MAJOR EVENTS)

BOULDER 08/0338Z MAGSTORM BEGINS GRADUALLY 06/2200Z, K = 5 AT 08/0110Z, SECOND K = 5 AT 08/0330Z.
BOULDER 23/1500Z TENFLARE 550 FLUX UNITS 23/0840Z 51 MINUTES DURATION.
BOULDER 26/0400Z RECURRENT MAGSTORM BEGINS 26/0240Z.
BOULDER 28/1940Z TENFLARE 2235 FLUX UNITS 28/1937Z APPARENT MAXIMUM.

SUMMARY OF THE GEOALERT WWA MESSAGES

Message serial number	Date of issue	Date of observation	Wolf number	10 cm solar flux	A index	Active Regions			Outstanding events	Forecasts			Alert Situations
						Location Lat-Long	No. of Flares Total	M X		Date	Location Lat-Long	Desc*	
61	1	29	00	69	23	-	0	0	0	MINOR GEOMAGNETIC DISTURBANCE CONTINUES	1	SP0THIL	SOLQUIET MAGALERT MINOR 01 STRATWARM ALERT /MONDAY/ STRATWARM EXISTS NORTHEASTERN ASIA
62	2	1	00	69	18	-	0	0	0		2	SP0THIL	SOLQUIET MAGALERT MINOR 02 STRATWARM ALERT /TUESDAY/ STRATWARM EXISTS NORTHEASTERN ASIA
63	3	2	00	69	16	-	0	0	0		3	SP0THIL	SOLQUIET MAGALERT MINOR 03 STRATWARM ALERT /WEDNESDAY/ STRATWARM EXISTS NORTHERN SIBERIA
64	4	3	00	69	19	-	0	0	0		4	SP0THIL	SOLQUIET MAGALERT MINOR 04/06 STRATWARM ALERT /THURSDAY/ STRATWARM EXISTS MINOR WARMING OVER ARCTIC SIBERIA IN MID-STRATOSPHERE. WARM AIR STRETCHING ACROSS POLE IN UPPER STRATOSPHERE
65	5	4	00	69	11	-	0	0	0		5	SP0THIL	SOLQUIET MAGALERT 05/08 STRATWARM ALERT /FRIDAY/ STRATWARM EXISTS NORTHERN SIBERIA. NORTHERN ATLANTIC WARM AIR DEVELOPING
66	6	5	13	69	11	S03W32	0	0	0		6	S03W32	Q SOLQUIET MAGALERT MINOR 06/12 STRATWARM ALERT /SATURDAY/ STRATWARM ENDS. MINOR WARMING EVENT WHICH PEAKED ABOUT TWENTY-EIGHT FEBRUARY PERSISTS SIBERIA-ALASKA REGION AND NORTH ATLANTIC. NEW DEVELOPMENT POSSIBLE BY MID MARCH.
67	7	6	14	69	22	S03W45	0	0	0	A MINOR GEOMAGNETIC DISTURBANCE IS IN PROGRESS	7	S03W45	Q SOLQUIET MAGALERT MINOR 07/12
68	8	7	23	69	22	S04W59 S08W51	0	0	0		8	S04W59 S08W51	Q Q SOLQUIET MAGALERT MINOR 08/12
69	9	8	23	69	30	S04W73 S33E40	0	0	0	GEOMAGNETIC DISTURBANCE REACHED STORM LEVEL 08/0110Z	9	S04W73 S33E40	Q Q SOLQUIET MAGALERT MINOR 09/12
70	10	9	19	69	33	S32E26	0	0	0	NONE	10	S32E24	Q SOLQUIET MAGALERT MINOR 10/12
71	11	10	21	69	22	S32E15	0	0	0		11	S32E15	Q SOLQUIET MAGALERT 11/12
72	12	11	23	70	17	S32E01	0	0	0		12	S32E01	Q SOLQUIET MAGALERT 12/12
73	13	12	19	70	20	S32W10	0	0	0		13	S32W10	Q SOLQUIET MAGALERT MINOR 10/12
74	14	13	33	72	13	S33W21 S10W26	0	0	0		14	S33W21 S10W26	Q Q SOLQUIET MAGALERT
75	15	14	26	71	16	S35W32 S11W38	1	0	0		15	S35W32 S35W38	Q Q SOLQUIET MAGALERT
76	16	15	11	70	15	S11W52	0	0	0		16	S11W52	Q SOLQUIET MAGALERT MINOR RECURRENCE 16/19
77	17	16	28	73	16	N05E28	0	0	0		17	N05E28	Q SOLQUIET MAGALERT 17/19
78	18	17	55	77	16	N05E18 S07E23	0	0	0		18	N05E18 S07E23	Q Q SOLQUIET MAGALERT 18/19
79	19	18	60	80	15	N06E01 S07E08	1	0	0		19	N06E01 S07E07	Q Q SOLQUIET MAGALERT
80	20	19	51	83	11	N05W08 S07W02	1	0	0		20	N05W08 S07W02	Q Q SOLQUIET MAGALERT
81	21	20	66	86	08	N05W19 S07W14	4	0	0		21	N05W19 S07W14	E Q SOLALERT PIANO MAGALERT
82	22	21	69	92	05	N05W34 S08W25	7	3	0		22	N05W34 S08W25	A Q SOLALERT 22/23 MAGALERT 24/30
83	23	22	69	84	03	N04W50	5	0	0		23	N04W50	E SOLALERT 23/24 MAGALERT 24/30
84	24	23	34	88	05	N05W64 S06E90	1	0	0		24	N05W64 S06E90	E A SOLALERT 24/25 MAGALERT 24/30
85	25	24	24	83	04	N04W81 S06E80	1	1	0		25	N04W81 S06E80	E E SOLALERT 25/26 MAGALERT 25/30
86	26	25	19	86	04	S07E65	8	1	0		26	S07E65	A SOLALERT 26/28 MAGALERT 26/30

ALERT PERIODS
INTERNATIONAL URSIGRAM
AND WORLD DAYS SERVICE

MARCH 1976

SUMMARY OF THE GEOALERT WWA MESSAGES

Message serial number	Date of issue	Date of observation	Wolf number	10 cm solar flux	A index	Active Regions				Outstanding events	Forecasts			Alert Situations
						Location	No. of Flares				Date	Location	Desc*	
						Lat-Long	Total	M	X					
87	27	26	114	87	86	S07E51	7	0	0	THE MAJOR MAGSTORM IS DECLINING	27	S07E51	A	SOLALERT 27/28 MAGALERT MINOR 27/30
						N05W28	0	0	0			N05W28	Q	
						S08W27	1	0	0			S08W27	Q	
88	28	27	78	86	30	S08E38	8	1	0		28	S08E38	A	SOLALERT 28/29 MAGALERT 28/30
						N06W40	0	0	0			N06W40	Q	
						S09W40	0	0	0			S09W40	Q	
89	29	28	51	89	16	S08E26	9	1	1	AN X-1 FLARE WAS OBSERVED IN REGION 690 (S08E26) AT 28/1905Z. MINOR MAGSTORM CONTINUES	29	S08E26	A	SOLALERT 29/30 MAGALERT 29/31
						N06W54	3	0	0			N06W54	Q	
90	30	29	55	84	21	N06W65	0	0	0		30	N06W65	Q	SOLALERT PIANO 30 MAGALERT 30/01 STRATWARM ALERT /TUESDAY/ STRATWARM EXISTS. STRATOSPHERIC VORTEX SPLIT. WARM AIR AND HIGH PRESSURE RIDGE OVER POLAR REGION.
						S06E13	1	0	0			S06E13	E	
91	31	30	56	83	11	S08W01	0	0	0		31	S08W01	E	SOLALERT 31/XX MAGALERT 31/XX STRATWARM ALERT /WEDNESDAY/ STRATWARM EXISTS. STRATOSPHERIC VORTEX SPLITS WARM AIR OVER POLAR REGION.
						N06W82	0	0	0			N06W82	Q	
92	1	31	29	83	08	S08W11	0	0	0		1	S08W11	E	SOLALERT 01/XX MAGALERT 01/XX STRATWARM ALERT /THURSDAY/ STRATWARM EXISTS. STRATOSPHERIC VORTEX SPLIT. WARM SIBERIAN CYCLONE FILLING. WARM RIDGE OVER POLAR REGION.

RELATIVE SUNSPOT NUMBERS
ZURICH, R_Z

DAY	1975 FINAL										1976 PROVISIONAL		
	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	
1	0	26	7	23	37	14	15	0	7	0	0	0	
2	0	33	11	16	36	16	8	0	23	0	0	0	
3	0	34	8	22	46	19	9	7	20	6	0	6	
4	0	32	7	16	78	29	10	18	23	0	0	0	
5	0	30	7	23	93	25	8	22	21	0	0	0	
6	0	20	7	33	104	24	10	27	16	0	0	10	
7	7	14	0	23	102	24	9	30	20	0	0	12	
8	17	0	0	19	89	23	10	33	18	0	0	7	
9	15	0	0	16	83	17	15	30	8	0	0	10	
10	7	0	0	23	80	10	9	26	0	0	0	12	
11	0	0	9	29	72	10	8	30	0	0	0	13	
12	0	0	0	33	45	16	10	24	0	20	0	13	
13	0	0	0	43	52	19	21	22	0	26	13	13	
14	0	7	0	46	34	17	26	29	7	36	16	22	
15	0	7	8	43	31	8	21	28	7	20	18	16	
16	0	8	19	39	26	14	18	28	7	22	11	11	
17	0	0	17	25	19	14	16	30	9	24	8	30	
18	0	8	12	32	16	18	16	33	8	20	15	46	
19	0	0	15	36	8	13	15	36	7	18	10	51	
20	0	0	0	26	22	30	10	35	0	16	12	51	
21	0	0	7	30	23	27	7	31	0	11	8	48	
22	0	0	0	27	7	23	0	23	0	10	7	36	
23	7	0	12	19	14	0	0	12	0	10	0	28	
24	8	7	20	30	8	0	7	11	18	0	7	25	
25	7	0	2+	33	11	0	0	9	14	0	0	22	
26	7	0	33	30	16	0	0	7	6	0	0	42	
27	22	7	38	29	18	0	0	0	0	7	7	46	
28	21	13	36	26	10	0	0	0	0	0	0	50	
29	16	0	23	20	10	0	0	0	0	14	0	42	
30	20	0	22	27	21	7	0	0	0	8	0	32	
31		8		34	21		0		0	0		27	
MEAN	5.1	9.0	11.4	28.2	39.7	13.9	9.1	19.4	7.8	6.5	4.6	23.0	

1975 yearly mean = 15.5

DAILY SOLAR FLUX AT 2800 MHz
OTTAWA ARO

FLUX ADJUSTED TO 1 A.U., S₀


DAY	1975										1976		
	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	
1	70.2	76.3	71.4	73.7	91.6	87.0	76.4	70.4	72.1	72.1	68.6	67.7	
2	71.2	81.1	73.0	76.8	95.4	87.9	73.1	71.4	74.8	71.2	63.6	63.1	
3	72.2	79.6	70.5	77.1*	97.0*	87.8	73.4	73.0	74.3	71.3	68.4	67.4	
4	73.0	79.6	70.4	76.8	104.6	92.8	76.3	75.4	74.1	71.8	68.4	67.4	
5	73.7	78.4	59.3	76.8	107.9	94.4	76.1	78.9	77.4	71.9	67.6	67.6	
6	73.7	75.9	58.2	76.1	120.0*	94.0	75.1	80.1	75.8	71.7	68.1	67.5	
7	74.3	73.6	68.1	74.1	123.2	91.1	74.3	80.5	73.7	71.6	63.3	67.9	
8	73.6	71.9	67.5	74.0	123.7	88.5	74.0	80.9	76.0	70.9	68.4	67.9	
9	73.4	70.8	67.7	73.3	115.9	84.3	75.4	78.8	73.3	69.4	63.3	68.2	
10	72.4	70.1	68.8	73.0	116.5	82.5	74.3	78.9	73.3	70.5	63.5	68.4	
11	72.3	63.8	68.1	77.6	107.3	81.1	73.3	78.6	74.3	72.1	68.4	68.8	
12	70.8	69.6	68.4	82.7	104.5*	78.2*	74.8	79.9	73.4	76.9	67.8	68.9	
13	70.7	69.1	67.9	88.5*	98.0	75.2	79.0	79.2	72.8	80.0	69.7	70.9	
14	69.7	68.7	68.5	89.0	90.9*	74.2	80.0	82.7	71.8	82.1*	69.9	70.1	
15	69.7	65.0	63.9	65.6	86.0	74.1	80.3	83.7	71.8	80.4	69.6	69.1	
16	69.2	68.5	71.4	83.6	82.8	74.3	78.5	87.6	70.5	78.1	69.7	72.5	
17	69.6	68.3	70.2	81.2	79.0	74.8	78.9	88.9	70.5	76.6	63.9	74.4*	
18	68.3	68.7	70.7	82.8	76.4	76.2	79.2	90.8*	69.6	76.7	79.1	79.0	
19	67.5	63.9	71.0	61.9	76.7	76.2	73.0	93.0*	65.1	75.2	70.1	81.6*	
20	68.0	68.6	72.5	83.3	77.2	76.5	77.1	90.9	69.7	74.6	79.0	85.0	
21	68.2	69.7	68.7	83.1	80.0	76.7	75.7	86.6	69.0	72.1	68.8	91.2	
22	67.9	70.3	69.9	82.7	78.5	75.3	74.2	81.5	68.9	70.9	63.9	83.0	
23	68.7	70.6	72.9	82.0	76.8	76.1	74.3	77.2	69.6	70.2	69.2	86.9	
24	69.3	70.6	75.9	79.3	77.0	76.8	72.7*	74.7	71.4	68.5	69.6	82.2*	
25	71.6	70.2	77.7	79.8	80.6	76.7	72.1	73.7	71.0	68.2	63.4	85.1	
26	72.1	63.0	79.8	80.0	81.3	76.7	71.9	71.9	71.8	68.2	63.5	84.1*	
27	74.4	70.5	81.5	78.5	83.6	75.7	72.1	70.7	72.5	67.2	68.5	85.5	
28	74.8	70.6	80.7	76.5	83.3	76.1	71.7	70.4	71.5	67.1	67.9	87.1*	
29	73.2	71.0	73.4	75.5	84.7	75.9	70.8	70.9	72.5	67.4	67.4	84.1	
30	73.4	71.0	78.8	78.9	86.2	75.8	70.2	70.6	71.9	68.9		32.4	
31		71.1		81.9*	86.7		69.5		72.1	69.1		82.7	
MEAN	71.2	71.0	71.9	79.7	92.7	80.4	75.3	79.1	72.3	72.4	63.8	75.8	

* adjusted for burst

DAILY SOLAR INDICES
MARCH 1976

MAR 1976	YEAR DAY	BARTELS 27-DAY CYCLE NUMBER	SUNSPOT NUMBERS		OBSERVED FLUX OTTAWA 2800	SOLAR FLUX ADJUSTED TO 1 A.U.									
			R _Z	R _{A'}		AFGL 15400	AFGL 8800	AFGL 4895	OTTAWA 2800	AFGL 2695	AFGL 1415	AFGL 606	AFGL 410	AFGL 245	
1	61	22	0	0	69.0	519	271	113	67.7	65.8	45.5	32.0	20.3	8.2	
2	62	23	0	0	69.3	519	272	114	68.1	66.1	45.7	32.4	20.4	8.0	
3	63	24	0	0	68.6	519	273	114	67.4	66.2	46.3	33.0	20.2	8.3	
4	64	25	0	0	68.5	520	272	114	67.4	66.2	45.8	33.3	20.2	8.0	
5	65	26	0	0	68.7	521	270	114	67.6	66.0	45.2	33.4	19.8	8.0	
6	66	27	10	10	68.6	518	268	113	67.5	66.1	45.0	32.9	20.2	7.9	
7	67	1	12	11	69.0	521	268	113	67.9	66.5	44.8	31.5	20.7	7.8	
8	68	2	7	3	68.9	518	269	114	67.9	66.8	45.0	30.9	18.3	7.2	
9	69	3	10	10	69.2	515	268	113	68.2	65.9	45.1	30.2	18.9	8.1	
10	70	4	12	12	69.4	518	270	113	68.4	68.6	46.8	30.7	19.0	8.1	
11	71	5	13	14	69.8	520	269	113	69.3	68.9	46.3	30.6	20.6	7.8	
12	72	6	13	13	69.8	516	270	113	68.9	70.3	48.1	30.5	22.1	7.6	
13	73	7	13	16	71.8	517	267	116	70.9	70.4	49.6	31.2	20.4	7.3	
14	74	8	22	20	70.9	518	268	114	70.1	70.6	50.8	32.5	19.8	7.1	
15	75	9	16	15	69.9	520	274	116	69.1	72.7	51.0	32.9	21.2	7.8	
16	76	10	11	13	73.3	522	279	118	72.5	74.6	52.0	33.3	22.5	8.4	
17	77	11	30	34	75.2*	525	283	120	74.4*	79.0	52.2	35.7	23.1	11.0	
18	78	12	45	44	79.8	525	284	124	79.0	82.0	52.4	37.5	25.9	18.8	
19	79	13	51	44	82.3*	526	285	127	81.6*	83.7	54.7	37.7	28.2	27.0	
20	80	14	51	44	85.7	523	294	129	85.0	92.6	57.0	37.5	26.5	24.5	
21	81	15	48	42	91.9	521	282	138	91.2	87.9	60.0	37.4	27.2	17.5	
22	82	16	36	33	83.6	526	284	136	83.0	87.6	57.4	37.3	25.1	11.0	
23	83	17	28	25	87.5	527	286	133	86.9	87.4	54.8	37.2	23.0	9.1	
24	84	18	25	23	82.7*	527	283	131	82.2*	86.5	52.9	35.2	26.3	7.4	
25	85	19	22	20	85.6	536	287	133	85.1	85.5	55.7	33.6	28.1	11.3	
26	86	20	42	37	84.5*	523	297	140	84.1*	87.1	55.2	34.1	35.1	24.0	
27	87	21	46	45	85.9	525	296	138	85.5	84.5	53.4	33.3	30.7	31.6	
28	88	22	50	36	87.4*	527	300	139	87.1*	88.5	53.8	34.8	27.2	49.1	
29	89	23	42	34	84.3	528	313	137	84.0	83.3	52.4	32.0	23.3	14.0	
30	90	24	32	30	82.6	527	308	137	82.4	81.5	51.8	43.9	31.9	24.4	
31	91	25	27	26	82.9	525	310	137	82.7	82.4	53.3	31.3	25.8	33.6	
MEAN			23.0	21.1	76.6	522	281	122	75.8	76.2	50.6	33.9	23.6	14.2	

* Adjusted for burst.



PREDICTED AND OBSERVED SUNSPOT NUMBERS

SMOOTHED OBSERVED AND PREDICTED SUNSPOT NUMBERS
CYCLE 20

9
Mar 76

MONTH	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1964										9.6	10.2	11.3
1965	11.7	12.0	12.5	13.6	14.6	15.0	15.5	16.4	17.4	19.7	22.3	24.5
1966	27.7	31.3	34.5	37.4	40.7	44.6	50.3	56.6	63.1	67.6	70.2	72.7
1967	75.0	78.0	82.2	84.6	87.4	91.3	94.1	95.3	95.3	95.0	97.1	100.6
1968	102.6	102.9	104.7	107.2	107.6	106.6	105.2	104.0	107.0	109.9	110.6	110.1
1969	110.0	109.6	100.0	106.4	106.2	106.1	105.0	106.4	105.4	104.1	104.6	104.9
1970	105.6	106.0	106.2	106.1	105.0	105.3	103.0	101.0	97.2	93.9	89.4	84.1
1971	80.4	77.0	74.4	70.9	68.1	66.7	65.4	64.6	65.0	66.2	66.0	69.4
1972	70.0	71.2	72.4	73.4	72.9	70.5	68.2	65.5	62.2	60.6	58.7	55.1
1973	50.9	46.5	44.2	42.7	40.7	39.1	37.5	36.1	34.4	32.6	31.0	31.5
1974	32.7	34.4	34.0	33.9	34.6	34.5	34.1	33.1	32.1	30.2	27.5	25.2
1975	23.0	22.1	21.3	18.6	16.0	16.0	15.0	14.3	14.5	13.8 (--)	13.1 (--)	12.3 (--)
1976	11.4 (--)	10.7 (--)	10.1 (--)	9.5 (--)	9.2 (--)	9.0 (--)	8.7 (--)	8.4 (--)	8.2 (--)	8.0 (--)	7.9 (--)	7.7 (--)

For each month, the upper figure is the observed or predicted Zürich smoothed sunspot number. The lower figure in parenthesis is the corresponding absolute value of the 90% prediction interval, an indication of the uncertainty above and below the predicted number. Observed numbers are those with no prediction intervals. The observed smoothed sunspot numbers are based on final Zürich numbers through 1975.

The predicted sunspot numbers are derived from a regression analysis based on cycles 8 through 19. Tests indicate that earlier cycles are from a different statistical population. From July 1968 - February 1970 a regression analysis based on cycles 1 through 19 was used because it had not then been proven that two populations exist.

10
Mar 76

H α SOLAR FLARES

MARCH 1976

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IMPOR-TANCE	OBS. COND. TYPE	MEASUREMENTS			REMARKS
	DATE	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MCMATH PLAGE REGION	CMP DAY				TIME UT	MEAS. AREA Mill of Disk	CORR. AREA Sq. Deg.	
	MAR				LAT.	MER. DIST.										
ARCE	07	0939	0941	0943	S05	E52	.785		11.3	4	SF	C	0941	27	.5	H
BOUL	08	2201	2215	2240	S33	E42	.733		12.1	39	SF	2 C	2215	42	.6	
BOUL	09	2055	2057	2103	S 4	W82	.989		3.7	8	SF	2 C	2057	10	.4	
RAMY	14	1830	1839	1848	S35	W31	.644		12.4	18	SN	4 C		41		DE
BOUL	14	1832	1839	1848	S35	W31	.644		12.4	16	SN	1 C	1839	42	.5	
RAMY	14	1833E	1839	1848	S34	W30	.627		12.5	150	SN	4 V		48		DE
PALE	14	1836	1836	1846	S34	W33	.654		12.3	10	SF	3 C		29		
BOUL	17	1748	1753	1803D	S 8	E28	.466		19.8	150	SF	2 P	1753	21	.2	
RAMY	17	1753E	1800	1805D	S 7	E28	.466		19.8	120	SF	4 C		45		
MCMA	17	1814E		1820D	S07	E27	.451	14134	19.8	60	SF	P	1814	20	.2	D
MCMA	17	1833E		1833D	N05	E22	.422	14127	19.4		SF	P	1833	30	.3	DH
MCMA	17	1922E		1940D	N05	E24	.450	14127	19.6	180	SF	P	1938	40	.4	E
MCMA	17	2004E		2008D	N05	E25	.464	14127	19.7	40	SF	P	2008	50	.5	E
RAMY	18	1104	1109	1116	N 6	E11	.292		19.3	12	SF	3 C		36		DE
RAMY	18	1106E	1107U	1117D	N 6	E12	.303		19.4	110	SF	3 V		48		DE
RAMY	18	1411	1414	1424	N 6	E 9	.271		19.3	13	SF	4 C		45		F H
RAMY	18	1412E	1412U	1418D	N 6	E10	.281		19.3	60	SF	4 V		32		F H
RAMY	18	1521E	1522	1526	N 5	E11	.279		19.5	50	SF	4 V		90		F
RAMY	18	1718E	1723	1732	N 5	E10	.268		19.5	140	SF	4 C		72		F
RAMY	18	1833	1835	1838D	N 4	E 9	.245		19.4	50	SF	4 C		45		F
MANI	19	0042E	0042	0049	N04	E03	.197		19.3	70	SF	3 P	0042	20	.2	H
ARCE	19	0945E		0958	N04	W02	.194		19.3	130	SF	C	0945	34	.4	
ATHN	20	0754E	0754U	0803	N 3	W18	.351		19.0	90	SN	4 C		19		DE
ATHN	20	1003	1005	1019	N 3	W19	.366		19.0	16	SN	4 C		48		DE H
ATHN	20	1246	1247	1254	N 4	W20	.387		19.0	8	SF	4 C		48		DE
ATHN	20	1435	1438	1456	S 4	W20	.344		19.1	21	SN	3 C		32		DE
RAMY	20	1449E	1453	1456	N 4	W21	.402		19.0	70	SF	3 C		40		F R
CATA	20	1450E	1450	1450D	N02	W21	.388		19.0		SN	1 C	1450	56	.6	
BOUL	20	1752	1757	1815	N 2	W22	.402		19.1	23	SN	2 C	1757	32	.3	
BOUL	20	1840	1849	1903	N 5	W21	.409		19.2	23	SF	2 C	1849	42	.5	
BOUL	20	2006	2018	2039	S18	W22	.408		19.2	33	SF	2 C	2018	32	.3	
BOUL	20	2146	2153	2222	N 2	W25	.447		19.0	36	SN	2 C	2153	64	.7	
RAMY	20	2151	2155	2201D	N 4	W23	.430		19.2	100	SN	3 V		90		FDE
RAMY	20	2151	2155	2216	N 3	W24	.438		19.1	25	SN	2 C		56		FDE
PALE	21	0128	01413	0207D	N 4	W23	.430		19.3	390	SB	3 C		147		U H
MITK	21	0130	0141	0154	N04	W26	.473		19.1	24	SB	C	0141	110	1.3	D
MITK	21	0203	0206	0215	N02	W27	.476		19.1	12	SN	C	0206	110	1.3	D
ATHN	21	0502	0505	0532	N 4	W27	.437		19.2	30	SN	3 C		48		F H
MANI	21	0514E	0514U	0525D	N04	W26	.473		19.3	110	SN	1 P	0514	50	.6	F
ATHN	21	0756E	0800	0835	N 4	W28	.501		19.2	390	SB	4 C		159		U
ARCE	21	0801E		083E	N04	W28	.501	14127	19.2	340	1N	C	0809	251	3.0	KFT
ATHN	21	0949	0951	1004	N 4	W23	.430		19.7	15	SN	3 C		64		F
ARCE	21	0950E		0958D	N04	W30	.529		19.2	80	SN	P	0958	43	.5	
UPIC	21	1022E		1025U	N03	W33	.565		19.0	30	SF	P	1022	41		
BOUL	21	1358	1405	1420	N 5	W29	.520		19.4	140	SF	1 P	1405	21	.2	
PALE	21	1829	1845	1917	N 4	W32	.556		19.4	48	SB	3 C		180		U H
BOUL	21	1838	1847	1930	N 1	W36	.599		19.1	52	SB	1 P	1847	149	1.9	
RAMY	21	1843E	1845	1847D	N 3	W35	.593		19.2	40	SB	3 V		78		FDE
RAMY	21	1843E	1845	1847D	N 3	W35	.593		19.2	40	SB	3 C		78		FDE
PALE	21	1930	1931U	1935D	N 5	W31	.548		19.5	50	SF	3 C		21		
BOUL	21	2228	2231	2245D	N 2	W37	.616		19.2	170	SN	1 P	2233	42	.5	
PALE	21	2231	2234	2236D	N 4	W35	.597		19.3	50	SN	2 C		90		DE
BOUL	21	2259	2301	2310	N 3	W35	.593		19.3	11	SF	1 C	2301	42	.5	
MANI	22	0121E	0125U	0127D	N04	W41	.674		19.0	60	SF	2 P	0125	40	.6	F
BUCA	22	0809		0905	N02	W42	.680		19.2	56	SB	C	0814	107	1.5	
PALE	22	2156	2203	2221	N 4	W48	.757		19.3	25	SN	3 C		102		U
BOUL	22	2213E	2213E	2245	N 3	W52	.797		19.0	320	SN	2 P	2213	85	1.4	
MITK	23	0124		0135	N02	W54	.816		19.0	11	SF	C	0124	60	1.1	D
MITK	23	0616		0628	N02	W57	.844		19.0	12	SN	C	0616	90	1.7	D
TEHR	23	0837	0839	0841	S 5	E90	1.000		1.1	4	SB	3 C		80		
TEHR	23	0907	0915	0945	S 6	E90	1.000		1.1	38	SN	3 C		35		

H α SOLAR FLARES

MARCH 1976

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM-POR-TANCE	OBS. CORC. TYPE	MEASUREMENTS			REMARKS
	DATE MAR	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MCNATH PLAGE REGION	CMP DAY				TIME UT	MEAS. AREA MILL. of Dia	CORR. AREA Sq. Deg.	
					LAT.	MER. DIST.										
UPIC	23	0917E		1046D	S09	E90	1.000	14143	1.1	89D	1B	P	0932			
MCMA	23	1718	1721	1730	N03	W64	.904	14127	18.9	12	SN	C	1721	40	1.0	DH
BOUL	23	2237	2238	2258	N 0	W65	.908		19.1	21	SF	2 C	2238	21	.5	
BOUL	24	0011	0020	0027D	N 1	W66	.916	14127	19.1	160	1B	2 C	0020	85	2.1	
MITK	24	0017	0020	0045	N02	W65	.910		19.1	28	SB	C	0020	90	1.8	D
MANI	24	0017	0013	0036D	N02	W67	.924	14127	19.0	190	1N	3 P	0019	100	2.1	
MANI	24	0515E	0515U	0516D	N02	W71	.948		18.9	10	SF	3 P	0515	10	.2	
MCMA	24	1900	1903	1913	S11	E85	.994	14143	2.2	13	SF	C	1903			E
BOUL	24	2028	2032	2048	S11	E77	.970		1.6	20	SF	1 C	2032	21	.7	
MANI	25	0013	0023	0025	N04	W80	.987		19.0	6	SF	2 C	0023	30	.8	
MANI	25	0614	0615	0619	S08	E78	.975		2.1	5	SF	2 C	0615	30	.8	
MANI	25	0704	0707	0714	S05	E76	.968		2.0	10	SF	2 C	0707	40	1.0	
MONT	25	0922	0927	0939	S07	E76	.967		2.1	17	SN	C	0927	60		E
MONT	25	1154	1201	1219	S07	E75	.963		2.1	25	SF	C	1201	40		
MCMA	25	1203E		1300D	S06	E75	.963	14148	2.1	57D	1B	C	1246	120		
MCMA	25	1203E		1300D	S06	E75	.963	14148	2.1	57D	1B	C	1206	60		
MCMA	25	1203E	1206	1300D	S06	E75	.963	14143	2.1	57D	1B	C	1226	100	2.4	FHKTW
MCMA	25	1305	1325	1430	S05	E71	.943	14143	1.9	85	1B	C	1325	125	3.7	FHLWX
CATA	25	1310	1320	1320D	S06	E68	.924	14143	1.6	100	1N	1	1320	168		
BOUL	25	1322E	1329	1343D	S 5	E67	.918	14143	1.6	210	1N	1 C	1329	96	2.4	
MCMA	25	1636		1830D	S05	E68	.925	14148	1.8	114D	SN	C	1701			
MCMA	25	1636	1649	1830D	S05	E68	.925	14143	1.8	114D	SN	C	1649	60	1.8	HK
MCMA	25	1909	1917	1924	S05	E67	.918	14143	1.8	15	SN	C	1917	40	1.0	DH
MCMA	25	2039	2041	2053	S05	E67	.918	14143	1.9	14	SF	C	2041	40	1.0	E
MANI	25	2310E	2312U	2318D	S07	E67	.917		2.0	80	SF	2 V	2312	40	.8	
MANI	26	0001	0004	0011	S05	E64	.896		1.8	10	SF	3 P	0004	30	.6	
MANI	26	0715	0717	0720	S06	E59	.852		1.7	5	SF	3 P	0717	20	.4	
MANI	26	0721	0723	0735	S06	E64	.895		2.1	14	SB	3 P	0723	100	2.0	
MONT	26	0831	0837	0858	S08	E60	.861		1.9	27	SB	C	0837	150		E
MANI	26	0833	0836	0858	S08	E58	.843		1.7	25	SF	3 V	0836	30	.5	H
MANI	26	0833	0840	0858	S08	E58	.843		1.7	25	SN	C	0840	90	1.6	
MONT	26	1139	1141	1150	S04	E61	.873		2.1	11	SF	C	1141	20		
MONT	26	1336	1341	1354	S04	E60	.864		2.1	18	SF	C	1341	40		E
RAMY	26	1338	1356	1403	S 3	E60	.865		2.1	25	SF	4 C		72		U F
RAMY	26	1356E	1359	1409D	S 3	E59	.856		2.0	13D	SF	4 V		36		DE
RAMY	26	1439	1447	1504	S 8	E61	.870		2.2	25	SB	4 C		108		F H
BOUL	26	1944	1947	1958	S 8	W26	.435		24.9	14	SF	2 C	1946	10	.1	
MANI	26	2300E	2303	2311	S07	E51	.773		1.8	11D	SF	3 P	2303	80	1.3	
MANI	27	0201	0204	0213	S08	E58	.843		2.4	12	SN	3 P	0204	80	1.4	F
PALE	27	0201	0204	0222	S 7	E51	.773		1.9	21	SN	3 C		106		DE
MANI	27	0318	0320	0333	S07	E48	.739		1.7	15	SN	3 P	0320	100	1.5	F
PALE	27	0318	0322	0337	S 7	E50	.761		1.9	19	SN	2 C		101		U
MANI	27	0518	0522	0526	S07	E56	.824		2.4	8	SF	3 P	0522	80	1.4	F
MANI	27	0550	0602	0610	S10	E48	.737		1.8	20	SF	2 P	0602	20	.3	F
MANI	27	0628E	0631	0640	S08	E52	.783		2.2	12D	SN	3 P	0631	60	1.0	F
MITK	27	0629	0633	0640	S08	E53	.793		2.2	11	SN	C	0633	110	1.8	D
ATHN	27	0629	0631	0642	S10	E51	.771		2.1	13	SN	3 C		80		F
MITK	27	0720	0727	0738	S05	E52	.785		2.2	18	SB	C	0727	110	1.8	D
BUCA	27	0723	0728	0744	S07	E54	.804		2.4	21	SN	C	0728	75	1.2	
MANI	27	0726E	0726U	0730	S06	E53	.795		2.3	40	SF	3 P	0726	80	1.3	F
ATHN	27	1202	1209	1222	S10	E47	.726		2.0	20	SB	3 C		95		U F
UPIC	27	1204	1211	1220U	S17	E48	.741	14143	2.1	16U	1N	P	1211	306		
CATA	27	1210E	1210	1215D	S08	E48	.738	14143	2.1	50	1B	2	1210	168	2.6	
RAMY	27	1211E	1215U	1230D	S 6	E50	.762		2.3	19D	SN	3 V		120		FDE
RAMY	27	1225E	1225U	1230D	S11	E50	.760		2.3	50	SN	3 C		108		FDE
BOUL	27	1429	1439	1500	S 6	E47	.728		2.1	31	SN	2 C	1439	42	.6	
RAMY	27	1438	1441U	1451	S 5	E47	.729		2.1	13	SF	4 C		63		DE
RAMY	27	1440E	1443U	1450D	S 4	E48	.741		2.2	10D	SF	4 V		60		DE
BOUL	27	1803	1805	1824	S 6	E46	.716		2.2	21	SF	2 C	1805	21	.3	
BOUL	27	1938	1944	2000	S 9	E46	.714		2.3	22	SF	2 C	1944	21	.3	
RAMY	27	2043	2048	2108	S 8	E42	.664		2.0	25	SN	4 C		63		FDE
RAMY	27	2044E	2049	2108	S 7	E42	.665		2.0	24D	SN	4 V		64		FDE
MANI	27	2333E	2337	2339D	S10	E42	.664		2.1	60	SF	2 P	2337	80	1.1	F
MANI	27	2353E	2355U	2400	S08	E43	.677		2.2	7D	SF	2 P	2355	50	.7	F
MANI	28	0202	0204U	0219	N05	W45	.726		24.7	13	SF	2 P	0204	30	.5	H
MANI	28	0357E	0403	0412	N06	W46	.740		24.7	15D	SF	3 P	0403	30	.5	
MANI	28	0555	0558	0608D	S07	E34	.555		1.8	13D	SB	3 P	0558	120	1.5	FH

H α SOLAR FLARES

MARCH 1976

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM- POR- TANCE	OBS.		MEASUREMENTS			REMARKS
	DATE MAR	START	MAX. PHASE	END	APPROX. LAT.	MER. DIST.	CENTRAL DISTANCE	MCMATH PLAGE REGION	CMP DAY			COORD.	TYPE	TIME UT	MEAS. AREA MIL. of Dia.	CORR. AREA Sq. Deg.	
TEHR	28	0604E	0604U	0615	S 9	E37	.597		2.0	110	SB	3	C		94		F, H
MANI	28	0649	0652U	0701	N06	W48	.762		24.7	12	SF	3	P	0652	40	.6	F
ARCE	28	0922E		1002D	S08	E31	.511	14143	1.7	400	1N	3	C	0947	208	2.5	F
MCMA	28	1235	1239	1300	S05	E38	.613	14143	2.4	25	S9	1	C	1239	50	.7	E
MCMA	28	1343	1345	1353	S05	E38	.613	14143	2.4	10	SN	1	C	1345	25	.3	D
RAMY	28	1535E	1540U	1545D	S 7	E29	.481		1.8	100	SF	4	V		27		DE
MCMA	28	1538	1543	1600	S05	E26	.437	14143	1.6	22	SN	1	C	1543	25	.3	D
RAMY	28	1738	1743	1803	S 7	E26	.435		1.7	25	SN	4	C		80		FDE
MCMA	28	1739	1745	1825	S06	E26	.436	14143	1.7	46	SB	1	C	1745	100	1.2	F
RAMY	28	1742E	1745	1805D	S 7	E28	.466		1.8	230	SN	4	V		64		FDE
RAMY	28	1834	1843	1853	S 8	E26	.435		1.7	19	SN	4	C		45		FDE
MCMA	28	1841	1845	1903	S05	E25	.422	14143	1.7	22	SN	1	C	1845	50	.6	E
RAMY	28	1842E	1844	1855D	S 8	E26	.435		1.7	130	SN	4	V		80		FDE
RAMY	28	1905E	1921U	2017D	S 7	E28	.466	14143	1.9	720	1B	4	C		250		Z U
RAMY	28	1905E	1921D	1921D	S 7	E28	.466	14143	1.9	160	1B	4	V		250		Z U
RAMY	28	1912	1932	2021D	S 7	E28	.466	14143	1.9	690	1B	4	C		234		Z U
MCMA	28	1915	1940	2000D	S06	E27	.452	14143	1.8	450	1B	1	C	1940	300	3.5	FLUXZ
PALE	28	1915	1929D	1929D	S 7	E28	.466	14143	1.9	140	1B	3	C		235		Z U
PALE	28	1915	1929D	1929D	S 7	E28	.466	14143	1.9	140	1B	3	V		307		Z U
RAMY	28	2058	2100	2109	S 7	E23	.388		1.6	11	SN	4	C		56		DE
RAMY	28	2059E	2101	2110D	S 7	E23	.388		1.6	110	SN	4	V		64		DE
RAMY	28	2148	2157	2209	S 5	E32	.528		2.3	21	SF	4	C		45		
MANI	29	0523E	0524U	0524	S07	E19	.323		1.6	10	SN	2	V	0524	80	.9	F
ARCE	29	0825	0840	0900	N06	W62	.893		24.7	35	SF	1	C	0840	24	.5	D
WEND	29	0908		0927	S06	E16	.275	14143	1.6	19	1N	1	V		300		L
MONT	29	0909	0911	0918	S07	E17	.290		1.7	9	SF	1	C	0911	40		
MONT	29	0910	0913	0921	N07	W61	.887		24.8	11	SF	1	C	0913	20		
MONT	29	1043	1047	1117D	S11	E24	.407		2.2	340	SN	1	C	1047	110		E
RAMY	29	1043	1047	1057	S 8	E20	.339		1.9	14	SN	3	C		45		F
RAMY	29	1049E	1051	1057	S10	E22	.373		2.1	80	SF	3	V		48		H
WEND	29	1152E		1240D	S11	E27	.453	14143	2.5	480	1F	1	V		300		EL
MONT	29	1237	1240	1253	S08	E16	.274		1.7	16	SB	1	C	1240	70		D
RAMY	29	1701	1711	1717	S 7	E16	.274		1.9	16	SF	3	C		36		FDE
RAMY	29	1710E	1711	1717	S 7	E18	.307		2.1	70	SF	3	V		48		DE
RAMY	29	1751	1754	1807	S11	E20	.344		2.2	16	SF	3	C		63		DE H
RAMY	29	1759E	1803	1808D	S11	E22	.375		2.4	90	SF	3	V		60		DE H
MANI	30	0531E	0533U	0539	S07	E06	.104		1.7	80	SF	2	V	0533	60	.6	
ARCE	30	0910E		0953D	N07	W81	.990	14146	24.3	430	1F	1	C	0925	34		
MONT	30	1037	1041	1050	S08	E04	.070		1.7	13	SF	1	C	1041	40		E
MONT	30	1138	1141	1156	S08	E04	.070		1.8	18	SF	1	C	1141	40		
RAMY	30	1139E	1141U	1151	S 7	E 5	.087		1.9	120	SF	4	V		49		DE
RAMY	30	1139	1142	1151	S 7	E 5	.087		1.9	12	SF	4	C		36		
BOUL	30	1329E	1334	1339	S 8	E 7	.122		2.1	100	SF	1	P	1334	42	.4	
RAMY	30	2101	2108	2115	S11	E 5	.108		2.3	14	SF	4	C		27		DE
PALE	30	2101	2106	2112	S 6	E 3	.056		2.1	11	SN	3	C		21		DE
MCMA	30	2106	2109	2117	S11	E06	.122	14143	2.3	11	SN	1	C	2109	20	.2	D
RAMY	30	2110E	2111U	2115	S10	E 5	.099		2.3	50	SF	3	V		30		DE
MCMA	30	2138	2143	2154	S11	E00	.066	14143	1.9	16	SN	1	C	2143	25	.3	DL
RAMY	30	2140	2143	2147	S10	E 1	.051		2.0	7	SF	2	V		45		FDE
RAMY	30	2140	2142	2147	S10	E 1	.051		2.0	7	SF	3	C		36		FDE
MANI	31	0156	0158	0207	S09	E02	.046		2.2	11	SF	3	V	0158	40	.4	
PALE	31	0159	0159	0208D	S 8	W 3	.054		1.9	90	SF	3	C		63		HDE
MANI	31	0424E	0424U	0429D	S11	W04	.095		1.9	50	SF	2	V	0424	50	.5	F
MANI	31	0424E	0424U	0429D	N07	W90	1.000		24.4	50	SF	2	V	0424	50	1.7	
ATHN	31	0456E	0458U	0527	S 7	W 3	.052		2.0	310	SN	1	C		80		U H
CATA	31	0705E	0705U	0715	S10	W01	.051		2.2	100	SN	1		0705	56	.6	
UPIC	31	0706E	0706U	0715	S09	W01	.035	14143	2.2	90	1F	1	P	0706	286		
MONT	31	0816	0819	0826	N05	W90	1.000		24.6	10	SF	1	C	0819	20		D
MONT	31	0843	0847	0903	N05	W90	1.000		24.6	20	SF	1	C	0847	20		D
MONT	31	0855	0857	0900	S10	W04	.084		2.1	5	SF	1	C	0857	20		D
CATA	31	0950	1005	1005D	S12	W07	.146		1.9	150	SF	1		1005	112	1.2	
MONT	31	1001	1002	1007	S11	W08	.152		1.8	6	SF	1	C	1002	40		
MONT	31	1053	1053	1101	S10	W03	.071		2.2	8	SF	1	C	1053	20		D
CATA	31	1140	1200	1400D	S08	W10	.173	14143	1.7	1400	1N	2	C	1200	224	2.4	
ATHN	31	1144	1200	1347	S 7	W12	.206		1.6	123	SN	3	C		95		F
MONT	31	1146	1210	1210D	S07	W10	.172	14143	1.7	240	1N	1	C	1210	300		
RAMY	31	1202E	1202U	1212D	S 6	W 9	.157		1.8	100	SN	4	V		192		U
RAMY	31	1202E	1202U	1440D	S 6	W 9	.157	14143	1.8	160D	1N	4	C		256		U F
TEHR	31	1204E		1245D	S 6	W 9	.157		1.8	410	SN	3	V		190		U

H α SOLAR FLARES

MARCH 1976

OBSERVATORY	OBSERVED UT				LOCATION				DURATION MIN.	IM- POR- TANCE	OBS. COND. TYPE	MEASUREMENTS			REMARKS	
	DATE MAR	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MC MATH PLAGE REGION				CMP DAY	TIME UT	MEAS. AREA MIL OF DIA		CORR. AREA Sq. Deg.
					LAT.	NER. DIST.										
WEND	31	1219E		1545	S09	W09	.158	14143	1.8	2070	2N	P		700		LU
UPIC	31	1400E		1409	S05	W11	.194		1.8	90	SN	P	1400	122		
BOUL	31	1437	1438	1445	S10	W4	.084		2.3	8	SF	1	C	1438	21	.2
UPIC	31	1438E		1442	S10	W05	.099	14143	2.2	40	1N	P	1438	204		
BOUL	31	1445	1449	1508	S11	W8	.152		2.0	23	SF	1	C	1445	64	.6
BOUL	31	1830	1835	1905	S11	W12	.215		1.9	35	SN	2	C	1835	64	.7
RAMY	31	1840E	1840U	18450	S10	W13	.227		1.8	50	SF	3	V		30	
BOUL	31	2127	2135	2148	S9	W8	.141		2.3	21	SF	2	C	2135	53	.5
RAMY	31	2140E	2141U	21460	S7	W7	.121		2.4	60	SF	3	V		27	


"Remarks":

- A = Eruptive prominence whose base is less than 90° from central meridian.
- B = Probably the end of a more important flare.
- C = Invisible 10 minutes before.
- D = Brilliant point.
- E = Two or more brilliant points.
- F = Several eruptive centers.
- G = No visible spots in the neighborhood.
- H = Flare accompanied by a high speed dark filament.
- I = Active region very extended.
- J = Distinct variations of plage intensity before or after the flare.
- K = Several intensity maxima.
- L = Existing filaments show signs of sudden activity.
- M = White-light flare.

- N = Continuous spectrum shows effects of polarization.
- O = Observations have been made in the calcium II lines H and K.
- P = Flare shows helium D₃ in emission.
- Q = Flare shows the Balmer continuum in emission.
- R = Marked asymmetry in H α line suggests ejection of high velocity material.
- S = Brightness follows disappearance of filament (same position).
- T = Region active all day.
- U = Two bright branches, parallel (||) or converging (Y).
- V = Occurrence of an explosive phase: important and abrupt expansion in about a minute with or without important intensity increase.
- W = Great increase in area after time of maximum intensity.
- X = Unusually wide H α line.
- Y = System of loop-type prominences.
- Z = Major sunspot umbra covered by flare.

INTERVALS OF NO FLARE PATROL OBSERVATION
FOR PRECEDING SOLAR FLARE TABLE

MARCH 1976



Observatories included in total patrol:

Arcetri	Bucharest	Manila	Monte Mario	Tehran
Athens	Catania	McMath-Hulbert	Palehua	Upice
Boulder	Herstmonceux	Mitaka	Ramey	Wendelstein


Times of no flare patrol are shown by the shaded area for each day divided into times of no cinematographic patrol (bottom half of day) and times of neither visual nor cinematographic patrol (top half of day).

SOLAR RADIO EMISSION INTERFEROMETRIC OBSERVATION

Nancay

MARCH 1976

























169 MHz






EAST-WEST SOLAR SCANS
MARCH, 1976

ALGONQUIN RADIO OBSERVATORY
CANADA

10.7 cm
Fan Beam with 1.5 minutes of arc
E-W Resolution



29
NO DATA






EAST-WEST SOLAR SCANS

MARCH 1976

Fleurs, Australia

ESTIMATED QUIET SUN LEVEL
COLD SKY LEVEL

21 cm
Fan-Beam with 2 minutes of arc
E-W Resolution



04

05

06

07

08

09

10

11

12

NO DATA MARCH 4 THRU MARCH 19

13

14

15


16

17

18

19


20




21

NO DATA


22




23




24



25



26



27

NO DATA


28

NO DATA


29

NO DATA

30



31




EAST-WEST SOLAR SCANS

MARCH 1976

Fleurs, Australia

ESTIMATED QUIET SUN LEVEL
COLD SKY LEVEL

43 cm
Fan-Beam with 4 minutes of arc
E-W Resolution



SOLAR RADIO EMISSION
SELECTED FIXED FREQUENCY EVENTS

MARCH 1976

	FREQUENCY STATION	TYPE	STARTING TIME	TIME OF MAXIMUM	DURATION	FLUX DENSITY		INT	REMARKS
			UT	UT	MINUTES	$10^{-22} \text{ Wm}^{-2} \text{ Hz}^{-1}$ PEAK	MEAN		
5	2695 BOUL	8 S	2329	2329.5	1.5	7	2		
12	2695 BOUL	1 S	2216.5	2217.5	1.5	2	1		
14	2695 SGHR	1 S	1837.2	1837.7	1.6	3.8	1.1		
	2695 OTTA	2 S/F	1837.3	1838	2	2.8	1.6		
	2695 BOUL	3 S	1837.5	1838.5	2	3	1		
16	2300 OTTA	240 R	1440	1610	90	1	0.5		
	2800 OTTA	24P R	1610		530 0	1			
17	2800 OTTA	22 GRF	1515	1645	185	1.6	0.9		
	2300 OTTA	240 R	1830	1930	60	1.6	0.9		
	2800 OTTA	24FFR	1930		145	1.8			
	2800 OTTA	240 R	2155	2210	15	1.8	0.9		
	2695 PENT	24P R	2210		170 0	1.8			
18	2300 OTTA	1 S	1411.5	1413	3	1.2	0.6		
	2695 SGHR	1 S	1412	1412.9	1.1	2.3	.7		
	2800 OTTA	20 GRF	1520	1535	55	0.8	0.6		
	2800 OTTA	27A RF	1710		96	1.2	1.1		
	2800 OTTA	24 K	1710	1720	10	1.2	0.6		
	2800 OTTA	24P R	1720		80	1.2			
	2800 OTTA	21 GRF	1740	1750	20	0.6	0.3		
	2800 OTTA	1 S	1749	1750	1.5	0.8	0.4		
	2800 OTTA	26 FAL	1840	1846	6	-1.2	-0.6		
	2900 OTTA	240 R	1915	1955	40	1.8	0.9		
	2800 OTTA	24P R	1945		300 0	1.8			
19	2800 OTTA	20 GRF	1555	1623	105	2.4	1.2		
20	8800 MANI	2 S/F	0750.3	0750.5	1.2	13.5	5.1		
	2695 MANI	1 S	0749.5	0750.4	2	9.7	3.4		
	2800 OTTA	1 S	1433	1434.4	2	5	2.5		
	2800 OTTA	30 FBI	1435	1435	8.5	1.4	0.7		
	2695 BOUL	2 SF	1434.5	1435.5	1.5	2	1		
	2900 OTTA	1 S	1439.5	1440	4	0.8	0.6		
	2800 OTTA	1 S	1445.9	1445.9	1.5	1.2	0.6		
	2800 OTTA	21 GRF	1722		130	1.6	0.8		
	2800 OTTA	40 F	1753	1758.5	19	2.4			
	2695 SGHR	22 GRF	1753.6	1753.6	19.8	4.8	2.9		
	2695 BOUL	45 C	1754	1759.5	10	3	1		
	2695 PENT	21 GRF	2004	2015	25	1.2	0.6		
	2695 PENT	1 S	2013.9	2014.1	1	1.6	0.8		
	2800 OTTA	4 S/F	2150	2150	8	15	4.8		
	2900 OTTA	30 FBI	2153	2153	20	1.6	0.8		
	2695 BOUL	40 F	2150	2154	23	13	3		
	2695 SGHR	1 S	2152.1	2153.7	4.7	5.8	1.7		
	2800 OTTA	2 S/F	2159	2202.5	8	3.2	1.6		
	2695 PENT	240AR	2238.8	2304.8	16	1.6	0.8		
	2695 PENT	2 S/F	2238.8	2239.5	4	2.2	1.2		
	2695 PENT	24P R	2239.5		120 0	1.6			
	2695 BOUL	45 C	2239.5	2240.5	4.5	2	1		
21	2695 MANI	4 S/F	0138.8E	0140.8U	5.20	15.40	6.80		
	2695 MANI	4 S/F	0148.4	0151.7	7.8	20.5	6.6		
	2695 MANI	2 S/F	0201.9	0204.7	5.1	5.7	2.3		
	8800 MANI	1 S	0636.7	0637	2.5	6.5	1.6		
	2695 MANI	1 S	0636.5	0637.1	2	4.2	1.2		
	8800 MANI	4 S/F	0754.2	0757.3	14.8	37.5	16.3		
	2695 MANI	41 F	0756.5	0811.2	33.5	36	10.8		
	8800 SGHR	22 GRF	1243.5	1259.3	55.5	20.7	12.4		
	2695 SGHR	46 C	1241.6	1250.6	29.1	35.4	10.6		
	2695 SGHR	46 C		1259.5		25.8			
	2695 SGHR	29 FBI	1310.7	1310.7	14.8	4.6	1.8		
	2800 OTTA	46F C	1247	1250.2	14.5	24	9.8		
	2800 OTTA		1247	1250.2	8	24			
	2800 OTTA		1255	1259.5	6.5	18.6			
	2800 OTTA	30 FBI	1301.5	1301.5	44	4.8	2.4		
	2800 OTTA	2 S/F	1303.5	1306.5	7	6.4	3.2		
	2800 OTTA	23 GRF	1400	1422	180	4.6	2.6		
	2800 OTTA	1 S	1600	1600.5	1	1.2	0.6		
	2800 OTTA	22 GRF	1702	1720	80	2	1.2		
	2800 OTTA	27AFRF	1825		70	1.4	1.1		
	2800 OTTA	24 R	1825	1835	10	1.4	0.7		
	8800 SGHR	46 C	1829.2	1843.8	20.8	186.8	37.4		
	8800 SGHR	46 C		1843.4		42.8			
	8800 SGHR	29 FBI	1850	1850	21.4	22.5	9		
	2695 SGHR	46 C	1826.2	1844	29.8	86.6	26		
	2695 SGHR	46 C		1848.6		20.3			
	2695 SGHR	29 FBI	1856	1856	15	3.5	1.4		
	2800 OTTA	24P R	1835		40	1.4			
	2695 BOUL	45 C	1835.5	1846	24	67	15		
	2800 OTTA	45 C	1838	1845	14	80	21.4		

20
Mar 76

SOLAR RADIO EMISSION
SELECTED FIXED FREQUENCY EVENTS

MARCH 1976

	FREQUENCY STATION	TYPE	STARTING TIME	TIME OF MAXIMUM	DURATION	FLUX DENSITY		INT	REMARKS
			UT	UT	MINUTES	$10^{-24} \text{ Wm}^{-2} \text{ Hz}^{-1}$ PEAK	MEAN		
22	2800 OTTA	2 S/F	1853.5	1854.1	5	4.8	1.6		
	2800 OTTA	26 FAL	1915	1935	20	-1.4	-0.7		
	2800 OTTA	22 GRF	1940	2020	55	1.4	0.7		
	2800 OTTA	1 S	2055	2058.2	9	1.2	0.5		
	2800 OTTA	32A ABS	2110	2225	155	-6.2	-3.1		
	2800 OTTA	46F C	2131.9	2233.7	4.5	94	24		
	2800 OTTA	29 PBI	2236.4	2236.4	~0	3.4	1.7		
	8800 MANI	3 S	2231.8	2233.8	5.7	28.6	13.4		
	2695 MANI	46 C	2231.9	2233.8	5.7	104	27.9		
	2695	46 C		2232.2		47.1			
	2695 BOUL	45 C	2232.5	2235	5	117	35		
	2800 OTTA	2 S/F	2333.5	2334.3	3	9.4	2.4		
	2695 BOUL	8 S	2334	2235	2.5	7	4		
	8800 MANI	1 S	0117.3	0118.4	2.5	6.7	1.7		
	2695 MANI	1 S	0116.6	0118.4	2.9	3.1	.6		
	8800 MANI	3 S	0419.8	0419.8	3	68	30.6		
	2695 MANI	4 S/F	0419.5	0421.3	3.4	29.1	13		
	8800 MANI	4 S/F	0607	0808.2	7.3	17	3.4		
	2695 MANI	4 S/F	0807	0808.8	7.6	27.3	8.1		
	2800 OTTA	22 GRF	1210	1250	220	5	2.7		
	2800 OTTA	27A RF	1705		275	2.6	2.2		
	2800 OTTA	24 R	1705	1740	35	2.6	1.3		
2800 OTTA	24P R	1740		200	2.6				
2800 OTTA	20 GRF	1810	1930	60	1.2	0.6			
2800 OTTA	1 S	2057	2058	2	1	0.5			
2800 OTTA	26 FAL	2100	2140	40	-2.2	-1.1			
2800 OTTA	240AR	2153	2208	15	3.2	1.6			
2800 OTTA	22 GRF	2155	2159.5	13	6.6	2.6			
2695 BOUL	45 C	2159.5	2200	7.5	4	1			
2695 PENT	24P R	2208		150 0	3.2				
2695 PENT	20 GRF	2236	2300	95	2.8	1.4			
23	2695 MANI	1 S	0114.3	0116.4	4.9	3.2	.6		
	8800 MANI	47 GB	0840.8	0845.3	28.7	1350	520		
	8800 MANI	47 GB		0847.1		1400			SUNSET
	8800 MANI	29 PBI	0909.5	0909.5		156			
	2695 MANI	47 GB	0840.3	0843	29.2	550	150		
	2695 MANI	47 GB		0844.9		350			
	2695 MANI	29 PBI	0909.5	0909.5		54			SUNSET
	2800 OTTA	26 FAL	1335	1452	77	-4.6	-2.3		
	2800 OTTA	240 R	1620	1620	15	1.8	0.9		
	2800 OTTA	24P R	1635		460 0	1.8			
	2800 OTTA	20 GRF	1805	1812	20	0.8	0.4		
	2800 OTTA	1 S	1938	1939	6	2	0.8		
	2800 OTTA	20 GRF	2014	2015	12	1	0.6		
	2800 OTTA	1 S	2148	2148.5	2	2	1		
	2800 OTTA	32A ABS	2155	2225	50	-2	-1		
	2800 OTTA	4 S/F	2235	2237	3	14.8	7		
	2695 BOUL	45 C	2235.5	2238	3	19	7		
	24	2695 BOUL	3 S	0015	0019	6.5	102	35	
2695 PENT		3 S	0016	0017.6	5	105	26.2		
2695 PENT		29 PBI	0021	0021	31	5	2.5		
8800 MANI		4 S/F	0016.5	0018	8.5	38.4	16.7		
2695 MANI		4 S/F	0016.5	0018	11.4	94	28.8		
2800 OTTA		21 GRF	1550	1700	110	1.2	0.7		
2800 OTTA		1 S	1659	1659.2	1	0.8	0.4		
2800 OTTA		8 S	1817.8	1817.8	0.5	0.4	0.2		
2800 OTTA		21 GRF	1742	1803	65	1	0.5		
2800 OTTA		28 PRE	1834.3	1834.5	1	0.4			
2800 OTTA		1 S	1835.3	1835.7	2.5	7	1.8		
8800 SGMR		1 S	1835.6	1835.8	.5	1.4	.4		
2695 SGMR		1 S	1835.3	1835.7	1.1	7.4	2.2		
2695 BOUL		8 S	1836	1836.5	1.5	6	2		
2800 OTTA		20 GRF	1850	1908	50	1	0.5		
2800 OTTA		1 S	2217.8	2218	1	1	0.7		
2800 OTTA		2 S/F	2220	2220.6	1	3.8	1.8		
25		2695 PENT	28 PRE	0016.3	0016.9	1.7	1.2		
	2695 PENT	3 S	0018	0018.7	2.5	44	15		
	2695 PENT	29 PBI	0020.5	0020.5	5	3.2	1.4		
	8800 MANI	4 S/F	0017.7	0018.6	2.8	37.2	16.9		
	2695 MANI	4 S/F	0017.7	0018.7	3.5	37.8	17.6		
	2695 BOUL	8 S	0019	0019.5	4	43	18		
	2695 PENT	2 S/F	0038.2	0039	1.5	3	1.2		
	8800 MANI	4 S/F	0357.6	0358.4	2.4	17.5	5.3		
	2695 MANI	2 S/F	0357.4	0358.5	2.6	3.3	.7		
	8800 MANI	1 S	0611.6	0611.8	1.8	7	1.8		
	2695 MANI	3 S	0611.6	0611.8	1.5	11.9	5.3		
	2695 MANI	4 S/F	0702.7	0705.3	4.5	21.8	7.9		
	8800 SGMR	4 S/F	1135.3	1138.7	6.7	15.6	4.7		
	2695 SGMR	2 S/F	1135.7	1139.4	6.4	7.3	2.2		
	8800 SGMR	22 GRF	1148.7	1220.2	61.6	72.7	43.6		
	2695 SGMR	22 S/F	1149	1220.6	66.3	110	33		

SOLAR RADIO EMISSION
SELECTED FIXED FREQUENCY EVENTS
MARCH 1976

	FREQUENCY STATION	TYPE	STARTING TIME	TIME OF MAXIMUM	DURATION	FLUX DENSITY $10^{-22} \text{ Wm}^{-2} \text{ Hz}^{-1}$		INT	REMARKS
			UT	UT	MINUTES	PEAK	MEAN		
	2800 OTTA		1231		16 0	31			
	2800 OTTA	30 FBI	1247	1247	262	12.4	6.2		
	2695 BOUL	45 C	1256.5E	1319	46 0	88	20		
	8800 SGMR	22 GRF	1310.2	1320.5	34.3	35	21		
	2695 SGMR	46 C	1308.2	1317.9	43.8	119.7	35.9		
	2695 SGMR	46 C		1320.6		84.3			
	2800 OTTA	L S/F	1308.5	1317.5	39.5	96	29		
	2800 OTTA	23 GRF	1710	1725	80	2.2	1.1		
	2800 OTTA	1 S	1714.8	1715.7	1.5	2	1		
	2695 BOUL	45 C	1716	1720.5	6.5	7	2		
	2800 OTTA	1 S	1718	1719.1	2	5.8	1.5		
	2800 OTTA	20 GRF	1845	1915	85	1.6	0.8		
	2800 OTTA	9 S	2041.7	2041.7	0.10	1.6			
	8800 SGMR	3 S	2055	2055.2	2.1	18.2	5.5		
	2800 OTTA	20 GRF	2211	2213	30	1.4	0.7		
	2695 PENT	240 R	2230	2305	35	2	1		
	2695 PENT	24P R	2305		150	2			
26	2695 PENT	20 GRF	0000	0035	80	2	1		
	8800 MANI	1 S	0034.3	0034.6	5.2	10.1	3.4		
	8800 MANI	4 S/F	0413.4	0414.3	1.8	16.1	3.6		
	2695 MANI	2 S/F	0413.4	0414.3	1.7	3.8	1.3		
	8800 MANI	3 S	0656.1	0657.6	3.3	35.4	16.1		
	2695 MANI	1 S	0656.1	0657.8	3.7	3.8	1.3		
	8800 MANI	4 S/F	0719.3	0720.7	7.1	220	63		
	2695 MANI	4 S/F	0719.6	0720.7	4.2	27.7	9.5		
	2800 OTTA	21 GRF	1240	1340	170	1	0.5		
	8800 SGMR	4 S/F	1439.3	1443.5	20.1	118.2	35.5		
	2695 SGMR	4 S/F	1439.1	1443.6	19.3	46.1	13.8		
	2695 BOUL	45 C	1441.5	1444.5	6.5	35	12		
	2800 OTTA	4 S/F	1440.7	1443.5	12.3	45	7		
	2800 OTTA	29 FBI	1453	1453	12	1.8	0.9		
	8800 SGMR	1 S	1518.7	1519.2	3.9	7.8	2.3		
	2695 SGMR	1 S	1519.4	1519.9	1	2.6	.8		
	2800 OTTA	1 S	1519.3	1520	1	0.6	0.3		
	2800 OTTA	21 GRF	1530	1830	570	9.8	4.9		
	2800 OTTA	1 S	1704.5	1706.7	5.5	1.8	1.2		
	2800 OTTA	1 S	1717.5	1718	1.5	1	0.5		
27	8800 MANI	3 S	0011.5	0011.7	2	16.9	6.8		
	8800 MANI	3 S	0600.7	0601.3	3.1	15.6	2		
	8800 MANI	1 S	0627.5	0628.1	4.1	7.9	2		
	2695 MANI	2 S/F	0627.5	0628.1	4.3	4.4	1.2		
	2800 OTTA	21 GRF	1200	1215	255	7	1.6		
	8800 SGMR	46 C	1201.8	1203.7	31.2	41.8	18.4		
	8800 SGMR	46 C		1207.3		46.1			
	2695 SGMR	46 C	1201.2	1203.9	69.9	20.2	10.8		
	2695 SGMR	46 C		1204.9		27			
	2800 OTTA	46F C	1203	1204.6	6	21.2	7.1		
	2800 OTTA	40 F	1217	1219.1	2.5	22.4			
	2800 OTTA	21 GRF	1405	1417	70	3.4	1.7		
	2800 OTTA	1 S	1438.5	1439	3	2.4	0.8		
	2695 BOUL	1 S	1439	1439.5	1.5	2	1		
	2800 OTTA	27 RF	1750		115	1.2	1.1		
	2800 OTTA	24 R	1750	1800	10	1.2	0.6		
	2800 OTTA	24P R	1850		100	1.2			
	2800 OTTA	26 FAL	1940	1945	5	1.2	0.6		
	2800 OTTA	240 R	1945	2020	35	3	1.5		
	2800 OTTA	24P R	2020		160	3			
	8800 SGMR	4 S/F	2042.8	2043.5	4.2	51.5	15.5		
	2695 SGMR	2 S/F	2043.4	2043.7	3.7	4.8	1.4		
	2800 OTTA	8 S	2043.5	2043.7	0.5	3.4	0.8		
	2695 BOUL	8 S	2044.5	2045	1	6	2		
	2800 OTTA	8 S	2046.1	2046.4	0.6	1.4	0.7		
	2695 PENT	240AR	2300	2345	45	2.4	1.2		
	2695 PENT	1 S	2327	2328	3	2.6	1.3		
	2695 BOUL	45 C	2328.5	2329	1	3	1		
	8800 MANI	1 S	2340.2	2340.5	1.3	7.6	1.9		
	2695 MANI	1 S	2340.3	2340.5	1.3	2.5	.6		
	2695 PENT	1 S	2340.2	2340.8	2	2.4	1.2		
	2695 BOUL	2 SF	2341.5	2342	1	3	1		
	2695 PENT	24P R	2345		60 0	2.4			
28	2695 PENT	20 GRF	0043	0048	40	2.4	1.2		
	8800 MANI	1 S	0528.7	0529	7.6	8.6	2.2		
	2695 MANI	1 S	0528.7	0534.7	8.3	4.9	1.2		
	8800 MANI	46 C	0550.3	0556.3	24.7	174	43		
	8800 MANI	46 C		0602.2		58			
	2695 MANI	46 C	0553.4	0556.4	22.6	48.8	18.9		
	2695 MANI	46 C		0602.2		37.8			
	2800 OTTA	21 GRF	1220	1240	35	1.4	0.8		
	8800 SGMR	2 S/F	1232.8	1236.5	5.4	8.8	2.8		
	2695 SGMR	4 S/F	1232.4	1235.3	13.4	10.5	3.3		
	2800 OTTA	4 S/F	1234.2	1235	3.5	10.8	2.6		
	2800 OTTA	21 GRF	1337	1343	13	1.4	0.7		

22
Mar 76

SOLAR RADIO EMISSION
SELECTED FIXED FREQUENCY EVENTS

MARCH 1976

	FREQUENCY STATION	TYPE	STARTING TIME	TIME OF MAXIMUM	DURATION	FLUX DENSITY $10^{-22} \text{ W m}^{-2} \text{ Hz}^{-1}$		INT	REMARKS	
			UT	UT	MINUTES	PEAK	MEAN			
29	2800 OTTA	1 S	1340	1340.5	2	5.6	1.9			
	9800 SGMR	1 S	1340.3	1340.7	.9	2.9	.9			
	2695 SGMR	1 S	1339.4	1340.7	4.5	7.1	2.1			
	2695 BOUL	8 S	1341	1341.5	1.5	5	2			
	2800 OTTA	27 RF	1440		160	1.2	1.1			
	2800 OTTA	24 R	1440	1455	15	1.2	0.6			
	2800 OTTA	24P R	1455		125	1.2				
	2800 OTTA	26 FAL	1700	1720	20	-1.2	-0.6			
	2800 OTTA	21 GRF	1725	1750	50	2.2	1.1			
	8800 SGMR	1 S	1738	1738.2	.9	8.3	2.5			
	2695 SGMR	1 S	1738	1738.2	.9	4.3	1.3			
	2800 OTTA	1 S	1738	1738.1	1	2.6	1			
	2800 OTTA	23 GRF	1840		380 D	18				
	2695 BOUL	47 GB	1842.5	1937.5	305	2164	413			
	8800 SGMR	28 FRE	1842.8	1915.4	32.6	23	11.5			
	8800 SGMR	47 GB	1915.4	1927.5	44.6	3236	1100			
	8800 SGMR	47 GB		1934.1		3719				
	8800 SGMR	29 FBI	2000	2000	47	59.8	29.9			
	2800 OTTA	47 GB	1914	1936	59	1965	470			
	2695 SGMR	28 PRE	1840.8	1914.6	33.8	21.3	10.7			
	2695 SGMR	47 GB	1914.6	1929	47.4	718	570			
	2695 SGMR	47 GB		1936		1890				
	2695 SGMR	30 PBI	2002	2002	23	14.8	7.4			
	2800 OTTA	3 S	1954.5	1955	1	50	25			
	2800 OTTA	4 S/F	1957	1957.5	3	58	22			
	2695 SGMR	3 S	2006.9	2008.3	3.9	16.8	5			
	2800 OTTA	1 S	2007	2008	2.5	9.6	5			
	2800 OTTA	30 PBI	2014	2014	110	8	4			
	2800 OTTA	20 GRF	2030	2040	18	3.8	1.9			
	2800 OTTA	45 C	2057.8	2059	7	28	5			
	2695 PENT	3 S	2454.5	2455	1.5	10.8	2.7			
	29	2695 MANI	2 S/F	0054.3	0055.2	3.2	8.2	1.3		
		8800 MANI	4 S/F	0523.2	0523.4	1.2	85	32.5		
		2695 MANI	4 S/F	0522.8	0523.3	2	16.4	7.6		
		8800 MANI	3 S/F	0751.2	0751.8	2.3	32.5	10.2		
		8800 MANI	3 S	0908.8	0909.5	2.5	46.7	16.2		
		2695 MANI	4 S/F	0908.8	0909.4	2.5	32.1	12.6		
		2800 OTTA	20 GRF	1538	1540	14	1.2	0.5		
		2695 SGMR	20 GRF	1538.8	1539.7	11	1.5	.9		
		2695 SGMR	22 GRF	1749.8	1755.9	11	4.4	2.7		
		2800 OTTA	1 S	1751.5	1752.2	1.5	1.6	0.6		
		2800 OTTA	26 FAL	1801	1803	2	-1.2	-0.6		
		2800 OTTA	32 ABS	1810	1825	90	-0.8	-0.4		
		2800 OTTA	1 S	2055.5	2056	5	1.6	0.6		
		2695 BOUL	3 S	2056	2056.5	2	3	1		
8800 MANI		4 S/F	2338.8	2339.7	3.7	31.3	4.8			
30	8800 MANI	22 GRF	0348	0359.2	15	10.6	2.7			
	2695 MANI	41 F	0348	0349.8	12.8	8.3	1.3			
	2695 MANI	2 S/F	0526.9	0528.6	3.5	10.2	5.1			
	2800 OTTA	20 GRF	1540	1630	95	1.2	0.6			
	8800 SGMR	22 GRF	1901	1901.7	15.1	20.2	12.1			
	2695 SGMR	22 GRF	1901.3	1903.2	21.2	1.7	1			
	2800 OTTA	20 GRF	2100	2105	30	1.6	0.8			
31	2695 PENT	2 S/F	0104	0104.8	1	8.2	4.1			
	9800 MANI	4 S/F	0157.7E	0159.7U	2.90	15.4U	5.1D			
	2695 MANI	4 S/F	0157.7E	0158.8U	2.30	8.2U	2.5D			
	8800 MANI	3 S	0304.4	0305.4	2.4	34.1	15.7			
	2695 MANI	40 F	0421.3	0421.8	1.1	36.4	5.9			
	8800 MANI	4 S/F	0453.3	0455.6	6.9	230	91			
	2695 MANI	4 S/F	0453.3	0455.5	4.2	14.3	5.2			
	8800 MANI	1 S	0703.5	0704	1	7.8	2.6			
	2695 MANI	4 S/F	0703.5	0703.9	1	51	10.4			
	2800 OTTA	21 GRF	1150	1230	330	7.6	3.8			
	2695 SGMR	46 C	1153.6	1158.3	14.7	25.9	8.2			
	2695 SGMR	46 C		1200.8		27.4				
	2800 OTTA	45 C	1154	1157.5	10	20.2	6.8			
	2800 OTTA	1 S	1236.5	1239	9	4.6	1.6			
	2800 OTTA	40 F	1259.9	1310	11	25				
	8800 SGMR	22 GRF	1301.1	1304.1	18.2	9.4	2.8			
	2695 SGMR	4 S/F	1259.8	1304.3	33.7	29.3	8.8			
	2800 OTTA	1 S	1323	1324.1	3	3	1			
	2800 OTTA	1 S	1356	1356.5	1	1.8	0.9			
	2800 OTTA	45 C	1436.2	1437.9	2.8	3.2	0.8			
	8800 SGMR	1 S	1436.5	1437.3	2.2	9.9	3			
	2695 SGMR	2 S/F	1436.3	1437.8	2	6.1	1.8			
	2800 OTTA	1A S	1445	1448.7	10	2	1			
	2800 OTTA	40 F	1445.1		2	3.4				
	2800 OTTA	1 S	1613.9	1614.2	3	1	0.5			
2800 OTTA	1 S	1627.1	1627.5	1	1.4	0.7				
2695 SGMR	4 S/F	1757.7	1758.7	8	34.9	10.5				
2800 OTTA	2 S/F	1758	1758.5	2	1.6	0.6				
2800 OTTA	2 S/F	1806	1807.7	6	2.8	0.7				

SOLAR RADIO EMISSION
SELECTED FIXED FREQUENCY EVENTS

MARCH 1976

FREQUENCY STATION	TYPE	STARTING TIME	TIME OF MAXIMUM	DURATION	FLUX DENSITY $10^{-22} \text{ W m}^{-2} \text{ Hz}^{-1}$		INT	REMARKS
		UT	UT	MINUTES	PEAK	MEAN		
8404 SGMR	1 S	1807.5	1810	4.2	3.3	1		
2695 SGMR	1 S	1806.5	1807.8	4.1	4.8	1.4		
2800 OTTA	20 GRF	1829	1835	35	3.2	1.6		
1800 SGMR	20 GRF	1831.5	1835.3	33.4	5.2	3.1		
2695 SGMR	20 GRF	1828.7	1835	34.7	4.2	2.5		
3804 SGMR	1 S	1959.3	1959.4	1.3	9.4	2.8		
2800 OTTA	20 GRF	2005	2020	35	1.2	0.8		
2800 OTTA	21 GRF	2127	2141	50	1	0.5		
2695 PENT	2 S/F	2127.5	2128.2	1	8.4	2		
2800 OTTA	2 S/F	2127.5			4			

Observatories:

BOUL = Boulder MANI = Manila OTTA = Ottawa ARO PENT = Penticton SGMR = Sagamore Hill


Explanation of Type Code:

- | | | | | | |
|-------------|--------------|---------------|--------------------------|-------------------------|----------------------------|
| 1 Simple 1 | 6 Minor | 22 Simple 3F | 27 Rise and Fall | 32 Absorption | 44 Noise Storm in Progress |
| 2 Simple 1F | 7 Minor + | 23 Simple 3AF | 28 Precursor | 40 Fluctuation | 45 Complex |
| 3 Simple 2 | 8 Spike | 24 Rise | 29 Post Burst Increase | 41 Group of Bursts | 46 Complex F |
| 4 Simple 2F | 20 Simple 3 | 25 Rise A | 30 Post Burst Increase A | 42 Series of Bursts | 47 Great Burst |
| 5 Simple | 21 Simple 3A | 26 Fall | 31 Post Burst Decrease | 43 Onset of Noise Storm | 48 Major |
| | | | | | 49 Major + |

24
Mar 76

SELECTED SOLAR NOISE BURST

28 MARCH 1976



GREAT BURST OBSERVED 28 MAR. 1976 AT
SAGAMORE HILL RADIO OBSERVATORY, HAMILTON, MASS.

SOLAR WIND
Interplanetary Scintillations

MARCH 1976

UCSD 74 MHZ SCINTILLATIONS

DAY	3C48 VEL ERR	3C144 VEL ERR	3C147 VEL ERR	3C161 VEL ERR	3C237 VEL ERR	3C273 VEL ERR	3C298 VEL ERR	3C459 VEL ERR
1	406 *	533 56					630 187	
2	245 *							
3	177 59							
4	309 89	421 7						
5	269 34	421 132		317 8				
6	240 32	463 37		565 38				
7	207 46	254 50	288 79					
8	246 28	394 22						
9	304 5	640 *						
10	288 30	506 33						
11	440 77							
12	408 88							
13	415 76	261 *	244 *					
14		484 *	0	360 *				
15	448 134	307 *	301 *					
16	543 88	483 32		348 24				
17	630 119							
18		300 23		328 47				
19	407 98						492 187	
20	567 *	384 68		648 72				
21		384 24		510 *				
22	322 91							
23	350 107	312 20						
24		419 84	346 51	311 36				
25	360 104	421 61		353 22				
26	457 149	386 26	305 41	335 23	400 13		443 182	
27	416 102			340 18			518 215	
28		269 66						
29		224 10						
30	312 114	314 17						
31		376 61		391 29	402 *			

MARCH	5	15	25
	UT LAT DIST DLON	UT LAT DIST DLON	UT LAT DIST DLON
3C48	23. 10. 0.79 -34.	22. 16. 0.69 -41.	21. 24. 0.58 -46.
3C144	3. -7. 1.08 -16.	2. -7. 1.03 -17.	1. -7. 0.98 -18.
3C147	2. 0. 1.09 -14.	1. 0. 1.05 -15.	0. 0. 1.00 -16.
3C161	4. -14. 1.13 -13.	3. -14. 1.09 -14.	3. -15. 1.05 -15.
3C237	7. -8. 1.29 -3.	7. -8. 1.28 -6.	6. -7. 1.26 -8.
3C273	9. -6. 1.29 5.	9. -5. 1.30 2.	8. -5. 1.30 -0.
3C298	11. -2. 1.22 9.	11. -2. 1.25 -7.	10. -2. 1.27 5.
3C459	20. 51. 0.17 -65.	19. 58. 0.16 59.	19. 28. 0.28 67.

* indicates data for which no error estimate is available, because only two antennas were operating.

Errata: The data published for February 1976 (in SGD-376, Part I) contained a number of errors in the dates of observation for the radio source 3C48. See page 123 of this issue for a corrected table.

SOLAR X-RAYS BY SATELLITE
SMS GOES

MARCH 1976

5 - 4Å Hourly Averages (10⁻⁶ watts/m²)

MO DA	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Mean
3/1	B	B	B	B	B	B	B	B	B	B	0.05	B	B	B	B	B	B	B	B	B	B	0.17	B	B	0.04
3/2	B	B	B	B	B	M	B	B	B	B	0.71	B	B	B	B	B	B	B	B	B	B	M	B	B	B
3/3	B	B	B	B	B	M	B	B	B	B	0.08	B	B	B	B	B	B	B	B	B	B	M	B	B	B
3/4	B	B	B	B	B	M	B	B	B	B	B	B	B	0.02	B	B	B	B	B	B	B	B	B	B	B
3/5	B	B	B	B	B	M	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/6	B	B	B	B	B	M	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/7	B	B	B	B	B	M	B	B	B	B	0.09	B	B	B	B	B	B	B	B	B	B	M	B	B	B
3/8	B	B	B	B	B	M	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/9	B	B	B	B	B	M	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/10	M	M	M	M	M	M	B	B	B	B	0.08	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/11	M	M	M	M	M	M	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/12	0.03	B	B	B	B	M	B	B	B	B	0.06	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/13	B	0.04	B	B	B	M	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/14	B	0.04	B	B	B	M	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/15	M	M	M	M	M	M	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/16	M	M	M	M	M	M	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/17	B	0.02	B	B	B	B	B	B	0.10	0.20	B	B	B	B	B	B	B	B	B	B	B	M	B	B	0.02
3/18	0.28	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.02
3/19	B	B	B	B	B	B	B	B	0.02	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/20	B	0.01	B	B	B	M	B	B	0.66	0.10	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/21	B	B	B	B	B	B	B	B	0.14	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.05
3/22	B	B	B	B	B	B	B	B	B	0.02	B	B	B	B	B	B	B	B	B	B	B	B	B	B	0.01
3/23	B	B	B	B	B	B	B	B	B	0.03	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/24	0.02	B	B	B	B	M	B	B	B	B	0.05	B	B	B	B	B	B	B	B	B	B	B	B	B	0.01
3/25	B	B	B	B	B	M	B	B	B	B	0.01	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/26	0.02	B	B	B	B	M	B	B	B	B	0.08	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/27	B	B	B	B	B	M	B	B	B	B	0.08	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/28	B	0.02	B	B	B	M	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/29	0.02	0.01	B	B	B	M	B	B	B	B	0.01	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/30	B	B	B	B	B	M	B	B	B	B	0.64	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/31	0.01	B	B	B	B	M	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B

Note: "B" indicates the flux was below the cut-off levels.
"M" denotes periods of missing data.

SOLAR X-RAYS BY SATELLITE
SMS GOES

MARCH 1976

1 - 8Å Hourly Averages (10⁻⁵ watts/m²)

MO	DA	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Mean
3/1	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/2	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/3	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/4	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/5	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/6	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/7	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/8	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/9	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/10	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M
3/11	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M
3/12	0.03	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/13	B	0.03	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/14	B	0.07	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/15	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M
3/16	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M
3/17	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/18	0.05	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/19	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/20	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/21	B	0.02	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/22	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/23	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/24	0.03	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/25	0.01	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M
3/26	0.04	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/27	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/28	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/29	0.04	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/30	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
3/31	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B



Note: "B" indicates the flux was below the cut-off levels.
"M" denotes periods of missing data.

28
Mar 76

SOLAR X-RAYS BY SATELLITE
SMS GOES
MARCH 1976

DAY	BEGIN TIME	.5-4A Wm ⁻²	1-8A Wm ⁻²	MAX TIME	.5-4A Wm ⁻²	1-8A Wm ⁻²	1/2P TIME	.5-4A Wm ⁻²	1-8A Wm ⁻²
20	2149	2.0E-08	7.2E-07	2156	3.3E-07	3.8E-06	2206	9.9E-08	2.3E-06
21	0122	5.9E-09	6.8E-07	0144	3.5E-07	4.6E-06	0203	7.5E-08	2.7E-06
21	0752	1.0E-08	9.3E-07	0811	8.1E-06	4.3E-05	0818	2.1E-06	2.2E-05
21	1111	2.2E-08	1.0E-06	1117	4.0E-07	4.5E-06	1122	9.3E-08	2.8E-06
21	1247	5.0E-08	1.4E-06	1307	9.9E-07	1.1E-05	1316	2.0E-07	6.1E-06
21	1838	1.9E-07	2.8E-06	1848	3.3E-06	2.2E-05	1858	8.4E-07	1.2E-05
21	2227	3.0E-09	5.7E-07	2237	6.7E-07	6.0E-06	2245	1.5E-07	3.3E-06
22	0417	2.5E-08	9.1E-07	0424	1.1E-06	9.3E-06	0429	1.8E-07	5.1E-06
22	2152	0.0E+00	2.3E-07	2206	4.9E-07	5.1E-06	2219	9.9E-08	2.7E-06
23	0210	3.0E-09	7.2E-07	0214	1.2E-05	1.1E-04	0216	2.7E-09	5.5E-05
24	0013	1.2E-08	8.9E-07	0020	1.9E-06	1.5E-05	0026	4.5E-07	8.2E-06
25	0014	7.6E-09	5.5E-07	0020	5.9E-07	6.2E-06	0023	1.2E-07	3.4E-06
25	0702	4.2E-08	1.9E-06	0707	4.3E-07	6.5E-06	0714	1.4E-07	4.2E-06
25	1134	9.4E-08	1.8E-06	1215	1.0E-06	1.1E-05	1352	2.3E-07	6.3E-06
25	1712	2.8E-08	1.4E-06	1723	4.2E-07	6.2E-06	1727	9.8E-08	3.8E-06
25	2154	3.1E-09	6.6E-07	2214	3.2E-07	5.1E-06	2222	8.1E-08	2.9E-06
25	2358	5.0E-09	7.8E-07	0004	9.9E-07	9.8E-06	0010	2.2E-07	5.3E-06
26	0718	2.2E-08	1.1E-06	0723	1.2E-06	1.3E-05	0725	5.1E-07	6.8E-06
26	1438	1.9E-09	4.6E-07	1445	7.2E-07	7.4E-06	1449	1.2E-07	3.9E-06
27	0158	2.1E-09	5.6E-07	0204	2.7E-07	3.9E-06	0209	7.0E-08	2.3E-06
27	0626	1.1E-08	6.7E-07	0630	2.6E-07	3.0E-06	0635	5.7E-08	1.6E-06
27	1159	7.2E-10	4.4E-07	1209	1.2E-06	1.2E-05	1216	2.0E-07	6.0E-06
27	2041	0.0E+00	5.2E-07	2050	2.1E-07	3.3E-06	2057	2.3E-08	1.9E-06
28	0544	5.1E-09	3.7E-07	0558	1.2E-06	1.3E-05	0601	4.9E-07	6.7E-06
28	1837	1.4E-10	2.3E-07	1939	1.8E-05	1.1E-04	2001	5.4E-06	5.5E-05
28	2117	5.3E-06	1.1E-05	2122	7.6E-07	2.1E-05	2124	4.9E-06	1.6E-05
31	0020	0.0E+00	1.1E-07	0055	3.1E-08	8.3E-06	0057	1.7E-09	4.2E-06
31	1108	0.0E+00	1.1E-07	1223	2.4E-07	5.7E-06	1254	1.3E-07	2.9E-06

SELECTED BURSTS (X-RAY)



The absolute flux values for GOES-1 plotted on the graph above are preliminary values.
This data from GOES (Geostationary Operational Environmental Satellite) are provided by NOAA Space Environment Laboratory.

CORONAL HOLES
Helium D3 Chromosphere at Solar Limb
MARCH 1976

BECAUSE OF REQUIRED EQUIPMENT IMPROVEMENT, ONLY TWO
OBSERVATIONS WERE MADE FOR MARCH 1976. CORONAL HOLES
WERE OBSERVED ON

MARCH 13, 1976 AT SOUTH POLE 168° - 155°

NORTH POLE 32° - 27°

MARCH 31, 1976 AT SOUTH POLE 145° - 178°

NORTH POLE 21° - 17°

INFERRED IP MAGNETIC FIELD

BARTELS ROTATION	DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
1934	DEC 31	T	A	T	T	A	T	A	-	A	-	T	A	T	A	A	T	T	T	T	T	T	T	T	T	T	T	T
1935	1975 JAN 27	T	T	A	T	A	T	A	T	A	T	A	T	-	T	T	T	T	T	T	T	T	T	T	T	T	T	T
1936	FEB 23	T	A	A	A	A	A	A	A	A	A	A	A	A	T	T	T	T	T	T	T	T	T	T	T	T	T	T
1937	MAR 22	A	A	A	T	A	A	A	A	A	A	T	A	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T
1938	APR 18	A	A	A	A	A	A	A	A	A	A	A	T	T	A	A	T	T	T	T	T	T	T	T	T	T	T	T
1939	MAY 15	T	A	A	T	A	A	A	A	A	A	A	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1940	JUN 11	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1941	JUL 8	A	A	A	A	A	A	A	A	A	A	T	T	A	A	A	A	T	T	T	T	T	T	T	T	T	T	T
1942	AUG 4	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1943	AUG 31	A	A	A	A	A	A	A	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1944	SEP 27	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1945	OCT 24	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T
1946	NOV 20	A	T	A	T	A	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1947	DEC 17	-	T	T	T	T	T	T	A	T	A	A	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1948	1976 JAN 13	T	T	T	T	T	T	T	T	A	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1949	FEB 9	T	A	T	T	T	T	T	T	A	T	A	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
1950	MAR 7	T	A	T	T	T	T	T	T	T	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A

T = towards the sun A = away from the sun * = effect doubtful or not discernable - = missing data

The table shows daily inferences of the polarity of the interplanetary magnetic field. The first half of the day is based principally on magnetograms produced by the magnetometer at the Vostok Antarctic Station of the USSR. The magnetometer of the U.S. Air Weather Service operated by the Air Force Geophysics Laboratories at the Thule Geopole Station is used for the second half of the day.

SGD 380 Part I (Prompt)


FEBRUARY 1976 DATA

Contents

	Page
<u>Daily Solar Activity Centers</u>	
H α Synoptic Chart	33
Text - 284 \AA Map from D2-B AURA	34-35
X-ray, Magnetograms, Calcium Plages, H α Spectroheliograms	36-93
Sunspots, Corona and 2 cm and 8.6 mm Spectroheliograms	94-100
Individual Regions of Solar Activity	100
Daily Calcium Indices	100
<u>Sudden Ionospheric Disturbances</u>	
Table of Events	101
Number of Events in each Plage Region	101
<u>Solar Radio Waves</u>	
Spectral Observations	102-105
Selected Events by Radioheliograph	106
<u>Cosmic Rays</u>	
Neutron Monitors Daily Values	107
Chart of Variations	108-111
<u>Geomagnetic Indices</u>	
Table of Indices Kp, Kn, Ks, Km, Cp, Ap, aa	112
12-Month Table of Daily Averages Ap	113
Chart of Kp by Bartel's 27-day Rotation	114
Chart of Dst by Bartel's Rotation	115
Equatorial Indices Dst	116
Principal Magnetic Storms	117
Sudden Commencements and Solar Flare Effects	118
<u>Radio Propagation Indices</u>	
North Atlantic Quality Figures and Forecasts	119
Transmission Frequency Ranges - North Atlantic Path	120-121
Quality Indices on Paths to Germany	122
<u>Solar Wind Measurements</u>	
Scintillation Observations	123

H α SYNOPSIS CHART

FEBRUARY 1976



Maps of Solar Brightness in the 284 Å line of FeXV
obtained from the D2-B AURA French Satellite.

The D2-B AURA satellite launched from French Guyana September 27, 1975, has been collecting spectroheliograms in the wavelength range 170-1300 Å since October 15, 1975. Spectroheliograms at the wavelength of the 284 Å FeXV line are received on a daily basis but some data are missing due to scheduling problems.

Instrumentation and Data Processing

A diagram of the instrument is given in Figure 1. Two nearly identical channels are used for the wavelength range 400-170 Å and 1300-500 Å. The 284 Å line of FeXV is monitored by channel A.

A plane objective grating (3600 lines/mm) receives parallel solar light and disperses it according to wavelength. A mirror focuses the light diffracted along one specified direction onto a slit. By rotating the grating, it is possible to select any wavelengths within the solar spectrum. Since this spectrometer has no entrance slit several monochromatic images are formed in the plane of the exit slit. If the wavelengths of consecutive images are sufficiently different, the images do not overlap and the measured flux can be unambiguously identified. This is the case for the 284 Å line.

The data consist of measurements of the flux selected at one wavelength by a slit crossing the solar image (Figure 2). An additional device designed to improve the pointing accuracy is used to scan the slit across the solar image. It is a servocontrolled plane mirror which can be slightly tilted around one axis. The spacecraft is slowly (1/4 turn per minute) rotating around the solar direction so that two-dimensional scans of the solar disk at one wavelength can be obtained.

The data can be rearranged as a set of one dimensional projections of a two-dimensional image. Each measured value corresponds to definite values of ρ and θ . The parameter ρ can take one of 64 values between $-25'$ and $+25'$; θ is randomly distributed. The data are distributed among one hundred intervals of θ , each 3.6° wide. Within each interval appropriate interpolation is performed to produce a projection perpendicular to the mean angular direction for that interval. The solar image is reconstructed by the central section theorem and Fourier transform procedure.

In order to publish soon after observation, some limitations in the significance of the results must be accepted:

- 1) The straylight level is not yet accurately known. A constant background of approximately 30 counts per image element ($0.78' \times 0.78'$) is subtracted. If the straylight level is lower than this a constant but unknown bias in the flux values will result.
- 2) Emission peaks within active regions can be underestimated by 10 to 20 percent due to an insufficient number of iterations in the computations.
- 3) The estimated absolute intensity may be revised in the future by a factor as large as two. This may arise from reassessment of the calibration data and analysis of ageing in orbit which is presently ignored.

Publication Format

The results are plotted using constant level curves. The lowest level is set to be just above noise level. The count rate for each level is tabulated next to the Figure. The 284 Å data are corrected for Sun-Earth distance variations. The visible solar limb is drawn as a circle with cardinal points indicated.

The universal time at the middle of the acquisition process is indicated. The sensitivity factor enables conversion of the displayed count rate into intensity expressed in $\text{ergs cm}^{-2} \text{str}^{-1} \text{sec}^{-1}$ or $\text{mW m}^{-2} \text{str}^{-1}$. (Presently 1 count = $12.8 \text{ mW m}^{-2} \text{str}^{-1}$.)

Results Available on Special Request

These data have been supplied through the cooperation of J. P. Delboudiniere, Centre National de la Recherche Scientifique, Laboratoire de Physique Stellaire et Planetaire, Boite Postale No. 10, 91 Verrieres-le-Busson, France. Additional information and data are available from the investigator.

The 284 Å data can be produced on request in the form of an array of 65×65 count rate values within elements of 0.78×0.78 square arc minutes covering a field 50×50 arc minutes wide. Other wavelengths to be processed are monitored at a lower sampling frequency (2 to 4 days). These are FeXVI 335 Å, HeII 304 Å, HeI 584 Å, OIV 555 Å, OV 630 Å, CIII 977 Å, and HI 1216 Å.

Figure 2






Figure 1





FEBRUARY 1, 1976 (P = -1.87, B₀ = -5.99, L₀ = 100.42)




- DETECTABLE (D)
- 0 x 20
- 0 x 500
- HIGHLY VARIABLE

T (10⁶ K), EM (10⁴⁸ cm⁻³)



- FE XV 284 A
- LEVEL 0=20
1=28
2=40
3=56
4=80
5=113
6=160
7=226
8=320
9=452
10=640






- Levels
- ± 5
 - ± 10
 - ± 20
 - ± 40
 - ± 80

O1
RAMEY AFB





H α
BOULDER

SUNSPOTS

CALCIUM REPORT




FEBRUARY 2, 1976 (P = -12.28, B₀ = -6.06, L₀ = 87.26)



O2

RAMEY AFB

Np




Sp

1226 UT

H α BOULDER

W E

Np



Sp

1615 UT


SUNSPOTS

W E

CORONA
NORIKURA

Mc MATH-HULBERT
CALCIUM REPORT

E




Sp

1445 UT

W POOR S
47 1700.25

NELC LA POSTA

Np




Sp

2202 UT

2.0 CM

NELC LA POSTA

Np




Sp

2030 UT




8.6 MM

Ant. Temp. Unit 100°K

FEBRUARY 3, 1976 (P = -12.68, $B_0 = -6.13$, $L_0 = 74.09$)




T (10^6 K), EM (10^{48} cm $^{-3}$)



O3.
RAMEY AFB

Np



Sp

1139 UT


H α BOULDER

W

E

Np

SUNSPOTS



Sp


1615 UT

CORONA
WENDELSTEIN

Mc MATH-HULBERT

E

CALCIUM REPORT




Sp

1430 UT

POOR M

NELC LA POSTA

Np



Sp

1748 UT

2.0 CM

NELC LA POSTA

Np

8.6 MM

NO DATA

WEATHER





W

Ant. Temp. Unit 100°K

Sp


Ant. Temp. Unit 100°K

FEBRUARY 4, 1976 (P = -1308, $B_0 = -6.20$, $L_0 = 60.92$)



O4
RAMEY AFB

Np




Sp

1253 UT

H α BOULDER

Np


SUNSPOTS



NO DATA

CORONA
NORIKURA

Mc MATH-HULBERT
CALCIUM REPORT



GOOD M

1430 UT

NELC LA POSTA

Np

20 CM

NELC LA POSTA

Np

8.6 MM

Np

NO DATA

NO DATA

WEATHER

WEATHER

W



Sp





Ant. Temp. Unit 100°K




Sp

Ant. Temp. Unit 100°K


FEBRUARY 5, 1976 (P = -13.48, B₀ = -6.27, L₀ = 47.76)




05
RAMEY AFB



H_α BOULDER



SUNSPOTS



CALCIUM REPORT

CATANIA

1242 UT

CORONA
WENDELSTEIN

0840 UT

NELC LA POSTA

2.0 CM

NELC LA POSTA

8.6 MM

NO DATA

NO DATA


E

W

E


WEATHER

W



Sp






Ant. Temp. Unit 100° K





Sp





Ant. Temp. Unit 100° K



FEBRUARY 6, 1976 (P = -13.87, B₀ = -6.33, L₀ = 34.59)






FEBRUARY 7, 1976 (P = -14.26, B₀ = -6.39, L₀ = 21.42)





FEBRUARY 8, 1976 (P = -14.64, B₀ = -6.45, L₀ = 8.26)

LOCKHEED
X-RAY (2-14 keV)
OSO-8




● DETECTABLE (D)
○ 0 x 20
○ 0 x 500
○ HIGHLY VARIABLE


1445 UT
T (10⁶ K), EM (10⁴⁸ cm⁻³)

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus




CNRS LPSP
AURA D2B




LEVEL 0=20
1=28
2=40
3=56
4=80
5=113
6=160
7=226
8=320
9=452
10=640

MT. WILSON
DELTA Y =
DELTA X =


MAGNETOGRAM
Solid - Plus
Dotted - Minus




Levels
+ 5
+ 10
+ 20
+ 40
+ 80




Observer	Time (UT)	Instrument	Filter	Wavelength	Equipment	Notes
RAMEY AFB	1243	Np	—	—	EQUIPMENT	NO DATA
BOULDER	1600	Np	—	—	EQUIPMENT	NO SPOTS VISIBLE
McMATH-HULBERT	1345	Np	—	—	EQUIPMENT	NO DATA
CORONA WENDELSTEIN	1600	Sp	—	—	—	NO SPOTS VISIBLE
NELC LA POSTA	1243	Sp	—	—	—	NO DATA
NELC LA POSTA	1600	Sp	—	—	—	NO DATA
NELC LA POSTA	1345	Sp	—	—	—	NO DATA
NELC LA POSTA	1345	Np	—	8.6 MM	EQUIPMENT	NO DATA



Sp Ant. Temp. Unit 100°K




Sp Ant. Temp. Unit 100°K



Sp Ant. Temp. Unit 100°K

FEBRUARY 9, 1976 (P = -15.01, B₀ = -6.5i, L₀ = 355.09)





- DETECTABLE (D)
- 0 x 20
- 0 x 500
- HIGHLY VARIABLE

T (10⁶ K), EM (10⁴⁸ cm⁻³)

1445 UT


KITT PEAK
MAGNETOGRAM
Bright- Plus
Dark - Minus




- LEVEL 0=20
1=28
2=40
3=56
4=80
5=113
6=160
7=226
8=320
9=452
10=640

0355 UT
56 MN



MT. WILSON
MAGNETOGRAM
Solid- Plus
Dotted- Minus




- Levels
+ 5
+ 10
+ 20
+ 40
+ 80





Station	Time (UT)	Observer	Equipment	Ant. Temp. Unit
NELC LA POSTA	1216	Sp	EQUIPMENT	100°K
BOULDER	1545	Sp	EQUIPMENT	100°K
Mc MATH-HULBERT	1430	Sp	EQUIPMENT	100°K
NELC LA POSTA	2.0 CM	Np	NO DATA	
NELC LA POSTA	8.6 MM	Np	NO DATA	



FEBRUARY 10, 1976 (P = -15.38, B₀ = -6.56, L₀ = 341.92)






● DETECTABLE (D)
○ 0 x 20
○ 0 x 500
○ HIGHLY VARIABLE
T (10⁶ K), EM (10⁴⁸ cm⁻³)



FE XV 284 A

LEVEL 0 = 20
1 = 28
2 = 40
3 = 56
4 = 80
5 = 113
6 = 160
7 = 226
8 = 320
9 = 452
10 = 640











NO DATA
WEATHER
Ant. Temp. Unit 100°K

NO DATA
WEATHER
Ant. Temp. Unit 100°K

NO DATA
WEATHER
Ant. Temp. Unit 100°K


FEBRUARY 11, 1976 (P = 15.75, B₀ = -6.62, L₀ = 328.76)





FEBRUARY 12, 1976 (P = -16.11, B₀ = -6.67, L₀ = 315.59)

LOCKHEED
X-RAY (2-14 keV)
OSO-8




- DETECTABLE (D)
- 0 x 20
- 0 x 500
- HIGHLY VARIABLE

T (10⁶ K), EM (10⁴⁸ cm⁻³)


1415 UT

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus



CNRS LPSP
AURA D2B




- LEVEL
- 0 = 20
 - 1 = 28
 - 2 = 40
 - 3 = 56
 - 4 = 80
 - 5 = 113
 - 6 = 160
 - 7 = 226
 - 8 = 320
 - 9 = 452
 - 10 = 640

1815 UT
93 MN

MT. WILSON



DELTA T = 12.7
DELTA X = 9.8

MAGNETOGRAM
Solid - Plus
Dotted - Minus







- Levels
- ± 5
 - ± 10
 - ± 20
 - ± 40
 - ± 80

17.38-18.85 UT




FEBRUARY 13, 1976 (P = -16.46, B₀ = -6.72, L₀ = 302.42)



13
RAMEY AFB

Np




Sp

1228 UT

H α BOULDER

Np




Sp

1715 UT

SUNSPOTS

Np



Sp

1430 UT

McMATH-HULBERT
CALCIUM REPORT

POOR M
79 0700 Z.5

CORONA
KISLOVODSK
NO DATA 0° 275°-355°

NELC LA POSTA

Np

2.0 CM

NELC LA POSTA

Np

8.6 MM

NO DATA

NO DATA

EQUIPMENT

EQUIPMENT


W

E

W

Sp

Ant. Temp. Unit 100°K




Sp
Ant. Temp. Unit 100°K









----UT

FEBRUARY 14, 1976 (P = -16.8), $B_0 = -6.77$, $L_0 = 289.25$







● DETECTABLE (D)
○ D x 20
○ D x 500
○ HIGHLY VARIABLE
T (10^6 K), EM (10^{48} cm $^{-3}$)





FEBRUARY 15, 1976 (P = -17.16, B₀ = -6.8l, L₀ = 276.09)




15
RAMEY AFB

H_z BOULDER

SUNSPOTS

Mc MATH-HULBERT
CALCIUM REPORT




NELC LA POSTA





2.0 CM

NELC LA POSTA


8.6 MM




FEBRUARY 16, 1976 (P = -1749, $B_0 = -6.85$, $L_0 = 262.92$)




16
RAMEY AFB



H α BOULDER




CORONA
KISLOVODSK
NO DATA 350°



CALCIUM REPORT

NELC LA POSTA


2.0 CM



Ant. Temp Unit 100°K


NELC LA POSTA

8.6 MM



Ant. Temp Unit 100°K



FEBRUARY 17, 1976 (P = -17.83, B₀ = -6.89, L₀ = 249.75)



- DETECTABLE (1)
- 0 x 20
- 0 x 500
- HIGHLY VARIABLE

T (10⁶ K), EM (10⁻⁴⁸ cm⁻³)


KITT PEAK
MAGNETOGRAM
Bright-Plus
Dark - Minus



- FE XV
284 A
- LEVEL 0=20
1=28
2=40
3=56
4=80
5=113
6=160
7=226
8=320
9=452
10=640

MT. WILSON
MAGNETOGRAM
Solid-Plus
Dotted-Minus

DELTA Y =
DELTA X =




- Levels
+ 5
+ 10
+ 20
+ 40
+ 80

17

RAMEY AFB

Np




E

1229 UT

Sp

H α BOULDER

Np



W


E

1830 UT

Sp

SUNSPOTS

Np




E

1530 UT

Sp

McMATH-HULBERT

Np



W

GOOD

M

79 0900 2.5
98 0800 2.5

CALCIUM REPORT

NELC LA POSTA


20 CM

NELC LA POSTA

8.6 MM

Np

Np



E

Sp

2001 UT

Ant. Temp. Unit 100°K



E

Sp





1834 UT

Ant. Temp. Unit 100°K




CORONA
KISLOVODSK


FEBRUARY 18, 1976 (P = -18.15, $B_0 = -6.93$, $L_0 = 236.58$)




18
RAMEY AFB




H_α BOULDER




Mc MATH-HULBERT
CALCIUM REPORT







NELC LA POSTA




NELC LA POSTA




FEBRUARY 19, 1976 (P = -18.48, $B_0 = -6.97$, $L_0 = 223.41$)



19
RAMEY AFB




H α BOULDER



SUNSPOTS

Mc MATH-HULBERT




CALCIUM REPORT

GOOD M
98 1000.3.0

NELC LA POSTA


2.0 CM



Ant. Temp. Unit 100°K





NELC LA POSTA

8.6 MM




Ant. Temp. Unit 100°K

FEBRUARY 20, 1976 (P = -18.79, B₀ = -700, L₀ = 210.24)



20
RAMEY AFB

Np



Sp


1212 UT

H α BOULDER

W

Np

SUNSPOTS




NO DATA

Sp

CORONA
WENDELSTEIN

W

McMATH-HULBERT
CALCIUM REPORT




W GOOD D
98 1000 25

Sp

1345 UT

NELC LA POSTA

Np




20 CM

1955 UT

Ant. Temp. Unit 100°K

NELC LA POSTA

Np









8.6 MM

1824 UT


Ant. Temp. Unit 100°K

FEBRUARY 21, 1976 (P = 19:10, $B_0 = -7.04$, $L_0 = 197.07$)








FEBRUARY 22, 1976 (P = -19.40, B₀ = -7.06, L₀ = 183.90)




- DETECTABLE (0)
- 0 x 20
- 0 x 500
- ⊙ HIGHLY VARIABLE

T (10⁶ K), EM (10⁴⁸ cm⁻³)



22
RAMEY AFB

Np




Sp

1247 UT

H α BOULDER

Np



Sp

1630 UT


SUNSPOTS

W

CORONA
KISLOVODSK
NO DATA 355°

E

Np




Sp

1550 UT

McMATH-HULBERT

Np



Sp

1550 UT


W

GOOD S
98 0000 3.0
04 0200 3.0

E

22
RAMEY AFB

Np




Sp

1247 UT

H α BOULDER

Np



Sp

1630 UT


SUNSPOTS

W

CORONA
KISLOVODSK
NO DATA 355°

E

Np




Sp

1550 UT

McMATH-HULBERT

Np



Sp

1550 UT


W

GOOD S
98 0000 3.0
04 0200 3.0

E

NELC LA POSTA

Np



Sp


2027 UT

2.0 CM

Ant. Temp. Unit 100°K

NELC LA POSTA

Np







Sp

2127 UT

8.6 MM


Ant. Temp. Unit 100°K

FEBRUARY 23, 1976 (P = -1970, B₀ = -709, L₀ = 170.73)



23
RAMEY AFB

Np




E

1228 UT

H α BOULDER

Np




E

2245 UT

SUNSPOTS

Np




E

1400 UT

McMATH-HULBERT

Np



E


0700 UT

CALCIUM REPORT

CORONA
KISLOVODSK
NO DATA 195°-230°
280°-320°

NELC LA POSTA

Np




E

2048 UT

2.0 CM

NELC LA POSTA

Np



E

8.6 MM

NO DATA

WEATHER

W





Sp



Ant. Temp. Unit 100°K







----UT

FEBRUARY 24, 1976 (P = -1999, $B_0 = -7.12$, $L_0 = 157.56$)






FEBRUARY 25, 1976 (P = -20.28, B₀ = -7.14, L₀ = 144.39)



25

RAMEY AFB


Np



1219 UT

H α BOULDER


Np



1700 UT

SUNSPOTS

McMATH-HULBERT



1430 UT

CALCIUM REPORT

FAIR M

NELC LA POSTA

Np

EQUIPMENT

NO DATA

E



-----UT

Sp

Ant. Temp. Unit 100°K

2.0 CM

Np

NELC LA POSTA

Np

NO DATA

EQUIPMENT

W



Sp


Ant. Temp. Unit 100°K

8.6 MM




Sp

Ant. Temp. Unit 100°K

FEBRUARY 26, 1976 (P = -20.56, B₀ = -7.16, L₀ = 131.22)




● DETECTABLE (D)
 ○ D x 20
 ○ D x 500
 ○ HIGHLY VARIABLE
 T (10⁶ K), EM (10⁴⁸ cm⁻³)



26
RAMEY AFB

Np



Sp


1328 UT

H α BOULDER

W

E

Np



Sp

1825 UT

SUNSPOTS


W

E

CORONA
KISLOVODSK

Mc MATH-HULBERT

+



Sp

1500 UT

CALCIUM REPORT

W

E




GOOD M
09 0400 2.5

NELC LA POSTA

2.0 CM

Np



Sp


1839 UT

Ant. Temp. Unit 100°K

NELC LA POSTA

8.6 MM

Np










Sp

1941 UT




Ant. Temp. Unit 100°K

FEBRUARY 27, 1976 (P = -20.83, B₀ = -7.18, L₀ = 118.05)






FEBRUARY 28, 1976 (P = -2.10, B₀ = -7.20, L₀ = 104.88)



28
RAMEY AFB

Np



E


1213 UT

H α BOULDER

W

E

Np



Sp


1600 UT

SUNSPOTS

W

E

McMATH-HULBERT



Sp


1350 UT

GOOD M

NELC LA POSTA

2.0 CM

Np



Sp


1919 UT

Ant. Temp. Unit 100°K

NELC LA POSTA

8.6 MM

Np









Sp

2013 UT

Ant. Temp. Unit 100°K

FEBRUARY 29, 1976 (P = -21.36, B₀ = -7.21, L₀ = 91.71)





100
Feb 76

REGIONS OF SOLAR ACTIVITY

FEBRUARY 1976

MCMATH REGION 14113

CMP DATE 27.7

CALCIUM PLAGE DATA

SUNSPOT DATA

YR	MO	DA	MC NO.	LAT CHD	L	AREA	INT	MN NO.	LAT CHD	L	MAG.	H STA	AREA	CNT	CLASS
76	2	29	14113	N08 W27	108	100	2.0								

No calcium spectroheliograms were secured at McMath-Hulbert Observatory on February 1, 5, 16 and 21, 1976.
No sunspot observations were made at Mt. Wilson Observatory on February 4 - 10, 1976.

DAILY CALCIUM PLAGE INDEX

FEBRUARY 1976

YR	MO	DAY	INDEX	YR	MO	DAY	INDEX	YR	MO	DAY	INDEX
76	2	1	*	76	2	11	1.1	76	2	21	*
76	2	2	0.7	76	2	12	1.3	76	2	22	3.4
76	2	3	0.2	76	2	13	1.8	76	2	23	2.2
76	2	4	0.6	76	2	14	2.3	76	2	24	2.0
76	2	5	*	76	2	15	3.4	76	2	25	1.1
76	2	6	1.0	76	2	16	*	76	2	26	0.7
76	2	7	1.5	76	2	17	2.4	76	2	27	0.8
76	2	8	1.8	76	2	18	2.8	76	2	28	0.5
76	2	9	2.8	76	2	19	2.9	76	2	29	0.7
76	2	10	1.2	76	2	20	2.5				

* NO OBSERVATIONS

SUDDEN IONOSPHERIC DISTURBANCES

FEBRUARY 1976

DAY	UNIVERSAL TIME				WIDE SPREAD INDEX	NUMBER OF STATION REPORTS BY TYPE							KNOWN FLARE	McMATH REGION
	START	END	MAX	IMP		SWF	SCNA	SEA	SPA	LF-SPA	SES	SFD		

THERE WERE NO FLARE ASSOCIATED EVENTS TO REPORT THIS MONTH

PERIODS OF NO OBSERVATIONS:

DATE	TIME (UT) and STATION	DATE	TIME (UT) and STATION
01-04	0000-2400 A4	16	0000-2400 A1, 0155-0302 UM (13 kHz), 2038-2111 UM (13 kHz)
01-29	0000-2400 A36, 0000-2400 A41	17	0000-2400 A1, 2012-2121 Um (10 kHz)
02	0000-2400 A1	18	1555-2400 UM (10 kHz)
04	1700-2400 UM (10 kHz)	19	0000-0142 UM (10 kHz), 2025-2134 UM (13 kHz)
05	0000-1339 UM (10 kHz), 0545-0630 UM (13 kHz), 0652-0757 UM (13 kHz), 1813-1919 UM (10 kHz), 1957-2106 UM (10 kHz)	20-27	0000-2400 A37
06	0712-0753 UM (13 kHz), 1715-2134 UM (10 kHz)	20	2020-2105 UM (13 kHz), 2205-2246 UM (10 kHz)
07	0726-0820 UM (13 kHz), 0815-0843 UM (10 kHz)	22	2010-2115 UM (10 kHz), 2330-2400 UM (10 kHz)
08	1644-1700 TM	24-29	0000-2400 A4, 0000-2400 A40
11	2225-2400 UM (13 kHz)	24	0636-1214 MC
12-13	0000-2400 A30	25-29	0000-2400 TN
15-29	0000-2400 A29	26	2020-2120 UM (13 kHz)
15	2030-2115 UM (10 kHz)	27	1105-1240 UM (10 kHz)
		28	2015-2120 UM (10 kHz)
		29	0000-2400 A1, 0000-2400 A34, 0040-1208 MC

STATIONS REPORTING FOR FEBRUARY 1976

AAVSO (A1, A4, A19, A21, A28, A29, A30, A31, A33, A34, A35, A36, A37, A40, A41) (SES) (A1, A26, A31) (SEA) (A31) (SWF)
 DARMSTADT (DA) (SWF)
 DEBRE ZEIT (DE) (SPA)
 HERMANUS (HS) (SEA)
 HERSTMONCEUX (HC) (SEA)
 HIRAISSO (HI) (SWF)
 HUANCAYO (HU) (SWF)
 INUBO (IN) (SPA)
 MCMATH (MC) (SWF, SCNA)
 PANSKA VES (PU) (SWF, SEA, SES)
 SAO PAULO (UM) (SES, SPA)
 SOFIA (SF) (SES)
 ST CLOUD (SC) (SES)
 TABLE MOUNTAIN (TM) (SPA, LF-SPA)
 TORINO (TN) (SPA)
 UPICE (UI) (SEA)

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

FEBRUARY 1976

FEB 1976	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE	
	START UT	END UT		DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND				
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT		
28	1346 2045	2345 2400	HARV CULG											
29	0000 0000 0634 1330 1345 2045	0745 0100 1650 2400 2345 2400	CULG BOUL DURN BOUL HARV CULG											

The symbols used in connection with the spectral type in describing the important bursts are as follows:

- | | |
|--|---|
| <ul style="list-style-type: none"> B = Single burst G = Small group (< 10) of bursts GG = Large group (> 10) of bursts C = Underlying continuum (particularly with type I) S = Storm in the sense of intermittent but
 apparently connected activity N = Intermittent activity in this period U = U-shaped burst of Type III | <ul style="list-style-type: none"> RS = Reverse slope burst DP = Drifting pairs DC = Drifting Chains H = Herringbone W = Weak P = Pulsations CONT = Continuum UNCLF = Unclassified activity |
|--|---|

106
Feb 76

SELECTED SOLAR EVENTS

FEBRUARY 1976

Culgoora

UT Date 1976 FEBRUARY	HELIOGRAPH EVENT							Spectral Type	REMARKS
	Start (UT)	End (UT)	Freq. (MHz)	Positions		Polar- ization	Inten- sity (1-3)		
				Central Dist. (R_{\odot})	Position Angle (Deg.)				
13	0000	0001	160 80 43.25	0.6 0.7 1.0	90 80 80	0 0 -	‡	IIIG	*

Days without Heliograph observations:NIL.....

*Other type III bursts observed at same position during day.

‡ Because of equipment modifications which are in progress, intensity classifications are not available. An indication of intensities can be obtained from corresponding entries in "Solar Radio Emission-Spectral Observations".

COSMIC RAY INDICES
(Neutron Monitors)


FEBRUARY 1976

FEB. 1976	THULE Average cts/hr	ALERT Average cts/hr	DEEP RIVER Average cts/hr	CALGARY Average cts/hr	SULPHUR MT Average cts/hr	KIEL Average cts/hr	CLIMAX Average cts/hr	TOKYO Average cts/hr
1	4484.7	7428.4	6967.2	Not available at time of publication	Not available at time of publication	6189.7	4174.3	3551.2
2	4488.1	7420.5	6995.2			6191.1	4182.1	3549.2
3	4489.6	7432.2	6994.6			6206.6	4199.0	3553.2
4	4535.5	7501.2	7007.9			6227.0	4229.9	3563.5
5	4544.5	7537.8	7024.3			6245.5	4242.6	3556.5
6	4557.6	7550.8	7053.1			6251.6	4231.8	3573.0
7	4555.8	7545.7	7087.7			6264.5	4248.2	3576.8
8	4552.6	7541.3	7072.1			6263.8	4237.3	3576.4
9	4546.5	7538.7	7029.4			6268.0	4233.3(6)	3568.2
10	4539.8	7517.2	7005.6			6309.7	-- (0)	3578.6
11	4543.2	7514.0	7024.5			6335.5	-- (0)	3578.1
12	4570.5	7564.8	7054.2			6364.9	-- (0)	3575.1
13	4573.8	7587.0	7034.0			6356.8	-- (0)	3577.3
14	4570.3	7569.4	7040.4			6348.5	-- (0)	3571.3
15	4577.1	7577.5	7040.4			6323.3	-- (0)	3570.1
16	4583.4	7591.3	7050.5			6325.2	4262.6(36)	3565.0
17	4574.3	7584.7	7062.5			6349.8	4276.3	3564.6
18	4518.7	7491.2	6981.5			6288.7	4211.5	3535.0
19	4520.9	7487.3	7010.1			6279.0	4219.3	3545.6
20	4522.9	7485.2	7009.3			6283.7	4240.4	3548.3
21	4525.0	7490.4	6975.6			6272.6	4208.7	3547.0
22	4529.1	7486.7	6996.5			6276.5	4196.9	3536.7
23	4548.7	7512.8	7036.8			6280.7	4210.9	3556.5
24	4548.9	7525.2	7012.3			6283.8	4222.8	3561.0
25	4548.1	7514.7	7012.7			6272.9	4221.2	3553.2
26	4540.3	7513.3	7022.7			6263.5	4215.9	3550.2
27	4546.8	7534.7	7025.4			6289.3	4230.8	3558.6
28	4524.8	7493.4	7001.0			6263.5	4218.6	3550.4
29	4477.6	7414.5	6952.0			6271.8	4203.9	3541.0
MEAN	4539.3	7515.6	7020.0					6281.0


() Number of hours for which data are available if less than 24. Number of Section Hours at Climax if sum of both sections is less than 40 hours.

Thule, Alert, Calgary, Sulphur Mountain, Kiel and Climax Scaling Factors = 100.
Deep River Scaling Factor = 300.
Tokyo Scaling Factor = 128.

COSMIC RAY INDICES
(Neutron Monitors)
Bartel's Rotation 1948 (JAN-FEB 1976)




COSMIC RAY INDICES
(Neutron Monitors)
Bartel's Rotation 1948 (JAN-FEB 1976)



COSMIC RAY INDICES
(Neutron Monitors)
Bartel's Rotation 1949 (FEBRUARY 1976)

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27



FEB 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

GEOMAGNETIC ACTIVITY INDICES

FEBRUARY 1976

Day	Three-Hourly Indices Kp									Three-Hourly Indices Km									Ap	aa				Cp	
		1	2	3	4	5	6	7	8	Sum	1	2	3	4	5	6	7	8		N	S	M			
1		4	4-	3-	4-	4	3+	4	4+	30-	3	3-	2+	3	3+	3+	4	3+	23	38	29	28	39	1.1	
2		4-	3	3	2+	3+	5-	4	3	27	3	3-	3-	2	3	4	3+	2+	20	35	32	22	45	1.0	
3		4-	2+	4	3+	3-	2+	3-	3	24	3	2-	3+	3	3-	2	3	3-	16	26	30	32	23	0.9	
4	Q	3+	2	2	2+	2+	3	3	3+	21+	3	2-	2-	2	2	3-	3	3-	12	29	20	21	29	0.7	
5	Q	2-	2-	1-	2	2+	3-	2	3+	16+	1+	1	1-	2-	2	3-	2	3	8	21	17	11	28	0.5	
6	Q	3+	3-	2+	1+	1	2-	1+	2	16-	3	2+	2-	1	1+	2-	2-	2-	8	17	12	17	13	0.4	
7		2-	2	1-	5	4+	4	4	3+	25	1+	1	1-	5-	4	4-	4-	3	21	42	31	24	50	1.1	
8	D	4+	3-	3+	4+	5-	5	4	4	32+	3+	2+	3+	4+	4	5-	4	4-	29	52	54	44	62	1.3	
9		4+	4-	3+	4-	4-	3+	4-	4+	30	4-	3-	3-	4-	3	3	4-	4	24	36	43	37	41	1.1	
10	D	4+	3+	4-	3+	3+	3+	5	4-	30	3	3	3-	3	3	3	4	3	24	44	28	31	42	1.2	
11	Q	2	2-	2+	3	3	2	2+	4+	21-	1+	1+	2+	3-	3	2-	2+	4	12	26	24	18	32	0.7	
12		3	3+	3+	2+	2+	3+	3	4+	25	2+	2+	3-	2-	2	3+	3-	4-	17	29	21	24	27	0.9	
13		5	3+	2+	3+	4-	3	3	4	28-	5-	3-	2+	2+	3+	3+	3	4-	22	40	28	35	34	1.1	
14		3	5-	3-	3+	4-	3+	2	2	25-	2+	4	2	3-	3+	3	2	2-	17	25	31	29	27	0.9	
15	QQ	1+	1+	2	2-	3-	3	2+	2-	16	1+	1+	2	2-	3-	3-	2+	1+	8	18	16	12	23	0.4	
16	QQ	1+	1	1+	2	1	1+	3-	2-	12+	1	1-	1	2-	2-	2-	2	1+	6	12	13	11	15	0.3	
17		1+	2	2	2+	3-	3+	3+	4+	21+	1	1+	2-	3-	3-	3+	4-	4	14	29	32	16	45	0.8	
18		5-	4-	4	4-	3+	2+	2+	4	28	4-	3	3+	3+	3+	3-	2+	3+	22	40	40	47	33	1.1	
19	D	3+	4-	4	3+	4	4	4	4+	31-	3	3	3+	3	4-	4-	4-	4-	25	44	33	36	47	1.2	
20		3+	3	4	4	3+	4-	2+	3+	27	2+	3-	3+	3+	3	3+	2+	3	19	35	30	32	33	1.0	
21		3+	3	2+	4-	2+	3	3	3-	23+	3-	2+	2	3+	3-	3-	3	2+	14	25	20	22	23	0.8	
22		4-	3+	2+	3+	3	2	3-	2	22+	3-	2	2	3-	3-	2+	2+	2	14	26	17	25	19	0.6	
23	QQ	2	2	1+	1+	2-	1-	0	0	9	1+	1+	1	1+	2-	1+	0+	0+	4	8	9	10	8	0.1	
24	QQ	0+	0+	1-	1-	1	1-	1-	0+	5	0+	1-	1	1+	1	1	1	0+	3	7	7	7	7	0.1	
25	QQ	1	2-	1+	1+	0+	1+	1+	0+	9-	0+	1+	1+	1	0+	1+	1+	1-	4	10	8	10	8	0.1	
26	Q	1	2-	2+	2+	3-	2-	2-	3+	17-	1+	1+	2	3-	2+	1+	2	3	9	19	15	13	21	0.5	
27	D	3	2+	2+	3	5-	5	4+	5-	29+	3-	2	2+	3+	5	5+	5-	4+	26	46	47	25	67	1.2	
28		4-	3+	3+	3-	3	4-	4	4	28-	4-	3-	3	3-	3	3+	3+	4-	20	35	39	29	45	1.0	
29	D	5+	6	5-	3-	2+	3-	4-	5-	32	4+	5-	4	3-	2	3-	4-	5-	34	55	48	61	43	1.3	
																			Mean	16	29.9	27.0	28.5		0.81

Day	Three-Hourly Indices Kn								Three-Hourly Indices Ks							
	1	2	3	4	5	6	7	8	1	2	3	4	5	6	7	8
1	3-	3	2+	3	3	4-	4-	3	3	3-	2+	3-	4-	3+	4	3+
2	3	3-	3-	2+	3+	4	3+	2+	3	2+	2+	2	3	4-	3+	2+
3	3	2	3+	3	3-	2	3	3-	3	2-	3+	3+	3-	2+	3	3-
4	3	1+	2-	2+	2	3-	3	3-	3	2-	2-	2	2+	3-	3	3-
5	1	1+	1-	2-	3	3-	2-	3	2-	1-	1-	2-	3	3-	2+	3+
6	3-	2+	2-	1+	1	2-	2-	2-	3+	3-	2	1	2-	2-	2-	2-
7	1+	1+	1-	5-	4	4-	3+	3-	1	1	1-	4+	4-	4-	4	3+
8	3+	2	3-	4+	4+	5	4-	4-	4-	3-	4-	5-	4-	5-	4+	4-
9	3+	3-	3-	4-	4-	3+	3+	4-	4-	3-	3-	4-	3+	3	4	5-
10	3	3	3-	3	3	3-	4+	3	3	3-	3-	3	3	3	4-	3
11	1+	1+	3-	3-	3	2	3-	4	2-	2-	2-	3-	3-	2-	2	4-
12	2	2+	3-	2	2	3	3-	4-	2+	2	2+	2-	2	3+	3	4-
13	5-	3	2	3-	4-	3+	3-	3+	4+	3-	2+	2+	3+	3	3+	4
14	2+	4+	2	3-	3	3	2-	2-	3-	4-	2	2+	4-	3+	2+	2
15	1	1+	2	2	3-	3-	2+	1+	2-	1+	2-	1+	3-	3-	2	2-
16	1-	1	1-	2-	2-	2-	2	1+	1	1-	1	1+	2-	2-	2+	2-
17	1	1+	2-	3-	3-	3+	4	4	1+	2-	2	3-	3	3+	3+	4
18	4-	3	4-	4-	3+	3-	2+	3+	4-	3+	3+	3	3+	3-	2+	3+
19	3-	3+	3+	3	4	4-	4-	3+	3-	3-	4-	3+	4-	3+	4-	4-
20	2+	2+	3+	4-	3+	3+	3-	3-	2+	3-	3	3-	3	3+	2+	3
21	3-	2+	2+	3+	3	2+	3	2+	3-	3-	2-	3	2+	3-	3	2+
22	3-	2+	2	3	3-	2+	2	2	3-	2	2	3-	3-	2+	2+	2-
23	1+	1+	1+	2-	2	1+	0	0+	1+	1+	1	1+	1+	1+	0+	1-
24	0	0+	1-	1-	1+	1	1	0	1-	1	1+	1+	1	1-	1	1-
25	0+	1	1+	1	0	2-	2-	0	1-	1+	1+	1+	1	1-	1+	1
26	1	1+	2+	2+	2+	1+	2-	3-	1+	1	2-	3	2+	2-	2	3
27	3-	2-	2+	3	5+	5+	4+	4	3-	2	2+	3+	5-	5	5	5-
28	4	3-	3-	3-	3	3+	3+	3+	3+	3-	3	3	3	3	3+	4-
29	4+	5-	4	3-	2	3-	3+	4	5-	4+	4-	3-	2	2+	4-	5


DAILY AVERAGE INDICES Ap

1976


1975

DAY	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB
1	21	7	6	24	12	9	7	6	7	32	4	23
2	10	5	16	28	6	7	6	2	36	27	4	20
3	11	6	19	12	7	5	3	11	65	12	15	16
4	9	7	14	11	6	6	3	9	41	13	10	12
5	30	10	34	12	5	29	4	6	22	8	9	8
6	20	15	35	11	6	7	13	25	11	7	13	8
7	3	25	22	6	12	5	7	38	10	4	11	21
8	2	32	14	4	37	14	6	45	7	18	5	29
9	8	52	16	5	35	15	24	37	37	16	4	24
10	80	35	19	4	17	15	26	24	20	8	47	24
11	53	34	2	14	18	7	26	8	13	5	40	12
12	37	27	3	27	5	4	19	12	9	3	13	17
13	29	29	6	14	10	5	17	7	4	3	9	22
14	29	21	14	8	13	16	13	9	3	6	11	17
15	20	7	3	13	15	18	8	5	4	9	7	8
16	27	6	28	17	12	5	6	10	6	14	10	6
17	13	5	14	12	14	9	13	8	17	9	14	14
18	17	6	7	12	15	6	14	4	7	6	9	22
19	11	5	15	12	9	4	8	3	8	6	8	25
20	14	25	23	6	6	15	7	5	9	3	11	19
21	3	23	12	9	6	17	6	6	18	9	20	14
22	6	15	11	5	6	12	4	6	50	10	23	14
23	13	25	8	4	6	10	4	7	8	7	20	4
24	14	17	5	3	6	6	2	4	13	2	21	3
25	8	8	14	4	33	9	3	4	15	18	10	4
26	17	9	18	5	19	5	14	5	14	34	5	9
27	34	5	10	4	11	6	14	5	5	31	6	26
28	38	3	5	4	10	5	8	9	9	15	5	20
29	22	2	11	26	4	27	5	12	29	15	6	34
30	10	6	6	22	5	14	2	9	36	11	9	
31	13		4		5	6		19		7	29	
MEAN	20	16	13	11	12	10	10	12	18	12	13	16

GEOMAGNETIC ACTIVITY INDICES



GEOMAGNETIC ACTIVITY INDICES Hourly Equatorial Dst




Note the changes in sensitivity as well as the changing 0 reference level.

HOURLY EQUATORIAL DST VALUES (PROVISIONAL)

FEBRUARY 1976

NASA/GODDARD SPACE FLIGHT CENTER

DAY	(Time-UT)					(Units-Gammas)																			
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
1	-25	-30	-30	-26	-25	-25	-20	-21	-22	-22	-25	-27	-19	-10	-17	-10	-7	-13	-21	-16	-21	-23	-30	-28	
2	-20	-17	-14	-16	-15	-16	-17	-24	-26	-25	-21	-20	-16	-13	-17	-14	-14	-19	-24	-25	-27	-25	-21	-24	
3	-24	-21	-14	-16	-18	-17	-24	-21	-27	-25	-21	-20	-23	-19	-16	-16	-12	-11	-10	-14	-20	-26	-24	-20	
4	-19	-21	-21	-18	-16	-18	-19	-17	-13	-16	-20	-18	-18	-19	-22	-23	-21	-16	-17	-21	-27	-22	-20	-20	
5	-19	-18	-17	-16	-16	-16	-13	-14	-16	-14	-15	-16	-15	-15	-12	-12	-15	-10	-9	-7	-7	-15	-21	-22	
6	-21	-19	-19	-18	-17	-17	-16	-16	-16	-13	-12	-11	-10	-12	-17	-19	-19	-17	-14	-13	-15	-18	-20	-20	
7	-21	-20	-19	-18	-16	-15	-13	-12	-11	-10	-21	-30	-39	-46	-53	-49	-49	-49	-55	-51	-54	-53	-57	-53	
8	-47	-38	-24	-20	-18	-19	-23	-34	-32	-28	-31	-37	-37	-42	-38	-38	-40	-41	-42	-35	-33	-35	-36	-32	
9	-26	-31	-31	-30	-30	-29	-31	-26	-26	-27	-30	-27	-24	-19	-26	-27	-23	-17	-16	-18	-20	-23	-25	-17	
10	-17	-13	-18	-19	-22	-22	-24	-26	-18	-17	-22	-25	-31	-31	-24	-17	-14	-16	-24	-26	-26	-22	-21	-18	
11	-20	-18	-18	-21	-22	-21	-18	-19	-23	-27	-25	-24	-23	-20	-21	-15	-15	-14	-15	-14	-16	-18	-26	-24	
12	-23	-19	-18	-19	-22	-20	-18	-17	-12	-11	-15	-15	-15	-14	-13	-12	-15	-12	-14	-15	-15	-21	-27	-27	
13	-27	-28	-28	-26	-23	-25	-26	-19	-17	-17	-18	-23	-22	-19	-25	-25	-24	-24	-19	-21	-28	-30	-28	-25	
14	-20	-15	-15	-21	-30	-26	-23	-24	-22	-20	-22	-21	-23	-21	-23	-24	-21	-16	-14	-14	-21	-20	-18	-17	
15	-21	-14	-10	-9	-11	-13	-17	-20	-18	-19	-20	-19	-21	-20	-20	-21	-18	-16	-15	-16	-16	-17	-19	-20	
16	-20	-17	-17	-18	-15	-14	-14	-16	-17	-17	-14	-7	-5	-5	-8	-10	-12	-14	-13	-11	-10	-11	-13	-12	
17	-10	-6	-3	-2	-4	-7	-7	-5	-6	-8	-4	-4	-8	-4	-5	0	3	8	5	-9	-8	4	8	-13	
18	-10	-16	-11	-8	-10	-17	-23	-28	-30	-29	-26	-20	-18	-14	-11	-9	-8	-7	-10	-12	-11	-21	-21	-21	
19	-20	-17	-17	-20	-18	-19	-27	-32	-29	-27	-29	-29	-27	-28	-25	-19	-17	-17	-24	-20	-16	-21	-28	-27	
20	-21	-18	-18	-15	-17	-17	-17	-20	-17	-21	-25	-17	-18	-19	-20	-18	-14	-15	-15	-17	-15	-14	-15	-11	
21	-11	-8	-14	-16	-17	-16	-17	-15	-12	-11	-18	-21	-20	-18	-13	-13	-11	-18	-28	-26	-24	-16	-17	-17	
22	-13	-10	-10	-12	-13	-13	-14	-15	-17	-18	-17	-17	-17	-18	-15	-13	-11	-9	-11	-14	-14	-12	-10	-10	
23	-11	-13	-15	-16	-17	-14	-12	-10	-9	-12	-13	-15	-15	-15	-13	-10	-9	-10	-10	-11	-11	-9	-6	-4	
24	-5	-5	-4	-4	-6	-6	-6	-6	-4	-3	-4	-6	-7	-8	-5	-1	1	1	1	-1	-2	0	1	0	
25	-1	0	0	0	-1	-1	-3	-3	-2	1	0	-3	-4	-2	-1	1	1	1	-1	0	2	6	12	14	
26	19	17	12	10	10	10	10	9	5	-4	-5	-6	-7	-6	-13	-10	-7	-4	-4	-4	-6	-10	-10	-15	
27	-21	-23	-18	-12	-9	-14	-16	-12	5	-1	-12	-12	-15	-18	-13	-32	-42	-40	-44	-43	-40	-44	-56	-51	
28	-40	-37	-31	-32	-33	-34	-34	-36	-37	-37	-34	-33	-38	-36	-35	-32	-29	-30	-31	-34	-38	-39	-40	-41	
29	-39	-33	-41	-50	-63	-73	-66	-58	-51	-41	-33	-34	-29	-26	-23	-23	-25	-28	-26	-31	-34	-46	-40	-36	



PRINCIPAL MAGNETIC STORMS

FEBRUARY 1976

OBS. 2 letter IAGA code	GEO-MAG- NETIC LATI- TUDE	COMMENCEMENT		SC - AMPLITUDES			MAXIMUM 3 HOUR - INDEX K		RANGES			UT END	
		hr min DAY (UT)	TYPE	D(γ)	H(γ)	Z(γ)	DAY (3 HOUR PERIOD)	K	D(γ)	H(γ)	Z(γ)	DAY	HOURL
CO	64.6N	7 09--	07(4) 08(5,6)	7	265	1830	1310	10	21
SI	60.0N	7 10--	07(5)	7	80	440	610	10	21
NE	55.1N	7 0928	08(4,5)	5	28	148	160	11	01
WI	54.2N	7 0929	SC*	+ 2 *	- 9 *	0	10(7)	6	38	170	80	10	24
ED	48.9N	7 09--	13(1)	5	25	118	63	15	01
TU	40.4N	7 0929	SC	- 1	+15	..	07(4)	5	10	140	20	11	02
AL	09.5N	7 0928	SC	- 1.3	9	- 2	07(4,5)	5	3	144	20	07	21
HO	07.6N	7 0928	SC	- 0.1	+ 9	- 1	07(4,5)	5	3	155	15	08	22
GU	04.0N	7 0928	08(4)	5	0	120	20	10	15
AN	01.5N	7 0923	SC	- 0.4	12	6	--	-	3	157	50	07	21
HU	00.6S	7 0928	SC	..	10	2	07(5,6)	5	9	182	59	10	05
TV	01.1S	7 0928	SC	0.0	11	9	--	-	2	168	75	07	21
FM	18.7S	7 0929	SC	+ 0.2	+11	+ 8	08(4)	5	7	90	60	11	16
HR	33.7S	7 09--	07(4,7) 08(4,6,7) 09(8)	5	13	116	101	09	24
GN	43.2S	7 0927	SC*	+ 1	+16	+ 2	08(4,6)	5	15	90	120	09	16
TO	46.7S	7 0928	SC*	- 1.2*	+17 *	- 4	8(4,6) 9(4)	5	22	130	50	10	00
KG	56.5S	7 0928	SC	07(5)	6	--	--	--	09	03
HO	07.6N	9 0500	09(5,6) 10(4,5,7)	4	2	64	15	10	23
HU	00.6S	12 1227	12(6)	5	7	149	28	14	22
NE	55.1N	17 16--	18(3,4) 19(3) 21(4)	5	36	94	70	21	14
AL	09.5N	17 12--	17(7)	5	3	72	22	18	24
HO	07.6N	17 1000	17(7)	5	4	81	13	19	23
AN	01.5N	17 12--	--	-	8	119	51	18	24
TV	01.1S	17 12--	--	-	4	136	99	18	24
CO	64.6N	19 05--	19(3,4,5) 20(4,5)	6	95	1320	510	20	20
HR	33.7S	19 19--	19(7)	5	8	41	33	19	22
NE	55.1N	26 0516	27(6) 29(2,3)	-	53	202	186	04	04
FR	49.6N	26 22--	27(5,6,8) 29(1,2,8) 01(2) 02(2) 03(4)	5	23	150	83	04	04
HU	00.6S	26 1310	27(6,7)	6	7	220	45	01	06
CO	64.6N	27 05--	27(5,6)	7	173	1490	1330	01	19
SI	60.0N	27 08--	29(2)	7	80	920	610	01	18
WI	54.2N	27 11--	28(7)	6	26	155	105	29	08
ED	48.9N	27 14--	29(2)	6	32	110	46	04	16
TU	40.4N	27 05--	27(6) 29(1,2,3,8)	5	15	110	25	01	15
AL	09.5N	27 08--	27(6,7)	5	4	127	11	28	00
HO	07.6N	27 0900	27(6)	6	3	127	21	29	24
GU	04.0N	27 0838	27(6)	5	0	120	10	29	12
AN	01.5N	27 08--	--	-	2	120	42	28	00
TV	01.1S	27 08--	--	-	1	125	81	28	00
PH	18.7S	27 05--	27(5,6)	5	5	110	40	02	01
HR	33.7S	27 12--	27(7)	6	17	86	98	27	24
GN	43.2S	27 07--	27(6)	6	16	160	70	01	09
KG	56.5S	27 09--	27(7)	6	--	--	--	01	03
HO	21.9N	28 17--	29(2)	5	4	95	12	29	--
AL	09.5N	28 06--	29(2,3)	5	3	52	26	29	23
AN	01.5N	28 06--	--	-	2	72	58	29	23
TV	01.1S	28 06--	--	-	2	87	45	29	23
HR	33.7S	29 18--	29(8)	5	16	67	78	03	05

Reports were received from the following observatories:

- | | | | | | | | | | |
|------------------|----------------------|---------------------------|--------------------|--------------------|-------------------|----------------------------|----------------------------|----------------------|-------------------------------|
| College
Sitka | Newport
Witteveen | Fredericksburg
Boulder | Tucson
San Juan | Honolulu
Alibag | Hyderabad
Guam | Annamalainagar
Huancayo | Trivandrum
Port Moresby | Hermanus
Gnangara | Toolangi
Port-aux-Francais |
|------------------|----------------------|---------------------------|--------------------|--------------------|-------------------|----------------------------|----------------------------|----------------------|-------------------------------|

SUDDEN COMMENCEMENTS AND SOLAR FLARE EFFECTS

FEBRUARY 1976

PRELIMINARY REPORT ON RAPID MAGNETIC VARIATIONS (by Dr. A. Romaña)

The meaning of the station symbols is given in the IAGA-Bulletins nr. 12 and 32. Times of ssc are mean values.

Sudden commencements followed by a magnetic storm or a period of storminess (ssc)

07 0928 B: SO DO FU PM HU LM KG; C: VI CF MT KA SS KY SZ DU

Solar-flare effects (sfe)

Effects confirmed by ionospheric or solar observations are underlined.

n o n e

Very unusual events

n o n e

RADIO PROPAGATION QUALITY FIGURES AND FORECASTS



FEBRUARY 1976

North Atlantic

FEB 1976	WHOLE DAY INDICES NORTH ATLANTIC	ADVANCE FORECASTS (JC- REPORTS) FOR WHOLE DAY	NORTH ATLANTIC								GEOMAGNETIC INDICES		
			6-HOURLY QUALITY FIGURES				SHORT-TERM FORECASTS ISSUED ABOUT ONE HOUR IN ADVANCE OF				K _{FR}		A _{FR}
			00 TO 06	06 TO 12	12 TO 18	18 TO 24	02	08	14	20	HALF DAY (1) (2)		OBSERVED
01	6-	6	6-	50	60	6-	4	4	5	5	3	(4)	20
02	5+	6	5+	40	6-	6-	5	4	5	5	3	3	17
03	5+	6	6-	4+	7-	5+	5	5	5	5	3	2	11
04	5+	6	5+	50	60	5+	5	5	5	5	3	2	10
05	6-	5	5+	50	6+	5+	5	5	5	6	1	2	7
06	5+	5	5+	50	60	6-	5	5	5	6	2	1	7
07	6-	5	60	5+	60	5+	5	5	5	5	3	3	17
08	6-	5	50	6-	60	60	4	4	5	5	3	(4)	25
09	6-	5	5+	6-	7-	60	4	4	4	5	(4)	(4)	21
10	5+	5	50	5+	6-	50	5	5	5	5	3	3	18
11	5+	5	5-	6-	60	5+	5	5	5	6	2	3	11
12	5+	5	50	5-	6+	5+	5	5	5	6	3	3	15
13	5+	5	5+	50	6-	50	5	5	5	5	(4)	3	21
14	5+	5	5-	6-	6-	5+	5	4	5	4	3	3	15
15	5+	6	5+	5+	5+	5+	5	5	5	5	2	2	6
16	5+	6	6-	50	6-	5+	5	5	5	5	2	1	4
17	5+	6	50	50	60	6-	5	5	5	6	2	3	9
18	50	6	50	4+	5+	5+	5	5	5	5	3	3	15
19	5+	5	5-	5-	60	5+	5	4	5	5	(4)	3	18
20	5+	5	5+	4+	6-	6-	5	5	5	5	3	3	17
21	5+	5	50	5+	60	6-	5	5	5	5	3	3	12
22	6-	6	6-	5+	5+	60	5	5	5	5	3	2	10
23	6-	6	6-	50	60	60	5	5	6	6	2	0	3
24	60	6	60	5+	7-	6+	6	6	6	6	1	0	2
25	60	6	60	6-	7-	6+	6	6	6	6	2	0	3
26	60	6	6+	50	6+	6+	6	5	6	6	2	2	3
27	6-	5	7-	6-	6-	5+	6	5	5	5	3	(5)	28
28	5+	5	5+	6-	50	6-	4	4	5	5	3	3	17
29	5-	5	50	3+	50	5+	5	4	5	5	(4)	3	27

TRANSMISSION FREQUENCY RANGES -- NORTH ATLANTIC PATH


FEBRUARY 1976



TRANSMISSION FREQUENCY RANGES -- NORTH ATLANTIC PATH

121
Feb 76

FEBRUARY 1976



Field strengths from five frequencies, 6.425, 8.542, 12.813, 17.084 and 22.378 MHz, observed on a Lüchow - Halifax circuit are represented above. Heavy solid lines represent field strengths ≥ -12 dB above $1 \mu\text{V/m}$ (transmitter power reduced to 1 kW). Observed field strengths between -12 dB above $1 \mu\text{V/m}$ and -40 dB above $1 \mu\text{V/m}$ are represented by the fine line.

Adapted from Observations by Deutsche Bundespost

RADIO PROPAGATION QUALITY INDICES

FEBRUARY 1976

Quality Indices calculated for reception at Lüchow

	TOKYO	HALIFAX	MOSCOW	CANBERRA	BRACKNELL
1	4.4	4.2	11.0	3.3	12.8
2	4.6	4.9	11.2	4.0	13.3
3	3.9	5.7	10.8	3.8	13.5
4	5.1	5.8	11.0	3.7	12.9
5	4.8	5.8	11.2	3.6	13.4
6	4.7	6.0	10.7	3.7	13.5
7	4.9	6.0	10.7	4.1	13.7
8	4.9	5.6	10.6	3.4	13.0
9	4.7	4.4	11.1	3.0	12.3
10	4.5	4.2	11.3	3.3	11.9
11	4.7	4.8	10.6	3.5	12.1
12	4.8	4.4	11.0	3.3	11.7
13	4.5	3.9	11.1	3.6	11.1
14	4.2	5.2	10.6	3.3	11.5
15	4.6	4.3	10.8	3.6	11.7
16	5.1	5.9	11.7	3.6	12.2
17	4.9	6.2	11.6	3.5	13.2
18	4.7	4.7	11.2	3.9	12.2
19	4.8	4.9	11.1	3.5	12.9
20	4.5	5.8	11.8	3.5	12.8
21	5.2	5.5	11.4	3.9	13.3
22	5.7	5.1	11.6	4.2	13.2
23	5.9	6.1	10.9	4.0	13.0
24	5.9	7.4	12.4	4.3	13.6
25	6.1	7.9	12.9	4.8	13.9
26	6.7	7.9	12.6	5.3	13.6
27	5.8	6.0	12.1	4.4	13.1
28	5.4	5.9	12.0	3.9	13.5
29	4.5	5.1	10.3	3.7	12.8
MEAN	5.0	5.5	11.3	3.8	12.8

SOLAR WIND
Interplanetary Scintillations

FEBRUARY 1976


UCSD 74 MHZ SCINTILLATIONS

DAY	3C48 VEL ERR	3C144 VEL ERR	3C147 VEL ERR	3C161 VEL ERR	3C237 VEL ERR	3C273 VEL ERR	3C298 VEL ERR	3C459 VEL ERR
1	223 40			375 28				182 57
2	203 19							
3				265 *			434 *	
4								248 24
5	257 70	384 56	188 10					238 24
6	224 68	307 15						197 49
7	264 14							
8	272 2	521 68						244 *
9	285 *							221 73
10	205 23							219 *
11	203 *							278 23
12	156 53							
13		494 110						
14	260 20							198 11
15	376 23							265 41
16	440 14	436 78						360 *
17	545 *							
17		308 36	306 14					
18	358 *		433 *	283 *		598 *	916 *	
19	354 72			227 *				
20	201 48							200 62
21		560 137						
22	299 60	271 *						
23	433 *							
24	247 49	261 105		279 21				
25	290 44	295 1		315 30				
26	324 48	484 108		299 37				
27	287 50	494 26	345 31					
28	376 31					490 112		
29	276 81	497 *				561 140		

FEBRUARY	5	15	25
	UT LAT DIST DLON	UT LAT DIST DLON	UT LAT DIST DLON
3C48	1. 1. 0.99 -16.	24. 1. 0.94 -18.	23. 5. 0.87 -27.
3C144	4. -5. 1.21 -11.	4. -6. 1.17 -13.	3. -6. 1.13 -15.
3C147	4. 0. 1.20 -9.	3. 0. 1.17 -11.	2. 0. 1.13 -13.
3C161	6. -12. 1.22 -8.	5. -13. 1.20 -10.	5. -13. 1.17 -12.
3C237	9. -7. 1.29 3.	9. -7. 1.30 1.	8. -7. 1.30 -1.
3C273	11. -5. 1.22 11.	11. -5. 1.25 9.	10. -6. 1.27 7.
3C298	13. -1. 1.12 14.	13. -2. 1.16 13.	12. -2. 1.20 11.
3C459	22. 10. 0.58 -52.	21. 15. 0.44 -61.	21. 26. 0.29 -67.

* indicates data for which no error estimate is available, because only two antennas were operating.

Errata: This table replaces the one published last month on page 17. The values for radio source 3C48 have been changed.



WORLD DATA CENTER A
FOR
SOLAR-TERRESTRIAL PHYSICS



The ICSU Panel on WDCs has recommended that it would be appropriate courtesy to acknowledge in publications that data were obtained from the originating station or investigator through the intermediary of the WDCs. The following statement is suggested:

"Data used in this study were provided by WDC-A for Solar-Terrestrial Physics, NOAA E/GC2, 325 Broadway, Boulder Colorado 80303, USA."