



U.S. DEPARTMENT OF COMMERCE

Juanita M. Kreps, Secretary

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

Richard A. Frank, Administrator

ENVIRONMENTAL DATA AND INFORMATION SERVICE

Thomas S. Austin, Director

Solar - Geophysical Data

NO. 407 JULY 1978

Part I (Prompt Reports)

**DATA FOR
JUNE 1978
MAY 1978**

**NATIONAL GEOPHYSICAL AND SOLAR - TERRESTRIAL DATA CENTER
BOULDER, COLORADO**

For obtaining bulletins on a data exchange basis, send request to: World Data Center A for Solar-Terrestrial Physics, NOAA, Boulder, Colorado 80302.

For sale through the National Geophysical and Solar-Terrestrial Data Center, NOAA, Boulder, CO 80302. Subscription Price: \$34.00 annually for both Part I (Prompt Reports) and Part II (Comprehensive Reports) or \$18.00 annually for either part. Annual supplement containing explanation is included. For foreign mailing add \$32.00 for both parts or \$16.00 for either part. Single issue price \$1.50 for either part and \$1.40 for the extra issue. Make checks and money orders payable to: Department of Commerce, NOAA/NGSDC.

To standardize referencing these reports in the open literature, the following format is recommended:

Solar-Geophysical Data, 390 Part I (or Part II), pages, February 1977, U.S. Department of Commerce, (Boulder, Colorado, U.S.A. 80303).

SOLAR-GEOPHYSICAL DATA

No. 407

Issued in two parts

Helen E. Coffey, Editor

J. Virginia Lincoln, Chief
Solar-Terrestrial Physics Division

CONTENTS

	PAGE
Part I (Prompt Reports)	
Index for 1977 and 1978	2
Data for June 1978	3-41
Data for May 1978	43-169
 Part II (Comprehensive Reports)	
Index for 1977 and 1978	2
Data for January 1978	3-37
Data for December 1977	39-49
Miscellaneous Data	51-71
Solar Radio Waves	
Spectral Observations; Harvard, Manila and Sagamore Hill; May 1978	
Spectral Observations, Culgoora, April 1978	
Selected Events by Radioheliograph, April 1978	
Cosmic Rays	
Neutron Monitor Daily Values, Alert and Deep River, March - April 1978	
Chart of Variations, Alert and Deep River, April 1978	

	1977					1978					
	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun
A. SOLAR AND INTERPLANETARY PHENOMENA											
A.1 Sunspot Drawings	398A 36	399A 34	400A 30	401A 36	402A 38	403A 47	404A 40	405A 48	406A 54	407A 46	
A.2a Zurich Provisional Relative Sunspot Numbers R _z	397A 7	398A 7	399A 7	400A 7	401A 7	402A 9	403A 9	404A 9	405A 9	406A 9	407A 9
A.2b Zurich Final Sunspot Numbers R _z	404A 7	404A 8	404A 8	404A 8	404A 8						
A.2c American Relative Sunspot Numbers R _A	397A 7	398A 7	399A 7	400A 7	401A 7	402A 9	403A 9	404A 9	405A 9	406A 9	407A 9
A.3a Mt. Wilson Magnetograms	398A 36	399A 34	400A 30	401A 36	402A 38	403A 46	404A 40	405A 48	406A 54	407A 46	
A.3b Mt. Wilson Magnetic Characteristics of Sunspots	398A 98	399A 94	400A 92	401A 96	402A 100	403A 108	404A 96	405A 110	406A 114	407A 108	
A.3c Kitt Peak Magnetograms	398A 36	399A 34	400A 30	401A 36	402A 38	403A 46	404A 40	405A 48	406A 54	407A 46	
A.3d Mean Solar Magnetic Field (Stanford)	397A 25	398A 29	399A 29	400A 24	401A 31	402A 33	403A 33	404A 33	405A 36	406A 40	407A 40
A.4 H-alpha Filtergrams	398A 36	399A 34	400A 30	401A 36	402A 38	403A 47	404A 40	405A 48	406A 54	407A 46	
A.5 Calcium Plage Drawings - McMath (or Catania)	398A 36	399A 34	400A 30	401A 36	402A 38	403A 47	404A 40	405A 48	406A 54	407A 46	
A.5a Calcium Plage (McMath) and Sunspot Regions	398A 98	399A 94	400A 92	401A 96	402A 100	403A 108	404A 96	405A 110	406A 114	407A 108	
A.5b McMath Daily Calcium Plage Indices	398A 105	399A 99	400A 99	401A 100	402A 105	403A 114	404A 104	405A 119	406A 124	407A 118	
A.6 H-alpha Synoptic Charts	398A 34	399A 32	400A 28	401A 35	402A 36	403A 44	404A 38	405A 46	406A 52	407A 44	
A.6b Synoptic Chart and Active Regions (Paris)	402B 4	403B 4	404B 4	405B 4	406B 4	407B 4					
A.7f Helium D3 Chromosphere (Big Bear)	397A 19	398A 24	399A 24	400A 21	401A 28	402A 29	403A 36	404A 29	405A 31	406A 35	407A 34
A.7g Helium Synoptic Maps (KRON)	397A 20	398A 22	399A 23	400A 20	401A 27	402A 28	403A 35	404A 27	405A 32	406A 36	407A 36
A.7h Coronal Line Emission (Sac Peak)	398A 36	399A 34	400A 30	401A 36	402A 38	403A 46	404A 40	405A 48	406A 54	407A 46	
A.8aa 2800 MHz - Daily Values of Solar Flux (ARO-Ottawa)	397A 7	398A 7	399A 7	400A 7	401A 7	402A 9	403A 9	404A 9	405A 9	406A 9	407A 9
A.8ac 2800 MHz - Daily Values of Adj. Solar Flux (ARO-Ottawa)	397A 7	398A 7	399A 7	400A 7	401A 7	402A 9	403A 9	404A 9	405A 9	406A 9	407A 9
A.8g Daily Values of Adjusted Solar Flux (AFGL)	397A 7	398A 7	399A 7	400A 7	401A 7	402A 9	403A 9	404A 9	405A 9	406A 9	407A 9
A.9cb 8.6 mm Radio Maps of the Sun (NOSC - La Posta)	398A 36	400B 57	400A 30	401A 36	402A 38	403A 47	404A 40	405A 48	406A 54	407A 46	
A.9d 2 cm Radio Maps of the Sun (NOSC - La Posta)	398A 36	400B 52	400A 30	401A 36	402A 38	403A 47	404A 40	405A 48	406A 54	407A 46	
A.10a 169 MHz - Interferometric Observations (Nancay)	397A 13	398A 14	399A 14	400A 12	401A 15	402A 16	403A 20	404A 17	405A 17	406A 19	407A 20
A.10c 21 cm East-West Solar Scans (Fleurs)	397A 15	398A 16	399A 16	400A 14	401A 17	402A 19	403A 23	404A 20	405A 20	406A 22	407A 23
A.10d 43 cm East-West Solar Scans (Fleurs)	397A 16	398A 17	399A 17	400A 15	401A 18	402A 20	403A 24	404A 21	405A 21	406A 23	407A 24
A.10e 10.7 cm East-West Solar Scans (Ottawa-ARO)	397A 14	398A 15	399A 15	400A 13	401A 16	402A 18	403A 22	404A 19	405A 19	406A 21	407A 22
A.10f 3 cm East-West Solar Scans (Toyokawa)						403B 69	402A 17	403A 21	404A 18	405A 18	406A 20
A.11k Solar X-ray Radiation (SOLRAD II)						403A 116	404A 108	405A 122	406A 129	407A 123	
A.11g Solar X-ray (SWS/GOES)	---	398A 25	399A 20	400A 17	401A 22	402A 24	403A 29	404A 24	405A 29	406A 30	407A 29
A.11h Solar X-ray (OSO-8; 1975-057A)	398A 36	399A 34	400A 30	401A 36	402A 38	403A 46	404A 40	405A 48	406A 54	407A 46	
A.11i Solar X-ray (Columbia U.)	404B 65	404B 68	404B 40								
A.12ba Cosmic Ray Protons (Pioneers 6 & 7)	397A 23	---	399A 26	---	---	402A 30	---	---	---	---	---
A.12bb Cosmic Ray Protons (Pioneers 8 & 9)	---	---	399A 27	---	---	402A 31	---	---	---	---	---
A.12c Energetic Solar Particles (IMP H & J)	402B 24	403B 37	404B 35	405B 22	406B 43	407B 33	---	---	---	---	---
A.12f Energetic Solar Particles (GMS/SEM)	---	406B 78	---	---	---	---	---	---	---	406A 44	---
A.13a Solar Wind (Pioneers 6 & 7)	397A 23	---	399A 26	---	---	402A 30	---	---	---	---	---
A.13ab Solar Wind (Pioneers 8 & 9)	---	---	399A 27	---	---	402A 31	---	---	---	---	---
A.13d Solar Wind from IPS Measurements	397A 27	398A 27	399A 25	400A 25	401A 29	402A 34	403A 37	404A 31	405A 37	406A 41	407A 35
A.13e Solar Plasma (IMP H & J)	402B 23	403B 22	404B 34	---	---	---	---	---	---	---	---
A.17 Interplanetary Magnetic Field (Pioneer 8)	---	---	---	---	---	402A 31	---	---	---	---	---
A.17 Interplanetary Magnetic Field (Pioneer 9)	---	---	---	---	---	402A 32	---	---	---	---	---
A.17c Inferred IP Magnetic Field	397A 24	398A 28	400A 22	400A 22	401A 30	402A 32	403A 38	404A 32	406A 38	406A 38	407A 38
A.18 Interplanetary Electric Field (Pioneer 8)	---	---	399A 27	---	---	---	---	---	---	---	---
A.18 Interplanetary Electric Field (Pioneer 9)	---	---	---	---	---	402A 31	---	---	---	---	---
B. IONOSPHERIC (AND RADIO WAVE PROPAGATION) PHENOMENA											
B.52 Graphs of Transmission Frequency Range	398A 124	399A 128	400A 120	401A 116	402A 132	403A 148	404A 144	405A 158	406A 171	407A 168	
B.53 Quality Figures Based on Frequency Ranges	398A 126	399A 127	400A 122	401A 119	402A 131	403A 150	404A 145	405A 157	406A 170	407A 167	
C. FLARE-ASSOCIATED EVENTS											
C.1a Optical Observations Flares	397A 10	398A 10	399A 10	400A 10	401A 10	402A 12	403A 12	404A 12	405A 12	406A 12	407A 12
C.1ba Optical Observations Flares (Standardized Data)	402B 8	403B 8	404B 8	405B 8	406B 8	407B 8					
C.1d Flare Patrol Observations	397A 12	398A 13	399A 13	400A 11	401A 14	402A 15	403A 19	404A 16	405A 16	406A 18	407A 19
C.1d Flare Patrol Observations	402B 17	403B 21	404B 22	405B 16	406B 25	407A 22					
C.1e Flare Indices (by day)	402B 16	403B 20	404B 21	405B 15	406B 24	407A 21					
C.1f Flare Indices (by Region)	403B 53	404B 53	405B 38	406B 59	407B 49						
C.3 Solar Radio Waves - Outstanding Occurrences	402B 18	403B 22	404B 23	405B 17	406B 26	407B 23					
C.3t Solar Radio Waves - Fixed Frequencies - Selected	397A 17	398A 18	399A 18	400A 16	401A 19	402A 21	403A 25	404A 22	405A 22	406A 24	407A 25
C.3t 43, 25, 80 and 160 MHz Selected Bursts (Culgoora)	399B 36	399A 113	401B 44	403B 64	403B 65	405B 45	405B 48	406B 62	407B 67	407A 51	
C.4a Solar Radio Spectral Obs. (Fort Davis)	398A 107	399A 102	400A 101	401A 102	402A 108	403A 132	404A 122	405A 138	406A 144	407B 52	
C.4d Solar Radio Spectral Obs. (Culgoora)	400B 62	399A 102	401B 38	403B 56	403B 59	404B 56	405B 40	406B 64	407B 59	407A 39	
C.4e Solar Radio Spectral Obs. (Weissenau)	398A 107	399A 102	400A 101	401A 102	402A 108	403A 132	404A 122	405A 138	406A 144	407A 39	
C.4f Solar Radio Spectral Obs. (Sagamore Hill)	398A 107	399A 102	400A 101	401A 102	402A 108	403A 132	404A 122	405A 138	406A 144	407B 52	
C.4h Solar Radio Spectral Obs. (Dwingsloo)	398A 107	399A 102	400A 101	401A 102	402A 108	403A 132	404A 122	405A 138	406A 144	407A 39	
C.4i Solar Radio Spectral Obs. (Durnten)	398A 107	399A 102	400A 101	401A 102	402A 108	403A 132	404A 122	405A 138	406A 144	407B 52	
C.4j Solar Radio Spectral Obs. (Manila)	397A 22	399B 37	399A 22	400A 19	401A 24	402A 26	403A 29	404A 26	---	406A 32	407A 29
C.5e Solar X-ray (SWS/GOES)											
C.5f Solar X-ray (Columbia U.)	398A 106	399A 100	400A 100	401A 101	402A 106	403A 115	404A 105	405A 120	406A 125	407A 119	
C.6 Sudden Ionospheric Disturbances											
D. GEOMAGNETIC AND MAGNETOSPHERIC PHENOMENA											
D.1a Geomagnetic Indices K _p , K _n , K _s , K _n , A _p , A _a , C _p	398A 117	399A 120	400A 113	401A 109	402A 125	403A 142	404A 139	405A 151	406A 162	407A 160	
D.1ba 27-day Chart of K _p Indices	398A 119	399A 122	400A 115	401A 111	402A 127	403A 144	404A 141	405A 153	406A 164	407A 162	
D.1c 27-day Chart of C _p	404A 142	404A 142	404A 142	404A 142	404A 142						
D.1d Principal Magnetic Storms	398A 122	399A 125	400A 118	401A 114	402A 130	403A 145	404A 143	405A 156	406A 167	407A 165	
D.1e Reduced Magnetograms								405A 39			
D.1f Sudden Commencement and Solar Flare Effects	398A 123	399A 126	400A 119	401A 115	402B 69	403A 147	405B 55	406B 72	406A 169	407A 166	
D.1g Equatorial Indices D _{st}	398A 121	399A 124	400A 117	401A 113	402A 129	405B 53	405B 54	405A 155	406A 166	407A 164	
F. COSMIC RAYS											
F.1a Cosmic Ray Neutron Counts (Deep River)	398A 116	399A 115	400A 112	402B 47	402A 124	403A 138	404A 138	405A 150	407B 70	407A 155	
F.1b Cosmic Ray Neutron Counts (Climax)	398A 116	399A 115	400A 112	401A 108	405B 73	406B 73	406B 73	406B 73	406A 161		
F.1c Cosmic Ray Neutron Counts (Alert)	398A 116	399A 115	400A 112	402B 47	402A 124	403A 138	404A 138	405A 150	407B 70	407A 155	
F.1f Cosmic Ray Neutron Counts (Calgary)	400B 70	400B 70	402B 47								
F.1g Cosmic Ray Neutron Counts (Sulohur Mountain)	400B 70	---	402B 47								
F.1h Cosmic Ray Neutron Counts (Thule)											
F.1i Cosmic Ray Neutron Counts (Kiel)	398A 116	399A 115	400A 112	401A 108	402A 124	403A 138	404A 138	405A 150	406A 161	407A 155	
F.1j Cosmic Ray Neutron Counts (Tokyo)	398A 116	399A 115	400A 112	401A 108	402A 124	403A 138	404A 138	405A 150	406A 161	407A 155	
F.1k Cosmic Ray Neutron Counts (Kula)	398A 116										
H. MISCELLANEOUS											
H.60 IURDS Alert Decisions	397A 4	398A 4	399A 4	400A 4	401A 4	402A 5	403A 5	404A 4	405A 4	406A 4	407A 4
H.62 Abbreviated Calendar Record	403B 46	404B 46	405B 30	406B 52	407B 42						

Notes:

"398A 36" listed under 1977 Aug means that data for August 1977 were contained in *Solar-Geophysical Data* Number 398 - Part I, beginning on page 36.

A = Part I, B = Part II.

--- = no data available.

blank = data not yet received.

JUNE 1978 DATA

Contents

	Page
<u>Alert Period</u>	
IUWDS Alert Periods (Advance and Worldwide)	4-7
<u>Daily Solar Indices</u>	
12-Month Tables Sunspot Numbers, R_z , and 2800 MHz Flux Adjusted to 1 A.U.	8
Combined Table Sunspot Numbers and Solar Fluxes	9
Graph of Sunspot Cycles	10
Zürich Smoothed Observed and Predicted Sunspot Numbers	11
<u>Solar Flares</u>	
H α Solar Flares	12-18
No-Flare-Patrol Chart	19
<u>Solar Radio Waves</u>	
169 MHz Solar Interferometric Chart - Nancay	20
3 cm East-West Solar Scans - Toyokawa	21
10.7 cm East-West Solar Scans - ARO, Ottawa	22
21 cm East-West Solar Scans - Fleurs	23
43 cm East-West Solar Scans - Fleurs	24
Selected Fixed-Frequency Occurrences	25-27
Selected Solar Noise Burst	28
<u>Solar X-ray Radiation</u>	
SMS-2 GOES	29-33
<u>Solar Wind Measurements</u>	
Scintillation Observations	34
<u>Coronal Holes</u>	
Helium D3 Chromosphere	35
Helium 10830 Å Synoptic Map	36-37
<u>Inferred IP Magnetic Field Polarities</u>	38
<u>Mean Solar Magnetic Field</u>	
Stanford Mean Solar Magnetic Field Map	39
Stanford Mean Solar Magnetic Field Table	40
<u>Geomagnetic</u>	
Boulder Geomagnetic Substorm Log	41

4
Jun 78

ALERT PERIODS

INTERNATIONAL URSIGRAM
AND WORLD DAYS SERVICE

JUNE 1978

PRESTO MESSAGES (THE RAPID REPORT OF MAJOR EVENTS).

02 JUNE 1978, BOULDER 02/1455Z POLCAP ABSORPTION BEGAN 31/1800Z MAXIMUM 1.1 DB ABSORPTION 01/1200Z. PROTON EVENT BEGAN 02/0730Z 11 PROTONS/CM2/SEC/STER 02/0730Z MAXIMUM 19 PROTONS/CM2/SEC/STER 02/0915Z.
22 JUNE 1978, BOULDER 22/1945Z SOFLARE 28/M2 N17E17 22/1645Z DURATION 96 MINUTES.
24 JUNE 1978, BOULDER 24/1430Z PROTON EVENT BEGAN 24/0900Z 25 PROTONS/CM2/SEC/STER AT GREATER THAN 10 MEV 24/1345Z.
26 JUNE 1978, BOULDER 26/1638Z SOFLARE 28/M3 N14W14 26/1529Z DURATION 73 MINUTES. TEMFLARE 1024 FLUX UNITS 26/1530Z IN PROGRESS 26/1638Z.

SUMMARY OF THE GEOALERT WWA MESSAGES

Message serial number	Date of issue	Date of obser- vation	Wolf number	10 cm solar flux	A index	Active Regions				Outstanding events	Forecasts			Alert Situations
						Location	No. of Flares				Date	Location	Desc*	
							Lat-Long	Total	M					
152	1	31	232	148	16	N18W53 N25W34 N23W63 N21W08 S15W53 S24E03 S22W84 S17W33 S19W19 N35W58 S27E18	2 0 2 1 0 0 0 2 0 0 0	1 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0	SOFLARE 2B/M5 N23W50 31/1009Z DURATION 140 MINUTES. THREE PARALLEL RIBBONS WITH UMBRAL COVER- AGE.	31	N18W53 N25W34 N23W63 N21W08 S15W53 S24E03 S22W84 S17W33 S19W19 N35W58 S27E18	A Q Q Q Q Q Q Q Q Q Q Q	SOLALERT PIANO 01 MAGNIL
153	2	1	220	145	09	N17W67 N24W47 N21W75 N21W21 S17W66 S17W45 S19W33 S24E06	1 4 2 6 7 0 0 0	0 1 0 0 0 0 0 0	0 0 0 0 0 0 0 0		1	N17W67 N24W47 N21W75 N21W21 S17W66 S17W45 S19W33 S24E06	C,A Q D,A D,A D,A Q Q Q	SOLALERT MAGQUIET
154	3	2	164	145	43	N17W80 N26W60 N22W35 S17W79 S17W58 S17W46 S24W05 N15E08 S21E22 N19E75	0 3 1 2 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	POLCAP ABSORPTION BEGAN 31/1800Z MAXIMUM 1.1 DB ABSORPTION 01/200Z PROTON EVENT BEGAN 02/0730Z 11 PRO- TONS/CM2/SEC/STER 02/0730Z MAXIMUM 19 PROTONS/CM2/ SEC/STER 02/0915Z.	2	N17W80 N26W60 N22W35 S17W79 S17W58 S17W46 S24W05 N15E08 S21E22 N19E75	Q A A C,A Q Q Q Q Q Q	SOLALERT MAGALERT
155	4	3	143	127	25	N26W72 N22W48 S16W72 S17W59 N14W05 S22E09 N17E63 S26W19	2 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0		3	N26W72 N22W48 S16W72 S17W59 N14W05 S22E09 N17E63 S26W19	C,A C,A Q Q Q Q Q Q	SOLALERT MAGNIL
156	5	4	74	115	11	N24W84 N22W63 S27W30 S22W02 N18E51	0 0 1 0 0	0 0 0 0 0	0 0 0 0 0		4	N24W84 N22W63 S27W30 S22W02 N18E51	Q Q E Q Q	SOLNIL MAGALERT 05/05
157	6	5	91	114	35	N21W75 S27W44 S22W15 N20E37 N14W03	4 0 0 0 0	1 0 0 0 0	0 0 0 0 0		5	N21W75 S27W44 S22W15 N20E37 N14W03	E Q Q Q Q	SOLQUIET MAGALERT MINOR 06
158	7	6	63	107	07	N22W88 S27W59 S21W28 N19E23	0 0 0 0	0 0 0 0	0 0 0 0		6	N22W88 S27W59 S21W28 N19E23	Q Q Q Q	SOLQUIET MAGNIL
159	8	7	80	107	09	S26W72 S20W41 N17E11 S15W38 S12E56	5 0 0 0 0	0 0 0 0 0	0 0 0 0 0		7	S26W72 S20W41 N17E11 S15W38 S12E56	Q Q Q Q Q	SOLQUIET MAGQUIET
160	9	8	64	106	11	S26W85 N17W03 S15W54 S11E42 N18E69	3 0 0 0 1	0 0 0 0 0	0 0 0 0 0		8	S26W85 N17W03 S15W54 S11E42 N18E69	Q Q Q Q Q	SOLQUIET MAGQUIET
161	10	9	67	103	06	N13W59 S14W68 S12E30 N18E57 N18E07	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0		9	N13W59 S14W68 S12E30 N18E57 N18E07	Q Q Q Q Q	SOLQUIET MAGQUIET
162	11	10	60	105	12	N14W72 S12E16 N17E43 N15E15	0 0 0 0	0 0 0 0	0 0 0 0		10	N14W72 S12E16 N17E43 N15E15	Q Q Q Q	SOLQUIET MAGQUIET
163	12	11	100	110	12	N19W38 N18E31 N18W21 N17W00 S32E47 N17E75 N24E34	0 0 0 0 1 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0		11	N19W38 N18E31 N18W21 N17W00 S32E47 N17E75 N24E34	Q Q Q Q Q Q Q	SOLQUIET MAGQUIET

ALERT PERIODS
INTERNATIONAL URNIGRAM
AND WORLD DAYS SERVICE

JUNE 1978

SUMMARY OF THE GEOALERT WWA MESSAGES

Message serial number	Date of issue	Date of obser- vation	Wolf number	IG cm solar flux	A index	Active Regions				Outstanding events	Forecasts			Alert Situations
						Location Lat-Long	No of Total	Flares			Date	Location Lat-Long	Desc*	
								M	X					
164	13	12	120	116	08	N18E14 N17W34 N17W13 S32E33 N16E65 N24E20 N19E76	0 0 14 2 1 0 2	0 0 0 0 0 0 0			12	N18E14 N17W34 N17W13 S32E33 N16E65 N24E20 N19E76	Q Q E Q Q Q Q	SOLQUIET MAGQUIET
165	14	13	127	117	06	N17E01 N17W25 S33E18 N15E52 N18E62 N24E28 N18W07 N16E10	0 19 0 1 0 0 0 0	0 0 0 0 0 0 0 0			13	N17E01 N17W25 S33E18 N15E52 N18E62 N24E28 N18W07 N16E10	Q E Q Q Q Q Q Q	SOLQUIET MAGQUIET
166	15	14	94	125	06	N17W62 N17W41 N16E38 N18E48 N24E14	2 5 1 2 0	0 0 0 0 0			14	N17W62 N17W41 N16E38 N18E48 N24E14	Q Q Q Q Q	SOLQUIET MAGQUIET
167	16	15	158	128	07	N17W75 N17W53 N18W35 N19W24 N17W16 N24E02 N17E28 N18E37 S23E72	0 2 0 0 1 2 0 0 0	0 0 0 0 0 0 0 0 0			15	N17W75 N17W53 N18W35 N19W24 N17W16 N24E02 N17E28 N18E37 S23E72	Q E Q Q Q Q Q Q Q	SOLQUIET MAGQUIET
168	17	16	102	137	06	N16W68 N16W30 N25W12 N20W11 N16E15 N18E22 S25E60	3 0 1 0 1 0 2	0 0 0 0 0 0 0			16	N16W68 N16W30 N25W12 N20W11 N16E15 N18E22 S25E60 S15E85	E Q E E E Q E C,E	SOLQUIET MAGALERT MINOR RECURRENCE 17/19
169	18	17	198	144	12	N17W78 N15W42 N18W24 N23W22 N18E03 N18E09 N11E23 N11E29 S23E47 S15E65 S32E74 N19E76	1 2 1 1 0 2 0 0 0 0 0 1	0 0 0 0 0 0 0 0 0 0 0 0			17	N17W78 N15W42 N18W24 N23W22 N18E03 N18E09 N11E23 N11E29 S23E47 S15E65 S32E74 N19E76	E C,A Q Q Q C,A Q Q C,A Q Q E	SOLALERT 18/XX MAGALERT 18/19
170	19	18	265	151	09	N17W11 N19W02 N24W38 N15W56 S25E34 N18W38 S17W45 N19E63 N10E16 N33E64 N11E10 S20W26 S32W06	0 1 1 3 0 1 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0			18	N17W11 N19W02 N24W38 N15W56 S25E34 N18W38 S17W45 N19E63 N10E16 N33E64 N11E10 S20W26 S32W06 N17E86	E Q E E C,A Q Q C,E Q Q Q Q Q C,A	SOLALERT 19/XX MAGALERT MINOR 19/20
171	20	19	208	160	16	N17W24 N18W13 N24W51 N16W70 S25E20 N16W44 N17E51 N09E02 N29E49 N16E69 N26E82	2 1 1 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0			19	N17W24 N18W13 N24W51 N16W70 S25E20 N16W44 N17E51 N09E02 N29E49 N16E69 N26E82	Q Q Q Q Q Q Q Q Q Q Q	SOLNIL MAGALERT MINOR 20

6
Jun 78

ALERT PERIODS
INTERNATIONAL URSIGRAM
AND WORLD DAYS SERVICE
JUNE 1978

SUMMARY OF THE GEOALERT WWA MESSAGES

Message serial number	Date of issue	Date of obser- vation	Wolf number	10 cm solar flux	A index	Active Regions				Outstanding events	Forecasts			Alert Situations
						Location Lat-Long	No. of Flares				Date	Location Lat-Long	Desc*	
							Total	M	X					
172	21	20	214	169	11	N18W38 N20W24 N26W64 N17W82 S25E07 S17E30 N17W37 N12W12 N30E38 N16E60 N25E64 S22E74 S17E42	1 0 1 0 1 0 1 0 0 1 1 5 1	0 0 0 0 0 0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 0 0 0 0 0 0		20	N18W38 N20W24 N26W64 N17W82 S25E07 S17E30 N17W37 N12W12 N30E38 N16E60 N25E64 S22E74 S17E42	Q Q Q Q Q Q Q Q Q E E A Q	SOLALERT 21/23 MAGNIL
173	22	21	232	184	20	N17W52 N19W38 S24W00 S13E15 N19E26 N12W75 N31E25 N17E46 N25E50 S20E61 S17E28 S21W55 N18E14 N20E72	0 0 0 0 0 4 0 1 0 6 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0		21	N17W52 N19W38 S24W00 S13E15 N19E26 N12W75 N31E25 N17E46 N25E50 S20E61 S17E28 S21W55 N18E14 N20E72	Q Q Q Q Q Q Q E Q E Q Q Q	SOLALERT MINOR 22 MAGQUIET
174	23	22	255	183	10	N17W65 S24W16 S13E03 N17E13 N12W37 N13E14 N12E33 N24E39 S18E49 S16E15 N21E61 N13E03	0 1 0 2 2 0 1 2 3 0 3 0	0 0 0 1 0 0 0 0 2 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0	SOFLARE 2B/M2 N17E17 22/1645Z DURATION 96 MINUTES.	22	N17W65 S24W16 S13E03 N17E13 N12W37 N13E14 N12E33 N24E39 S18E49 S16E15 N21E61 N13E03	Q D,E Q D,A D,E Q C,A D,E C,A Q C,E Q	PROTON FLARE ALERT 23/25 MAGQUIET
175	24	23	254	190	13	N17W77 S25W28 S14W11 N17E02 N12W52 N31E02 N16E11 N24E25 S20E36 N21E48 N13W10 S32W19	0 1 0 0 0 0 0 6 3 7 0 0	0 0 0 0 0 0 0 1 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0		23	N17W77 S25W28 S14W11 N17E02 N12W52 N31E02 N16E11 N24E25 S20E36 N21E48 N13W10 S32W19	Q Q Q Q Q Q Q C,A C,A C,A Q Q	SOLALERT 24/XX MAGQUIET
176	25	24	376	189	20	N18W90 S25W41 S16W26 N18W11 N12W66 N17E08 N25E12 S20E24 N22E36 N13W23 S31W31 S19E02 N17E41	1 0 0 1 0 1 1 8 1 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0	PROTON EVENT BEGAN 24/0900 25 PROTONS CM2/SEC/STER AT GREATER THAN 10 MEV 24/1345Z.	24	N18W90 S25W41 S16W26 N18W11 N12W66 N17E08 N25E12 S20E24 N22E36 N13W23 S31W31 S19E02 N17E41	Q Q Q Q Q E E C,P E Q Q Q Q	SOLALERT 25/XX MAGALERT 25/26
177	26	25	334	178	14	S27W56 S16W38 N18W25 N12W79 N17W04 N26W01 S20E11 S15W25 N23E23 N13W36 S18W11 N22E13	0 1 1 0 2 2 2 1 2 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0		25	S27W56 S16W38 N18W25 N12W79 N17W04 N26W01 S20E11 S15W25 N23E23 N13W36 S18W11 N22E13	Q Q E Q C,A E C,A Q C,A E E E	SOLALERT 26/XX MAGNIL

ALERT PERIODS

INTERNATIONAL URSIGRAM
AND WORLD DAYS SERVICE
JUNE 1978

SUMMARY OF THE GEOALERT WWA MESSAGES

SUMMARY OF THE GEOALERT WWW MESSAGES														
Message serial number	Date of issue	Date of obser- vation	Wolf number	IO cm solar flux	A index	Active Regions				Outstanding events	Forecasts			Alert Situations
						Location	No. of Flares				Date	Location	Desc*	
							Lat-Long	Total	M					
178	27	26	263	193	30	N18W37 N17W18 N25W13 S20W02 S14W38 N22E09 N12W49 S17W23 N22W00 N14E73	4 3 3 10 0 4 1 0 0 2	0 1 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	SOFLARE 2B/M3 N14W14 26/1529Z DURATION 73 MINUTES. TENFLARE 1024 FLUX UNITS 26/1530Z IN PROG- RESS 26/1638Z.	26	N18W37 N17W18 N25W13 S20W02 S14W38 N22E09 N12W49 S17W23 N22W00 N14E73	Q A Q A Q E Q Q Q E	SOLALERT 27/29 MAGALERT 28/XX
179	28	27	255	174	16	N17W32 N26W24 S20W15 N22W01 N15W62 N20W12 N15E51 N19E56	2 0 7 3 2 0 3 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0		27	N17W32 N26W24 S20W15 N22W01 N15W62 N20W12 N15E51 N19E56	Q Q E E Q Q E Q	SOLALERT MINOR 28 MAGALERT MINOR 28/29
180	29	28	241	168	12	N17W46 N26W37 S20W29 N22W15 N20W26 N15E38 N19E45 S17E60 N22E61	6 0 4 3 0 4 0 1 0	0 0 1 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0		28	N17W46 N26W37 S20W29 N22W15 N20W26 N15E38 N19E45 S17E60 N22E61	E Q E E Q Q Q Q Q	SOLNIL MAGNIL
181	30	29	207	162	15	N17W59 N25W50 S19W42 N22W28 N17E21 N19E31 S16E47 N23E46 N19E79	3 0 3 8 4 1 1 1 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0		29	N17W59 N25W50 S19W42 N22W28 N17E21 N19E31 S16E47 N23E46 N19E79	C,A Q A A Q Q Q Q Q	SOLALERT 30/02 MAGALERT 30/01
182	1	30	121	151	30	N19W74 N26W62 S18W57 N24W40 N16E06 N18E18 S17E35 N20E66	4 0 0 10 4 4 1 3	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0		30	N19W74 N26W62 S18W57 N24W40 N16E06 N18E18 S17E35 N20E66	C,A Q Q A Q Q Q C,E	

* Q=Quiet E=Eruptive A=Active P=Proton C=Caution D=Doubtful O.G.=Other Groups MF=Major Flare

RELATIVE SUNSPOT NUMBERS

ZURICH, R_z

1977 FINAL							1978 PROVISIONAL					
DAY	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
1	42	17	22	43	44	20	84	128	93	70	77	119
2	45	15	29	37	40	20	88	120	83	68	85	93
3	42	24	29	47	25	31	102	131	95	71	91	74
4	39	19	25	47	22	47	102	138	103	75	76	60
5	40	23	20	48	25	58	73	137	76	94	74	51
6	40	26	26	55	27	58	69	129	67	92	73	29
7	25	28	25	57	34	55	42	121	90	88	70	39
8	20	25	18	52	27	45	36	89	95	105	56	45
9	17	30	30	47	31	58	36	94	85	126	59	36
10	23	25	40	38	25	75	15	96	92	111	57	29
11	9	23	45	28	26	71	18	95	85	109	63	57
12	8	29	51	33	27	62	26	92	78	107	65	62
13	10	40	48	53	28	44	26	93	65	93	72	56
14	7	40	47	48	31	37	36	82	62	75	72	62
15	0	42	53	54	39	41	30	59	72	61	78	89
16	0	38	56	53	49	39	23	64	70	85	91	97
17	0	36	53	51	51	29	24	56	66	99	79	103
18	0	40	60	50	54	33	14	55	72	100	85	115
19	7	35	59	54	52	40	8	53	64	107	84	109
20	8	33	60	54	38	23	7	52	51	115	74	109
21	8	33	58	42	32	23	20	63	77	112	73	154
22	23	38	42	35	28	17	30	74	82	109	73	158
23	30	15	41	30	24	23	43	69	85	105	72	158
24	38	19	48	29	18	31	37	78	82	102	82	154
25	42	25	46	28	10	35	32	94	70	139	86	135
26	42	34	49	30	9	41	47	86	53	115	84	152
27	37	38	54	38	14	50	69	79	59	90	97	134
28	26	36	61	37	9	45	79	88	49	75	90	130
29	16	40	64	42	10	58	90		48	72	103	115
30	10	36	60	45	23	64	104		44	70	107	99
31	8	31		52		67	118		70		109	
MEAN	21.4	30.1	44.0	43.8	29.1	43.2	49.3	89.8	73.5	94.7	79.3	94.1

1977 yearly mean = 27.5

DAILY SOLAR FLUX AT 2800 MHz
OTTAWA AROFLUX ADJUSTED TO 1 A.U., S_{11}

1977							1978					
DAY	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
1	102.0	83.0*	83.1	93.8*	94.4	88.4	126.9*	139.1	136.3	130.0	181.4	149.1
2	100.7	82.8	84.2	93.2	93.6	91.2	133.9	152.6	141.1	129.8	183.0	147.0*
3	97.4	82.3	87.2	97.4	90.4	93.7	130.2	156.6*	146.6	134.5	182.2A	130.8
4	94.0	82.9*	84.2	98.8	89.4	95.9	124.8	154.0	148.4	143.3*	178.4	118.6
5	88.0*	86.4	85.6	104.0*	90.6	96.9	119.2	159.0	154.5	146.7*	173.9*	116.9
6	90.2	88.2	84.9	103.5	91.1	102.0*	118.7*	156.1	162.8	145.3*	173.1	109.8
7	85.2	86.9	89.3	105.5	90.2	105.5	111.6	157.3	165.2	146.9	162.6*	110.6
8	82.1	85.1	91.6	103.8	90.3	106.7	102.8	157.0*	168.7	148.6	143.4	109.3
9	79.0	85.9	95.9	100.7	91.1	112.6*	97.0	155.2	183.7	156.1	135.1	106.5
10	76.9	87.2	99.8	96.4	93.1	114.7	93.5	148.7	179.1	155.4	129.5	108.4
11	76.2	87.6	104.6	95.3	94.9	107.4	93.1	154.2	175.2	162.8*	133.8	113.2
12	75.8	86.5	107.8	100.8	91.4	111.0	92.1	159.0	169.8	156.2	138.2	116.4*
13	77.8	89.0	112.9	98.5	94.0	108.6	90.3	151.2	160.9	145.6	140.2	120.3*
14	76.8	87.5	118.2	98.9	97.9	93.7*	88.6	148.4	160.5	139.1	143.7	126.4*
15	76.0	86.9	120.7	98.2	97.9	92.5	89.6	136.8	154.2	141.4	146.1	132.5
16	76.9	87.3	120.4	96.8	95.9	92.5	86.4	130.2	143.3	137.6	147.8*	139.5*
17	76.5	87.1	120.6	94.9	100.4	91.1	83.8	125.9	135.4	133.4	143.8	149.0
18	76.9	88.6	120.5	95.4	102.0*	93.6	84.7	124.9	132.3	134.1	135.6	153.5*
19	76.9	87.0	104.5	105.0	99.2	91.0	85.4	119.1	128.1	139.5*	133.6	162.0*
20	80.1	88.7	108.8	99.6*	95.7*	88.7	87.0	122.2	125.3	138.1	132.3*	174.2
21	81.7	90.8	104.9*	98.6*	92.8	87.8	91.4	122.2	118.2	138.4*	132.7	185.4*
22	83.1	89.6	102.4	93.9	89.3	89.9	96.9	127.7	117.0	146.4	135.7*	190.3
23	85.0	86.0	99.3	87.3	88.0	91.2	99.6	131.8	116.4	162.9	142.9*	196.7
24	84.0	86.0	100.6	88.3	86.7	93.9	100.4	135.6	117.5	159.8	146.5*	194.8
25	86.8	87.7	98.8	88.1	84.7	96.3	103.3	139.3	118.2	159.1*	147.6	183.5
26	86.0	86.4	99.4	88.6	84.1	99.3	112.7	134.8	112.5	166.7	152.8	182.4*
27	85.4	85.4	100.0	88.5	83.8	98.3	118.4	137.5	114.1	172.8	150.6*	179.5
28	87.5	82.4	100.0	90.3*	85.6	98.9	127.7*	135.4	112.7	176.6*	147.1*	174.1
29	86.7	86.1	99.4	90.3	85.6	105.6*	132.2*		111.1	185.2	148.6	167.4
30	84.1	85.5	97.7	94.9	85.3	114.7	134.9		115.4*	182.1*	147.2*	154.6*
31	80.4	84.7		95.9		120.2	133.3*		124.5		152.6	
MEAN	83.7	86.4	100.9	96.3	91.6	98.9	106.1	141.8	140.3	150.5	149.7	146.8

* adjusted for burst


DAILY SOLAR INDICES

JUNE 1978

JUN 1978	YEAR DAY	BARTELS 27-DAY CYCLE NUMBER	SUNSPOT NUMBERS		OBSERVED FLUX OTTAWA 2800	SOLAR FLUX ADJUSTED TO 1 A.U.									
			R _Z	R _A '		AFGL 15400	AFGL 8800	AFGL 4995	OTTAWA 2800	AFGL 2695	AFGL 1415	AFGL 606	AFGL 410	AFGL 245	
1	152	7	119	126	144.9	582	328	179	149.1	147.0	105.7	64.5	33.0	12.5	
2	153	8	93	111	142.9*	580	326	179	147.0*	147.1	107.5	65.8	34.6	15.1	
3	154	9	74	76	127.1	571	313	162	130.8	128.8	94.2	63.3	40.5	14.4	
4	155	10	60	55	115.3	567	315	153	118.6	120.0	86.4	58.4	30.4	10.9	
5	156	11	51	49	113.5	556	306	148	116.9	116.0	91.7	62.7	32.0	11.7	
6	157	12	29	29	106.6	565	297	143	109.8	107.9	82.2	57.2	24.0	10.5	
7	158	13	39	37	107.4	567			110.6		82.7	58.4	26.7	10.9	
8	159	14	45	33	106.1	555	300	143	109.3	106.9	85.6	57.9	25.9	9.3	
9	160	15	36	21	103.3	564	303	142	106.5	108.0	80.8	55.5	23.3	9.2	
10	161	16	29	21	105.1	574	305	142	108.4	108.3	80.9	56.4	30.0	11.2	
11	162	17	57	46	109.8	573	304	150	113.2	111.7	86.6	59.3	27.9	10.7	
12	163	18	62	39	112.9*	568	303	147	116.4*	114.8	88.4	60.2	29.9	11.7	
13	164	19	56	59	116.6*	565	310	154	120.3*	122.2	93.5	62.7	28.8	11.0	
14	165	20	62	54	122.5*	587	320	158	126.4*	137.9	98.6	64.7	30.1	11.9	
15	166	21	89	83	128.4	587	330	166	132.5	133.4	98.9	60.5	28.3	11.1	
16	167	22	97	73	135.2*	592	330	174	139.5*	141.8	98.1	67.7	29.4	11.5	
17	168	23	103	104	144.4	594	325		149.0	148.6	109.3	67.0	31.5	11.9	
18	169	24	115	106	148.6*	586	334		153.5*	159.5	111.7	68.0	29.5	11.4	
19	170	25	109	101	156.8*	593	354	188	162.0*	166.0	119.4	69.7	26.8	13.4	
20	171	26	109	117	168.6	584	350	203	174.2	181.0	125.6	71.2	31.4	12.0	
21	172	27	154	149	179.5*	606	354	222	185.4*	198.8	137.6	76.3	32.8	14.1	
22	173	1	158	157	184.2	595	358	222	190.3	201.0	144.0	76.4	28.9	14.4	
23	174	2	158	153	190.4	588	361	222	196.7	203.3	140.7	74.9	34.9	15.4	
24	175	3	154	138	188.6	601	360	220	194.8	206.1	142.8	69.3	33.0	24.0	
25	176	4	135	114	177.6	589	347	205	183.5	182.0	132.2	74.1	31.0	13.0	
26	177	5	152	133	176.4*	584	345	209	182.4*	192.1	142.2	84.2	42.4	35.9	
27	178	6	134	130	173.6	584	330	201	179.5	183.5	129.8	84.7	38.9	24.1	
28	179	7	130	128	168.4	581	335	194	174.1	177.8	120.8	70.8	32.3	15.0	
29	180	8	115	110	161.9	581	335	191	167.4	171.0	114.0	66.9	30.5	12.6	
30	181	9	99	87	149.5*	590	337	184	154.6*	161.8	106.5	63.7	29.1	12.2	
MEAN			94.1	88.0	142.2	580	328	178	146.8	151.2	107.9	66.4	30.9	13.8	

* Adjusted for burst.

Note: Data gaps in AFGL Sagamore Hill are due to equipment problems.



OBSERVED AND PREDICTED SUNSPOT NUMBERS

SMOOTHED OBSERVED AND PREDICTED SUNSPOT NUMBERS
CYCLE 21

MONTH	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1977	16.7	18.1	20.0	22.2	24.2	26.3	28.8	33.0	38.5	44.0	49.9	54.8
1978	60.6 (3)	66.6 (5)	72.6 (8)	78.9 (10)	85.9 (13)	92.1 (15)	97.0 (18)	101.4 (21)	105.6 (24)	109.4 (25)	113.9 (25)	120.3 (24)
1979	125.7 (24)	130.3 (25)	134.6 (27)	137.4 (30)	140.0 (33)	144.5 (35)	149.0 (37)	151.8 (40)	153.3 (42)	153.9* (45)	153.7 (47)	152.7 (49)
1980	151.0 (49)	149.3 (48)	148.6 (46)	149.0 (46)	148.2 (47)	144.8 (48)	141.0 (49)	137.9 (50)	136.3 (49)	135.5 (50)	134.0 (51)	132.5 (53)
1981	132.3 (56)	131.7 (56)	129.1 (54)	126.0 (52)	123.6 (52)	121.5 (50)	120.8 (49)	121.0 (47)	120.3 (47)	118.9 (46)	116.7 (44)	113.4 (43)
1982	110.0 (41)	106.6 (39)	104.2 (39)	102.4 (37)	100.1 (35)	97.3 (34)	93.2 (32)	88.8 (30)	84.7 (28)	80.2 (24)	77.1 (23)	73.6 (22)
1983	69.7 (21)	66.9 (21)	64.9 (22)	62.6 (23)	60.3 (23)	58.0 (23)	56.0 (24)	54.1 (26)	52.3 (28)	51.0 (30)	50.2 (31)	49.5 (31)
1984	48.3 (31)	46.5 (30)	43.8 (29)	40.5 (29)	38.0 (30)	36.7 (31)	35.6 (32)	34.0 (32)	32.6 (31)	31.7 (29)	30.5 (28)	29.0 (27)
1985	28.1 (27)	27.3 (27)	26.5 (26)	26.1 (26)	25.4 (26)	24.5 (25)	23.7 (23)	23.0 (23)	22.2 (22)	21.4 (23)	20.5 (24)	20.0 (24)
1986	19.7 (24)	19.2 (24)	18.6 (24)	17.6 (23)	16.4 (22)	15.3 (21)	14.5 (20)	14.0 (19)	13.7 (17)	13.3 (16)	13.0 (15)	12.8 (13)
1987	13.0 (12)	13.4 (11)	14.2 (11)	15.0 (11)	16.0 (12)							

The table gives observed Zürich smoothed sunspot numbers for Cycle 21 up to the one calculated from the latest observed data, marked by a vertical bar. They are based on final Zürich numbers through 1977 and provisional Zürich numbers thereafter. Some of these data after the June 1976 value will change slightly when final data for 1978 are received. The numbers after the vertical bar are predictions by the McNish-Lincoln method (see *Explanation of Data Reports*, February 1978). Shown in parentheses are the corresponding absolute values of the 90% confidence interval, an indication of the uncertainty above and below the predicted number.

The McNish-Lincoln method is very sensitive to the identification of a minimum epoch. In SGD 390-401 issues, the Cycle 21 predictions were based on March 1976 as the minimum epoch. Latest studies, including one published by Waldmeier, show that June 1976 is the more appropriate epoch of minimum. Thus, we have adopted a June 1976 minimum.

*Prediction of Sunspot Maximum -- The McNish-Lincoln prediction method is recommended for predictions up to only one year ahead. From that point, the predictions regress rapidly towards the mean value. Combining this McNish-Lincoln prediction of sunspot maximum with the Ohl method (as done by Sargent, see *Explanation of Data Reports*, February 1978) indicates that the most probable value for sunspot maximum is 154 ± 37 .

12
Jun 78

H α SOLAR FLARES

JUNE 1978

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM- POR- TANCE	OBS. COND. TYPE	MEASUREMENTS			REMARKS	
	DATE JUN	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MCMATH PLAGE REGION	CMP DAY				TIME UT	MEAS. AREA MIL. OF DIA.	CORR. AREA Sq. Deg.		
					LAT.	MER. DIST.											
MITK	01	0006	0012	0108	N19	W08	.442	15319	31.4	62	1B	C	0012	420	4.7	E	
BUCA	01	0649	0650	0700	N21	W10	.481		31.5	11	SF	C	0650	86	1.0	E	
BUCA	01	0735E		0800D	N22	W09	.490		31.6	250	SF	C	0745	53	.6	E	
MONT	01	0940	1009	1016	S17	W59	.854		28.0	36	SF	C	1009	50		E	
HTPR	01	1002	1003	1011	S18	W26	.470		30.5	9	SF	C	1003	10	.1		
HTPR	01	1027	1030	1034	N20	W17	.514		31.2	7	SF	C	1030	20	.2	E	
RAMY	01	1142	1152	1159	S16	W59	.853		28.1	17	SB	3	C		22		F
HTPR	01	1151	1153	1153	S17	W56	.827		28.3	2	SF	C	1153	30	.5		
RAMY	01	1214	1215	1223	N25	W40	.763		29.5	9	SB	3	C		21		
RAMY	01	1326	1326	1354	N21	W17	.526		31.3	28	SB	3	C		25		F
RAMY	01	1328	1329	1333	N22	W70	.961		27.3	5	SB	3	C		16		F
HTPR	01	1329	1329	1332	N20	W66	.939		27.6	3	SN	C	1329	20	.4	E	
HTPR	01	1350	1356	1406	S24	W90	.999		25.8	16	SN	C	1356	50			
RAMY	01	1448	1449	1540	N21	W18	.534		31.3	52	SN	3	C		259		F
RAMY	01	1448	1510	1540	N21	W18	.534		31.3	52	SB	3	C		116		F
HTPR	01	1448		1511D	N21	W07	.467		1.1	230	SN	C	1501	130	1.3	E	
MCMA	01	1457E		1541D	N21	W15	.511	15319	31.5	440	SN	P	1457	80	.9	E	
RAMY	01	1521	1526	1542	S16	W62	.879		28.0	21	SN	3	C		16		F
RAMY	01	1600	1602	1627	N21	W19	.542		31.2	27	SN	3	C		42		F
PALE	01	1658	1700	1702	S17	W64	.894		27.9	4	SN	3	C		16		F
RAMY	01	1700	1701	1704	N21	W19	.542		31.3	4	SN	3	C		20		DE
MCMA	01	1730	1738	1750	N20	W60	.902	15314	28.2	20	SN	C	1738	30	.6	E	
RAMY	01	1732	1739	1747	N22	W72	.969		27.3	15	SN	3	C		25		F
PALE	01	1743	1744	1748	N21	W74	.976		27.2	5	SN	3	C		14		DE
PALE	01	1743	1743	1750	S17	W64	.894		27.9	7	SN	3	C		12		DE
PALE	01	1917	1917	1923	S17	W65	.902		27.9	6	SN	3	C		12		DE
PALE	01	1928	1928	1937	N20	W20	.539		31.3	9	SN	3	C		21		DE
PALE	01	1939	1939	1943	N16	W67	.939		27.8	4	SN	3	C		16		DE
MCMA	01	1939	1941	1946	N18	W66	.936	15314	27.9	7	SN	C	1941	30	.9	DE	
MCMA	01	1945	1952	1959D	N16	E37	.678	15333	4.6	140	SN	C	1952	30	.4	DE	
PALE	01	1947	1947	1952	S17	W66	.909		27.9	5	SN	3	C		15		EK
PALE	01	2113E	2113U	2115D	N23	W45	.795	15314	29.5	20	1B	3	C		254		DE
TEHR	02	0258	0303	0319	N25	W46	.814		29.7	21	SB	2	C		127		
HTPR	02	0652	0730	0845	N26	W32	.703		30.9	113	SF	C	0730	40	.4		
HTPR	02	0815	0822	0835	N22	W31	.661		31.0	20	SF	C	0822	10	.1		
MONT	02	0750	0754	0759	S18	W78	.973	15321	27.5	9	1N	C	0754	240			
HTPR	02	0843	0844	0849	S14	W78	.974		27.5	6	SF	C	0844	20			
HTPR	02	0952	0955	0957	S14	W78	.974		27.6	5	SF	C	0955	20			
HTPR	02	1103	1110	1118	S17	W80	.981		27.5	15	SN	C	1110	150			
PALE	02	1646	1647	1658	N23	W56	.882		29.5	12	SN	3	C		19		DE
RAMY	02	1647	1648	1655	N25	W56	.888		29.5	8	SB	2	C		26		F
RAMY	02	1648	1648	1652	N21	W32	.662		31.3	4	SN	2	C		48		F
PALE	02	1800	1809	1824	N23	W57	.889		29.5	24	SN	3	C		17		
PALE	02	1803	1803	1902	N23	W43	.778		30.5	59	SN	3	C		19		DE
PALE	02	1935	1937	1953	S17	W79	.977		27.9	18	SN	3	C		36		FDE
PALE	02	2121	2122	2138D	S17	W80	.981		27.9	170	SB	3	C		15		DE
PALE	02	2307E	2313U	2330D	N25	W60	.914		29.5	230	SN	3	C		72		FDE
TEHR	03	0535	0542	0551	N26	W65	.944		29.4	16	SB	1	C		95		
HTPR	03	0738	0743	0750	N28	W63	.937		29.6	12	SN	C	0743	20	.4		
HTPR	03	1408	1408	1412	N22	W42	.764		31.4	4	SF	C	1408	20	.3		
MONT	05	0729E	0736	0812	N23	W68	.954	15319	31.2	430	1B	C	0736	300			
TEHR	05	0730E	0738	0803	N21	W63	.924	15319	31.6	330	1B	2	C		286		FDE
RAMY	05	1250	1318	1354	N21	W72	.969	15319	31.1	64	1B	3	C		113		DE
MCMA	05	1250E	1318	1345	N22	W70	.962	15319	31.3	550	1N	C	1318	50	2.0	EK	
MCMA	05	1250E	1331	1345	N22	W70	.962	15319	31.3	550	1N	C	1331	60	2.4	EK	
TEHR	05	1308	1312	1340	N21	W65	.936	15319	31.7	32	1B	3	C		222		
HTPR	06	1107		1141D	N18	E37	.693		9.2	340	SF	C	1113	10	.1		
MCMA	06	1111	1117	1150	N18	E39	.714	15342	9.4	39	SF	C	1117	25	.4	D	
HTPR	06	1217	1218	1220	N22	W80	.993		31.5	3	SF	C	1218	20			
PALE	07	1735	1736	1737	S27	W69	.930		2.6	2	SN	3	C		12		DE
RAMY	08	1110	1112	1126	N18	E77	.984		14.2	16	SN	3	C		15		
RAMY	10	1221	1222	1254	N15	W79	.988		4.6	33	SN	3	C		8		
RAMY	10	1253	1254	1300	S12	E23	.396		12.3	7	SN	3	C		32		
MCMA	10	1548	1559	1608	N16	E19	.491	15352	12.1	20	SN	C	1559	25	.3	DL	

13
Jun 78

H α SOLAR FLARES

JUNE 1978

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM-PORTANCE	OBS. COND. TYPE	MEASUREMENTS			REMARKS
	DATE - JUN	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MCMA PLAGE REGION	CMP DAY				TIME UT	MEAS. AREA Mill of Disk	CORR. AREA Sq. Deg.	
					LAT.	MER. DIST.										
MANI	11	0204	0206	0214	N14	W50	.806		7.3	10	SF	P		40	.6	
MCMA	11	1052E		11150	N17	E90	1.001	15360	18.2	230	SN	C				
RAMY	11	1338	1339	1422	S32	E52	.815		15.5	44	SF	3 C		17		
PALE	12	0311	0315	0323	N16	W 2	.387		12.0	12	SN	3 C		134		FDE
RAMY	12	1136	1136	1224	N17	W 7	.417		12.0	48	SN	3 C		28		
RAMY	12	1254	1258	1316	N17	W 7	.417		12.0	22	SB	3 C		53		
RAMY	12	1637	1637	1720	N17	W 9	.427		12.0	43	SB	3 C		156		F
PALE	12	1818	1821	1834	N16	W10	.419		12.0	16	SB	3 C		88		FDE
PALE	12	1845	1846	1859	S33	E38	.694		15.6	14	SN	3 C		19		DE
PALE	12	1855	1859	1903	N16	W11	.425		12.0	8	SN	3 C		66		DE
PALE	12	2012	2012	2017	N16	W11	.425		12.0	5	SN	3 C		28		DE
PALE	12	2035	2042	2045	N16	W11	.425		12.0	10	SN	3 C		90		DE
PALE	12	2116	2121	2138	N16	W12	.432		12.0	22	SB	3 C		109		FDE
PALE	12	2239	2242	2250	N16	W13	.440		12.0	11	SB	3 C		109		FDE
PALE	12	2352	2357	0000	N16	W13	.440		12.0	8	SN	3 C		62		FDE
MANI	13	0136E	0137	01460	N16	W16	.465		11.9	100	SN	V		90	1.0	
PALE	13	0155	0156	02100	N16	W15	.456		12.0	150	SB	3 C		153		DE S
TEHR	13	0444	0452	0525	N17	W15	.469		12.1	41	SN	2 C		159		
BUCA	13	0706E		0717	N17	W19	.504		11.9	110	SF	C	0706	43	.5	D
TEHR	13	0836E	0837	0853	N18	W20	.525		11.9	170	SN	3 C		96		
TEHR	13	1112	1114	1125	N17	W22	.533		11.8	13	SB	2 C		64		
RAMY	13	1407E	1408	14100	N16	W22	.522		11.9	30	SB	3 C		21		F
RAMY	13	1505	1507	1517	N15	E58	.878		18.0	12	SN	3 C		28		F
MCMA	13	1515E		15220	N17	E60	.898	15360	18.1	70	SN	P	1515	60	1.3	E
RAMY	13	1510	1511	1518	N16	W23	.532		11.9	8	SB	3 C		38		F
MCMA	13	1515E		15220	N17	W25	.563	15352	11.8	70	SN	P	1517	60	.7	E
PALE	13	1716	1717	1720	N16	W24	.543		11.9	4	SB	3 C		47		DE
RAMY	13	1717	1718	1722	N16	W24	.543		11.9	5	SB	3 C		38		
MCMA	13	1720E	1720	1724	N17	W25	.563	15352	11.8	40	SN	C	1720	25	.3	D
PALE	13	1737	1739	1750	N16	W24	.543		11.9	13	SB	3 C		50		DE
MCMA	13	1739	1740	17420	N17	W25	.563	15352	11.9	30	SB	C	1740	35	.4	D
PALE	13	1820	1821	1823	N15	W25	.544		11.9	3	SB	3 C		35		DE
RAMY	13	1858	1858	19090	N16	W26	.564		11.8	110	SB	3 C		38		F
MCMA	13	1900E		19020	N17	W27	.584	15352	11.8	20	SN	C	1900	25	.3	D
PALE	13	1919	1920	1930	N15	W26	.555		11.9	11	SB	3 C		140		HDE
PALE	13	2002	2004	2008	N15	W26	.555		11.9	6	SN	3 C		36		DE
RAMY	13	2016	2019	2053	N16	W26	.564		11.9	37	SB	3 C		72		
PALE	13	2018	2018	2053	N15	W26	.555		11.9	35	SB	3 C		114		HDE
RAMY	13	2121	2124	2145	N16	W26	.564		11.9	24	SB	3 C		190		
PALE	13	2121	2124	2141	N15	W27	.566	15352	11.9	20	1B	3 C		206		HDE
PALE	13	2218	2218	2223	N15	W27	.566		11.9	5	SN	3 C		36		HDE
PALE	13	2320	2320	2325	N15	W28	.577		11.9	5	SN	3 C		20		DE H
HTPR	14	0555	0559	0605	N17	W33	.648		11.8	10	SN	C	0559	60	.7	
TEHR	14	0731	0733	0740	N16	W35	.662		11.7	9	SB	2 C		32		
RAMY	14	1135	1136	1156	N16	W57	.873		10.2	21	SN	3 C		14		F
RAMY	14	1153	1200	1244	N14	E46	.768		17.9	51	SB	3 C		90		F
MCMA	14	1153	1202	1235	N16	E47	.786	15360	18.0	42	SN	C	1202	35	.5	E
RAMY	14	1209	1210	1236	N16	W57	.873		10.2	27	SN	3 C		25		
MCMA	14	1414	1415	1430	N17	W35	.669	15352	12.0	16	SN	C	1415	30	.4	D
RAMY	14	1615	1615	1627	N18	E55	.863		18.8	12	SN	3 C		56		
MCMA	14	1616	1618	1630	N17	E52	.835	15360	18.6	14	SF	C	1618	20	.4	D
MCMA	14	1721		17370	N17	W37	.690	15352	11.9	160	SN	C	1725	25	.4	OK
PALE	14	2003	2005	20270	N19	E55	.866		19.0	240	SN	3 C		60		FDE
MCMA	14	2008E		2022	N18	E51	.830	15360	18.7	140	SB	C	2008	40	.7	E
MCMA	14	2008E		2018	N17	W38	.700	15352	12.0	100	SF	C	2008	40	.6	E
PALE	15	0141	0143	0154	N15	W42	.731		11.9	13	SB	3 C		42		FDE
TEHR	15	0342E	0344	0351	N18	W43	.757		11.9	90	SB	2 C		127		F
RAMY	15	1415	1423	1445	N16	W19	.494		14.2	30	SB	3 C		59		
RAMY	15	1628	1628	1637	N25	E 7	.538		16.2	9	SB	3 C		33		
MCMA	15	1759E		19300	N17	W13	.455	15354	14.8	910	SN	C	1820	50	.6	EK
MCMA	15	1906	1907	1915	N16	W52	.832	15352	11.9	9	SF	C	1907	25	.4	D
MCMA	15	2029	2033	2055	N26	E08	.555	15363	16.5	26	SN	C	2033	35	.4	E
RAMY	15	2031	2034	20410	N25	E 4	.531		16.2	100	SN	3 C		51		
PALE	16	0054	0055	0057	N18	W58	.886		11.7	3	SN	3 C		32		FDE
PALE	16	0057	0100	0104	N25	E 2	.529		16.2	7	SN	3 C		32		FDE
RAMY	16	1125	1126	1131	N16	W61	.903		11.9	6	SB	3 C		45		
RAMY	16	1143	1153	1202	N16	W62	.910		11.8	19	SB	3 C		40		

14
Jun 78

H α SOLAR FLARES

JUNE 1978

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM- POR- TANCE	COND.	OBS. TYPE	MEASUREMENTS ¹			REMARKS
	DATE JUN	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MCMA PLAGE REGION	CMP DAY					TIME UT	MEAS. AREA MILL OF Disk	CORR. AREA Sq. Deg.	
					LAT.	MER. DIST.											
RAMY	16	1401	1405	1435D	N16	E20	.504		18.1	340	SB	3	C		54		
RAMY	16	1525	1532	1545	S24	E64	.895		21.4	20	SB	3	C		32		
RAMY	16	1650	1651	1658	S24	E63	.888		21.4	8	SB	3	C		21		
MITK	16	2259E		2321	N13	W68	.942	15352	11.9	220	1N		C	2259	170		E
MITK	17	0215	0225	0301	N17	E07	.421	15360	17.6	46	1N		C	0225	240	2.6	F
HTPR	17	1313	1317	1325	N30	E90	1.002		24.3	12	SF		C	1317	50		
RAMY	17	1548	1549	1553	N19	W21	.547		16.1	5	SN	3	C		26		F
RAMY	17	1826E	1836	1839D	N15	W41	.721		14.7	130	SB	3	C		132		F
RAMY	17	1826E	1827	1830D	N15	W41	.721		14.7	40	SB	3	C		68		F
MCMA	17	1835E		1858D	N15	W40	.711	15354	14.8	230	1B		C	1840	130	2.0	E
PALE	17	2150	2152	2228D	N14	W44	.748	15354	14.6	380	1B	3	C		181		OE F
MITK	18	0010	0027	0106	N18	E10	.451	15360	18.8	56	1N		C	0027	310	3.4	F
MANI	18	0011	0013	0032	N19	E10	.466		18.8	21	SN		P		100	1.1	F
PALE	18	0022	0022	0038	N18	E10	.451		18.8	16	SN	3	C		38		OE
PALE	18	0030	0033	0100	N14	W45	.758	15357	14.6	30	1B	3	C		133		OE
MANI	18	0033	0036	0040D	N15	W44	.753	15357	14.7	70	1N		P		150	2.2	
PALE	18	0123	0123	0132	N14	W46	.768		14.6	9	SN	3	C		45		OE
MITK	18	0718	0742	0806	N26	W30	.694		16.1	48	SN		C	0742			E
BUCA	18	0720E		0800D	N25	W30	.686		16.1	400	SN		C	0740	107	1.4	E
MCMA	18	1208	1210	1212D	N20	E06	.463	15360	19.0	40	SB		C	1210	30	.3	D
RAMY	18	1637	1638	1656	N15	W53	.838		14.7	19	SB	2	C		49		F
MCMA	18	1650E		1700D	N17	W52	.836	15354	14.8	100	SF		C	1650	50	.9	E
MITK	19	0354	0359	0422	N18	W05	.430		18.8	28	SN		C	0359			E
PALE	19	0355	0357	0404	N19	W 6	.448		18.7	9	SB	3	C		123		OE
TEHR	19	0400	0407	0414	N19	W 3	.441		18.9	14	SN	2	C		127		
TEHR	19	0400E	0407	0414	N19	W 3	.441		18.9	140	SN	2	C		127		
MCMA	19	1550E	1551	1605D	N17	W21	.526	15360	18.1	150	SN		C	1551	50	.6	E
MCMA	19	1816E		1830	N25	W50	.850	15354	16.0	140	SF		P	1819	50	.9	E
PALE	19	1816	1816	1821	N25	W46	.819		16.3	5	SN	3	C		17		F
MITK	19	2336	2339	2356	N26	W53	.875		16.0	20	SB		C	2339			E
PALE	19	2337	2338	2343D	N25	W49	.842	15363	16.3	60	1B	3	V		150		FDE
PALE	20	0045	0045	0052	N17	E69	.953		25.2	7	SN	3	C		24		FDE
HTPR	20	0807	0812	0814	N17	E66	.937		25.3	7	SN		C	0812	70	1.6	
HTPR	20	0813	0817	0819	S19	E90	.999		27.1	6	SF		C	0817	20		
HTPR	20	0839	0843	0845	N16	E66	.935		25.3	6	SF		C	0843	10	.2	
HTPR	20	0908	0912	0917	S19	E90	.999		27.1	9	SF		C	0912	10		
HTPR	20	0922	0924	0934	S19	E90	.999		27.1	12	SN		C	0924	50		
HTPR	20	1015	1020	1035	N12	W05	.336		20.1	20	SF		C	1020	30	.3	E
MCMA	20	1143	1152	1201	S20	E88	.997	15375	27.1	18	SN		C	1152			E
HTPR	20	1152	1153	1156	S19	E87	.996		27.0	4	SN		C	1153	30		
MCMA	20	1252	1258	1303	N16	E63	.917	15368	25.3	11	SN		C	1258	30	.7	EH
RAMY	20	1325	1327	1347	N26	E70	.968		25.8	22	SN	4	C		13		
MCMA	20	1330	1336	1400D	N16	E65	.929	15368	25.4	300	SN		C	1336	50	1.2	E
MCMA	20	1355	1357	1420	S20	E15	.334	15365	21.7	25	SN		C	1357	35	.4	E
HTPR	20	1355	1356	1405	S29	E15	.441		21.7	10	SF		C	1356	40	.4	E
RAMY	20	1356	1358	1404	S30	E15	.453		21.7	8	SN	4	C		30		F
MCMA	20	1431	1435	1437	S20	E87	.996	15375	27.1	6	SN		C	1435			D
HTPR	20	1632	1634	1641	S19	E85	.993		27.1	9	SF		C	1634	20		
MCMA	20	1701	1709	1730	N25	E69	.963	15373	25.9	29	SN		C	1709	20	.6	D
HTPR	20	1703		1711D	N25	E74	.981		26.3	80	SF		C	1708	10		
RAMY	20	1721	1726	1744	N18	E42	.748		23.9	23	SB	3	C		92		
MCMA	20	1722		1808D	N20	E51	.838	15368	24.5	460	1B		C	1734	125	2.2	E
RAMY	20	1734	1735	1741	S17	E47	.730		24.3	7	SN	3	C		19		
MCMA	20	1734	1735	1743D	S18	E48	.743	15366	24.3	90	SF		C	1735	30	.5	E
RAMY	20	1755	1758	1810	S19	E79	.976		26.7	15	SF	3	C		11		
MCMA	20	1908	1910	1917	S18	E47	.732	15366	24.3	9	SN		C	1910	15	.2	D
RAMY	20	1918	1928	1954	S19	E79	.976	15375	26.7	36	1B	2	C		99		
MCMA	20	1919	1928	1945	S19	E83	.988	15375	27.0	26	1N		C	1928			EU
PALE	20	1919	1928	1931D	S18	E78	.972	15374	26.7	120	1N	3	V		88		OE
RAMY	20	2012	2015	2034	S19	E78	.972		26.7	22	SF	2	C		23		
MCMA	20	2150	2153	2201D	S18	E46	.721	15366	24.4	110	SF		C	2153	15	.2	D
MCMA	20	2209	2212	2220D	S18	E82	.986	15375	27.1	110	SN		C	2212			D
PALE	20	2210	2211	2218	S18	E76	.964		26.6	8	SN	3	C		13		F
PALE	20	2255	2255	2309	N18	W40	.728		18.0	14	SN	3	C		23		F
PALE	20	2337	2338	0008	N25	W49	.843	15358	17.3	31	1B	3	C		175		U F
MITK	21	0034E		0038	S17	E44	.695		24.3	40	SF		C	0034			D
TEHR	21	0514E	0516	0526	S18	E71	.939		26.5	120	SB	2	C		64		

H α SOLAR FLARES

JUNE 1978

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM- POR- TANCE	OBS. COND. TYPE	MEASUREMENTS*			REMARKS	
	DATE JUN	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MCMATH PLAGE REGION	CMP DAY				TIME UT	MEAS. AREA MIL of Disk	CORR. AREA Sq. Deg.		
					LAT.	MER. DIST.											
HTPR	21	0804	0808	0815	N16	E56	.866		25.5	11	SF		C	0808	30	.5	
HTPR	21	0925	0927	0931	N18	E52	.840		25.3	6	SF		C	0927	30	.5	
HTPR	21	1001	1005	1015	S17	E73	.950		26.9	14	SF		C	1005	20		
RAMY	21	1120	1442	1452	N11	W20	.452		20.0	212	SB	3	C		150		
RAMY	21	1200	1209	1332	S19	E66	.907		26.5	92	SB	3	C		47		
RAMY	21	1242	1242	1301	N16	E51	.824		25.4	19	SN	3	C		20		
HTPR	21	1306	1309	1319	S18	E37	.611		24.3	13	SN		C	1309	60	.7	EG
RAMY	21	1400	1541	1543D	S19	E66	.907	15366	26.5	103D	1B	3	V		200		
RAMY	21	1420	1442	1452	N11	W20	.452		20.1	32	SB	3	C		150		
MCMA	21	1442E		1453D	N12	W22	.485	15370	20.0	11D	SN		C	1442	75	.8	EK
MCMA	21	1534E	1538	1550D	S22	E73	.949	15375	27.1	16D	1B		C	1538	100	4.0	E
HTPR	21	1534	1539	1546	S22	E72	.944		27.0	12	SN		C	1539	130		
RAMY	21	1541E	1541	1612	S19	E66	.907	15366	26.6	31D	1B	3	C		200		
MCMA	21	1618	1622	1635	N20	E35	.692	15368	24.3	17	SF		C	1622	40	.6	E
MCMA	21	1715	1724	1731D	S16	E69	.927	15375	26.9	16D	SN		C	1724	25	.8	E
PALE	21	2155E	2155U	2234D	N11	W24	.499		20.1	39D	SB	3	C		162		FDE
MANI	22	0236E	0236U	0240D	S20	E67	.914		27.1	4D	SF		V		40	.9	F
PALE	22	0237E	0237U	0250D	S19	E63	.885		26.8	13D	SB	3	C		120		FDE
MANI	22	0243E	0245	0258	S20	E66	.907		27.1	15D	SN		V		90	1.9	F
HTPR	22	0519E	0532	0552	S26	W08	.349		21.6	33D	SF		C	0532	70		E
TEHR	22	0601	0604	0650	S26	W08	.349	15370	21.7	49	1N		C	0604	260	2.9	E
HTPR	22	0605E	0610	0629	S28	W 5	.366		21.9	24D	SB	1	C		190		FDE
HTPR	22	0843	0849	0900	N09	W27	.520		20.3	17	SF		C	0849	40	.4	
HTPR	22	1027	1030	1030	S23	E59	.855		26.9	3	SF		C	1030	40	.8	E
HTPR	22	1356		1404D	N32	E20	.688		24.1	8D	SF		C	1401	20	.2	E
RAMY	22	1600	1600	1612	N11	W35	.633		20.0	12	SB	3	C		19		
HTPR	22	1601		1609D	N12	W30	.579		20.4	8D	SF		C	1608	20	.2	
RAMY	22	1645	1745	2002D	N17	E16	.482	15368	23.9	197D	2N	3	C		992		FDE
RAMY	22	1645	1654	2002D	N17	E16	.482	15368	23.9	197D	1B	3	C		320		FDE
PALE	22	1734E	1805U	2240	N19	E17	.515	15368	24.0	306D	2B	3	C		550		UF
PALE	22	1940	1955	2101	S20	E54	.807	15375	26.9	81	1B	3	C		265		Z F
RAMY	22	1949	1953	1956D	S19	E53	.796	15375	26.8	7D	1B	3	C		188		
MCMA	22	2103E		2341D	N17	E16	.482	15368	24.1	158D	1F		C	2104	200	2.1	BFL
MCMA	22	2117	2130	2201D	N24	E37	.739	15373	25.7	44D	SB		C	2130	75	1.1	EL
PALE	22	2118	2130	2155	N27	E44	.814		26.2	37	SB	3	C		84		FDE
MCMA	22	2246	2251	2300	N18	E63	.921	15376	27.7	14	SB		C	2251	25	.6	D
PALE	22	2248	2251	2259	N21	E58	.895		27.3	11	SN	3	C		31		FDE
PALE	23	0104	0120	0125	N21	E57	.888		27.3	21	SN	3	C		34		FDE
BUCA	23	0744E	0749	0830D	N25	E30	.687	15373	25.6	46D	1B		C	0749	322	4.1	CE
ISTA	23	0745		0800	N26	E31	.704		25.6	15	SN		C				E
TEHR	23	0749E	0801	0808	S24	E38	.644	15315	26.2	19D	1B	2	C		222		FDE
MCMA	23	1043	1050	1102	N13	W46	.765	15370	20.0	19	SN		C	1050	70	1.0	E
MCMA	23	1132	1135	1154	S28	W24	.513	15365	21.7	22	SN		C	1135	30	.4	E
MCMA	23	1143	1146	1154	N24	E29	.670	15373	25.7	11	SN		C	1146	30	.4	E
RAMY	23	1206	1207	1215	N23	E56	.887		27.7	9	SN	3	C		21		
MCMA	23	1210	1214	1220	N23	E57	.893	15376	27.8	10	SN		C	1214	40	.8	EK
RAMY	23	1234	1234	1239	N23	E56	.887		27.7	5	SN	3	C		16		
MCMA	23	1318	1323	1348	N23	E53	.865	15376	27.5	30	SB		C	1323	60	1.1	E
RAMY	23	1328	1328	1340	N23	E55	.880		27.7	12	SN	3	C		18		
MCMA	23	1328	1340	1404D	N23	E27	.643	15373	25.6	36D	SB		C	1340	90	1.1	E
RAMY	23	1331	1337	1401	N25	E31	.695		25.9	30	SB	3	C		56		
HTPR	23	1346E		1401	N24	E27	.653		25.6	15D	SF		C	1348	50	.5	E
HTPR	23	1416		1422D	S28	W26	.534		21.6	6D	SN		C	1419	120	1.4	E
RAMY	23	1417	1418	1426	S27	W24	.504		21.8	9	SB	3	C		62		
RAMY	23	1619	1620	1625	N25	E28	.671		25.8	6	SN	3	C		22		
RAMY	23	1624	1627	1636	N27	E57	.905		28.0	12	SN	3	C		18		
RAMY	23	1731	1735	1748	N25	E27	.662		25.8	17	SB	3	C		111		F
MCMA	23	1732	1736	1757	N25	E26	.654	15373	25.7	25	SB		C	1736	130	1.7	E
PALE	23	1733	1735	1740D	N27	E27	.682		25.8	7D	SB	3	C		120		FDE
PALE	23	2215	2216	2218	S21	E39	.645		26.9	3	SN	3	C		23		F
PALE	23	2305	2309	2322	S20	E38	.629		26.8	17	SN	3	C		51		F
PALE	24	0008	0009	0021	S20	E38	.629		26.9	13	SN	3	C		56		F
HTPR	24	0950		0953D	N25	E48	.836		28.0	3D	SF		C	0952	20	.3	E
HTPR	24	1015	1019	1028	N20	W05	.463		24.1	13	SF		C	1019	20	.2	
MCMA	24	1036	1039	1105	N25	E49	.843	15376	28.1	29	SB		C	1039	20	.3	D
HTPR	24	1038	1042	1100	N25	E47	.828		28.0	22	SF		C	1042	20	.3	
RAMY	24	1205	1208	1223	S20	E30	.527		26.8	18	SB	4	C		43		H
MCMA	24	1207	1208	1211	S24	E34	.597	15375	27.1	4	SB		C	1208	20	.3	D
HTPR	24	1208	1208	1209	S23	E35	.604		27.1	1	SN		C	1208	30	.4	

16
Jun 78

H α SOLAR FLARES

JUNE 1978

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM- POR- TANCE	OBS.			MEASUREMENTS			REMARKS
	DATE JUN	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MCMA PLAGE REGION	CMP DAY			COND.	TYPE	TIME UT	MEAS. AREA MIL of Disk	CORR. AREA Sq. Deg.		
					LAT.	MER. DIST.												
RAMY	24	1249	1259	1314	N17	W 8	.429		23.9	25	SB	4	C		60			
RAMY	24	1253	1324	1404	S20	E29	.514		26.7	71	SB	4	C		88		FDE	
HTPR	24	1320	1329	1350	S22	E33	.575		27.0	30	SN		C	1329	70	.8	E	
TEHR	24	1321E	1325	1357	S21	E34	.583		27.1	360	SB	2	C		95		F	
MCMA	24	1321	1332	14100	S23	E33	.580	15375	27.0	490	SN		C	1332	70	.9	E	
RAMY	24	1413	1414	1522	N16	H87	1.000		18.1	69	SB	4	C		0			
RAMY	24	1413	1437	1522	N16	H87	1.000		18.1	69	SN	4	C		0			
TEHR	24	1414E	1416	14170	N20	H88	1.000		18.0	30	SN	2	V		64			
HTPR	24	1528	1531	1539	N28	E21	.650		26.2	11	SF		C	1531	20	.2		
MCMA	24	1529	1531	15380	N28	E21	.650	15373	26.2	90	SN		C	1531	40	.5	E	
RAMY	24	1530	1531	1536	N25	E15	.578		25.8	6	SB	4	C		27			
RAMY	24	1542	1547	1608	N17	W10	.440		23.9	26	SN	3	C		31			
RAMY	24	1733	1734	1756	S20	E27	.487		26.8	23	SN	3	C		22			
PALE	24	2042	2043	2050	S20	E25	.461		26.7	8	SN	3	C		26		F	
BUCA	25	0805E		0825	N28	E12	.602		26.2	200	SF		C	0808	31	.4		
MCMA	25	1337	1342	14050	N22	E28	.643	15376	27.7	280	SN		C	1342	60	.7	E	
BUCA	26	0820E		08400	S16	E07	.194		26.9	200	SF		C	0830	63	.7	E	
MCMA	26	1453E		14560	S17	W04	.184	15375	26.3	30	SN		P	1453	40	.5	EH	
MCMA	26	2036E		20400	S17	W07	.207	15375	26.3	40	SN		P	2036	40	.5	EH	
HTPR	27	0658	0705	0720	N26	E10	.568		28.0	22	SF		C	0705	20	.2		
HTPR	27	0807	0809	0823	S17	W05	.190		27.0	16	SF		C	0809	20	.2	E	
BUCA	27	0810E		0827	S17	W04	.183		27.0	170	SF		C	0817	23	.3	E	
BUCA	27	0822		0847	N22	E07	.500		27.9	25	SN		C	0825	19	.2		
HTPR	27	0838	0840	0852	N18	W40	.729		24.4	14	SN		C	0840	70	.9	E	
BUCA	27	0840		08560	N20	W41	.751		24.3	160	SN		C	0845	31	.4		
ISTA	27	0843		0853	N15	W42	.733		24.2	10	SF							
HTPR	27	1001	1003	1017	N15	E69	.950	15381	4.6	16	IN		C	1003	100	2.4	E	
MCMA	27	1101	1107	11250	N14	E70	.954	15381	4.7	240	SF		C	1107	40	1.2	E	
MCMA	27	1105	1107	1115	N25	E07	.543	15376	28.0	10	SN		C	1107	35	.4	E	
HTPR	27	1110	1140	1200	S17	W16	.316		26.3	50	SN		C	1140	80	.8	EK	
MCMA	27	1112	1145	1240	S18	W14	.299	15375	26.4	88	SB		C	1145	120	1.3	EK	
MCMA	27	1130	1132	11450	N25	E07	.543	15376	28.0	150	SF		C	1132	30	.3	D	
HTPR	27	1147	1151	1200	N22	E04	.492		27.8	13	SN		C	1151	60	.6	E	
MCMA	27	1148	1152	1205	N23	E04	.507	15376	27.8	17	SB		C	1152	50	.6	E	
MCMA	27	1159	1201	1205	N20	E90	1.001	15382	6.2	6	SN		C	1201				
HTPR	27	1242	1243	1254	N14	E67	.938		4.6	12	SF		C	1243	30	.7	E	
MCMA	27	1244	1245	1254	N14	E70	.954	15381	4.8	10	SN		C	1245	40	1.2	E	
MCMA	27	1340E		14100	N20	E79	.991	15381	5.5	300	SN		C	1350			EKLY	
HTPR	27	1358	1400	1408	N17	W30	.619		25.3	10	SF		C	1400	30	.3	E	
MCMA	27	1916	1921	19300	N14	E66	.932	15381	4.8	140	SN		C	1921	50	1.3	D	
MCMA	27	1921	1924	1930	S17	W13	.276	15375	26.8	9	SB		C	1924	80	.9	EH	
MCMA	27	1922	1927	1933	N27	E04	.565	15376	28.1	11	SN		C	1927	25	.3	D	
PALE	28	0248E	0248	02520	S20	W16	.344	15375	26.9	40	2B	3	V		570		FDE	
TEHR	28	0252E	0256	0314	S20	W15	.332		27.0	220	SB	2	C		127		F	
HTPR	28	0748	0751	0800	S23	W24	.469		26.5	12	SF		C	0751	50	.5	E	
HTPR	28	0840	0842	0850	N14	E58	.877		4.7	10	SF		C	0842	40	.8	E	
HTPR	28	1046	1053	1115	S18	W43	.685		25.2	29	SF		C	1053	60	.8		
MCMA	28	1049	1053	11300	S18	W45	.708	15374	25.1	410	SN		C	1053	40	.6	EL	
MCMA	28	1125	1136	1215	N23	W08	.518	15376	27.9	50	SN		C	1136	45	.5	E	
MCMA	28	1305	1312	1324	S23	W27	.506	15375	26.5	19	SN		C	1312	50	.6	E	
TEHR	28	1306E	1312	1318	S19	W28	.495		26.4	120	SB	2	C		64		F	
HTPR	28	1308	1311	1322	S23	W27	.506		26.5	14	SF		C	1311	40	.4	E	
RAMY	28	1309	1311	1324	S19	W22	.413		26.9	15	SB	4	C		36		F	
HTPR	28	1533	1533	1538	N27	W07	.572		28.1	5	SF		C	1533	60	.7	E	
MCMA	28	1535	1540	16000	N19	W11	.475	15368	27.8	250	SN		C	1540	50	.7	D	
RAMY	28	1535	1538	1601	N17	W41	.734		25.6	26	SB	3	C		25			
RAMY	28	1546	1552	1557	S15	E67	.913		5.7	11	SF	3	C		13			
RAMY	28	1551	1552	1606	N17	E48	.801		4.3	15	SN	3	C		63			
MCMA	28	1551	1552	1601	N15	E52	.830	15381	4.6	10	SN		C	1552	50	.9	EL	
RAMY	28	1614	1614	1627	N17	W42	.744		25.5	13	SN	3	C		18			
RAMY	28	1615	1615	1621	N17	E48	.801		4.3	6	SN	3	C		16			
RAMY	28	1636	1656	1710	N17	W42	.744		25.5	34	SB	3	C		76			
MCMA	28	1643	1655	1714	N15	W48	.793	15368	25.1	31	SB		C	1655	80	1.3	E	
HTPR	28	1645	1652	1708	N14	W45	.760		25.3	23	SN		C	1652	80	1.1	E	
HTPR	28	1720	1722	1735	S20	W25	.460		26.8	15	SF		C	1722	60	.7	EK	
RAMY	28	1720	1723	1747	S19	W25	.454		26.8	27	SB	3	C		57		F	
HTPR	28	1800	1808	1818	N27	W08	.575		28.2	18	SF		C	1808	20	.2	E	
MCMA	28	1850E	1852	1905	N15	W49	.803	15368	25.1	150	SB		C	1852	50	.8	D	

17
Jun 78H α SOLAR FLARES

JUNE 1978

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM- POR- TANCE	OBS.		MEASUREMENTS*			REMARKS
	DATE JUN	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MCMA PLAGE REGION	CMP DAY			COND.	TYPE	TIME UT	MEAS. AREA MILL. OF DISK	CORR. AREA Sq. Deg.	
					LAT.	MER. DIST.											
PALE	28	1853E	1854U	19020	N16	H46	.778		25.3	90	SN	3	C		55		U F
MCMA	28	1912	1914	1928	N26	H10	.568	15376	28.1	16	SN	C	C	1914	60	.7	E
MCMA	28	1955	2010	20300	S31	E23	.531	15377	2.6	350	SF	C	C	2010	40	.5	E
MCMA	28	2018	2026	2033	N27	H09	.578	15376	28.2	15	SN	C	C	2026	70	.8	E
MCMA	28	2020	2027	20380	N15	E49	.803	15381	4.5	180	SN	C	C	2027	90	1.4	E
MCMA	28	2108		21250	N15	E48	.793	15381	4.5	170	SB	C	C	2122	100	1.5	EU
TEHR	29	0240E	0244	0258	S20	H29	.513		26.9	180	SB	2	C		159		F
MANI	29	0335E	0335U	0350	S16	H31	.523		26.8	150	SN	P	P		80	1.0	U
TEHR	29	0340E	0344	0358	S20	H29	.513		27.0	180	SB	2	C		159		F
MANI	29	0432E	0434	0449	N26	H14	.586		28.1	170	SF	P	P		40	.4	
TEHR	29	0434E	0442	0448	N22	H17	.554		27.9	140	SB	2	C		95		DE
MANI	29	0501	0501	0508	N26	H14	.586		28.2	7	SF	P	P		20	.2	F
HTPR	29	0522	0537	0553	N17	H51	.828		25.4	31	SF	C	C	0537	30	.5	FK
HTPR	29	0546	0549	0552	S17	H37	.607		26.5	6	SF	C	C	0549	10	.1	
HTPR	29	0826	0828	0835	S18	H40	.648		26.4	9	SF	C	C	0828	20	.3	
HTPR	29	0835	0836	0847	N16	E34	.655		3.9	12	SF	C	C	0836	30	.3	E
HTPR	29	0953	0955	1005	N20	E90	1.001		8.2	12	SN	C	C	0955	60		
MONT	29	0953E	1005	1021	N18	E90	1.001		8.2	280	SN	C	C	1005	70		
HTPR	29	1030	1031	1045	N17	H60	.899		24.9	15	SF	C	C	1031	20	.4	
RAMY	29	1134	1141	1154	N16	E36	.676		4.2	20	SN	3	C		26		
RAMY	29	1152	1210	1301	S19	H35	.587		26.9	69	SB	3	C		82		
HTPR	29	1209	1211	1220	S21	H41	.668		26.4	11	SF	C	C	1211	20	.3	
HTPR	29	1215	1217	1222	N26	H19	.616		28.1	7	SF	C	C	1217	10	.1	
MCMA	29	1216	1218	1223	N27	H20	.634	15376	28.0	7	SN	C	C	1218	25	.3	E
RAMY	29	1216	1216	1224	N23	H22	.603		27.9	8	SB	3	C		22		
HTPR	29	1218	1221	1225	S18	H38	.623		26.7	7	SF	C	C	1221	10	.1	
RAMY	29	1230	1232	1235	N15	H55	.856		25.4	5	SN	3	C		16		F
RAMY	29	1414	1417	1432	N25	H20	.611		28.1	18	SB	3	C		157		
HTPR	29	1414	1417	1430	N27	H20	.634		28.1	16	SB	C	C	1417	180	2.0	E
MCMA	29	1414	1416	1435	N26	H21	.629	15376	28.0	21	SB	C	C	1416	100	1.3	EH
TEHR	29	1415E	1420	1431	N24	H22	.614		27.9	160	SB	2	C		127		
MCMA	29	1542	1543	1550	S22	H43	.694	15375	26.4	8	SN	C	C	1543	40	.6	E
MCMA	29	1600	1610	16400	S16	E55	.813	15384	5.8	400	SF	C	C	1610	70	1.3	E
RAMY	29	1607	1608	1622	S15	E54	.803		5.7	15	SN	3	C		22		F
RAMY	29	1636	1637	1647	N16	E33	.644		4.2	11	SN	3	C		25		F
MCMA	29	1816E		18410	N15	E38	.691	15381	4.6	250	SB	C	C	1830	80	1.1	E
PALE	29	1817	1820	1844	N16	E32	.633		4.2	27	SB	3	C		103		U F
PALE	29	1831	1835	1838	N22	H27	.635		27.7	7	SN	3	C		25		DE
PALE	29	1901	1901	1912	N16	E32	.633		4.2	11	SN	3	C		26		DE
MCMA	29	1901E		20050	N15	E35	.659	15381	4.4	640	SN	C	C	1914	125	1.7	E
PALE	29	1913E	1915	1940	N19	H67	.945		24.8	270	SF	3	C		95		FDE
PALE	29	1920	1923	1945	N16	E26	.569		3.8	25	SN	3	C		36		DE
PALE	29	2134	2146	2153	N22	H29	.653		27.7	19	SN	3	C		27		DE
PALE	29	2134	2155	2155	N16	H61	.904		25.3	21	SN	3	C		27		FDE
PALE	29	2206	2214	2232	N25	H25	.648	15376	28.0	26	1B	3	C		206		UDE
PALE	29	2217	2217	2221	N22	E51	.847		5.8	4	SN	3	C		26		FDE
PALE	29	2226	2233	22360	N16	H61	.904	15368	25.4	100	1B	3	V		131		FDE
PALE	30	0123	0123	0125	N16	H63	.917		25.3	2	SN	3	C		16		F
NITK	30	0153E	0202	0230	N18	H61	.908	15368	25.5	370	1F	C	C	0202	110	2.4	E
PALE	30	0215	0237	0301	N16	H64	.924		25.3	46	SB	3	C		105		F
TEHR	30	0215E	0219	0255	N17	H58	.885		25.7	400	SN	2	C		127		
PALE	30	0236	0236	0250	N22	H31	.671		27.8	14	SN	3	C		27		F
MONT	30	0745	0751	0805	N21	H29	.644		28.1	20	SN	C	C	0751	80		EH
TEHR	30	1052	1054	1112	N18	E18	.513		3.8	28	SB	2	C		190		F
MCMA	30	1052	1053	1113	N17	E18	.501	15381	3.8	21	SB	C	C	1053	80	.9	E
MCMA	30	1146	1149	11590	N19	E31	.646	15381	4.8	130	SB	C	C	1149	60	.8	E
RAMY	30	1152	1153	11560	N16	E22	.527		4.1	40	SN	2	C		29		
MCMA	30	1254	1258	1304	N25	H35	.730	15376	27.9	10	SN	C	C	1258	50	.7	E
RAMY	30	1254	1257	1303	N23	H36	.724		27.8	9	SB	3	C		62		
MCMA	30	1331	1338	1355	N19	E32	.656	15381	5.0	24	SB	C	C	1338	60	.8	E
TEHR	30	1334E	1336	1342	N20	E25	.597		4.4	80	SN	2	C		64		F
RAMY	30	1336	1337	1350	N19	E30	.636		4.8	14	SB	3	C		95		
RAMY	30	1411	1411	1427	N19	E31	.646		4.9	16	SN	3	C		20		
RAMY	30	1445	1450	1525	N17	H68	.948	15368	25.5	40	1B	3	C		206		FDE
MCMA	30	1448	1450	15160	N18	H68	.949	15368	25.5	280	1B	C	C	1450	125	3.7	E
RAMY	30	1527	1544	1603	S15	E41	.655		5.7	36	SB	3	C		148		
MCMA	30	1631E		16350	N27	H35	.745	15376	28.1	40	SN	P	P	1631	20	.3	O
MCMA	30	1704E		17180	N27	H36	.753	15376	28.0	140	SB	P	P	1704	50	.7	E
PALE	30	1706E	1710	17110	N25	H36	.738	15376	28.0	50	1B	3	C		182		U F
PALE	30	1709E	1713	1719	N18	E28	.608		4.8	100	SN	3	C		34		DE

18
Jun 78

H α SOLAR FLARES

JUNE 1978

OBSERVATORY	OBSERVED UT				LOCATION					DURATION — MIN.	IM- POR- TANCE	OBS.		MEASUREMENTS			REMARKS
	DATE JUN	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MCMAH PLAGE REGION	CMP DAY			COND.	TYPE	TIME — UT	MEAS. AREA Mill of Disk	CORR. AREA Sq. Deg.	
					LAT.	MER. DIST.											
PALE	30	1815E	1846U	18460	N22	H41	.762		27.7	310	SN	3	C		58		DE
RAMY	30	1838	1845	1903	N20	E78	.989		8.6	25	SB	3	C		76		F
PALE	30	1848	1849	18570	N19	E72	.969		8.2	90	SB	3	C		41		FDE
RAMY	30	1919	1921	1930	N23	H39	.751		27.9	11	SB	3	C		60		
PALE	30	2107E	2107U	2117	N22	H42	.771		27.7	100	SN	3	C		40		DE
PALE	30	2118E	2118U	21270	N15	E15	.450		4.0	90	SN	3	C		32		DE
PALE	30	2146E	2148U	21500	N15	E15	.450		4.0	40	SN	3	C		20		DE
PALE	30	2345	2353	0010	N22	H30	.662		28.7	25	SN	3	C		64		FDE

: "Remarks":

A = Eruptive prominence whose base is less than 90° from central meridian.

B = Probably the end of a more important flare.

C = Invisible 10 minutes before.

D = Brilliant point.

E = Two or more brilliant points.

F = Several eruptive centers.

G = No visible spots in the neighborhood.

H = Flare accompanied by a high speed dark filament.

I = Active region very extended.

J = Distinct variations of plage intensity before or after the flare.

K = Several intensity maxima.

L = Existing filaments show signs of sudden activity.

M = White-light flare.

N = Continuous spectrum shows effects of polarization.

O = Observations have been made in the calcium II lines H and K.

P = Flare shows helium D₃ in emission.

Q = Flare shows the Balmer continuum in emission.

R = Marked asymmetry in H α line suggests ejection of high velocity material.

S = Brightness follows disappearance of filament (same position).

T = Region active all day.

U = Two bright branches, parallel (||) or converging (Y).

V = Occurrence of an explosive phase: important and abrupt expansion in about a minute with or without important intensity increase.

W = Great increase in area after time of maximum intensity.


X = Unusually wide H α line.

Y = System of loop-type prominences.

Z = Major sunspot umbra covered by flare.

INTERVALS OF NO FLARE PATROL OBSERVATION FOR PRECEDING SOLAR FLARE TABLE

JUNE 1978



Observatories included in total patrol:


Bucharest	Holloman	Manila	Monte Mario	Tehran
Haute Provence	Istanboul	McMath-Hulbert	Palehua	Upice
Herstmonceux	Kodaikanal	Mitaka	Ramey	Wendelstein

Times of no flare patrol are shown by the shaded area for each day divided into times of no cinematographic patrol (bottom half of day) and times of neither visual nor cinematographic patrol (top half of day).

20
Jun 78

SOLAR RADIO EMISSION INTERFEROMETRIC OBSERVATION

JUNE 1978




21
Jun 78

EAST-WEST SOLAR SCANS

JUNE 1978

TOYOKAWA, JAPAN

3 CM
FAN BEAM WITH 1.1 MINUTES OF ARC



22
Jun 78

EAST-WEST SOLAR SCANS


JUNE 1978

ALGONQUIN RADIO OBSERVATORY
CANADA

10.7 cm

Fan Beam with 1.5 minutes of arc

E-W Resolution




EAST-WEST SOLAR SCANS

JUNE 1978

Flours, Australia


21 cm
Fan-Beam with 2 minutes of arc
E-W Resolution



24
Jun 78

EAST-WEST SOLAR SCANS JUNE 1978

Fleurs, Australia



SOLAR RADIO EMISSION SELECTED FIXED FREQUENCY EVENTS

JUNE 1978

JUN 1978	FREQUENCY STATION	TYPE	STARTING TIME	TIME OF MAXIMUM	DURATION	FLUX DENSITY $10^{-22} \text{ W m}^{-2} \text{ Hz}^{-1}$		INT	REMARKS
			UT	UT	MINUTES	PEAK	MEAN		
1	2800 OTTA	21 GRF	1324		34	2.8	1.4		
	2800 OTTA	1 S	1325.3	1326	1.5	3	1.5		
	8800 SGMR	3 S	1325.9	1329	5.1	25.3	10.1		
	2695 SGMR	3 S	1326	1328.5	4.5	19.5	7.8		
	2695 BOUL	4 SF	1328	1329	2.5	13	4		
	2800 OTTA	3 S	1328	1328.7	2.5	15	5		
	2800 OTTA	22 GRF	1415	1514	115	4.2	2.1		
	2800 OTTA	21 GRF	2100	2118	78	3.6	1.4		
	8800 SGMR	3 S	2101.5	2104	3.5	12.6	5		2.5, SWF
	2695 SGMR	3 S	2102	2103.5	7	37.8	15.1		2.5, SWF
	2695 BOUL	46 C	2102	2104	13.5	27	9		
	2695 BOUL	29 PBI	2116	2119.5	5	3	1		
	2800 OTTA	4 S/F	2102	2102.4	7	32	10.5		
	2800 OTTA	1 S	2111	2113.2	4.5	5.8	2.9		
	2800 OTTA	20 GRF	2210	2225	60	2.8	1.4		
	2695 PENT	20 GRF	2336	2340	24	3.4	1.7		
2	2800 OTTA	20 GRF	1425	1500	60	2.2	1.7		
	2800 OTTA	20 GRF	1620	1915	280	5.6	2.8		
3	2800 OTTA	1 S	2212.5	2214	2.5	2.4	1.4		
5	2800 OTTA	22 GRF	1240	1325	110	3.4	1.7		
7	2800 OTTA	1 S	1851	1852	2	1	.5		
8	2800 OTTA	20 GRF	1820	2005	170	2	1		
12	2800 OTTA	20 GRF	1240	1317	85	3.2	1.6		
	2800 OTTA	2 S/F	1636	1637.7	6	8	2.7		
	2800 OTTA	29 PBI	1642	1642	60	2.8	1.4		
	2695 SGMR	1 S	1636.5	2637.7	5.8	7.5	3		SWF
	2800 OTTA	21 GRF	2030	2125	110	2.6	1.4		
	2800 OTTA	1 S	2120	2120.8	2	2	.6		
	2695 PENT	240 R	2350	2500	70	3.6	2		
13	2800 OTTA	27 RF	1218		152	1.2	1.1		
	2800 OTTA	24 R	1218	1230	12	1.2	.6		
	2800 OTTA	24P R	1230		128	1.2			
	2800 OTTA	26 FAL	1438	1450	12	-1.2	-.6		
	2800 OTTA	20 GRF	1454	1605	95	1.6	.8		
	2800 OTTA	20 GRF	1640	1645	25	1	.5		
	2800 OTTA	8 S	1717.8	1718	.4	1.6			
	2800 OTTA	23 GRF	1900	2035	170	3.8	1.9		
	2800 OTTA	1 S	1908.5	1909.1	1.5	.8	.4		
	2800 OTTA	40 F	1918.8	1919.5	3	1.4			
	2695 BOUL	4 SF	1919	1920.5	3	12	4		
	8800 SGMR	3 S	2122.5	2122.7	1	18.6	7.4		SWF
	2695 SGMR	3 S	2122.7	2123.1	1.3	25.5	10.2		SWF
	2800 OTTA	4 S/F	2122.8	2123	1.2	22	5		
	2695 BOUL	8 S	2123.5	2124	1.5	18	6		
14	2695 PENT	1 S	0046.2	0046.9	1	2.6	1.3		
	2695 PENT	2 S/F	0129	0129.8	1.2	4			
	2695 BOUL	1 S	0130	0131	1	4	1		
	2800 OTTA	21 GRF	1100	1220	150	3.4	1.6		
	2800 OTTA	8 S	1235.5	1235.6	.5	1.8	.6		
	2800 OTTA	20 GRF	1405	1415	25	1.8	.9		
	2800 OTTA	27A RF	1500		180	2.2	1.8		
	2800 OTTA	24 R	1500	1550	50	2.2	1.1		
	2695 BOUL	1 S	1543.5	1544	.5	2	1		
	2800 OTTA	24P R	1550		110	2.2			
	2800 OTTA	40 F	1601.2	1602.1	2	8			
	2695 BOUL	2 SF	1602.5	1603	1.5	9	3		
	8800 SGMR	3 S	1620.2	1620.6	1.7	21.8	6.6		
	2695 SGMR	3 S	1620.2	1620.5	.8	37.7	11.3		
	2800 OTTA	3 S	1620	1620.3	2	15	3.4		
	2695 BOUL	8 S	1621	1621.5	1.5	14	5		
	2800 OTTA	8 S	1639	1639.1	.5	4.4	2.6		
	2800 OTTA	40 F	1720.8	1723	3.5	3.8			
	2695 BOUL	40 F	1721.5	1722	2.5	3	1		
	2695 BOUL	4 SF	1734.5	1735	2	13	4		
	2800 OTTA	3 S	1734	1734	2.2	16.6	4.2		
	2800 OTTA	26 FAL	1740	1800	20	-2.2	-1.1		
	2800 OTTA	240 R	1920	2010	50	3.2	1.6		
	2800 OTTA	1 S	2132.5	2132.9	1	2.2			
	2800 OTTA	1 S	2220.2	2220.5	1	4	2		
	2695 PENT	21 GRF	2235	2315	115	3.4	2		
	2695 PENT	1 S	2403	2403.2	1	3.2	1.4		
	2695 PENT	1 S	2407.9	2408	2	7	2.4		
15	2800 OTTA	240 R	1955	2020	25	2.2	1.1		
	2800 OTTA	1 S	2049.9	2050	1.5	6.6	2.2		
	2695 BOUL	2 SF	2050.5	2051	1	7	2		

26
Jun 78

SOLAR RADIO EMISSION SELECTED FIXED FREQUENCY EVENTS

JUNE 1978

JUN 1978	FREQUENCY STATION	TYPE	STARTING TIME	TIME OF MAXIMUM	DURATION	FLUX DENSITY $10^{-22} \text{ W m}^{-2} \text{ Hz}^{-1}$		INT	REMARKS
			UT	UT	MINUTES	PEAK	MEAN		
16	2800 OTTA	240 R	1230	1255	25	1.8	.9		
	[2800 OTTA	22 GRF	1630	1740	215	2.4	1.6		
	[2800 OTTA	240 R	1955	2020	25	1.8	.9		
	[2800 OTTA	240 AR	2210	2250	40	5.8	3.2		
	[2800 OTTA	1 S	2235.2	2235.8	3	2.2	1.1		
	[2695 BOUL	2 SF	2236	2237	1	4	1		
	2695 PENT	20 GRF	2320	2355	100	3.4	1.7		
17	2800 OTTA	240 R	1415	1550	35	4.6	2.3		
	2800 OTTA	240 R	1820	1840	20	3.4	1.7		
	2800 OTTA	20 GRF	1900	1910	18	1.8	.9		
	2800 OTTA	20 GRF	2015	2025	25	1.8	.9		
	2800 OTTA	1 S	2054	2054.5	2	1.2	.5		
	2800 OTTA	1 S	2108	2108.5	3	1.8	.9		
	2800 OTTA	20 GRF	2120	2140	90	2.2	1.4		
18	[2695 PENT	21 GRF	0008	0045	100	7.8			
	[2695 PENT	1 S	0009	0010.6	5	6.2	3		
	[2695 PENT	1 S	0118	0119	3	3.2	1.6		
	[2800 OTTA	20 GRF	1300		90	2.2			
	[2800 OTTA	23 GRF	1515	1700	170	2.8	1.8		
	[2695 PENT	1 S	1706	1707	2	2	1		
	[2800 OTTA	240 R	2020	2035	15	1.8	.9		
	[2800 OTTA	1 S	2147	2148	4	2.6	1.3		
	[2695 BOUL	2 SF	2148	2148.5	1.50	4	1		
	[2695 BOUL	2 SF	2410.5	2411.5	2 0	6	2		
19	[2800 OTTA	21 GRF	1300	1410	130	2.8	1.4		
	[2800 OTTA	1 S	1324	1325.5	4	2.2	1.4		
	[2800 OTTA	27A RF	1540		230	2.2	2		
	[2800 OTTA	24 R	1540	1550	10	2.2	1.1		
	[2800 OTTA	24P R	1550		200	2.2			
	[2800 OTTA	1 S	1815	1816	3	2.6	1		
	[2800 OTTA	26 FAL	1910	1930	20	-2.2	-1.1		
	[2695 PENT	21 GRF	2215	2350	165	4	2		
	[2695 PENT	3 S	2336	2337.6	2.5	13	6		
20	2800 OTTA	20 GRF	1310	1333	120	1.4	.7		
	[2800 OTTA	21 GRF	1705	1723	315	8.4	3.2		
	[2800 OTTA	2 S/F	1724.5	1725	2.5	7.6	3.6		
21	2695 PENT	3 S	0041	0041.8	2	13.4	3.6		
	2800 OTTA	20 GRF	1120		100	3.2	2		
	2800 OTTA	20 GRF	1340	1425	75	2.2	1.8		
	2800 OTTA	21 GRF	1515	1623	190	6.2	3.1		
	[8800 SGHR	3 S	1534.2	1536.6	3.3	20.5	8.2		
	[2695 SGHR	1 S	1534.4	1535.5	3.2	3.7	1.5		
	[2800 OTTA	2 S/F	1535	1536.5	3	3.2	1.8		
	[2800 OTTA	20 GRF	1630	1604	90	3	1.4		
	[2800 OTTA	240 R	2110	2140	30	4.6	2.6		
22	2800 OTTA	1 S	1431.5	1432	2	7.4	2.4		
	[2695 SGHR	3 S	1641	1706.3	95	129	51.6		4, SWF
	[2800 OTTA	45 C	1644	1706	90	113	36		
	[2800 OTTA	30 FBI	1814	1814	265	39	18.2		
	[8800 SGHR	20 GRF	1852	1709	83	38.4	15.4		4, SWF
	[2695 BOUL	20 GRF	1692.5E	1703.5	80	117	39		
	[2695 SGHR	3 S	1947	1950.6	14	11.1	4.4		SWF
	[8800 SGHR	3 S	1948.8	1952.8	12.2	18.3	7.3		SWF
	[2800 OTTA	1 S	1949	1951	8	6.4	3.1		
	[2600 OTTA	1 S	2010	2014	10	3.6	1.8		
23	2800 OTTA	240 R	1150	1210	20	2.6	1.3		
	[2800 OTTA	21 GRF	1320	1350	40	2.2	1.1		
	[8800 SGHR	3 S	1320.8	1322.1	3.2	14.5	4.3		
	[2695 SGHR	3 S	1321.4	1322	1.5	11.2	3.4		
	[2800 OTTA	1 S	1321	1322	3	5.2	1.8		
	[2800 OTTA	20 GRF	1730	1735	20	1.8	.9		
	[2800 OTTA	1 S	1944	1945	2.5	2.2	1		
	[2800 OTTA	1 S	2024	2024.5	1	2.2	1.1		
24	2800 OTTA	20 GRF	2105	2113	20	2	1		
26	2800 OTTA	22 GRF	1525	1615	120	3.8	1.9		
	[2800 OTTA	20 GRF	1730	1740	30	1.2	.8		
	[2800 OTTA	240 R	2227	2240	13	3.6	2		
26	2800 OTTA	22 GRF	1200	1230	75	5.6	2.8		
	[8800 SGHR	3 S	1436.5	1438.8	3.4	14.1	4.2		
	[2695 SGHR	3 S	1437.1	1438.3	4.1	21.3	8.4		5, SWF
	[2800 OTTA	3 S	1437.9	1438.1	1.8	17.2	8		
	[2800 OTTA	47 GB	1528	1539.5	32	1160	262		
	[2800 OTTA	30 FBI	1600	1600	230	38	14		
	[2695 BOUL	47 GB	1529 E	1541	73.50	1730	576		

27
Jun 78

SOLAR RADIO EMISSION SELECTED FIXED FREQUENCY EVENTS

JUNE 1978

JUN 1978	FREQUENCY STATION	TYPE	STARTING TIME	TIME OF MAXIMUM	DURATION	FLUX DENSITY $10^{-22} \text{ W m}^{-2} \text{ Hz}^{-1}$		INT	REMARKS
			UT	UT	MINUTES	PEAK	MEAN		
26	2695 SGMR	47 GB	1531.1	1539.5	37.7	1787	536		2,4,5,SWF 2,4,5,5SWF
	8800 SGMR	3 S	1534.5	1543	27.7	218	65.5		
	2800 OTTA	3 S	1615	1619.5	17	22.6	10.2		
	2800 OTTA	1 S	1633	1635	6	3.3	1.9		
	2600 OTTA	1 S	1718.5	1719.2	2	2.6	1.3		
	2800 OTTA	3 S	1735	1735.7	2	43	14.4		
	8800 SGMR	3 S	1735.4	1735.5	2.6	18.1	7.2		
	2695 SGMR	3 S	1735.2	1735.7	1.8	64.2	25.7		
	2800 OTTA	4 S/F	1802.3	1803	1.5	19	10		
	2800 OTTA	4 S/F	2205	2205.5	4	55	18.2		
	8800 SGMR	3 S	2205.5	2205.7	9.5	19.2	7.7		
	2695 SGMR	3 S	2205.1	2205.9	9.9	55.1	22		
	2800 OTTA	4 S/F	2241	2239	3	12.4	4.2		
	2695 PENT	21 GRF	2247	2325	75	3.6	1.8		
	2695 PENT	2 S/F	2315	2315.1	1	1.8			
	2695 PENT	1 S	2340	2340.5	1	4.4	1.4		
27	2695 PENT	21 GRF	0055	0110	30	2.8	1.4		
	2695 PENT	3 S	0100.3	0101.2	6	47	12		
	2695 PENT	1 S	0111	0111.9	4	3.6	1.8		
28	2800 OTTA	1 S	1649	1651.5	5	9.8	4.6		
	2800 OTTA	20 GRF	2016	2023.5	16	4.9	2.2		
	2800 OTTA	20 GRF	2105	2155	110	4.8	2.4		
29	2800 OTTA	3 S	1120	1121.7	2.5	10.4	4		5,SWF
	8800 SGMR	3 S	1120	1121	2	14.7	5.9		
	2695 SGMR	3 S	1120.5	1122.5	2.4	10.2	4.1		
	2695 SGMR	3 S	1415.3	1415.5	14.6	66.3	27		
	2695 BOUL	4 SF	1415	1417	11	63	21		
	2800 OTTA	20 GRF	1500	1530	30	3	1.5		
	2800 OTTA	20 GRF	1850	1930	140	5.8	2.9		
	2800 OTTA		2210	2233	40	6.4			
30	2695 SGMR	1 S	1052	1052.5	1.9	7.2	3.6		3
	2800 OTTA	20 GRF	1055	1155	105	3.4	1.7		
	2800 OTTA	3 S	1446.5	1449	10	44	13		
	2695 BOUL	1 S	1447	1450.5	9.50	30	10		
	8800 SGMR	3 S	1447.3	1449.1	4	24.5	7.4		
	2695 SGMR	3 S	1447.3	1449.1	4.1	54.5	16.4		
	2695 SGMR	3 S	1624.5	1627.3	7.5	46.5	14		
	2800 OTTA	3 S	1625.2	1627	4.8	42	10.6		
	2800 OTTA	29 PBI	1630	1630	15	4.8	2.4		
	2695 BOUL	1 S	1626.5	1628.5	6	30	10		
	2800 OTTA		1650	1705.2	40	30			
	2695 SGMR	3 S	1702.6	1719.2	16.6	51.6	15.5		
	2695 BOUL	41 F	1703.5	1716	13.5	30	10		
	8800 SGMR	3 S	1719.4	1719.6	1.6	164	32.8		
	2800 OTTA	32A ABS	1735	1750	35	4	2		
	2600 OTTA	1 S	1800.5	1802	3	5.2	2.6		
	2695 BOUL	4 SF	1801.5	1803	3	7	2		
	2800 OTTA	20 GRF	1815	2000	235	4.8	2.6		

Observatories:

BOUL = Boulder

MANI = Manila

OTTA = Ottawa ARO

PENT = Penticton

SGMR = Sagamore Hill


Explanation of Type Code:

1 Simple 1	6 Minor	22 Simple 3F	27 Rise and Fall	32 Absorption	44 Noise Storm in Progress
2 Simple 1F	7 Minor +	23 Simple 3AF	28 Precursor	40 Fluctuation	45 Complex
3 Simple 2	8 Spike	24 Rise	29 Post Burst Increase	41 Group of Bursts	46 Complex F
4 Simple 2F	20 Simple 3	25 Rise A	30 Post Burst Increase A	42 Series of Bursts	47 Great Burst
5 Simple	21 Simple 3A	26 Fall	31 Post Burst Decrease	43 Onset of Noise Storm	48 Major
					49 Major +

28
Jun 78

SELECTED SOLAR NOISE BURST

JUNE 26, 1978



SOLAR X-RAYS BY SATELLITE
SMS GOES
JUNE 19785 - 4Å Hourly Averages (10^{-5} watts/m²)

MO	DA	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Mean
6/1	017	.002	.003	.002	.002	.002	.001	.002	.002	.002	.002	.002	.001	.002	.001	.002	.001	.002	.001	.001	.001	.002	.003	.019	.002	.003
6/2	001	.001	.002	.002	.002	.002	.002	.006	.003	.002	.001	.001	.001	.002	.001	.001	.001	.002	.003	.004	.004	.001	.001	.001	.002	.002
6/3	002	.002	.005	.005	.007	.002	.003	.001	.002	.004	.001	.001	.001	.002	.001	.001	.001	.001	.002	.001	.001	.001	.001	.001	.001	.001
6/4	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
6/5	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
6/6	001	.001	.004	.004	.002	.002	.005	.002	.038	.003	.001	.001	.001	.001	.012	.003	.003	.003	.001	.002	.001	.001	.001	.001	.001	.003
6/7	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
6/8	001	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
6/9	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
6/10	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
6/11	001	B	.000	.000	B	.002	B	.002	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
6/12	B	.006	B	B	B	.001	B	B	.001	.002	B	B	.013	.001	B	B	.004	.006	.001	.001	.001	.002	.001	.003	.001	.001
6/13	001	.002	.002	.002	B	.003	B	B	.001	.001	.002	B	B	.001	B	B	.001	B	.002	B	B	.002	.002	.002	.002	.002
6/14	002	.002	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
6/15	002	.002	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
6/16	B	.013	.003	.006	.003	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
6/17	013	.003	.003	.006	.003	B	B	.003	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
6/18	014	.008	.008	.008	B	B	B	B	.002	.005	.002	.002	.002	.004	.002	.006	.005	.002	.002	.002	.002	.002	.002	.002	.002	.002
6/19	001	.001	.001	.002	.002	.005	.002	.002	.005	.005	.006	.002	.002	.006	.002	.018	.002	.002	.006	.002	.002	.002	.004	.006	.002	.002
6/20	002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.003	.002	.002	.003	.002	.002	.002	.002	.002	.002	.002	.002	.001	.001	.002	.002
6/21	002	.002	.002	.002	.002	.001	.000	.001	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.001	.001	.002	.002
6/22	001	.002	.002	.034	.003	.002	.002	.023	B	.001	.002	.005	B	B	.002	.001	B	.006	.155	.065	.036	.050	.003	.003	.001	.017
6/23	002	.001	.001	.001	.001	B	.001	B	.022	.006	.001	.001	B	.001	.002	.001	.001	.003	.001	.014	B	.003	.001	.002	.001	.002
6/24	B	.001	.001	.001	.001	B	.001	B	.002	.001	.002	.001	.001	.001	.005	B	.001	B	.001	.001	.002	.003	.001	.002	.001	.002
6/25	.005	.001	.001	.001	.006	.007	.001	.002	.001	.002	.002	.001	.001	.001	.001	B	.002	.147	.027	.001	.002	B	.002	.014	.002	.003
6/26	001	.001	.001	B	B	B	B	B	B	B	B	B	B	.001	.001	.004	.132	.010	.002	.001	.001	.001	.004	.002	.001	.003
6/27	B	.010	.003	.055	B	B	B	B	B	B	B	B	.001	.001	B	B	.032	B	.002	.002	.002	.002	.002	.007	.001	.004
6/28	001	.003	.003	.002	.002	.006	B	.001	.003	.001	.001	.001	.001	.002	.001	.001	.007	.001	.001	.001	.001	.003	.002	.001	.001	.005
6/29	002	.002	.002	.002	.007	.009	.006	.001	.004	.001	.001	.001	.005	.013	.002	.001	.007	.004	.004	.001	.008	.002	.001	.002	.001	.004
6/30	001	.006	.019	.001	.001	B	B	.001	.001	.001	.003	.001	.001	.001	.002	.010	.007	.004	.013	.008	.002	.001	.002	.002	.001	.004

Note: "B" indicates the flux was below the cut-off levels.
"M" denotes periods of missing data.

SOLAR X-RAYS BY SATELLITE

SMS GOES

JUNE 1978

1 - 8Å Hourly Averages (10^{-4} watts/m²)

MO	DA	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Mean
6/1	038	.013	.014	.013	.013	.011	.009	.010	.012	.011	.011	.011	.013	.013	.012	.010	.010	.011	.010	.010	.011	.013	.036	.011	.011	.009
6/2	.010	.009	.012	.023	.014	.014	.014	.019	.019	.018	.013	.010	.012	.012	.008	.008	.010	.011	.015	.020	.021	.012	.009	.009	.012	.009
6/3	.011	.011	.020	.009	.008	.013	.013	.016	.011	.012	.007	.007	.007	.006	.006	.006	.007	.006	.007	.007	.006	.006	.006	.006	.006	.025
6/4	.006	.006	.006	.006	.005	.005	.005	.006	.006	.005	.005	.005	.015	.025	.004	.004	.004	.004	.004	.004	.004	.004	.004	.004	.004	.025
6/5	.007	.006	.012	.008	.010	.013	.013	.013	.013	.015	.007	.008	.006	.006	.024	.005	.004	.004	.004	.005	.005	.004	.004	.004	.004	.006
6/6	.006	.037	.017	.003	.003	.003	.003	.003	.003	.015	.004	.004	.004	.004	.004	.004	.004	.003	.003	.003	.003	.003	.003	.003	.003	.006
6/7	.003	.004	.004	.004	.004	.003	.003	.004	.004	.006	.004	.004	.004	.004	.004	.004	.004	.004	.005	.005	.005	.007	.003	.003	.003	.002
6/8	.005	.004	.004	.004	.003	.003	.003	.003	.003	.002	.002	.002	.002	.002	.002	.002	.001	.001	.002	.002	.002	.002	.002	.002	.002	.002
6/9	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002
6/10	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002	.002
6/11	.007	.003	.015	.004	.006	.004	.004	.008	.004	.002	.003	.003	.003	.003	.003	.003	.003	.002	.002	.002	.002	.002	.002	.002	.002	.002
6/12	.002	.002	.002	.003	.006	.003	.003	.003	.003	.003	.003	.003	.003	.003	.003	.003	.003	.003	.003	.003	.003	.003	.003	.003	.003	.003
6/13	.007	.015	.007	.006	.030	.006	.006	.005	.005	.006	.006	.006	.006	.006	.006	.006	.006	.006	.006	.006	.006	.006	.006	.006	.006	.005
6/14	.007	.027	.006	.005	.005	.005	.005	.005	.007	.006	.006	.006	.006	.006	.006	.006	.006	.006	.006	.006	.006	.006	.006	.006	.006	.005
6/15	.010	.009	.009	.009	.007	.007	.007	.007	.007	.006	.006	.006	.006	.006	.006	.006	.006	.006	.006	.006	.006	.006	.006	.006	.006	.005
6/16	.007	.008	.007	.007	.007	.007	.007	.007	.007	.008	.008	.007	.007	.007	.007	.007	.007	.007	.007	.007	.007	.007	.007	.007	.007	.005
6/17	.037	.018	.025	.016	.011	.013	.013	.015	.009	.008	.008	.007	.007	.007	.007	.007	.007	.007	.007	.007	.007	.007	.007	.007	.007	.005
6/18	.032	.025	.010	.009	.009	.009	.009	.009	.011	.009	.008	.008	.008	.008	.008	.008	.008	.008	.008	.008	.008	.008	.008	.008	.008	.005
6/19	.011	.011	.013	.012	.018	.018	.018	.012	.020	.017	.016	.016	.016	.016	.016	.016	.016	.016	.016	.016	.016	.016	.016	.016	.016	.005
6/20	.015	.015	.013	.018	.018	.018	.018	.015	.016	.019	.021	.013	.013	.017	.016	.014	.012	.014	.012	.012	.015	.015	.015	.015	.015	.011
6/21	.013	.016	.014	.015	.018	.026	.014	.014	.014	.014	.027	.015	.013	.013	.016	.012	.013	.038	.016	.015	.013	.013	.013	.013	.013	.011
6/22	.024	.036	.041	.019	.013	.014	.014	.039	.010	.010	.013	.019	.011	.011	.021	.022	.023	.019	.019	.019	.015	.015	.015	.015	.015	.011
6/23	.014	.013	.014	.013	.011	.012	.011	.050	.010	.028	.012	.014	.014	.011	.036	.015	.012	.011	.054	.014	.011	.011	.011	.011	.011	.011
6/24	.010	.036	.012	.013	.012	.024	.011	.013	.011	.011	.011	.013	.020	.012	.014	.019	.012	.014	.016	.016	.010	.010	.011	.011	.011	.011
6/25	.023	.016	.015	.023	.025	.013	.013	.015	.012	.033	.018	.012	.012	.012	.014	.015	.012	.014	.014	.016	.013	.012	.013	.013	.013	.011
6/26	.053	.010	.010	.009	.021	.010	.010	.010	.010	.010	.009	.010	.010	.010	.010	.010	.010	.010	.010	.010	.010	.010	.010	.010	.010	.010
6/27	.011	.021	.011	.010	.010	.011	.011	.010	.012	.014	.011	.012	.013	.013	.013	.013	.013	.013	.013	.013	.013	.013	.013	.013	.013	.013
6/28	.011	.017	.049	.011	.010	.011	.011	.010	.010	.012	.016	.013	.013	.013	.013	.013	.013	.013	.013	.013	.013	.013	.013	.013	.013	.013
6/29	.015	.014	.014	.024	.021	.022	.022	.012	.014	.011	.011	.025	.026	.017	.024	.017	.011	.012	.012	.010	.011	.011	.011	.011	.011	.011
6/30	.013	.017	.034	.013	.010	.009	.009	.010	.015	.010	.014	.010	.010	.010	.009	.012	.018	.026	.016	.031	.024	.015	.013	.012	.012	.010

Note: "B" indicates the flux was below the cut-off levels.

"M" denotes periods of missing data.

SOLAR X-RAYS BY SATELLITE

GOES

JUNE 1978

DAY	BEGIN TIME	.5-4A Wm ⁻²	1-8A Wm ⁻²	MAX TIME	.5-4A Wm ⁻²	1-8A Wm ⁻²	1/2P TIME	.5-4A Wm ⁻²	1-8A Wm ⁻²
1	0158	2.2E-08	1.2E-06	0207	7.6E-08	2.1E-06	0217	1.7E-08	1.6E-06
1	0643	1.2E-08	9.1E-07	0648	6.5E-08	2.0E-06	0652	3.2E-08	1.4E-06
1	0731	2.6E-08	1.3E-06	0734	3.3E-08	2.0E-06	0736	3.3E-08	1.4E-06
1	0756	1.8E-08	1.2E-06	0759	8.3E-08	2.0E-06	0806	3.2E-08	1.5E-06
1	1026	1.0E-08	1.0E-06	1029	4.6E-08	1.5E-06	1034	1.9E-08	1.2E-06
1	1324	1.9E-08	1.2E-06	1331	9.2E-08	2.3E-06	1335	2.1E-08	1.7E-06
1	1452	2.0E-08	1.2E-06	1455	2.7E-08	1.8E-06	1457	2.9E-08	1.4E-06
1	2100	2.1E-08	1.1E-06	2111	7.8E-07	1.0E-05	2118	2.0E-07	5.6E-06
1	2340	2.8E-08	1.3E-06	2343	3.6E-08	2.0E-06	2350	2.8E-08	1.5E-06
2	0251	2.0E-08	1.3E-06	0304	2.6E-07	5.2E-06	0314	9.8E-08	3.2E-06
2	0612	2.2E-08	1.4E-06	0616	1.2E-07	2.6E-06	0620	2.7E-08	1.8E-06
2	0750	1.5E-08	1.9E-06	0754	1.9E-07	3.6E-06	0756	6.8E-08	2.6E-06
2	0953	4.9E-09	1.1E-06	0956	2.9E-08	2.2E-06	0958	2.2E-08	1.3E-06
2	1105	1.9E-08	1.2E-06	1112	1.6E-07	3.1E-06	1115	3.1E-08	1.7E-06
2	1933	6.9E-09	1.6E-06	1939	1.5E-07	3.2E-06	1947	5.5E-08	2.3E-06
2	2303	2.3E-08	1.1E-06	2306	5.2E-08	1.7E-06	2308	1.6E-08	1.1E-06
2	2309	1.8E-08	1.1E-06	2312	1.3E-07	2.5E-06	2318	3.1E-08	1.8E-06
3	0024	2.0E-08	1.0E-06	0027	4.9E-08	2.0E-06	0037	3.7E-08	1.5E-06
3	0230	5.2E-08	2.2E-06	0234	1.5E-07	3.3E-06	0239	6.9E-08	2.6E-06
3	2211	4.6E-09	5.8E-07	2218	5.3E-08	1.5E-06	2226	1.4E-08	1.0E-06
5	0046	4.0E-09	5.4E-07	0052	3.8E-08	1.1E-06	0059	1.0E-08	7.7E-07
5	0220	3.1E-09	6.0E-07	0231	1.6E-07	2.7E-06	0240	5.4E-08	1.6E-06
5	0411	4.2E-09	6.5E-07	0417	7.5E-08	1.4E-06	0432	2.3E-08	1.0E-06
5	0524	1.5E-08	7.7E-07	0537	1.3E-07	2.3E-06	0557	4.3E-08	1.5E-06
5	0728	2.6E-07	2.6E-06	0744	9.9E-07	9.5E-06	0756	2.7E-07	5.8E-06
5	1056	8.0E-09	6.9E-07	1100	3.2E-08	1.0E-06	1104	1.3E-08	8.5E-07
5	1245	1.4E-08	6.3E-07	1318	4.0E-07	5.4E-06	1325	9.9E-08	2.9E-06
7	1849	5.9E-09	4.2E-07	1854	9.7E-08	1.5E-06	1903	2.5E-08	9.3E-07
8	0015	2.9E-09	2.9E-07	0024	1.0E-07	1.4E-06	0029	2.0E-08	7.6E-07
10	2346	1.3E-07	1.7E-06	2351	1.6E-07	2.7E-06	2355	9.3E-08	2.2E-06
11	0413	1.6E-09	3.4E-07	0420	1.0E-07	1.9E-06	0426	3.6E-08	1.0E-06
11	0553	3.7E-09	3.2E-07	0601	1.3E-07	2.2E-06	0609	4.4E-08	1.2E-06
12	0408	8.2E-10	2.7E-07	0423	1.0E-07	2.2E-06	0426	4.7E-08	1.1E-06
12	2233	2.4E-09	5.0E-07	2045	4.1E-08	1.1E-06	2049	1.9E-08	8.2E-07
12	2118	1.5E-08	5.1E-07	2121	2.7E-07	3.0E-06	2127	6.1E-08	1.6E-06
12	2237	1.2E-08	4.1E-07	2244	4.8E-08	1.1E-06	2247	1.9E-08	7.5E-07
12	2349	5.5E-09	3.2E-07	0006	3.5E-08	1.2E-06	0013	1.2E-08	6.8E-07
13	0133	2.9E-08	1.0E-06	0140	2.9E-07	3.9E-06	0144	1.0E-07	2.4E-06
13	0437	3.4E-09	4.9E-07	0442	1.3E-07	2.1E-06	0451	4.9E-08	1.2E-06
13	0703	1.0E-08	5.4E-07	0708	5.9E-08	1.2E-06	0714	2.0E-08	8.4E-07
13	0829	1.7E-08	6.2E-07	0834	7.0E-08	1.4E-06	0840	3.2E-08	1.0E-06
13	1219	6.2E-09	5.7E-07	1224	3.6E-08	1.0E-06	1229	1.9E-08	7.9E-07
13	1405	3.1E-09	4.3E-07	1410	5.2E-08	1.1E-06	1422	1.1E-08	7.7E-07
13	1508	6.2E-09	5.9E-07	1511	9.3E-08	2.0E-06	1514	2.7E-08	1.0E-06
13	1714	1.8E-09	3.0E-07	1718	1.2E-07	1.7E-06	1720	3.3E-08	8.1E-07
13	1737	1.3E-08	6.4E-07	1740	8.3E-08	2.2E-06	1742	1.1E-08	7.4E-07
13	1916	7.3E-09	4.4E-07	1920	1.2E-07	2.0E-06	1923	5.1E-08	1.0E-06
13	2011	6.9E-09	4.5E-07	2019	9.2E-08	2.1E-06	2021	4.8E-08	1.2E-06
14	0125	5.1E-09	4.3E-07	0130	1.1E-07	2.2E-06	0133	3.9E-08	9.9E-07
14	0555	8.7E-09	5.2E-07	0600	1.0E-07	2.1E-06	0602	1.3E-08	6.9E-07
14	0741	4.1E-09	4.3E-07	0845	1.1E-07	1.4E-06	0847	1.9E-08	7.9E-07
14	0926	2.9E-08	8.9E-07	0910	2.5E-07	2.8E-06	0912	5.5E-08	1.6E-06

32
Jun 78

SOLAR X-RAYS BY SATELLITE

GOES

JUNE 1978

DAY	BEGIN TIME	.5-4A Wm ⁻²	1-8A Wm ⁻²	MAX TIME	.5-4A Wm ⁻²	1-8A Wm ⁻²	1/2P TIME	.5-4A Wm ⁻²	1-8A Wm ⁻²
14	1616	8.3E-09	6.2E-07	1621	3.4E-08	1.0E-06	1623	9.2E-09	7.2E-07
14	1957	1.2E-08	7.3E-07	2005	3.5E-08	1.2E-06	2013	1.5E-08	8.5E-07
15	0333	9.0E-09	7.3E-07	0337	1.3E-07	2.3E-06	0342	4.0E-08	1.4E-06
16	2002	6.9E-09	8.1E-07	2006	6.0E-08	1.5E-06	2012	2.1E-08	1.1E-06
17	0153	2.0E-08	1.5E-06	0156	1.2E-07	2.4E-06	0211	2.9E-08	1.9E-06
18	0007	6.2E-09	1.0E-06	0034	4.6E-07	6.7E-06	0047	1.3E-07	3.8E-06
18	0116	1.6E-08	1.9E-06	0120	7.1E-07	7.1E-06	0124	2.0E-07	4.2E-06
18	1635	7.0E-09	9.4E-07	1643	6.3E-08	2.0E-06	1655	2.4E-08	1.4E-06
19	0649	4.3E-08	1.3E-06	0652	9.6E-08	1.8E-06	0702	4.4E-08	1.5E-06
19	1222	2.7E-08	1.5E-06	1228	3.1E-07	4.2E-06	1234	6.0E-08	2.6E-06
19	1324	1.9E-08	1.4E-06	1328	5.3E-08	2.1E-06	1351	6.2E-09	1.7E-06
19	1515	3.7E-08	1.5E-06	1521	1.7E-07	3.0E-06	1529	5.1E-08	2.3E-06
19	2129	2.4E-08	1.3E-06	2138	1.6E-07	3.1E-06	2156	4.9E-08	2.2E-06
19	2335	2.1E-08	1.5E-06	2345	1.5E-07	3.6E-06	2352	4.6E-08	2.4E-06
20	0920	1.7E-08	1.7E-06	0926	2.7E-07	3.7E-06	0931	9.6E-08	2.6E-06
20	1054	1.5E-08	1.3E-06	1057	6.1E-08	1.9E-06	1100	1.4E-08	1.6E-06
20	1150	6.5E-08	2.0E-06	1157	2.7E-07	3.8E-06	1204	1.0E-07	2.8E-06
20	1915	8.6E-08	2.3E-06	1925	2.0E-06	1.5E-05	1935	4.8E-07	8.1E-06
20	2207	1.2E-08	1.1E-06	2212	1.5E-07	2.6E-06	2214	4.4E-08	1.9E-06
21	1532	2.8E-08	1.5E-06	1538	6.7E-07	6.5E-06	1552	2.0E-07	3.9E-06
21	2147	2.2E-08	1.5E-06	2152	1.4E-07	3.0E-06	2157	4.2E-08	2.1E-06
21	2347	8.5E-08	1.1E-06	2350	1.3E-07	2.4E-06	2354	2.3E-08	1.6E-06
22	0232	1.4E-08	1.3E-06	0247	1.8E-06	1.4E-05	0254	4.9E-07	7.2E-06
22	0522	1.8E-08	1.4E-06	0525	3.0E-08	1.9E-06	0528	2.8E-08	1.5E-06
22	0558	1.9E-08	1.4E-06	0609	9.6E-07	9.7E-06	0621	1.7E-07	5.3E-06
22	1023	1.6E-08	1.4E-06	1029	3.1E-07	3.9E-06	1035	8.0E-08	2.6E-06
22	2016	1.3E-06	1.0E-05	2019	2.1E-06	2.0E-05	2024	1.3E-06	1.4E-05
23	1316	1.2E-08	1.3E-06	1324	6.2E-08	2.2E-06	1328	8.5E-09	1.7E-06
23	1620	2.1E-08	1.5E-06	1623	2.5E-08	2.3E-06	1627	2.3E-08	1.5E-06
24	0756	1.1E-08	1.2E-06	0759	3.1E-08	1.9E-06	0801	2.3E-08	1.4E-06
24	1318	2.2E-08	1.5E-06	1332	1.8E-07	3.4E-06	1339	4.2E-08	2.3E-06
24	1524	1.0E-08	1.3E-06	1527	2.3E-08	2.1E-06	1533	1.4E-08	1.7E-06
25	0032	3.8E-08	2.2E-06	0036	1.5E-07	3.3E-06	0044	6.5E-08	2.6E-06
25	0609	2.1E-08	1.3E-06	0612	3.3E-08	2.0E-06	0617	3.0E-08	1.6E-06
25	0822	3.7E-08	1.3E-06	0837	5.3E-07	6.0E-06	0858	1.2E-07	3.6E-06
25	1338	1.9E-08	1.2E-06	1341	4.1E-08	2.0E-06	1343	3.7E-08	1.4E-06
25	1723	9.6E-09	1.1E-06	1734	7.3E-08	2.4E-06	1752	1.2E-08	1.7E-06
25	1943	1.1E-08	1.1E-06	1949	5.8E-08	1.8E-06	1952	2.5E-08	1.4E-06
26	1207	2.1E-08	1.1E-06	1216	8.8E-08	2.1E-06	1221	3.3E-08	1.6E-06
26	1533	5.2E-08	1.6E-06	1558	3.8E-06	3.3E-05	1631	1.2E-06	1.7E-05
26	2008	2.8E-08	1.9E-06	2015	1.6E-07	3.4E-06	2020	7.6E-08	2.5E-06
26	2202	1.7E-08	1.5E-06	2207	8.0E-07	7.9E-06	2213	1.8E-07	4.6E-06
26	2236	1.9E-08	1.5E-06	2243	2.8E-07	5.3E-06	2253	9.6E-08	3.2E-06
27	0057	1.1E-08	1.2E-06	0106	7.9E-07	7.3E-06	0111	1.3E-07	3.6E-06
27	0150	1.2E-08	1.2E-06	0155	9.3E-08	2.4E-06	0201	1.7E-08	1.8E-06
27	0657	1.1E-08	1.1E-06	0702	1.2E-07	2.4E-06	0705	2.2E-08	1.6E-06
27	0959	5.7E-09	1.0E-06	1005	1.1E-07	2.6E-06	1009	1.0E-08	1.6E-06
27	1141	3.3E-08	1.3E-06	1152	1.0E-07	2.4E-06	1155	4.3E-08	1.9E-06
28	0111	1.1E-08	1.1E-06	0119	1.3E-07	3.1E-06	0124	3.2E-08	1.9E-06
28	0242	6.6E-09	1.1E-06	0247	5.4E-06	2.8E-05	0254	8.5E-07	1.2E-05
28	1651	5.7E-08	1.9E-06	1656	1.5E-07	3.1E-06	1701	6.0E-08	2.4E-06
28	1801	1.3E-08	1.2E-06	1804	3.8E-08	1.8E-06	1806	2.6E-08	1.4E-06

SOLAR X-RAYS BY SATELLITE

GOES

JUNE 1978

DAY	BEGIN TIME	.5-4A Wm ⁻²	1-8A Wm ⁻²	MAX TIME	.5-4A Wm ⁻²	1-8A Wm ⁻²	1/2P TIME	.5-4A Wm ⁻²	1-8A Wm ⁻²
28	1847	1.0E-08	1.1E-06	1852	1.5E-07	2.7E-06	1855	2.0E-08	1.8E-06
28	1913	1.5E-08	1.2E-06	1916	1.7E-07	2.3E-06	1918	1.7E-08	1.2E-06
28	2017	1.5E-08	1.2E-06	2020	3.4E-08	2.2E-06	2045	1.1E-08	1.7E-06
29	0323	3.7E-08	2.2E-06	0327	2.0E-07	4.1E-06	0331	1.1E-07	3.1E-06
29	0455	2.1E-08	1.5E-06	0500	3.3E-07	4.0E-06	0505	7.0E-08	2.6E-06
29	1117	3.0E-08	1.5E-06	1123	6.5E-07	6.4E-06	1128	2.0E-07	3.7E-06
29	1413	8.7E-09	1.0E-06	1418	6.4E-07	5.7E-06	1423	1.4E-07	3.4E-06
29	1539	7.6E-09	1.0E-06	1542	4.6E-08	2.1E-06	1544	2.4E-08	1.3E-06
29	2207	2.8E-08	1.4E-06	2216	9.7E-07	8.4E-06	2221	2.3E-07	4.8E-06
29	2231	1.1E-07	3.0E-06	2239	4.4E-07	6.5E-06	2247	1.5E-07	4.6E-06
29	2303	1.5E-07	3.3E-06	2309	5.4E-07	6.7E-06	2315	1.5E-07	4.6E-06
30	0121	1.3E-08	1.1E-06	0125	5.8E-08	1.8E-06	0128	2.0E-08	1.4E-06
30	0146	1.8E-08	1.2E-06	0155	4.4E-07	5.2E-06	0202	1.2E-07	3.0E-06
30	0228	7.1E-08	2.4E-06	0235	6.0E-07	6.9E-06	0239	1.6E-07	4.3E-06
30	0712	1.9E-08	1.0E-06	0719	9.8E-08	2.2E-06	0726	2.5E-08	1.6E-06
30	0745	2.1E-08	1.2E-06	0753	1.3E-07	2.5E-06	0758	3.3E-08	1.8E-06
30	0912	2.0E-08	1.1E-06	0923	7.9E-08	2.3E-06	0932	1.7E-08	1.7E-06
30	1050	4.2E-09	8.1E-07	1053	4.4E-08	1.9E-06	1056	1.8E-08	1.2E-06
30	1145	6.5E-09	8.9E-07	1149	3.8E-08	1.5E-06	1156	1.3E-08	1.2E-06
30	1443	1.0E-08	9.0E-07	1453	6.3E-07	6.5E-06	1513	1.0E-07	3.6E-06
30	1623	1.1E-08	1.0E-06	1630	1.6E-07	2.9E-06	1642	4.3E-08	1.9E-06
30	1701	2.2E-08	1.4E-06	1713	8.7E-07	7.9E-06	1724	1.7E-07	4.0E-06
30	1759	1.7E-08	1.6E-06	1805	3.7E-07	4.4E-06	1815	9.5E-08	2.9E-06
30	2351	6.1E-09	9.0E-07	2354	3.3E-08	1.3E-06	2357	1.2E-08	1.0E-06

34
Jun 78

SOLAR WIND
Interplanetary Scintillations
JUNE 1978

DAY	3C48 VEL ERR	3C144 VEL ERR	3C147 VEL ERR	3C161 VEL ERR	3C237 VEL ERR	3C273 VEL ERR	3C298 VEL ERR	3C459 VEL ERR
1	528 8			592 11	252 55	377 8	339 5	365 69
2	590 62			498 28	557 64	482 15	509 29	764 37
3	339 54		484 *	460 34	361 50	511 7	478 44	
4	569 23		546 *	507 10			469 25	665 8
5	467 10		437 77	394 49	411 26	561 68	374 77	565 27
6	471 46			422 6	401 49	483 8	503 61	
7	423 14			415 12	353 11	406 4	386 4	260 51
8	406 13		502 90	524 74		419 14	374 9	393 51
11	409 *							475 32
13	469 72							
14	418 18							
16	286 20			414 43				
17	389 20			361 6	336 8	383 31	379 47	
18	401 7		403 55	461 40	434 16	328 7	330 16	
19	377 5			563 34	583 42	421 5	423 6	
20	342 7				488 63		364 119	
21	334 9		513 130	516 46	429 54	501 7	470 6	
22	408 7			650 36				495 155
23	456 8			533 61	384 16	517 37	485 40	600 114
24	312 16			506 43	321 65	479 9	402 6	
25	460 19		473 32	510 21	656 125			
26	426 124					562 10	540 59	
27	467 75		453 66	486 56	381 47	437 11		
28	353 14		356 7	380 11	342 7	437 30	349 23	
29	432 18		390 14	425 17	353 7	417 60	370 7	366 91
30	368 17		426 102	394 5	303 20	463 4	506 8	456 18

JUNE	5	15	25
	UT LAT DIST DLON	UT LAT DIST DLON	UT LAT DIST DLON
3C48	17. 26. 0.70 38.	16. 20. 0.80 32.	16. 16. 0.88 25.
3C144	21. -15. 0.15 -81.	20. -47. 0.03 86.	19. 0. 0.18 79.
3C147	20. 50. 0.48 -42.	19. 62. 0.45 -22.	19. 63. 0.46 17.
3C161	22. -46. 0.59 -32.	22. -54. 0.52 -21.	21. -58. 0.49 2.
3C237	2. -3. 0.97 -17.	1. -3. 0.92 -23.	0. -4. 0.84 -33.
3C273	4. 0. 1.14 -14.	3. 0. 1.10 -16.	2. 1. 1.05 -17.
3C298	6. 3. 1.22 -10.	5. 4. 1.19 -12.	4. 5. 1.16 -13.
3C459	14. 4. 1.01 17.	14. 5. 1.06 16.	13. 6. 1.11 15.

* indicates data for which no error estimates are available since only two antennas were operating.


CORONAL HOLES

Helium D3 Chromosphere at Solar Limb

JUNE 1978

Big Bear Solar Observatory


OBSERVATIONS OF D3 CHROMOSPHERE AT SOLAR LIMB



HELIUM 10830Å SYNOPTIC MAPS

CARRINGTON ROTATION 1668


KITT PEAK NATIONAL OBSERVATORY



HELIUM 10830Å SYNOPTIC MAPS

CARRINGTON ROTATION 1669

KITT PEAK NATIONAL OBSERVATORY



INFERRED IP MAGNETIC FIELD

BARTELS ROTATION	DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
1965	APR 16			TA		TA	-	AT	TA	TA		AT				-	TA		AT	AT			TA					AT
1966	MAY 13	TA		-		TA			TA										AT		-	AT	T*				AT	AT
1967	JUN 9								TA					TA					AT	A*					AT	*	A*	TA
1968	JUL 6										A*				T*	TA	TA				AT				-	AT		-
1969	AUG 2		TA						TA	-			TA	*								AT	TA					
1970	AUG 29			-		-		TA										AT	AT			AT	TA	-	AT	AT		
1971	SEP 25								-	-							TA			TA								
1972	OCT 22																				AT							
1973	NOV 18			TA	AT								AT								AT					*		
1974	DEC 15				-	-	-		AT	-	AT				AT	AT		AT	TA			TA			*			*
1975	JAN 11		*	*					*	*	*	*	*	*				*	*		TA	-	AT					-
1976	FEB 7															-					-		*			TA	A*	TA
1977	MAR 6	TA		-					AT			T*	*				TA			AT	AT	AT	AT		*	TA		
1978	APR 2							*		-	AT											AT						
1979	APR 29		TA		*		TA	AT	AT	TA		-	-	T*						TA	TA		AT					
1980	MAY 26				TA			AT	AT							AT	TA				-						-	-
1981	JUN 22	TA					A*																					


☐ = definitely towards the sun

☐ = definitely away from the sun

T = towards the sun A = away from the sun * = effect doubtful or not discernible - = missing data

The table shows daily inferences of the polarity of the interplanetary magnetic field. The first half of the day is based principally on magnetograms produced by the magnetometer at the Vostok Antarctic Station of the USSR. The magnetometer of the U.S. Air Weather Service now operated at Thule by the Danish Meteorological Institute is used for the second half of the day.
Note: The Bartels Rotation numbers after Rotation number 1955 were incorrect in this Table in SGD issues 385 Part I through 389 Part I.
Errata: Thule data for December 5, 6, 10, 11, 12 and 19, 1976 have been corrected.

STANFORD MEAN SOLAR MAGNETIC FIELD



POLARITY OF THE MEAN SOLAR MAGNETIC FIELD:

= FIELD $> 2\mu T$,
 = $-2\mu T \leq \text{FIELD} \leq 2\mu T$,
 = FIELD $< -2\mu T$
 No box visible indicates no data available for that day.

Note: Data are taken daily at 2000 UT. Dates given are not Bartels Rotation dates. These earlier dates correspond to the occurrence of phenomena on the sun which affect the Earth during the given Bartels Rotation.

STANFORD MEAN SOLAR MAGNETIC FIELD (MICROTESLA)

40
Jun 78

1977

1978

DAY	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MARCH	APRIL	MAY	JUNE
01	2	-16	-9	9	6	-14	.	16	.	52	-12	-28
02	-12	-23	-13	6	1	-10	.	31	22	46	-34	-22
03	-18	-25	.	3	-14	-7	14	26	12	43	-27	-12
04	-26	-23	3	13	-16	8	31	.	.	13	-27	-5
05	-31	-16	12	13	-11	26	.	-5	8	4	-29	6
06	-33	-5	18	11	-1	46	27	4	11	-15	-27	5
07	-26	-1	22	-6	11	55	15	9	4	-32	-23	21
08	-14	11	17	-13	31	53	.	.	.	-53	-12	33
09	-7	25	8	-13	46	46	-1	.	-31	-52	3	41
10	3	20	4	-4	48	26	11	-28	.	-41	24	40
11	20	17	6	2	51	.	0	-43	-70	-32	41	23
12	29	12	13	12	32	-2	.	.	-78	-4	50	12
13	30	11	19	28	14	10	.	-41	-56	22	47	8
14	24	5	23	35	-4	.	.	-23	-49	.	30	0
15	26	7	40	46	-10	1	.	3	-28	.	16	-24
16	18	.	.	39	-18	-6	0	.	-3	58	5	-38
17	13	5	38	20	-24	.	-3	31	18	37	1	.
18	4	13	41	6	-5	6	.	22	54	11	-29	.
19	1	19	31	6	-11	8	.	37	48	-9	-49	.
20	-1	23	17	1	-12	.	18	22	24	-30	-75	-16
21	6	24	2	3	.	.	39	-1	.	-49	-79	0
22	9	22	-3	7	-7	.	10	-18	-23	-50	-59	24
23	22	18	-2	3	-4	-5	-4	-49	-49	-62	-37	51
24	25	8	-6	-3	0	-1	-15	.	-69	.	-21	52
25	31	4	-1	-9	2	.	-17	.	-79	-13	-9	48
26	30	0	-3	-5	4	.	-36	.	-73	10	1	30
27	24	2	-8	-5	7	.	-48	-34	-53	13	27	12
28	6	-2	.	-6	5	.	-33	.	-28	6	14	3
29	4	-6	-8	5	-2	-9	-15	.	.	13	-10	-5
30	-4	-6	3	6	-11	.	14	.	.	18	-20	-10
31	-10	-11	.	8	.	-20	10	.	.	.	-27	.

Dot symbol entry indicates no data available for the day.

BOULDER GEOMAGNETIC SUBSTORM LOG

JUNE 1978

ONSET			COMMENTS	ONSET			COMMENTS
DATE	TIME	DIR.		DATE	TIME	DIR.	
1	0230		Very weak.	19	0530	East	Weak.
	0305		Weak, slow onset.		0620	=center	SS centered near Lynn Lake.
	0600	=center	Weak.		1010	West	SS centered near Fort Simpson.
	0815	West			2200		Network in daylight; SS east of network.
	2140		Sharp onset on H component at mid- and low-latitude stations.	20	0440	East	1st of double onset; SS centered near Lynn Lake.
	2225		Network in daylight.		0510	East	2nd of double onset; SS centered near Lynn Lake.
2	0545	West	Onset of major global magnetic storm. Rapid positive excursions on H component at Midway (45y), Tahiti (34y) and Boulder (90y). Storm continued through 03/0400 UT.	21	0315	East	1st of double onset; strong SS centered near Island Lake.
	0630	West			0340	East	2nd of double onset; strong SS centered near Island Lake.
	0730	West			0510	=center	1st of multiple onset.
	0910				0555	=center	2nd of multiple onset.
3	0450	East	SS evident at Island Lake, Lynn Lake and mid-latitude stations only.		0650	=center	3rd of multiple onset.
	0540	East	SS evident at Island Lake, Lynn Lake and mid-latitude stations only.		1130	West	SS centered near College.
	0735	=center	1st of double onset; SS evident at Island Lake, Lynn Lake and mid-latitude stations only.		1435	West	1st of double onset and weak.
	0800	=center	2nd of double onset; SS centered at Lynn Lake; extended from Island Lake to Norman Wells where it was weak.		1500	West	2nd of double onset and moderate.
	0945	West	1st of double onset; SS evident at College, Talkeetna and mid-latitude stations only.	22			Field unsettled 21/1600 UT to 22/0600 UT; no distinct onsets.
	1030	West	2nd of double onset; SS evident southward of Fort Simpson - Inuvik and mid-latitude stations.		0615	East	SS centered near Lynn Lake.
4	1215	West	Response stronger at stations north of auroral oval.		1050	West	SS centered near Fort Simpson.
	1340	West	Gradual onset of disturbed conditions throughout network.	23	0825	East	1st of multiple onset.
	=2000				0920	=center	2nd of multiple onset.
	2340	East			1015	West	3rd of multiple onset.
5	0105	East	1st of multiple onset.	24			Field generally disturbed 23/1600 UT to 24/1600 UT.
	0135	East	2nd of multiple onset.		0530	Centered	Moderate.
	0210	East	3rd of multiple onset.		1330	West	Strong; SS centered west of College near Midway.
	0230	East	4th of multiple onset.	25	0810	West	Strong; SS centered near Fort Simpson. Field unsettled after 1600 UT.
	0310	East	5th of multiple onset.	26	0015	East	
	0455	Centered	Very intense SS.		0435	East	1st of multiple onset.
	0805	West	Strong SS.		0455	East	2nd of multiple onset.
6	1045	West			0515	East	3rd of multiple onset.
7	0510	East	1st of double onset and weak.		0555	East	
	0545	East	2nd of double onset and centered near Island Lake.		0725	=center	1st of multiple onset.
	1630		Gradual onset of unsettled condition.		0740	=center	2nd of multiple onset.
8	0400	East	1st of multiple onset.		0820	=center	3rd of multiple onset.
	0440	East	2nd of multiple onset.		0945	West	Network in daylight; SS from Lynn Lake westward.
	0500	Centered	3rd of multiple onset.		1500		Network in daylight; SS from Lynn Lake westward.
9	0400	East	Minor SS observed on Fort Churchill chain only.		1550		Network in daylight; SS from Lynn Lake westward.
10	0820		Onset of magnetic storm. Marked increase in H component at mid- and low-latitude stations. Storm continued through 11/1200 UT.		1640		Network in daylight; SS from Fort Simpson westward.
12	1030	West	Network in daylight.		1655		Network in daylight; SS from Fort Simpson westward.
	1205	West			1810		Network in daylight; SS in Alaska only between College and Arctic Village.
	1525				1820		Network in daylight; SS in Alaska only between College and Arctic Village.
13	0900	West		27	0245	East	1st of double onset.
14			No SS activity.		0605	=center	2nd of double onset.
15	0445	East	Weak SS; eastward of Lynn Lake to Boulder.		0645	=center	Effect localized between Eskimo Point, Island Lake and Fort Simpson. Strongest response between Back and Lynn Lake. Sachs Harbour and Pelly Bay magnetometers strongly disturbed after 1600 UT.
	0645	West	Weak SS.		1215		
	0755	West	Centered near Fort Simpson - Norman Wells.	28	0425	East	
16	0500		Weak SS from Lynn Lake eastward.		0850	West	
	1125		Oval stations only - Norman Wells eastward.		1200	West	
17	0510	East	Weak SS.		1435		Network in daylight.
	1040	West		29	0950		Sudden positive impulse on H component at low- and mid-latitude stations with 33y at Boulder.
18	0615	=center	Localized SS; moderate intensity at Back, Island Lake and Lynn Lake.		2050		Magnetic storm began with SC; strong ring current established. Initial positive H-component deflections were 85y at Boulder, 28y at Tahiti and 33y at Wake.
	0710	=center	1st of double onset.	30			Magnetic storm continued; entire network disturbed between 0500 and 1500 UT; high-latitude activity continued until 2000 UT; lower latitude disturbance subsided at 2000 UT also.
	1055	West					
	1145	West					


MAY 1978 DATA

Contents

	Page
<u>Daily Solar Activity Center</u>	
H α Synoptic Chart	44-45
X-ray, Magnetograms, Calcium Plages, H α Filtergrams, Sunspots, Corona and 2 cm and 8.6 mm Spectroheliograms	46-107
Individual Regions of Solar Activity	108-118
Daily Calcium Indices	118
<u>Sudden Ionospheric Disturbances</u>	
Table of Events	119-122
<u>Solar X-Ray Radiation</u>	
Solrad 11	123-138
<u>Solar Radio Waves</u>	
Spectral Observations	139-150
Selected Events by Radioheliograph	151-154
<u>Cosmic Rays</u>	
Neutron Monitors Daily Values	155
Chart of Variations	156-159
<u>Geomagnetic Indices</u>	
Table of Indices Kp, Kn, Ks, Km, Cp, Ap, aa	160
12-Month Table of Daily Averages Ap	161
Chart of Kp by Bartels 27-day Rotation	162
Chart of Dst by Bartels Rotation	163
Equatorial Indices Dst	164
Principal Magnetic Storms	165
Sudden Commencements and Solar Flare Effects	166
<u>Radio Propagation Indices</u>	
Quality Indices on Paths to Germany	167
Transmission Frequency Ranges - North Atlantic Path	168-169

H α SYNOPTIC CHART

MAY - JUNE 1978





MAY 1, 1978 (P = -24.24, B₀ = -4.17, L₀ = 78.63)

LOCKHEED OSO-8 X-RAY

SACRAMENTO PEAK

Np

CORONA (1.15 R₀)
5303 Å




1-8 Å FLUX (10⁻⁸ Wm⁻²)

KITT PEAK

MT. WILSON





MAGNETOGRAM
Solid-Plus
Dotted-Minus

DELTAY =
DELTAX =








Levels
+ 5
+ 10
+ 20
+ 40
+ 80

MAY 2, 1978 (P = -24.06, B₀ = -4.07, L₀ = 65.42)




O₂
SACRAMENTO PEAK




MAY 3, 1978 (P = -23.88, B₀ = -3.97, L₀ = 52.20)

CORONA (1.15 R₀)
5303 Å



SACRAMENTO PEAK

OSO-8 X-RAY




1-8 Å FLUX (10⁻⁸ Wm⁻²)

0030 UT

KITT PEAK

MAGNETOGRAM
Bright- Plus
Dark - Minus




1556 UT

MT. WILSON






DELTA Y = 12.6
DELTA X = 9.4

MAGNETOGRAM
Solid- Plus
Dotted- Minus







16.11-17.51 UT


O3
SACRAMENTO PEAK




MAY 4, 1978 (P = -23.68, $B_0 = -3.86$, $L_0 = 38.98$)




O4
SACRAMENTO PEAK



H α BOULDER



SUNSPOTS




Mc MATH-HULBERT

FAIR D
66 - 12300 - 3.5
80 - 2400 - 2.5
82 - 1800 - 3.0

NOSC LA POSTA


20 CM



Ant. Temp Unit 100°K





NOSC LA POSTA

8.6 MM




Ant. Temp Unit 100°K

MAY 5, 1978 (P = -23.48, B₀ = -3.76, L₀ = 25.76)



O5
SACRAMENTO PEAK




8.6 MM

NOSC LA POSTA

2.0 CM

NOSC LA POSTA




MAY 6, 1978 (P = -23.28, B₀ = -3.66, L₀ = 12.54)

LOCKHEED

OSO-8 X-RAY

Np




0015 UT

1-8 Å FLUX (10⁻⁸ Wm⁻²)

Np


KITT PEAK

MAGNETOGRAM
Bright- Plus
Dark - Minus



SACRAMENTO PEAK

Np




CORONA (1.15 R₀)
5303 Å

Sp

MT. WILSON





MAGNETOGRAM
Solid- Plus
Dotted- Minus




Levels
+ 5
+ 10
+ 20
+ 40
+ 80

Ant. Temp. Unit 100°K


MAY 7, 1978 (P = -23.06, B₀ = -3.55, L₀ = 359.32)




O7
SACRAMENTO PEAK



H α BOULDER



Mc MATH-HULBERT



FAIR	M
66 - 9500 - 3.5	
70 - 2700 - 2.5	
80 - 2300 - 2.5	
82 - 1900 - 2.5	
91 - 5500 - 3.5	
94 - 0800 - 2.5	



PROMINENCES

NOSC LA POSTA

2.0 CM

NOSC LA POSTA

8.6 MM




Ant. Temp. Unit 100° K

Ant. Temp. Unit 100° K

60
May 78


MAY 8, 1978 (P = -22.84, B₀ = -3.44, L₀ = 346.10)

LOCKHEED OSO-8 X-RAY



SACRAMENTO PEAK


CORONA (1.15 R₀)
5303 Å



1527 UT

KITT PEAK


MAGNETOGRAM
Bright- Plus
Dark - Minus





1550 UT

MT. WILSON

MAGNETOGRAM
Solid- Plus
Dotted- Minus




Levels
+ 5
+ 10
+ 20
+ 40
+ 80



62
May 78


MAY 9, 1978 (P = -22.61; B₀ = -3.33, L₀ = 332.88)

LOCKHEED OSO-8 X-RAY




SACRAMENTO PEAK

CORONA (1.15 R₀)
5303 Å



KITT PEAK



MAGNETOGRAM

Bright - Plus
Dark - Minus

DELTA X =

DELTA Y =

MT. WILSON

MAGNETOGRAM

Solid - Plus
Dotted - Minus

Np

Sp


E

W


NO DATA

Levels
 + 5
 + 10
 + 20
 + 40
 + 80

09
SACRAMENTO PEAK




H α BOULDER



SUNSPOTS

McMATH-HULBERT

Ca II K REPORT




NOSC LA POSTA

2.0 CM

NOSC LA POSTA


8.6 MM





Ant. Temp. Unit 100°K


1658 UT

Ant. Temp. Unit 100°K







IO
SACRAMENTO PEAK




H α BOULDER



SUNSPOTS




McMATH-HULBERT




CALCIUM REPORT

FAIR	D
79	0300 - 2.5
80	2500 - 3.0
82	1300 - 2.5
81	4700 - 3.0
94	1500 - 2.5
96	2500 - 3.5

NOSC LA POSTA



NOSC LA POSTA




Ant. Temp Unit 100°K

1709 UT

Ant. Temp Unit 100°K

Sp

MAY 11, 1978 (P = -22.14, B₀ = -3.11, L₀ = 306.44)



SACRAMENTO PEAK

CORONA (1.15 R₀)
5303 Å



Np



W

E





Sp

1716 UT






MAY 12, 1978 (P = -21.89, B₀ = -3.00, L₀ = 293.22)



12
SACRAMENTO PEAK

Np




E

1447 UT

H α BOULDER

Np



W

1335 UT


Sp

PROMINENCES

1404 UT

SUNSPOTS

Np




W

1404 UT

Sp

McMATH-HULBERT

Np




W

2120 UT

Sp


CALCIUM REPORT

Np






70
May 78




MAY 13, 1978 (P = -21.63, B₀ = -2.89, L₀ = 279.99)




CORONA (1.15 R₀)
5303 Å



13
SACRAMENTO PEAK







POOR	M
80 - 2000	2.5
91 - 4300	3.0
92 - 0400	2.5
94 - 1200	2.5
95 - 0300	2.5
96 - 3200	3.5
98 - 4000	3.5
01 - 1800	4.0




72
May 78


MAY 14, 1978 (P = -21.37, B₀ = -2.78, L₀ = 266.77)




14
SACRAMENTO PEAK



H α BOULDER



SUNSPOTS




McMATH-HULBERT

POOR	D
80	-1200 - 2.5
91	-3800 - 3.0
92	-0400 - 2.5
95	-0300 - 3.0
96	-3000 - 3.0
98	-4000 - 3.5
00	-3500 - 3.0
01	-2000 - 3.5

PROMINENCES

NOSC LA POSTA


2.0 CM



1819 UT

NOSC LA POSTA





8.6 MM




1656 UT

Ant. Temp. Unit 100°K


MAY 15, 1978 (P = -21.10, B₀ = -2.67, L₀ = 253.54)



15
SACRAMENTO PEAK




H α BOULDER



SUNSPOTS


McMATH-HULBERT




CALCIUM REPORT

FAIR	S
91 - 3800 - 2.5	
95 - 0500 - 3.0	
96 - 2800 - 3.0	
98 - 4000 - 3.0	
00 - 3900 - 3.0	
01 - 2500 - 3.5	


















































































NOSC LA POSTA



NOSC LA POSTA





8.6 MM




MAY 16, 1978 (P = -20.83, B₀ = -2.55, L₀ = 240.32)

LOCKHEED OSO-8 X-RAY


SACRAMENTO PEAK
CORONA (1.15 R₀)
5303 Å



KITT PEAK
MAGNETOGRAM
Bright - Plus
Dark - Minus



MT. WILSON
DELTA Y = 12.6
DELTA X = 9.4
MAGNETOGRAM
Solid - Plus
Dotted - Minus




16.46 - 18.42 UT

1359 UT

16

SACRAMENTO PEAK

Np




Sp

1553 UT

H α BOULDER

Np




1416 UT

SUNSPOTS

Np

McMATH-HULBERT



1315 UT


CALCIUM REPORT

FAIR	M
91 - 3500 - 2.5	
92 - 0700 - 3.5	
95 - 0700 - 2.5	
96 - 2800 - 3.0	
98 - 4000 - 3.5	
00 - 4500 - 3.0	
01 - 2800 - 3.5	
04 - 0300 - 2.5	

NOSC LA POSTA

Np

20 CM




2109 UT

Ant. Temp. Unit 100°K

NOSC LA POSTA

Np





8.6 MM



2204 UT


Ant. Temp. Unit 100°K

MAY 17, 1978 (P = -20.54, B₀ = -2.44, L₀ = 227.09)




MAGNETOGRAM
 Solid - Plus
 Dotted - Minus
 DELTAY = 12.6
 DELTAX = 9.4

17
SACRAMENTO PEAK




H α BOULDER



SUNSPOTS

McMATH-HULBERT

NP CALCIUM REPORT



FAIR	D
91	3100 - 2.5
92	0700 - 3.5
96	3000 - 3.0
98	4000 - 3.0
00	5000 - 3.0
01	3300 - 3.0
02	0300 - 3.0
04	0300 - 3.0
05	1800 - 2.5



PROMINENCES

NOSC LA POSTA

20 CM

NOSC LA POSTA

8.6 MM




Ant. Temp. Unit 100°K

Ant. Temp. Unit 100°K


MAY 18, 1978 (P = -20.26, B₀ = -2.33, L₀ = 213.86)

LOCKHEED OSO-8 X-RAY




SACRAMENTO PEAK

CORONA (1.15 R₀)
5303 Å



KITT PEAK


MAGNETOGRAM
Bright- Plus
Dark - Minus



MT. WILSON


DELTA = 12.7
DELTA = 9.4

MAGNETOGRAM
Solid- Plus
Dotted- Minus



18
SACRAMENTO PEAK

Np




E

2010 UT

Sp

H α BOULDER

Np




1433 UT

Sp

SUNSPOTS

Mc MATH-HULBERT

Np



1130 UT

Sp


CALCIUM REPORT

FAIR	S
------	---

96 - 2900 - 3.0
98 - 3600 - 3.0
00 - 5300 - 3.0
01 - 3300 - 3.5
04 - 0300 - 3.0
05 - 2000 - 2.5

NOSC LA POSTA

Np




1605 UT

Sp

Ant. Temp Unit 100° K

NOSC LA POSTA

Np



1640 UT


Sp

Ant. Temp Unit 100° K

8.6 MM


MAY 19, 1978 (P = -19:96, B₀ = -2.21, L₀ = 200.63)

LOCKHEED OSO-8 X-RAY




SACRAMENTO PEAK

CORONA (1.15 R₀)
5303 Å



KITT PEAK


MAGNETOGRAM
Bright- Plus
Dark - Minus




MT. WILSON

DELTA Y = 12.7
DELTA X = 9.4


MAGNETOGRAM
Solid- Plus
Dotted- Minus



19
SACRAMENTO PEAK




H α BOULDER



SUNSPOTS

McMATH-HULBERT



CALCIUM REPORT

GOOD	S
94 - 1200 - 2.5	
96 - 2700 - 3.5	
98 - 3800 - 3.0	
00 - 5300 - 3.0	
01 - 3300 - 3.0	
04 - 0300 - 2.5	
05 - 3000 - 3.0	


PROMINENCES
NO DATA

NOSC LA POSTA


2.0 CM

NOSC LA POSTA

8.6 MM




Ant. Temp. Unit 100° K




Ant. Temp. Unit 100° K

MAY 20, 1978 (P = -19.66, B₀ = -2.09, L₀ = 187.41)

LOCKHEED OSO-8 X-RAY




SACRAMENTO PEAK



CORONA (1.15 R₀)
5303 Å


1-8 Å FLUX (10⁻⁸ Wm⁻²)

KITT PEAK
MAGNETOGRAM
Bright- Plus
Dark - Minus



MT. WILSON
MAGNETOGRAM
Solid- Plus
Dotted- Minus


DELTAY =
DELTAX =



Levels
 + 5
 + 10
 + 20
 + 40
 + 80

20
SACRAMENTO PEAK

Np




Sp

1513 UT

H α BOULDER

Np




Sp

1842 UT

SUNSPOTS

Np



Sp


1115 UT

McMATH-HULBERT

V	POOR	M
96	2500	3.5
98	3800	3.0
00	5300	3.0
01	3500	3.0
05	3000	3.0
10	0500	2.5

NOSC LA POSTA

Np



Sp


1914 UT

2.0 CM

Ant. Temp. Unit 100°K

NOSC LA POSTA

Np







Sp

1658 UT



8.6 MM

Ant. Temp. Unit 100°K





MAY 21, 1978 ($P = -19.35$, $B_0 = -1.98$, $L_0 = 174.18$)



21
SACRAMENTO PEAK




MAY 22, 1978 (P = -19.04, B₀ = -1.86, L₀ = 160.95)



22
SACRAMENTO PEAK

Np



E


1448 UT

Sp

H α

BOULDER

Np



PROMINENCES

1505 UT

Sp


SUNSPOTS

Np

McMATH-HULBERT

Np

CALCIUM REPORT



1130 UT


Sp

POOR	D
98 - 3800	-3.0
00 - 4900	-3.0
01 - 3200	-3.5
05 - 3000	-3.0
10 - 1000	-3.0
13 - 0200	-3.0
44 - 5100	-3.5

NOSC LA POSTA

Np

2.0 CM



1613 UT


Sp

Ant. Temp. Unit 100°K

NOSC LA POSTA

Np

8.6 MM







1710 UT

Sp

Ant. Temp. Unit 100°K


90
May 78

MAY 23, 1978 (P = -18.72, B₀ = -1.74, L₀ = 147.72)



23
SACRAMENTO PEAK

Np



Sp

1633 UT

H α


BOULDER

Np

SUNSPOTS

Np

McMATH-HULBERT



POOR	S
98	3000 - 2.5
00	4200 - 3.0
01	2500 - 3.0
05	2800 - 2.5
10	0700 - 2.5
13	0100 - 2.5
14	8200 - 3.5

PROMINENCES

1356 UT

1408 UT

1633 UT

NOSC LA POSTA

Np

2.0 CM

NOSC LA POSTA


Np

8.6 MM



1638 UT

Ant. Temp. Unit 100°K







2035 UT


Ant. Temp. Unit 100°K

92
May 78


MAY 24, 1978 (P = -18.40, B₀ = -1.62, L₀ = 134.49)




24
SACRAMENTO PEAK



H α BOULDER



SUNSPOTS



McMATH-HULBERT

CALCIUM REPORT


GOOD	S
00 - 3800	- 3.0
01 - 1900	- 3.0
05 - 2600	- 3.0
14 - 10000	- 3.5
18 - 0200	- 2.5

NOSC LA POSTA


20 CM

NOSC LA POSTA

8.6 MM




Ant. Temp Unit 100°K






Ant. Temp Unit 100°K

MAY 25, 1978 (P = -18.06, B₀ = -1.51, L₀ = 121.26)

CORONA (1.15 R₀)
5303 Å




SACRAMENTO PEAK



25
SACRAMENTO PEAK

Np




Sp

1512 UT

H α

BOULDER

Np



NO DATA

Sp


PROMINENCES

2025 UT

SUNSPOTS

Np

Mc MATH-HULBERT



1230 UT


Sp

GOOD	S
00 - 3500	- 2.0
05 - 2600	- 2.5
10 - 0700	- 2.5
14 - 11000	- 3.5
19 - 1800	- 3.0

NOSC LA POSTA

Np

2.0 CM




Sp

1627 UT

NOSC LA POSTA

Np





8.6 MM



Sp

1704 UT


MAY 26, 1978 (P = -17.73, $B_0 = -1.39$, $L_0 = 108.02$)



26

SACRAMENTO PEAK

Np



1533 UT


H α BOULDER

Np

SUNSPOTS

Mc MATH-HULBERT

CALCIUM REPORT



1350 UT

1340 UT

1130 UT

GOOD	D
05 - 2700 - 2.5	
10 - 0600 - 2.5	
14 - 1300 - 3.5	
19 - 2300 - 4.0	
22 - 0800 - 2.5	

NOSC LA POSTA

Np

20 CM




1857 UT

NOSC LA POSTA

Np

8.6 MM







1738 UT




Ant. Temp Unit 100°K

Ant. Temp Unit 100°K





MAY 27, 1978 (P = -17.39, B₀ = -1.27, L₀ = 94.79)



27
SACRAMENTO PEAK




MAY 28, 1978 (P = -17.04, $B_0 = -1.15$, $L_0 = 81.56$)



28

SACRAMENTO PEAK

Np



E


1522 UT

Sp

H α

BOULDER

Np




1345 UT

Sp

SUNSPOTS

Np

McMATH-HULBERT



1200 UT

Sp

CALCIUM REPORT


GOOD	D
05	2700 - 2.5
10	0600 - 2.5
14	10700 - 3.5
19	3100 - 3.0
21	0400 - 3.0
22	0900 - 2.5

PROMINENCES

NO DATA

NOSC LA POSTA

Np



1534 UT


Sp

Ant. Temp Unit 100°K

2.0 CM

NOSC LA POSTA

Np







1646 UT

Sp

Ant. Temp Unit 100°K


8.6 MM

MAY 29, 1978 (P = -16.68, $B_0 = -1.03$, $L_0 = 68.33$)




29


SACRAMENTO PEAK



H α BOULDER



SUNSPOTS



McMATH-HULBERT

CALCIUM REPORT

FAIR	D
03 - 2000 - 2.5	
14 - 10300 - 3.5	
19 - 2800 - 3.0	
21 - 0600 - 3.0	
31 - 0600 - 3.5	
33 - 1200 - 2.5	


PROMINENCES
NO DATA

NOSC LA POSTA


2.0 CM

NOSC LA POSTA

8.6 MM










Ant. Temp Unit 100°K



Ant. Temp Unit 100°K




MAY 30, 1978 (P = -16.33, B₀ = -0.91, L₀ = 55.10)









FAIR	D
05 - 0900 - 2.5	
14 - 1500 - 3.5	
19 - 3200 - 3.0	
21 - 0500 - 2.5	
30 - 1200 - 3.5	
31 - 1200 - 3.5	
33 - 1800 - 3.5	
34 - 0200 - 3.0	

PROMINENCES
1416 UT




MAY 31, 1978 (P = -15.96, B₀ = -0.79, L₀ = 41.86)



31
SACRAMENTO PEAK

Np




E

1452 UT

H α

BOULDER

Np



W


E

Sp

SUNSPOTS

Np

Mc MATH-HULBERT




GOOD	S
14 - 11400 - 5.0	
19 - 3000 - 3.0	
21 - 0800 - 3.0	
22 - 0700 - 2.5	
31 - 1500 - 3.0	
33 - 1600 - 2.5	
34 - 0600 - 2.5	
35 - 0700 - 2.5	

PROMINENCES

NOSC LA POSTA

Np




Sp

Ant. Temp. Unit 100°K

2005 UT

NOSC LA POSTA

Np



Sp

Ant. Temp. Unit 100°K

2040 UT

REGIONS OF SOLAR ACTIVITY

MAY 1978

MCMATH REGION 15285

CMP DATE 5.2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMO	L	AREA	INT	MW NO.	LAT CMO	L	MAG.	H	STA	AREA	CNT	CLASS
78	5	6	15285	S18 W20	23	200	1.0		S19 W23					10	1	AXX
78	5	7	15285	S17 W30	23	200	1.5									

MCMATH REGION 15276

CMP DATE 6.3

RETURN OF REGION 15227

ROTATION 2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMO	L	AREA	INT	MW NO.	LAT CMO	L	MAG.	H	STA	AREA	CNT	CLASS
78	4	29	15276	S26 E90	9	300	1.0									
78	4	30	15276	S26 E80	6	500	1.0									
78	5	1	15276	S26 E65	7	500	1.5									
78	5	2	15276	S26 E51	7	500	1.5									
78	5	3	15276	S26 E38	7	500	1.5									
78	5	4	15276	S27 E25	7	500	1.5									
78	5	6	15276	S27 W06	9	400	2.0									
78	5	7	15276	S27 W14	7	300	1.5									
78	5	9	15276	S27 W40	7	500	2.0									
78	5	10	15276	S27 W53	7	300	2.0									
78	5	11	15276	S27 W64	5	400	2.5									
78	5	12	15276	S27 W80	2	400	2.5	20030	S26 W77	2	X	1	B	10	1	AXX

MCMATH REGION 15275

CMP DATE 6.5

RETURN OF REGION 15229

ROTATION 3

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMO	L	AREA	INT	MW NO.	LAT CMO	L	MAG.	H	STA	AREA	CNT	CLASS
78	4	30	15275	N18 E80	6	900	1.5									
78	5	1	15275	N18 E65	7	800	1.5									
78	5	2	15275	N18 E53	5	900	1.5									
78	5	3	15275	N18 E40	5	800	1.5									
78	5	4	15275	N18 E26	6	800	1.5									
78	5	6	15275	N18 W03	6	900	1.5									
78	5	7	15275	N18 W14	7	900	1.5									
78	5	9	15275	N18 W40	7	800	1.0									
78	5	10	15275	N18 W53	7	700	1.0		N19 W53				B	190	8	DSI
78	5	11	15275	N18 W65	6	600	1.0		N17 W58				H	30	2	HSX

MCMATH REGION 15280

CMP DATE 7.9

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMO	L	AREA	INT	MW NO.	LAT CMO	L	MAG.	H	STA	AREA	CNT	CLASS
78	4	30	15280	S27 E90	357	300	2.0									
78	5	1	15280	S26 E80	353	1800	3.0	20023	S27 E70	0	B	3				
78	5	2	15280	S27 E68	351	2700	2.5	20023	S27 E68	349	(B)	3	R	360	18	EAI
78	5	3	15280	S27 E55	351	2900	2.5	20023	S28 E55	350	(B)	3	B	260	7	ESI
78	5	4	15280	S27 E44	349	2400	2.5	20023	S28 E42	350	(B)	4	B	240	11	OAI
78	5	5	15280					20023	S28 E31	347	(B)	3	R	150	36	GAI
78	5	6	15280	S28 E14	350	2300	3.0	20023	S28 E18	347	(B)	4	M	160	17	DSO
78	5	7	15280	S28 E05	348	2300	2.5	20023	S28 E04	347	(B)	4	B	80	11	ESI
78	5	8	15280					20023	S28 W07	345	(B)	3	B	60	7	DSO
78	5	9	15280	S28 W19	346	2500	3.0	20023	S28 W21	346	(B)	3	B	30	7	DSO
78	5	10	15280	S28 W32	346	2500	3.0	20023	S27 W35	347	(AP)	3	B	10	2	CRO
78	5	11	15280	S27 W46	347	2200	2.5	20023	S28 W48	347	(B)	4	M	10	2	BX0
78	5	12	15280	S27 W62	344	2000	2.5									
78	5	13	15280	S26 W82	354	2000	2.5									
78	5	14	15280	S26 W87	346	1200	2.5									

MCMATH REGION 15282

CMP DATE 7.9

RETURN OF REGION 15231

ROTATION 2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMO	L	AREA	INT	MW NO.	LAT CMO	L	MAG.	H	STA	AREA	CNT	CLASS
78	5	2	15282	N20 E78	341	900	2.0	20024	N16 E74	343	B	1	R	10	2	BX0
78	5	3	15282	N19 E61	345	2100	3.0	20024	N17 E58	347	(B)	3	B	100	4	CS0
78	5	4	15282	N18 E46	347	1800	3.0	20024	N17 E42	350	(B)	5	B	130	6	CSI
78	5	5	15282					20024	N17 E29	349	(B)	4	R	140	9	DSO
78	5	6	15282	N17 E16	348	1800	2.5	20024	N17 E15	350	(B)	4	M	100	6	DSO
78	5	7	15282	N17 E05	348	1900	2.5	20024	N17 W01	352	(AP)	5	B	40	1	HSX
78	5	8	15282					20024	N17 W13	351	(AP)	4	B	30	1	HSX
78	5	9	15282	N17 W21	348	1500	2.5	20024	N18 W27	352	(AP)	4	B	20	1	HSX
78	5	10	15282	N17 W34	348	1300	2.5	20024	N18 W40	352	(AP)	4				
78	5	11	15282	N17 W47	348	1000	2.0	20024	N18 W53	352	(AP)	4				
78	5	12	15282	N17 W65	347	1200	2.0	20024	N17 W67	352	(AP)	4	B	20	1	HRX

(CON'T)

110
May 78

REGIONS OF SOLAR ACTIVITY

MAY 1978

MCMATH REGION 15282				(CONT)	CMP DATE 7.9				RETURN OF REGION 15231				ROTATION 2			
				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
78	5	13	15282	N17 W76	348	1000	2.0	20024	N18 W80	353	AP	1				

MCMATH REGION 15299				CMP DATE 8.9												
				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
78	5	12	15299	N16 W52	334	300	1.5									
78	5	13	15299	N17 W62	334	300	2.0									
78	5	14	15299	N17 W75	334	300	2.0									

MCMATH REGION 15283				CMP DATE 9.0												
				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
78	5	2	15283	S19 E90	329	100	1.0									
78	5	3	15283	S18 E78	328	300	1.5									
78	5	4	15283	S18 E63	330	300	1.5									
78	5	6	15283	S19 E32	332	100	1.5									
78	5	7	15283	S19 E20	333	100	1.0									

MCMATH REGION 15286				CMP DATE 9.6				RETURN OF REGION 15232				ROTATION 2				
				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
78	5	3	15286	S28 E75	331	400	1.0									
78	5	4	15286	S29 E60	333	300	1.0									
78	5	7	15286	S29 E25	328	400	1.5		S27 E26				M	190	20	OSI
78	5	9	15286	S29 E01	326	400	1.5									
78	5	10	15286	S29 W12	326	600	1.5									
78	5	11	15286	S28 W25	326	600	1.5									
78	5	12	15286	S28 W42	324	400	1.0									
78	5	13	15286	S27 W51	323	400	1.5									
78	5	14	15286	S28 W64	323	400	1.5									
78	5	15	15286	S28 W75	319	200	1.0									

MCMATH REGION 15287				CMP DATE 9.6												
				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
78	5	6	15287	N17 E39	325	100	1.5		N16 E34				M	10	1	AXX
78	5	7	15287	N17 E28	325	200	1.0									

MCMATH REGION 15288				CMP DATE 10.5												
				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
78	5	6	15288	N29 E50	314	100	1.5									
78	5	7	15288	N29 E40	313	200	1.5									
78	5	9	15288	N29 E13	314	200	1.5									

MCMATH REGION 15295				CMP DATE 10.9												
				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
78	5	9	15295	S13 E18	309	200	1.5									
78	5	10	15295	S13 E05	309	200	1.5									
78	5	11	15295	S13 W11	312	200	2.0									
78	5	12	15295	S14 W31	313	200	1.5									
78	5	13	15295	S13 W42	314	300	2.5	20032	S14 W42	315	AP	1				
78	5	14	15295	S15 W56	315	300	3.0	20032	S15 W57	316	(AP)	2	3	10	1	AXX
78	5	15	15295	S15 W71	315	500	3.0		S15 W73				M	20	3	8X0
78	5	16	15295	S14 W82	316	700	2.5		S16 W81				R	10	2	8X0

REGIONS OF SOLAR ACTIVITY

MAY 1978

MCMATH REGION 15289

CMP DATE 11.1

RETURN OF PART OF REGION 15233

ROTATION 3

CALCIUM PLAGE DATA

SUNSPOT DATA

YR	MO	DA	MC NO.	LAT CMO	L	AREA	INT	MW NO.	LAT CMO	L	MAG.	H STA	AREA	CNT	CLASS
78	5	6	15289	S34 E56	308	300	1.5								
78	5	7	15289	S34 E46	307	300	1.5								
78	5	9	15289	S34 E20	307	500	2.0								
78	5	10	15289	S34 E08	306	400	2.0								
78	5	11	15289	S35 W04	305	400	2.0								
78	5	12	15289	S35 W20	302	300	1.5								
78	5	13	15289	S35 W30	302	300	1.5								
78	5	14	15289	S35 W42	301	200	1.5								
78	5	15	15289	S35 W56	300	100	1.5								
78	5	16	15289	S35 W65	299	100	1.5								
78	5	17	15289	S35 W78	299	200	1.0								

MCMATH REGION 15292

CMP DATE 11.8

RETURN OF REGION 15240

ROTATION 2

CALCIUM PLAGE DATA

SUNSPOT DATA

YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MN NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
78	5	6	15292	S20 E70	294	300	1.5								
78	5	7	15292	S21 E60	293	400	1.5								
78	5	9	15292	S21 E32	295	400	1.5								
78	5	10	15292	S21 E18	296	400	1.0								
78	5	11	15292	S21 E04	297	300	1.0								
78	5	12	15292	S22 W14	296	200	1.0								
78	5	13	15292	S22 W24	296	400	2.5	20033	S25 W28	301	(AP)	1 M	10	5	BXO
78	5	14	15292	S25 W38	297	400	2.5	20033	S25 W40	299	(S)	3	10	4	9XO
78	5	15	15292	S25 W55	299	300	2.0		S25 W57			M	0	1	AXX
78	5	16	15292	S25 W66	300	700	3.5		S27 W68			R	10	3	BXO
78	5	17	15292	S25 W79	300	700	3.5								

MCMATH REGION 15293

CMP DATE 12.1

RETURN OF PART OF REGION 15233

ROTATION 3

CALCIUM PLAGE DATA

SUNSPOT DATA

YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MH NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
78	5	6	15293	S34 E74	290	600	1.0								
78	5	7	15293	S34 E65	288	800	1.5								
78	5	9	15293	S34 E38	289	900	2.0								
78	5	10	15293	S34 E26	288	700	2.0								
78	5	11	15293	S33 E08	293	500	1.0								
78	5	12	15293	S33 W08	290	300	1.5								
78	5	13	15293	S33 W18	290	400	2.0								
78	5	14	15293	S33 W29	288	400	2.0								
78	5	15	15293	S33 W43	287	400	2.0								
78	5	16	15293	S33 W52	286	300	1.5								
78	5	17	15293	S33 W64	285	300	1.0								
78	5	18	15293	S33 W70	278	400	1.0								

MCMATH REGION 15291

CMP DATE 12.2

RETURN OF REGIONS 15235 AND 15239 ROTATIONS 3 AND 2

CALCIUM PLAGE DATA

SUNSPOT DATA

YR	MO	DA	MC NO.	LAT CMO	L	AREA	INT	MW NO.	LAT CMO	L	MAG.	H STA	AREA	CNT	CLASS
78	5	6	15291	N17 E75	289	3200	3.0	20025	N17 E83	282	(3	4	M 440	10	FSI
78	5	7	15291	N17 E65	288	5500	3.5	20025	N17 E60	291	(9P)	5	B 170	6	ESO
78	5		15291					20026	N17 E70	281	(3P)	4			
78	5	8	15291					20025	N16 E45	293	(3	4	B 60	6	DRO
78	5		15291					20026	N16 E53	285	(AP)	4			
78	5	9	15291	N17 E35	292	5000	3.0	20025	N16 E30	295	(3)	4	B 20	6	CSO
78	5		15291					20026	N17 E39	286	(AP)	5	B 100	1	HSX
78	5	10	15291	N17 E22	292	4700	3.0	20025	N16 E13	299	(AP)	4	B 40	4	DRO
78	5		15291					20026	N17 E27	285	(AP)	5	B 130	1	HSX
78	5	11	15291	N17 E09	292	4480	3.0	20025	N16 E01	298	(AP)	3	M 40	4	CRO
78	5		15291					20026	N17 E14	285	(AP)	5	M 100	4	CSO
78	5	12	15291	N17 W10	292	4200	3.0	20025	N16 W13	298	(AP)	3	B 20	2	AXX
78	5		15291					20026	N17 E01	284	(AP)	6	B 90	2	HSX
78	5	13	15291	N17 W20	292	4300	3.0	20025	N17 W26	299	(AP)	2	M 0	1	AXX
78	5		15291					20026	N17 W12	285	(AP)	5	M 60	1	HSX
78	5	14	15291	N17 W33	292	3800	3.0	20026	N17 W26	285	(AP)	5	B 140	1	HSX
78	5	15	15291	N17 W47	291	3600	2.5		N16 W44			4	110	1	HSX
78	5	16	15291	N17 W59	293	3500	2.5	20026	N18 W58	287	(AP)	3	B 110	1	HSX
78	5	17	15291	N17 W72	293	3100	2.5	20026	N18 W68	287	(AP)	3	B 110	1	HSX
78	5	18	15291	N17 W85	293	1400	2.0	20026	N18 W82	288	(AP)	2	B 100	1	HSX

REGIONS OF SOLAR ACTIVITY
MAY 1978

MCHATH REGION 15317						CMP DATE 22.0									
						CALCIUM PLAGE DATA				SUNSPOT DATA					
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
78	5	24	15317	S01 W33	162	200	2.0								
78	5	25	15317	S01 W45	161	100	1.0								

MCMATH REGION 15309				CMP DATE 22.2											
				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CHD	L	AREA	INT	MW NO.	LAT CHD	L	MAG.	H STA	AREA	CNT	CLASS
78	5	19	15309	S14 E37	158	300	1.5								
78	5	20	15309	S14 E24	158	200	1.0								
78	5	21	15309	S15 E08	159	200	1.5								

MCMATH REGION 15323				CMP DATE 22.2											
				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
78	5	25	15323	N18 W44	160	100	1.5								
78	5	26	15323	N18 W59	162	200	1.5								

MCMATH REGION 15325				CMP DATE 22.7											
				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
78	5	27	15325	N18 W63	152	100	1.0								

MCMATH REGION 15313				CMP DATE 22.8											
				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CND	L	AREA	INT	MW NO.	LAT CND	L	MAG.	H STA	AREA	CNT	CLASS
78	5	21	15313	S33 E16	151	300	3.0	20043	S32 E15	152	(B)	2 B	10	2	BXO
78	5	22	15313	S32 E04	151	200	3.0								
78	5	23	15313	S32 W10	151	100	2.5								

MCMATH REGION 15318						CMP DATE 23.5											
				CALCIUM	PLAGE	DATA			SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS		
78	5	24	15318	S15 W14	143	200	2.5		S16 W20			M	10	3	BXO		
78	5	25	15318	S15 W26	142	400	2.0		S16 W26			R	10	5	BXO		
78	5	26	15318	S15 W40	143	300	2.0										
78	5	27	15318	S15 W52	141	400	2.0										
78	5	28	15318	S15 W66	142	300	1.0										

MCMATH REGION 15307				CMP DATE 24.3			RETURN OF REGION 15265				ROTATION 2				
				CALCIUM PLAGE DATA			SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
78	5	18	15307	N26 E78	130	200	1.5								
78	5	19	15307	N27 E64	131	100	1.0								

MCMATH REGION 15320				CMP DATE 24.3											
				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
78	5	25	15320	N28 W16	132	200	2.0	20045	N28 W19	134	(AP)	1 R	10	5	BXO
78	5		15320					20046	N28 W05	120	X				
78	5	26	15320	N28 W29	132	300	2.0								
78	5	27	15320	N28 W42	131	200	1.5								
78	5	28	15320	N28 W56	132	200	1.0								
78	5	29	15320	N28 W70	133	200	1.0								
78	5	30	15320	N29 W87	137	300	1.0								

CALCIUM PLAGE DATA										SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT	CMD	L	AREA	INT	MW NO.	LAT	CMD	L	MAG.	H	STA	AREA	CNT	CLASS
78	6	01	15316	N27	W39		1600	2.0							B	140	19	C
78	6	02	15316	N28	W53		1300	2.0							3	150	11	C
78	6	03	15316	N28	W66		1500	2.5							B	120	3	C
78	6	04	15316	N27	W79		1200	2.5										

REGIONS OF SOLAR ACTIVITY

MAY 1978

MCMATH REGION 15335

CMP DATE 29.6

			CALCIUM PLAGE DATA					SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
78	5	30	15335	S17 W12	62	300	2.0	20057	S17 W14	62	(B)	4	R	40	12	BXO
78	5	31	15335	S17 W26	63	700	2.5	20057	S17 W27	62	(BP)	3	R	70	12	ORO
78	6	01	15335	S17 W39		900	2.5	20057	S17 W41		(B)	3	B	40	20	B
78	6	02	15335	S17 W52		900	3.0	20057	S17 W55		(B)	3	B	20	9	B
78	6	03	15335	S17 W65		1500	2.5	20057	S16 W68		(AF)	3	B	60	8	B
78	6	04	15335	S17 W78		1500	3.0									
78	6	05	15343	S16 W66		200	1.5									

MCMATH REGION 15332

CMP DATE 30.4

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
78	5	29	15332	S18 E12	51	300	1.5									
78	5	30	15332	S18 W03	53	300	1.5	20058	S19 W04	52	(AP)	3	R	20	10	3XO
78	5	31	15332	S19 W12	49	300	1.5	20060	S20 W14	49	(AF)	3	R	10	2	AXX

MCMATH REGION 15328

CMP DATE 31.0

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
78	5	28	15328	S10 E33	43	200	1.0		S08 E33				B	10	1	AXX
78	5	29	15328	S10 E20	43	200	1.0									
78	6	01	15332	S19 W26		400	2.5	20060	S18 W20		(B)	3	B	30	11	B
78	6	02	15332	S23 W40		500	2.0	20060	S18 W43		(B)	3	B	10	5	B
78	6	03	15332	S18 W53		700	2.0						B	10	1	A
78	6	04	15332	S18 W65		500	2.0									
78	6	05	15332	S18 W78		500	1.5									

MCMATH REGION 15319

CMP DATE 31.3

				CALCIUM PLAGE DATA				SUNSPOT DATA										
YR	MO	DA	MC NO.	LAT	CMD	L	AREA	INT	MW NO.	LAT	CMD	L	MAG.	H	STA	AREA	CNT	CLASS
78	5	24	15319	N19	E87	42	600	1.0										
78	5	25	15319	N20	E76	40	1800	3.0	20050	N18	E75	40	(AP)	2				
78	5		15319						20051	N22	E79	36	(B)	2	R	10	4	BXO
78	5	26	15319	N21	E64	39	2500	4.0	20050	N20	E60	42	(AP)	3	B	130	9	CAI
78	5		15319						20051	N26	E69	33	(AP)	2	B	10	4	BXO
78	5	27	15319	N21	E52	37	3100	3.0	20050	N23	E49	39	(BF)	4	B	160	21	CKI
78	5	28	15319	N21	E38	38	3100	3.0	20050	N22	E37	38	(BP)	3	B	90	18	ORO
78	5	29	15319	N21	E25	38	2800	3.0	20050	N21	E22	40	(BY)	3	B	60	11	CRI
78	5	30	15319	N21	E10	40	3200	3.0	20050	N20	E09	39	(AP)	3	R	110	36	DRI
78	5	31	15319	N21	W02	39	3000	3.0	20050	N21	W04	39	(Y)	4	R	140	34	DRI
78	6	01	15319	N21	W15		3300	3.5	20050	N21	W16		(B)	4	B	100	55	D
78	6	02	15319	N21	W29		3000	3.5	20050	N21	W30		(B)	4	B	270	26	D
78	6	03	15319	N22	W42		3200	3.5	20050	N22	W43		(BP)	3	B	250	30	E
78	6	04	15319	N22	W55		3500	3.5	20050	N22	W58		(B)	4	B	100	6	D
78	6	05	15319	N23	W69		3500	3.5	20050	N23	W72		(B)	3	B	100	16	D
78	6	06	15319	N23	W82		2800	3.5	20050	N25	W80		(AF)	2	B	40	7	C

MCMATH REGION 15343

CMP DATE 31.3

CALCIUM PLAGE DATA								SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMO	L	AREA	INT	MW NO.	LAT CMO	L	MAG.	H	STA	AREA	CNT	CLASS
78	6	04	15343	S16 W55		200	2.0									

Note: No calcium spectroheliograms were secured at the McMath-Hulbert Observatory on May 5 and 8, 1978.
No sunspot observations were made at Mt. Wilson on May 15, 23, and 24, 1978.

118
May 78

DAILY CALCIUM PLAGE INDEX

MAY 1978

YR	MO	DAY	INDEX
78	5	1	46.8
78	5	2	50.2
78	5	3	50.7
78	5	4	47.2
78	5	5	*
78	5	6	36.6
78	5	7	33.6
78	5	8	*
78	5	9	31.1
78	5	10	31.0

YR	MO	DAY	INDEX
78	5	11	30.1
78	5	12	33.6
78	5	13	37.8
78	5	14	37.9
78	5	15	37.9
78	5	16	42.5
78	5	17	42.4
78	5	18	42.0
78	5	19	42.7
78	5	20	40.8

YR	MO	DAY	INDEX
78	5	21	42.5
78	5	22	38.5
78	5	23	35.1
78	5	24	37.5
78	5	25	40.8
78	5	26	46.9
78	5	27	52.5
78	5	28	50.0
78	5	29	48.5
78	5	30	52.2
78	5	31	58.1

* NO OBSERVATIONS

SUDDEN IONOSPHERIC DISTURBANCES

MAY 1978

DAY	UNIVERSAL TIME				WIDE SPREAD INDEX	NUMBER OF STATION REPORTS BY TYPE								KNOWN FLARE	McMATH REGION
	START	END	MAX	IMP		SWF	SCNA	SEA	SPA	LF- SPA	SES	SFD			
01	1115	1143	1126	1	3			2					1109	15266	
01	1725	1815	1733	1	5	1			1		13		1727E	15266	
01	1916	2258	2008	2+	5	3	1	1	2		13		1910E	15266	
01	1951	2103	1958	1-	3			1			4		1955	15252	
02	0057	0345D	0144	2	5	1		1	1		1		0048	15266	
02	0346	0407	0352	1-	5	1		1	1		1		0347E	15266	
02	0612	0806D	0618	1+	5			2	3		1		0616E	15280	
02	0642	0644D	0644	1-	3			2	2				0639E	15266	
02	0811	0900	0825	1	3	1		1			3		NF		
02	1148	1200	1151	1	5			3	2		1		1130	15252	
02	1218	1305	1228	1-	5	2		3	2		2		1200	15266	
02	1304	1316	1307	1-	1			1					1307	15252	
02	1332	1359	1334	1-	3	1					1		1330	15266	
02	1437	1515	1442	1-	1				1		1		1432	15252	
02	2200	2243	2206	1-	1				1				2205	15266	
02	2306	2342	2320	1-	1				1				2314E	15266	
03	0123	0208	0130	1-	1				1				0122	15280	
03	0403	0454	0410	1-	1				1				*		
03	1137	1345	1150	1-	5	1		5	4		2		1126	15252	
03	1406	1523	1424	1-	1				1		1		1355	15266	
03	1657	1815	1710	1	5	3		5	3		13		1655	15266	
03	1815	1915	1819	1-	1	1							1815	15266	
03	2020	2105	2027	1-	5	1			1		5		2020	15266	
04	0142E	0205D	0155	1-	5	1		1	1		1		0150	15266	
04	0255E	0422D	0302	1	5	1		1	1		1		0259	15266	
04	0638	0806	0700	1	3			1	1				0638	15266	
04	0955	1040	1007	1	5	1		3	4		1		0952	15266	
04	1239	1246D	1246	1-	1				1				*		
04	1308	1350	1320	1+	5	3		5	3		2		*		
04	1400	1525	1425	1-	3	1			1		1		*		
04	1543	1615	1547	1-	1				1		1		*		
04	1620	1715	1626	1-	1				1		1		*		
05	0008	0108	0014	1-	1				1				*		
05	1027	1154	1034	1+	5	3		3	3		2		1028	15266	
05	1538	1555	1543	1-	5			4	2		3		1537	15266	
05	1647	1725	1654	1-	3			2	1		1		*		
05	1759	1857	1805	1-	5				1		4		*		
05	1915	1938	1921	1-	1	1							*		
05	2113	0019	2128	1	1				1				*		
05	2156	2301	2216	1-	3			1	1		1		*		
06	0133	0307	0216	1-	1				1				NF		
06	0409	0558	0437	1-	1				1				*		
06	0930	0945	0934	1-	5	1			3		2		*		
06	1142	1230	1158	1-	3			1			7		1140E	15266	
06	1255	1330	1303	1-	5						8		1255	15266	
06	1543	1610	1555	1	3			1			3		1535	15266	
06	1726	1840	1734	1	5						5		NF		
06	1900	1936	1907	1-	1	1							*		
06	2004	2151D	2032	2+	5	3	1	2	1		8		*		
06	2142	2300D	2158	1	1				1				*		
06	2220E	2252	2234	1-	1				1				*		
07	0323	0625D	0422	3-	3	2			1		1		0336E	15266	
07	0625E	0753	0633	1+	5	1		2	2				0625	X-RAY	
07	0834	0842D	0842	1	5	2		3	2				0835	15266	
07	0856	0900D	0900	1	3	1		2	1				0854	X-RAY	
07	1113	1220	1130	1+	5	2	1	4	3		2		1111	X-RAY	
07	1236	1240D	1240	1-	5			2	2		1		1237	15266	
07	1316	1410	1325	1-	3			1	1		1		1318	15266	
07	1435	1520	1436	1-	5	1		3	2		9		1425	15266	
07	1513	1517D	1517	1-	1				1		1		1512	15266	
07	1553	1655	1606	2	5	5	1	7	3		13		1544	15266	
07	1640	1650	1651	1-	5	3					3		NF		
07	1703	1900	1711	1-	5	1	2		2		9		1702	X-RAY	
07	1904	1930U	1910	1-	3		1				1		1902	X-RAY	

120
May 78

SUDDEN IONOSPHERIC DISTURBANCES

MAY 1978

DAY	UNIVERSAL TIME				WIDE SPREAD INDEX	NUMBER OF STATION REPORTS BY TYPE							KNOWN FLARE	McMATH REGION
	START	END	MAX	IMP		SWF	SCNA	SEA	SPA	LF- SPA	SES	SFD		
08	0643	0700	0650	1+	5	2		6	3		1		0645	X-RAY
08	1110	1127D	1127	1	5	2		1	2		5		NF	
08	1205	1530	1242	2	5	4	1	4	3		2		1212	15266
08	1511	1524	1518	1-	1			1	1				*	
08	1648	1740	1651	1-	3	1					5		*	
09	0115	0211D	0144	1-	1				1				*	
09	0408E	0536	0414	2	5	1		1	1		1		0409	X-RAY
09	0708	0755	0727	2	3	2	1		2				NF	
09	1208	1348	1231	1+	5	2	1	4	3		2		1201	X-RAY
09	1425	1650	1445	3	5	6	2	5	2		12		1442E	15266
10	0739	0932	0806	1-	1				1				0734	X-RAY
10	1240	1302	1251	1-	1			1					*	
10	2210	2235	2212	1-	1	1							2200	X-RAY
11	0251	0353	0315	1-	1				1				0247	X-RAY
12	0508	0535	0516	1-	1				1				0507	X-RAY
12	1232U	1315	1233	1-	1			1					*	
12	1529	1557	1536	1-	1			2					*	
13	0740	0810	0753	1	5	2		2	3		1		0805	15294
14	1352	1420	1406	1	5	1	1	2	2		9		1345	X-RAY
16	0447	0542	0450	1-	1				1				0444	X-RAY
16	1610	1721	1637	1-	5	1		2	1		9		1626E	15291
16	1750	1819	1801	1-	1			1					1758	15298
17	0355	0456	0400	1-	1				1				0355	X-RAY
17	1235	1415	1245	1-	5	3	1	4	3		4		1233	15292
17	1510	1700	1517	2+	5	5	1	5	3		13		1504	15301
18	0218	0320	0230	1-	1				1				0215	X-RAY
18	0622	0712	0636	1-	1				1				0622	X-RAY
18	1158	1330	1208	1-	5	2	1	1	3		2		1159E	15303
18	1434	1452	1439	1-	1				1				*	
19	1850	1920	1900	1-	1	1							1842	15296
19	2107	2211	2116	1-	5	2	1	1	1		10		*	
19	2310	2349	2322	1-	5	2			1		10		NF	
20	0023	0135D	0052	1-	3	2			1				*	
20	0132	0231D	0139	1-	3	1			1				0132	X-RAY
20	0231E	0332	0237	1-	1				1				0226	15296
20	1237	1320	1254	1-	1				1		1		*	
20	1833	1925	1843	1	5	1		1			10		1832	X-RAY
20	2238	2322D	2245	1-	1				1				2238	X-RAY
21	0037	0102D	0046	1-	1				1				0036	X-RAY
21	0432	0530D	0441	1-	1				1				0430	X-RAY
21	0538E	0807	0551	1+	3	1		1	2		1		NF	
21	1700	1820	1720	1	3						6		NF	
21	1717	1743	1720	1	1	1							1716	15314
21	2000	2128	2013	1	1					1			*	
21	2044	2136	2100	1-	1					1			2044	X-RAY
21	2230	2250D	2250	1	5								*	
21	2302	0042	2331	1-	5			1		1	3		*	
21	2345	0032	2350	1-	5	1		1			5		2349	X-RAY
22	0201	0313	0209	1	3	1			1		1		0201	X-RAY
22	0601E	0706D	0607	1-	1				1				*	
22	0706E	0908	0716	1-	1				1				0707	X-RAY
22	1502	1625	1522	1-	5		1	1	1		12		1459	15314
22	1532	1606	1541	1-	3						3		1522	15314
22	1625	1700	1631	1-	5		1	1	1		9		1625	15301
22	2123	2140	2130	1-	1	1							*	
23	0016	0330	0034	2	5	1		1	1		3		0015	15314
23	1952	2045	2006	1-	3						4		1949	X-RAY

SUDDEN IONOSPHERIC DISTURBANCES

MAY 1978

DAY	UNIVERSAL TIME				WIDE SPREAD INDEX	NUMBER OF STATION REPORTS BY TYPE							KNOWN FLARE	McMATH REGION
	START	END	MAX	IMP		SWF	SCNA	SEA	SPA	LF- SPA	SES	SFD		
24	0202	0247	0216	1-	1				1				*	
24	1721	1728D	1728	1-	1	1							*	
24	1755	1910	1804	1-	5	2		1	1		12		1750	X-RAY
24	1907	2052	1928	1	5	2	1	1	2		11		1901	15314
24	2243	2317	2251	1-	1				1				2241	X-RAY
25	0334	0436	0346	1-	1				1				0332	X-RAY
25	0538	0738	0621	1-	1				1				0537	X-RAY
25	0846	1002	0858	1-	1				1				*	
25	1250	1329	1310	1	1			1					*	
26	0043	0200	0055	1-	1				1				0041	15314
26	0548	1014	0651	2	1				1				*	
26	0605	0858	0650	1-	3			1	1				*	
26	1236	1255D	1255	1-	1				1		1		1241	15319
26	1330	1455	1343	1-	1				1		1		1323	15319
26	1604	1625	1609	1-	3	1		2					1604	15319
26	1748	1945	1757	2	5	5	2	6	3		12		1744E	15319
27	0320	0346	0325	1-	1			1					0318	X-RAY
27	0551	0724	0556	1-	5			2	2				NF	
27	0810	1004D	0816	1-	5	3		2	3		1		0808	X-RAY
27	1005	1150	1020	1	5	3	1	3	4		2		1013E	15319
27	1116	1125	1119	1-	1			1	1				*	
27	1620	1743	1632	1-	5	4		3	2		10		1620	15319
28	0718	0900	0732	1	5	3		2	3		1		0716E	15314
28	1036	1205	1117	1-	5	2	1	3	3		3		1044E	15314
28	1316	1455	1346	1+	5	6	1	3	3		12		1310	15314
28	1458	1715	1505	3	5	7	2	6	3		13		1451	15314
28	2034	2138	2042	1-	1				1				2033	X-RAY
29	0016	0054	0023	1-	1				1				0014	X-RAY
29	0125	0202	0134	1-	1				1				0124	X-RAY
29	0659	0739	0704	1-	1				1				0655	X-RAY
29	1045	1250	1115	1-	5	1		1	3		1		1040	15314
29	1515	1617	1520	1-	1				1				1512	15314
29	1759	1915	1802	1	5	4	2	3	3		12		1740E	15314
29	2112	2240	2147	1-	1				1				*	
29	2144	2237	2151	1-	1				1				*	
30	0407	0530	0420	1-	1				1				0411E	15314
30	0551E	1056	0724	1-	1				1				*	
30	0615	0929	0728	1	5			2	2				0620	15314
30	0650	0812	0724	1-	1				1				0655E	15314
30	0712	0925	0724	2	5	4	1	7	2		2		0716	15314
30	1000	1040	1009	1-	3			1	1				1001	15314
30	1525	1630	1530	1-	5	6	1	4	2		12		1523	15314
30	1730	1805	1737	1	1	1							1737	15319
30	1925	2118	1933	2	5	3	1	1	1		11		1727E	15314
30	2237	2241D	2241	1	1		1						*	
30	2254	2335	2307	1	1	1							*	
31	0156	0230	0209	1-	1				1				0156	X-RAY
31	0732	1019D	0739	1	5	2		5	2		1		0733E	15314
31	1016	1430	1058	2+	5	5	1	4	3		1		1014	15314
31	1135E	1230	1154	1	1				1				1130	15335

122
May 78

SUDDEN IONOSPHERIC DISTURBANCES

MAY 1978

PERIODS OF NO OBSERVATIONS:

DATE	TIME (UT) and STATION	DATE	TIME (UT) and STATION
01-31	0000-2400 A30, 0000-2400 A40	16	1001-1330 UM (16 kHz)
01-20	0000-2400 A46	17	0714-0758 UM (13 kHz)
01	1828-1837 TM	19	0000-2400 TN
02	1040-1355 UM (16 kHz), 2028-2102 UM (13 kHz)	20-31	1600-2400 A5
04-13	0000-2400 A34	21	0000-2400 TN
06	0737-2122 TM	22	1544-1557 TM
09	1011-1340 UM (16 kHz), 1704-1900 UM (16 kHz), 1704-1900 UM (13 kHz)	29	1605-1940 UM (13 kHz)
10	0715-0750 UM (13 kHz)	30	2054-2112 TM



STATIONS REPORTING FOR MAY 1978

AAVSO (A1, A5, A19, A21, A26, A28,
A30, A31, A34, A37, A40, A45,
A46) (SES) (A1, A31) (SEA) (A31) (SWF)
BEARLY (BY) (SWF)
CHILWORTH (CL) (SCNA)
DARMSTADT (DA) (SWF)
HERSTMENCEUX (HC) (SEA)
HIRAISO (HI) (SWF)
HOBART (TA) (SEA, SES)
HUANCAYO (HU) (SWF)
INUBO (IN) (SPA)
JULIUSRUH (JH) (SWF)

KUHLUNGSBORN (KU) (SES, SPA)
MC MATH (MC) (SWF, SCNA)
NEW JERSEY (NJ) (SES)
PANSKA VES (PU) (SEA, SES)
PRESTON (LO) (SEA)
SAO PAULO (UM) (SES, SPA)
SOFIA (SF) (SES)
ST CLOUD (SC) (SES)
TORINO (TN) (SPA)
UPICE (UI) (SEA)
VSETIN (VS) (SEA)


SIDs BY McMATH REGION

DAY	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
REGION																																
15252	1	3	1																													
15266	3	7	4	4	2	3	7	1																								
15280		1	1																													
15291																1																
15292																	1															
15294												1																				
15296																			1	1												
15298																1																
15301																	1					1										
15303																		1														
15314																					1	2	1	1		1		4	3	7	2	
15319																										4	2				1	
15335																																1
X-RAY							5	1	2	2	1	2		1		1	1	2		3	4	2	1	2	2		2	1	3		1	
UNKNOWN		1					2	1	1	1									1		2						1					
NO FP			1	5	6	6		2	1	1		4						1	1	2	3	2		2	2	2	1		2	3		




124
May 78


SOLRAD 11 X-RAY PHOTOMETER DATA FOR 780503




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 780504



SOLRAD 11 X-RAY PHOTOMETER DATA FOR 780505




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 780506






126
May 78

SOLRAD 11 X-RAY PHOTOMETER DATA FOR 780507




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 780508








128
May 78

SOLRAD 11 X-RAY PHOTOMETER DATA FOR 780511




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 780512






130
May 78


SOLRAD 11 X-RAY PHOTOMETER DATA FOR 780515




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 780516



SOLRAD 11 X-RAY PHOTOMETER DATA FOR 780517




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 780518






132
May 78

SOLRAD 11 X-RAY PHOTOMETER DATA FOR 780519




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 780520








134
May 78

SOLRAD 11 X-RAY PHOTOMETER DATA FOR 780523




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 780524








136
May 78

SOLRAD 11 X-RAY PHOTOMETER DATA FOR 780527




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 780528





SOLRAD 11 X-RAY PHOTOMETER DATA FOR 780531



SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

MAY 1978

MAY 1978	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE	
	START UT	END UT		DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND				
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT		
01	0000	0728	CULG				0000	0105	2				IIIS	
			CULG				0000	0728	1				IS,C	
			CULG	0000	0728									IS,W
			CULG				0105	0728	1					IIIS
			CULG	0145.5	0146.5	1	0145.5	0146.5	2	0146	0146.5	2	IIIG	
			CULG	0148.5	0149.5	1	0148	0149.5	2	0148	0148.5	1	IIIG	
			CULG				0258	0259.5	2				IIIG,V	
			CULG				0301	0301.5	2				IIIG	
			CULG				0302.5	0303.5	2				IIIG	
			CULG	0423	0424.5	1	0423.5	0424.5	2	0423.5	0424.5	1	IIIG	
	0943	1756	WEIS				0436.0	1745.0	2			CONT		
	0450	0640	DURN				0450 E	0640 D	1			I		
	0435	0928	WEIS				0503.0	1750.0	2			IIIS		
			CULG	0503.5	0506	1	0503.5	0506	2			IIIG		
			DURN				0535.8	0536.8	2			IIIG		
			CULG	0535	0546	1	0530	0543	2			IIIS		
			CULG				0539	0543	1			II		
			CULG				0631	0635.5	2			IIIS		
	2030	2400	CULG	2035	2225	2	2035	2225	2			CONT		
			CULG				2215	2307	1			IIIS		
			CULG	2225	2145	1	2225	2245	1			CONT		
			CULG				2245	2400	1			IS,C		
			CULG				2307	2400				IIIS,W		
02	0000	0720	CULG				0000	0115					IIIS,W	
			CULG				0100	0103	1				IIIG	
			CULG							0105	0215	1	S.W.F.	
			CULG	0116	0121	2	0116	0121	2				IIIGG,V	
			CULG	0118	0255	2	0118	0255	2				IV	
			CULG				0122	0137	1				II	
			CULG				0135	0137	2				HB	
			CULG				0142.5	0143.5	2				IIIG	
			CULG	0255	0650	1	0255	0455	1				IV	
			CULG				0306	0310	2				UNCLF	
	0450	1133	CULG				0341.5	0342	2				IIIG	
			CULG				0346	0347	2				IIIG	
			CULG				0403	0406					IIIG,W	
			CULG				0412.5	0419	2				II? UNCLF,HB	
			CULG				0419	0450	1				II?	
			CULG	0421.5	0424	1							UNCLF	
			DURN				0450 E	1133 D	2				I	
			CULG	0507	0515	1							II?	
			WEIS				0508.0	1747.5	2				IIIN	
			CULG				0508	0510	1				IIIG	
	0441	1621	CULG				0527	0527.5	1				IIIG	
			WEIS	0613.2	0624.8	3							IIIGG,V	
			DURN	0613.5	0616.7		0613.5	0617.7	3				IIIGG	
			WEIS	0614.0	0617.0	2							CONT	
			CULG	0614	0617	1	0614	0617	2				IIIG,V	
			WEIS				0616.5	0622.0	3				II	
			CULG				0616	0624	2				II	
			WEIS				0634.0	0643.5	3				IIIGG,V	
			CULG				0634	0639	1				IIIS	
			DURN	0639.4	0651.4	3	0639.4	0651.4	3				DCIM	
	1714	1756	CULG	0639	0642	2	0639	0642	2				IIIGG	
			DURN	0641.3	0651.4	2	0641.3	0651.4	3				IIIGG,N	
			WEIS				0644.5	0727.5	3				IIIGG	
			CULG	0645	0655	1	0642	0655	2				IIIS	
			CULG	0650	0720	2							IV	
			WEIS				0959.5	1001.5	3				IIIG	
			WEIS				1115.0	1116.7	3				IIIG	
			WEIS	1610.6	1616.7	3							IIIG,V	
			WEIS	1610.7	1611.8	2							CONT	
			WEIS				1618.0	1619.6	1				II	
2030	2400	WEIS										IIIS,W		
		CULG				2041.5	2354.5					IS,W		
		CULG	2052	2052.5	1	2041.5	2147					IIIG		
		CULG				2124.5	2127	1				IIIGG		
			CULG	2134.5		1					IIIB			

140
May 78

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

MAY 1978

MAY 1978	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE
	START UT	END UT		DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT	
02			CULG CULG CULG CULG CULG CULG CULG CULG CULG	2219.5	2221	1	2146.5 2147 2150.5 2154 2209.5 2219.5 2232 2354.5 2356.5	2149 2209.5 2151.5 2159 2356.5 2221 2232.5 2400 2400	2 2 3 1 1 1 1				IIIGG IS IIIG IIIGG IS,W IIIG IIIB,U IIIS IS,W
03	0000	0729	CULG C										

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

MAY 1978

MAY 1978	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE
	START UT	END UT		DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT	
05			CULG	0259	0259.5	1	0258.5	0300	1				IIIGG
			CULG				0305.5	0311	2	0305.5	0306.5	1	IIIGG
			CULG				0317	0320.5	2				IIIGG
			CULG				0324.5	0327	2				IIIGG
			CULG				0333	0334	2				IIIG
			CULG				0333	0334	2				SLOW DRIFT
			CULG				0342.5	0359	1				SCINTLLTNS
			WEIS				0439.0	1701.0	2				IIIN
	0437	1754	WEIS				0439.0	1631.0	3				IN
	0445	1819	DURN				0445 E	1040	1				I,DC
			WEIS				0526.1	0528.8	3				IIIGG
			DURN				0526.2	0526.6	3				IIIGG
			CULG				0526	0528	2				IIIGG
			CULG				0610	0729	1				GRND REFL
			CULG				0614.5		2				IIIB
			WEIS				0614.5	0630.5	3				IIIGG
			CULG	0622	0623	1	0621	0628	2				IIIGG
			CULG	0628.5	0633	1							IIIGG
			DURN				0629.1	0631.7	3				IIIGG
			DURN	0655.2	0657.1	3	0655.2	0657.1	3				IIIGG
			WEIS				0655.2	0658.2	3				IIIGG,V
			CULG	0655	0658	1	0655	0657	2				IIIGG,V
			WEIS				0756.8	0801.0	3				IIIGG
			WEIS				1021.0	1039.0	3				IIIGG,V
			DURN	1027.1	1035.7	3	1027.1	1035.7	3				IIIGG,N
			DURN	1027.2	1029.7	3	1027.2	1029.7	3				V
			WEIS				1227.5	1228.1	2				IIIG
			WEIS				1237.0	1238.5	2				IIIG
			WEIS				1308.3	1309.6	3				IIIG
			WEIS				1316.2	1318.3	3				IIIG
			WEIS				1356.3	1357.3	3				IIIG
			WEIS				1403.0	1408.8	3				IIIG
			DURN	1403.4	1415.7	3	1403.4	1415.7	3				IIIGG,N
			WEIS				1410.8	1412.7	3				IIIG
			WEIS				1433.7	1437.6	3				IIIG
			WEIS				1445.5	1449.0	3				IIIG
			WEIS				1505.4	1512.5	3				IIIG
			WEIS				1524.2	1529.6	3				IIIG
			WEIS				1606.8	1607.7	3				IIIG
			WEIS				1633.3	1644.8	3				IIIGG
			DURN				1643.3	1643.5	3				IIIG
			WEIS				1713.0	1713.3	3				IIIG
			CULG				2038	2250	1				IS,C,DC
	2030	2400	CULG				2038	2233	1				IIIS
			CULG				2104	2111	2				DC
			CULG				2110	2110.5	2				IIIG,V
			CULG				2136	2156.5	2				IIIG,N
			CULG	2202	2208	2	2159.5	2209	3	2201.5	2202	1	IIIGG
			CULG				2233.5	2400					IIIN,W
			CULG	2243.5	2245.5	1	2243	2244.5	2				IIIGG,V
			CULG				2250	2400					IN,W
			CULG	2331.5	2332	1	2331	2332	2				IIIG
			CULG				2336	2357.5	1				N,RS,DP
			CULG	2354	2354.5	1	2354	2355	3	2354	2354.5	2	IIIG,V
06	0000	0728	CULG				0000	0033	1				IS
			CULG				0003.5	0029.5					IIIS,W
			CULG				0032	0704					IIIN,W
			CULG				0033	0656					IN,W
			CULG	0045	0045.5	1	0045	0045.5	1				IIIG
			CULG	0211	0213	1	0212	0213.5	3	0212	0212.5	2	IIIG,V
			CULG				0213	0216.5	1				IIIG
			CULG				0410	0411.5	2	0410.5		1	IIIGG
	0434	1803	WEIS				0436.3	0437.2	3				IIIG
			CULG	0436.5	0437	1	0436.5	0437.5	2	0436.5	0437.5	2	IIIG,V
			CULG				0445.5	0447	1				IIIG
			WEIS				0445.5	1412.0	2				IIIN
	0445	1818	DURN	0930	1110	1	0930	1110	1				I
			WEIS				1100.2	1110.5	3				IIIGG
			DURN	1215.1	1215.4	3	1215.1	1215.4	3				IIIG,RS

142
May 78

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

MAY 1978

MAY 1978	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE
	START UT	END UT		DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT	
06			WEIS				1216.4	1217.1	2				IIIG
			DURN	1300.5	1301.0	3	1300.5	1301.0	1				IIIG
	2020	2400	DURN	1535.0	1535.1	3							III
			CULG				2020	2314	1				IS,DC
			CULG				2042.5	2043.5	1				UNCLF
			CULG				2047	2047.5	1				IIIG
			CULG				2050	2240					IIIN,W
			CULG	2058.5	2114.5	2	2040	2152	2				CONT
			CULG	2120.5	2124.5	1	2117.5	2125	3				IIIGG
			CULG				2124	2150	1				N,UNCLF,
			CULG				2152	2152.5	1				IIIG
			CULG	2158	2159	1	2157.5	2158.5	1				IIIG
			CULG				2239.5	2259	1				SCINTLLTNS
			CULG				2240	2321	1				IIIN
			CULG				2240	2321.5					IIIS,W
			CULG	2307	2321	1							IIIG,N
			CULG				2314	2400					IS,W
			CULG				2333.5	2334	1				IIIG
			CULG	2351	2351.5	1	2350.5	2351.5	2				IIIG
07	0000	0715	CULG				0000	0058					IN,W
			CULG				0008.5	0010	2				IIIG
			CULG	0008	0014		0007	0014					IIIN,W
			CULG				0104.5	0107	1				IIIGG
			CULG	0115.5	0116		0114.5	0116					IIIG,W,RS
			CULG				0126	0130	1				IIIGG,U
			CULG	0136	0139	1	0136	0139.5	2				IIIGG
			CULG				0146	0146.5	1				IIIG
			CULG	0203	0204.5	2	0203.5	0205.5	2				IIIGG,V
			CULG	0208	0210	2	0208	0210	2				IIIG
			CULG				0237.5	0249					IIIS,W
			CULG				0242		2				IIIB
			CULG	0322.5	0323	1							FAST DRIFT
			CULG	0323.5	0326.5	1	0323.5	0329.5	1				IIIN
			CULG				0325	0710					IIIS,W
			CULG	0327.5	0500	2	0329	0348	3	0326	0405	1	S.W.F.
			CULG	0327	0328.5	3	0327.5	0355	3	0333	0348	3	IV
			CULG				0333	0348	2	0333	0348	2	II, HB
			CULG				0348	0352	2				IIIS
			CULG				0418	0456	1				IV
	0440	0712	DURN	0440 E	0517	2	0440 E	0517	3				IV
			CULG				0455.5	0456.5	1				FAST DRIFT
	0433	1124	CULG	0500	0710	1	0352	0516	1				IV
			WEIS				0515.0	1539.0	2				IV,
			CULG				0516	0715					IIIN
			WEIS				0519.5	0520.7	2				W
			CULG				0519	0520.5	1				IIIG
			DURN				0522.1	0529.6	3				IIIGG
			CULG	0522	0532	1							IIIG,N
			CULG	0523	0523.5	2							IIIG,N
			WEIS				0525.5	0527.5	3				IIIG
			CULG				0526	0527.5	2				IIIG
			WEIS				0735.3	0741.3	3				IIIG,V
			WEIS				0812.2	0812.8	2				IIIGG
			WEIS				0835.9	0838.1	3				IIIG
			WEIS				0852.9	0906.0	2				IIIG
			WEIS				1000.8	1005.7	3				IIIGG
			WEIS				1119.9	1120.5	3				IIIG
	1138	1205	WEIS										I,DC
	1249	1816	DURN				1249 E	1816	0				IIIGG,V
	1227	1805	WEIS				1529.8	1537.0	3				IIIGG,U
			DURN				1531.1	1531.7	3				IIIGG
			DURN	1533.2	1535.1	3	1533.2	1535.1	3				IIIGG
			WEIS				1550.0	1557.5	3				IIIGG,V
			DURN	1550.1	1551.8	3	1550.1	1551.8	3				IIIGG
			DURN	1550	1602	1	1553	1602	2				DCIM
			WEIS				1555.0		2				II
			WEIS				1555.0	1706.0	3				IV
			DURN	1709.9	1710.4	3							IIIG

MAY 1978	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE		
	START UT	END UT		DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND					
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT			
07			WEIS				1710.0	1711.5	3						IIIG
			DURN	1758.3	1758.7	2									IIIG
	2029	2400	WEIS				1758.8	1805.0	3						IS,W
			CULG	2041	2045										IS
			CULG				2046	2128	1						IIIS
			CULG				2053	2129	1						IIIGG,U
			CULG	2123.5	2124.5	2	2123.5	2125	2						IN,W
			CULG				2134	2400							IIN
			CULG				2139	2348	1						IIIN
			CULG				2233.5	2236	1						IIIG
			CULG				2249.5	2250.5	2						IIIG,V
			CULG				2251.5	2254	1						IIIG
			CULG				2357.5	2358	1	2357.5	2358	1			IIIG
08	0000	0728	CULG				0000	0728							IS
			CULG				0012.5		1						IIIB
			CULG				0034.5	0042							IIIGG,W
			CULG				0036	0036.5	2	0036	0036.5	1			IIIG
			CULG							0040	0121	1			S.W.F.
			CULG				0139	0404	1						IIIG,N
			CULG	0155	0205	1									IV
			CULG	0203	0203.5	1									IIIG
			CULG	0205	0216	2	0212.5	0252	2						IV
			CULG				0207.5	0220	2	0216.5	0217	1			II, HB
			CULG							0211	0355				S.W.F.
			CULG	0216	0335	1	0252	0455	1						IV
			CULG				0223	0225	2						OC
			CULG	0323.5	0328	1	0325.5	0330	2	0327.5		1			IIIGG,V,U
			CULG	0355	0728		0455	0728							IV, W
	0431	1800	CULG				0357	0407.5	2	0403.5	0404	1			IIN
			WEIS				0539.0	1726.1	2						IIN
			CULG	0622.5	0623	1	0622.5	0623	1						IIIG
	0442	1820	DURN	0622.8	0623.0	1	0622.8	0623.0	1						IIIG
			DURN	0630.3	0630.4	1	0630.3	0630.4	2						IIIG
			CULG	0630	0630.5	1									IIIG
			CULG	0633.5	0635.5	1	0633.5	0635.5	1						IIIG
			DURN	0633.7	0635.3	1	0633.7	0635.3	3						IIIGG
			WEIS				0633.7	0635.5	2						IIIG
			CULG				0644.5	0647	1						IIIGG
			WEIS				0645.7	0647.0	2						IIIG
			DURN	0709.9	0712.3	1	0709.9	0712.3	3						IIIGG
			CULG	0710.5	0712.5		0710	0710.5							IIIGG,W
			WEIS				0743.1	0746.1	3						IIIGG
			WEIS				0806.0	0809.5	3						IIIGG
			WEIS				0932.1	0940.0	3						IIIGG,V
			WEIS				1002.6	1006.3	2						IIIGG
			DURN	1122.1	1122.2	2	1122.1	1122.2	3						IIIG
			DURN	1211.1	1214.5	3	1211.1	1214.5	3						II
			WEIS				1211.2	1320.0	3						IV
			DURN	1213	1324	3	1213	1324	3						IV
			WEIS				1313.0	1325.0	3						IV
			WEIS				1543.5	1547.5	3						IIIG,V
			DURN				1819.4	1819.4	1						III
	2029	2400	CULG				2051	2052.5							IIIG,W
			CULG				2100								IIIB,W
			CULG				2144								IIIB,W
			CULG				2159.5	2200							IIIG,W
			CULG				2257.5		2						IIIB
09	0000	0728	CULG	0012.5	0228		0121	0154							IN,W
			CULG				0159.5								IIIB,W
			CULG	0241	0242.5		0241	0242.5							IIIG,W
			CULG				0304	0304.5							IIIG,W
			CULG	0330	0335		0330	0335							IIIN,W
			CULG				0342.5	0343.5							IIIG,W
			CULG				0356	0357	1						IIIG
			CULG				0439.5								IIIB,W
			CULG				0559								IIIB,W
			CULG				0625.5	0716	2						II
	0441	1818	DURN	1436.7	1440.8	3	1436.7	1440.8	3						II

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

MAY 1978

MAY 1978	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE
	START UT	END UT		DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT	
09	0430	0508	WEIS				1439.3	1459.5	2				II
			DURN	1441.4	1600	2	1441.4	1600	2				IV
	0643	1807	WEIS				1444.0	1600.0	3				IV
	2029	2400	CULG				2102.5						
			CULG	2142		1	2141.5	2142.5	1				IIIB,W
10			CULG				2208.5						IIIG
			CULG				2320.5	2321					IIIB,W
			CULG										UNCLF,W
	0000	0728	CULG				0041.5	0043	2				IIIG
			CULG				0213.5						IIIB,W
			CULG	0242	0242.5		0243						IIIG,W
			CULG	0403.5		1	0403.5		1				IIIB
	0440	1816	DURN										
	0728	1610	WEIS										
	1651	1807	WEIS										
	2029	2400	CULG	2116.5	2119		2117	2119					IIIG,W
			CULG	2124	2124.5		2123.5	2124.5					IIIG,W
			CULG	2126.5	2127.5		2126.5	2127.5					IIIG,W
			CULG				2156.5	2157					IIIG,W
		CULG				2201.5	2206.5	2				IIIGG,V	
		CULG				2206	2224	3	2213.5	2220.5	1	II, HB	
11	0000	0728	CULG				0251	0256					IIIN,W
			CULG	0256.5	0258.8	1	0256.5	0258.5	2				IIIGG
			CULG				0259.5	0332.5	3	0303.5	0308.5	2	II, HB
			CULG				0315	0728					IS,W
			CULG				0315	0728	1				IIIN
			CULG				0315	0728	1				
	0429	1807	WEIS				0735.3	0751.0	2				IV
	0439	1506	DURN	0735.3	0738.4	3	0735.3	0738.4	3				II
			DURN	0737.6	0737.7	3	0736.6	0737.7	3				II
			WEIS				0737.6	0743.0	2				IIIG
			DURN	0742	0806	1	0742	0806	2				IIIGG
			WEIS				0751.0	0753.5	2				IIIG
			WEIS				1215.5	1216.0	2				IIIG
	2029	2400	CULG	2329.5	2331.5	1	2329.5	2333	2				IIIGG
12	0000	0726	CULG				0009	0013					IIIG,RS,W
			CULG				0123						IIIB,W
			CULG	0124			0124						IIIB,W
	0428	0820	WEIS										
	0637	1819	DURN										
13	0926	1809	WEIS										
	0000	0728	CULG										
	0438	1817	DURN										
	0426	1540	WEIS				0740.2	0741.6	1				IIIG
			WEIS				0743.1	0756.5	3				IV
			WEIS				0757.0	0812.0	3				II
			WEIS				1511.1	1511.4	2				IIIG
	1559	1810	WEIS				1624.3	1624.4	1				IIIB
			WEIS				1644.1	1644.2	1				IIIB
			WEIS				1722.0	1722.2	1				IIIB
14	2028	2400	CULG										
	0000	0728	CULG										
	0437	1819	DURN										
	0426	1812	WEIS				1353.3	1353.7	1				IIIB
			WEIS				1357.0	1403.3	3				IIIGG
			WEIS				1447.0	1505.0	1				
			WEIS				1510.4	1511.4	2				IIIG
15	2028	2400	CULG										
	0000	0340	CULG				0119.5	0121.5	1				IIIG
			CULG				0158.5	0200	1				IIIG
			CULG				0242.5	0243	1				IIIG
	0435	1816	DURN										
	0500	0628	CULG										
	0424	0902	WEIS				0549.0	1811.0	2				IIIN
0633	0728	CULG											

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

MAY 1978

MAY 1978	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE		
	START UT	END UT		DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND					
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT			
15	0952	1813	WEIS				0810.3	0811.7	3				IIIG		
			WEIS				1533.6	1534.4	2				IIIG		
	2028	2400	WEIS				1626.8	1627.6	2				IIIG		
			CULG				2119.5	2120.5	1				IIIG		
			CULG				2219	2219.5	1				IIIG		
			CULG				2339	2340.5	1				IIIG		
16	0000	0728	CULG				0028.5	0029	1				IIIG		
			CULG				0241.5	0243	1				IIIG		
			CULG				0331.5	0332	1				IIIG		
			CULG				0411	0412	1				IIIG		
			CULG				0436.5	0707					IIIS,W		
	0424	1613	WEIS				0443.0	1613.0	2				IIIN		
			CULG				0454.5	0455	1				IIIG,U		
			CULG				0521		1				IIIG		
			CULG				0558		1				IIIB		
			CULG				0606		1				IIIB		
			WEIS				0617.2	0621.5	2				IIIGG		
			CULG				0617	0621	1				IIIGG,V		
			DURN				0642.3	0642.3	2				IIIG		
			WEIS				0649.7	0700.2	3				IIIG		
			CULG				0659.5	0700	2				IIIG		
	0434	1817	WEIS				0703.0	0707.6	3				IIIG		
			CULG				0703	0703.5	1				IIIG		
			DURN	0705.2	0706.6	1	0705.2	0706.6	2				IIIG		
			CULG				0705	0705.5	2				IIIG		
			CULG				0706.5		1				IIIG		
			CULG				0707.5		1				IIIB		
			WEIS				0741.9	0742.3	3				IIIB		
			WEIS				0839.1	0840.2	3				IIIG		
			WEIS				0915.5	1613.0	2				IN		
			WEIS				0925.0	0927.5	3				IIIG		
			WEIS				0930.7	0931.5	3				IIIG		
			WEIS				0954.7	0957.2	3				IIIG		
			DURN				1330	1817	0 1				I		
			1647	1814	WEIS										
					CULG				2101	2400					IS,W
	CULG						2112	2341					IIIN,W		
	CULG						2154.5	2156	1				IIIGG		
	CULG	2157			2157.5	2	2157	2159	3				IIIGG,V		
				CULG				2225	2237				IIIS,W		
	17	0000	0726	CULG				0000	0316.5					IN,W	
				CULG				0026	0138.5					IIIS,W	
				CULG	0027.5	0028	1	0027.5	0029	1				IIIG,U	
				CULG				0138.5	0657					IIIS,W	
				CULG				0316	0442					IN,W	
		0421	1714	CULG				0425	0432	1				II	
				WEIS				0430.0	1349.6	1				IIIN	
				CULG				0432	0706	1				IS,DC	
				CULG				0527		1				IIIB	
				DURN				0900	1040	1				I	
		0433	1820	WEIS				1502.3	1505.8	3				IIIGG	
				DURN				1502.5	1504.7	2				IIIGG	
				CULG				2057	2300					IN,W	
				CULG				2059	2400					IIIS,W	
				CULG				2301	2400	1				IS,DC	
		2030	2400	CULG	2336.5									IIIG,W	
CULG															
CULG															
CULG															
CULG															
18	0000	0728	CULG				0000	0036					IS,W		
			CULG				0000	0226					IIIS,W		
			CULG				0036	0309	1				IS,DC		
			CULG				0226	0553					IIIN,W		
			CULG				0309	0411					IN,W		
	0432	1818	DURN				0432 E	1818	0 1				IS		
			WEIS				0441.0	1751.0	1				IIIN		
			CULG				0506.5	0507.5	1				IIIG		
			WEIS				0516.3	0520.5	3				II		
			CULG				0516	0532	3				II, HB		
0420	0949		WEIS				0519.3	0520.5	2			IIIG			

146
May 78

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

MAY 1978

MAY 1978	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE
	START UT	END UT		DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT	
18			WEIS				0520.0	0532.0	3				IVR S
			CULG	0530.5	0534.5	1							I
			CULG				0530	0545	1				IV
			WEIS				0533.0	0538.0	1				II
			CULG				0553	0653.5					IIIS,W
			CULG				0608	0608.5	1				IIIG
			CULG	0623.5	0626	1	0624.5	0628.5	1				IIIGG
			CULG	0630	0634	1	0631.5	0633.5	1				UNCLF
			CULG				0634	0651					IN,W
			WEIS				0721.0	1734.0	2				IN
			WEIS				0730.0	1440.0	2				CONT
	0947	1815	WEIS				1751.3	1753.3	2				IIIG
			DURN	1751.3	1755.0	3	1751.3	1753.2	3				IIIG
			DURN	1752	1755								DCIM
	2029	2400	CULG				2046	2400	1				IIIS
			CULG				2105	2242					IS,W
			CULG				2242	2400	1				IS,DC
19	0000	0728	CULG				0000	0649					IIIS,W
			CULG				0000	0129	1				IS,DC
			CULG				0129	0258					IN,W
	0420	1405	CULG	0138	0138.5								IIIG,W
	0433	1819	WEIS				0425.3	1730.5	1				IIIN
			DURN	0511.0	0511.2	1							IIIG
			DURN				1110	1210	1				I
	1504	1816	WEIS				1112.7	1126.0	3				IIIGG
	2029	2400	CULG	2100	2308		2107	2400					IN,W
			CULG				2109	2400					IIIS,W
			CULG				2143.5	2144	1				IIIG
20	0000	0728	CULG				0000	0704					IIIS,W
			CULG				0014.5		1				IIIB
			CULG	0034	0036.5		0037	0710					IS,W
	0432	0641	DURN				0432 E	0641	0 1				I
	0419	1819	WEIS				0439.2	1710.5	1				IIIN
			DURN	0556.8	0557.0	1							IIIG
			CULG				0600.5	0601.5	1				IIIB,V
			WEIS				0600.8	0602.5	2				IIIG
			CULG				0602	0602.5	1				IIIG
			WEIS				1318.2	1318.3	2				IIIG
	1504	1819	DURN				1504 E	1819	0 2				I,DC
			WEIS				1635.0	1641.8	2				IIIGG
	2028	2400	CULG	2048	2255								IS,W,C
			CULG				2109	2219					IIIN,W
			CULG				2126.5	2326	1				IS
			CULG	2255	2400								IS,W
21	0000	0728	CULG				0007.5						IIIB,U,W
			CULG				0102	0102.5	1	0102	0102.5	1	IIIG
			CULG				0105.5	0106.5					IIIG,W
			CULG	0109.5	0658								IN,W
			CULG				0216.5		1				IIIB
			CULG				0218.5	0219.5					IIIG,W
			CULG				0227	0708					IIIN,W
	0432	1816	DURN				0432 E	1816	0 1				I,DC
	0416	0740	WEIS				0503.5	1736.0	1				IIIN
			CULG				0546		2				IIIB
			WEIS				0720.8	0721.0	1				IIIG
			WEIS				0722.3	0722.6	1				IIIG
			DURN				1526.7	1526.8	3				IIIG
			WEIS				1607.7	1607.8	3				IIIG
	0935	1819	WEIS				1626.7	1527.8	3				IIIG
			WEIS				1650.0	1652.5	3				IIIG
			WEIS				1759.7	1800.4	3				IIIG
	2028	2400	CULG				2046.5	2049	1				IIIGG
			CULG	2049	2400	1							IS,C
			CULG				2104	2150.5					IN,W
			CULG				2129	2129.5					IIIG,W
			CULG	2138.5	2148.5	1	2136	2147.5	2				IIIGG,V
			CULG				2325	2328	1				IIIGG

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

MAY 1978

MAY 1978	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE
	START UT	END UT		DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT	
21			CULG				2349	2353	2				IIIGG
22	0000	0728	CULG				0000	0717					IIIN,W
			CULG	0000	0236	1							IS,C
			CULG	0037		1	0034.5	0039	1				IIIG
			CULG				0147.5	0148	1				IIIG
			CULG	0204.5	0205	2	0203.5	0206.5	3	0204.5	0206	2	IIIGG,V,U
			CULG				0206.5	0210	1				IIIGG
			CULG				0210	0216.5					IIIGG,W
			CULG	0308	0309	1	0308	0309.5	2	0308.5	0309	1	IIIGG,V,U
			CULG	0310	0310.5	1	0310.5	0312	1				IIIG
			CULG				0310	0319	1				IIIN
			CULG				0315.5	0316	2				IIIG
			CULG				0325.5	0326	1				IIIB
			CULG				0345.5	0346	1				IIIG
	0432	1818	DURN				0432 E	1818	1				IS,W
	0417	1533	WEIS				0444.0	1814.3	2				IIIN
			CULG				0454.5	0455	1				IIIG
			CULG				0510	0510.5	1				IIIG
			CULG				0609	0610.5	1				IIIG
			CULG				0619	0621	2				IIIG
			WEIS				0714.3	0718.4	3				IIIGG
			DURN	0716.3	0717.3	1	0716.3	0717.3	2				IIIGG
			WEIS				0729.8	0730.4	2				IIIGRS,U
			DURN				0730.1	0730.3	2				IIIG
			WEIS				1039.1	1040.3	2				IIIG
			DURN				1046.2	1046.7	3				IIIG
			WEIS				1046.3	1049.1	3				IIIG
			DURN				1100	1400	1				I
			WEIS				1338.3	1340.0	3				IIIG
			WEIS				1430.7	1435.6	3				IIIG
			DURN				1431.8	1434.0	3				IIIGG
			WEIS				1438.8	1440.8	1				II
	1610	1821	WEIS				1623.9	1628.7	3				IIIGG,V
			DURN	1624.4	1625.1	3	1624.4	1625.1	3				IIIGG
	2030	2400	CULG				2143.5	2400					IIIN,W
			CULG	2313	2313.5	1	2312	2313.5	1				IIIGG
			CULG	2333	2334								IIIG,W
23	0000	0728	CULG				0000	0436					IIIN,W
			CULG	0010.5		1							IIIB
			CULG				0044.5	0046	1				IIIG
			CULG				0104.5	0108	1				II?
			CULG				0116	0119					UNCLF
	0417	1822	CULG	0230.5	0231	1	0230.5	0231.5	1				IIIG
			WEIS				0523.1	0524.5	2				IIIG
			CULG				0523	0524.5	1				IIIG
			WEIS				1122.8	1123.0	2				IIIB
			WEIS				1129.5	1129.8	2				IIIG
	0432	1400	DURN	1129.5	1129.8	3	1129.5	1129.8	3				IIIG
	2029	2400	CULG										
24	0000	0728	CULG				0059						IIIB,W
			CULG				0124	0125					IIIG,W
			CULG				0316		1				IIIB
			CULG				0347	0348	2				IIIG,U
			CULG				0509.5	0511.5					IIIG,W
			CULG	0551.5	0554	1	0553	0554	1				IIIG
			CULG				0631		1				IIIB
			CULG				0633	0652	1				IS
	0416	0812	WEIS				0653.3	0655.0	2				IIIG
			CULG				0656.5	0657	1				IIIG
			CULG	0701.5	0702	1	0701	0702.5	1				IIIG
			CULG				0706.5	0707					IIIG,W
			WEIS				0756.7	0757.1	2				IIIG
			WEIS				0800.8	0802.7	2				IIIG
			WEIS				0830.5	0831.1	2				IIIG
	0833	1823	WEIS				0941.2	0945.3	2				IIIG
			WEIS				1227.9	1228.8	2				IIIG
			WEIS				1752.4	1755.8	2				IIIG

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

MAY 1978

MAY 1978	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE
	START UT	END UT		DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT	
24	2029	2400	WEIS				1758.2	1807.6	3				IIR
			CULG	2122	2123.5	1	2121.5	2124	1				IIIGG,U
			CULG				2137	2138					IIIG,W
			CULG				2332	2354					IIIN,W
			CULG				2336.5	2337.5	2	2336.5	2337	1	IIIG,V,U
			CULG				2341.5	2343					IIIGG,W
			CULG				2352.5	2353	2	2352.5	2353	1	IIIG
25	0000	0729	CULG				0021	0624					IIIN,W
			CULG				0042.5		1				IIIB
			CULG				0321.5	0322.5	1				IIIG
			CULG				0334.5	0336	1				IIIGG
			CULG				0335.5	0336	1				UNCLF
			CULG				0344.5	0345	1				SLOW DRIFT
			CULG				0454.5	0455.5	1				IIIG,U
	0416	1401	WEIS				0454.5	0455.5	2				IIIG,U
			CULG	0612.5	0613.5	1	0612.5	0613	1				IIIG
			WEIS				0612.8	0613.1	2				IIIG
			CULG	0615.5	0616.5	1							FAST DRIFT
			WEIS				0617.8	0617.9	1				IIIB
			WEIS				0723.1	0723.2	1				IIIG
			WEIS				0802.8	0803.3	1				IIIG
			WEIS				1213.3	1214.4	1				IIIG
			WEIS				1307.5	1307.7	1				IIIB
			WEIS				1327.0	1327.2	1				IIIB
			WEIS				1329.5	1329.9	2				IIIG
			WEIS				1331.9	1333.1	1				IIIG
	1420	1824	WEIS				1527.7	1528.5	2				IIIG
			WEIS				1531.1	1532.1	1				IIIG
			WEIS				1533.2	1533.2	2				IIIB
			WEIS				1535.8	1536.2	1				IIIG
			WEIS				1555.4	1555.7	2				IIIG
			WEIS				1656.8	1657.2	1				IIIB
			WEIS				1704.8	1707.4	2				IIIG
	2029	2400	WEIS				1753.2	1754.4	3				IIIG,V,U
			CULG				2117						IIIB,W
			CULG				2123	2124.5	1				IIIG
			CULG				2155.5	2157.5					IIIG,W
			CULG				2221	2222					IIIG,W
			CULG				2225.5	2228	1				IIIGG
			CULG	2252	2253	1	2252	2253	1				IIIG
26	0000	0729	CULG	0047	0049	1							I
			CULG				0108	0551					IIIN,W
			CULG				0521	0705					IS,W
			WEIS				0551.0	1726.0	1				IIIN
	0414	1825	CULG				0551	0656					IIIS,W

150
May 78

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

MAY 1978

MAY 1978	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE
				DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
	START UT	END UT		START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT	
31	2030	2400	WEIS	2053.5	2212		1507.0	1507.4	2				IIIG I IIIG IS,W IS IS,DC IIIB,U UNCLF IIIG,W IIIG IS,W IN,W IIIG,W
WEIS			1540.0				1800.1	2					
WEIS			1629.8				1632.8	2					
CULG			2056.5				2102	1					
CULG			2102				2255	1					
CULG			2217	2217.5	1	2231.5	2232	1					
CULG			2220.5	2221.5	1								
CULG			2225	2226									
CULG			2231.5	2232	1								
CULG			2255	2310									
CULG			2310	2400									
CULG			2355.5	2357.5									

The symbols used in connection with the spectral type in describing the important bursts are as follows:

- | | |
|---|-------------------------------|
| B = Single burst | RS = Reverse slope burst |
| G = Small group (<10) of bursts | DP = Drifting pairs |
| GG = Large group (>10) of bursts | DC = Drifting chains |
| C = Underlying continuum (particularly with Type I) | H = Herringbone |
| S = Storm in the sense of intermittent but | W = Weak |
| apparently connected activity | P = Pulsations |
| N = Intermittent activity in this period | CONT = Continuum |
| U = U-shaped burst of Type III | UNCLF = Unclassified activity |

Note: See page 52 of *Solar-Geophysical Data*, Comprehensive Reports, Number 407, for the May 1978 spectral observations from Harvard, Manila and Sagamore Hill. NGSDC must take the blame for failing to include the Manila and Sagamore Hill data with the observations listed here. Those from Harvard, on the other hand, simply arrived too late. The quality of the Culgoora spectrograph film was poor during the period 12/2028 UT to 16/0417 UT. No observations were taken at Durnten from May 24 to May 31, 1978. Retuning of the Dwingeloo radio spectrograph prevented observations from being made during May 1978.

SELECTED SOLAR EVENTS

MAY 1978

Culgoora

Cu/gooora

HELIOGRAPH EVENT								REMARKS	
UT Date 1978. May	Start (UT)	End (UT)	Freq. (MHz)	Positions		Polar- ization	Inten- sity (1-3)		
				Central Dist. (R ₀)	Position Angle (Deg.)				
30/1	2300	0500	160	.4	0	-	3	IS	) Complex) Source) Structure)

Days without Heliograph observations: Nil.....

UT Date 1978. May	HELIOGRAPH EVENT						Spectral Type	REMARKS			
	Start (UT)	End (UT)	Freq. (MHz)	Positions		Polar- ization			Inten- sity (1-3)		
				Central Dist. (R_0)	Position Angle (Deg.)						
3	2354	2400	43.25				2)	XIII			
			80	.8	90	-	2)				
			160				1)				
	0045		43.25				2)				
			80	1.1	215	-	3)				
			160				1)				
3/4	0253	0257	43.25				3)	IIIG, W	*		
			80	.5	0	-	3)				
			160				2)				
	2300	0500	43.25	.6	340	L	2)			IS	Type I persisted from this region until 7th. The 160MHz source double only on 4th.
			80	.7			3)				
			160	.5	330	L	2)				
3/4	0025	0500	160	1.1	105	L	)	IS			
				1.1	115	R	2)				
			80	1.2	90	L	)				
			43.25	1.3	75	-	)				

Days without Heliograph observations: Nil.....

* Other type III's observed from same position during the day.

SELECTED SOLAR EVENTS

MAY 1978

Culgoora

UT Date 1978. May	HELIOGRAPH EVENT						REMARKS		
	Start (UT)	End (UT)	Freq. (MHz)	Positions		Polar- ization		Inten- sity (1-3)	
				Central Dist. (R _s)	Position Angle (Deg.)				
4	0457	0504	43.25	1.4)			3)	II, HB	* * * Complex source
			80)	1.2)	25	-	2)		
			160)	1.0)			2)		
	2257	2302	43.25)	)	335	)	3		
5			)	)	270	)	)	IIIGG, V	* * * Complex source
			80)	1.0)	310	-	3		
				)	280	)	)		
	2354	2355	43.25)	1.4	280	-	3		
7			80)	1.2				IIIGG, V	* * Complex source
			160)	1.0					
	0203	0210	43.25)	1.5	270	-	3		
			80)	1.3					
8			160)	1.1				II, HB) IV))	* Complex source
	0323	0442	43.25	1.4	260)		3		
			80)	1.2	270)	-			
	0207	0208	43.25)	1.0)	290		2)		
9			160)	.9)			2)	IIIG	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
11								IIIG, V	* * * Complex source
1									

Days without Hellograph observations: .Nil

Days without Hellograph observations: .Nil

* Other type III's observed from same position during the day.

* Other type III's observed from same position during the day.

SELECTED SOLAR EVENTS
MAY 1978

Culgoora

UT Date 1978. May	HELIOGRAPH EVENT							Spectral Type	REMARKS
	Start (UT)	End (UT)	Freq. (MHz)	Positions		Polar- ization	Inten- sity (1-3)		
				Central Dist. (R _s)	Position Angle (Deg.)				
26/27	2342	2354	43.25) 80) 160)	1.3) 1.0) .6)	340 330 345	-	3) 3) 2)	IIIGG	*
28	0026	0027	80) 160)	.2	300		2	IIIG	*
30	0252	0253	43.25) 80) 160)	.9) .8) .7)	250		2) 3) 3)	IIIG,V,J	*
30/31	2300	0500	80) 160)	.5	0	R	1	IS	

Days without Heliograph observations: Nil.....

* Other type III's observed from same position during the day.

COSMIC RAY INDICES
(Neutron Monitors)

MAY 1978

May 1978	THULE Average cts/hr	ALERT Average cts/hr	DEEP RIVER Average cts/hr	CALGARY Average cts/hr	SULPHUR MT Average cts/hr	KIEL Average cts/hr	CLIMAX Average cts/hr	TOKYO Average cts/hr	KULA Average cts/hr
1	Data not available at time of publication.	6425	6115	Data not available at time of publication.	Data not available at time of publication.	5554.8	Data not available at time of publication.	3400.9	Data not processed at time of publication because of NGSDC paper tape problems.
2		6026	5730			5170.1		3310.9	
3		6181	5830			5265.8		3366.5	
4		6333	5982			5457.2		3422.0	
5		6560	6196			5603.4		3457.3	
6		6692	6316			5720.7		3487.1	
7		6933	6489			5897.1		3512.0	
8		6917	6517			5882.5		3531.1	
9		6952	6542			5921.3		3552.8	
10		7056	6649			6004.5		3551.5	
11		7094	6677			6064.7		3569.4	
12		7177	6726			6137.7		3591.4	
13		7181	6775			6163.3		3595.3	
14		7230	6806			6162.9		3600.9	
15		7194	6797			6166.2		3584.1	
16		7216	6807(23)			6147.5		3590.2	
17		7261	6836			6188.2		3595.0	
18		7302	6883			6205.5		3595.5	
19		7280	6868			6216.0		3605.2	
20		7287	6857			6215.7		3600.4	
21		7262	6850			6178.3		3592.3	
22		7218	6823			6203.2		3598.0	
23		7276	6865			6223.7		3600.8	
24		7229	6820			6152.6		3583.6	
25		7251	6835			6157.6		3586.4	
26		7285	6850			6180.8		3594.5	
27		7290	6864			6194.8		3591.2	
28		7320	6902			6215.1		3596.9	
29		7246	6833			6171.2		3587.6	
30		7108	6730			6092.1		3560.9	
31		7074	6654			6031.9		3541.8	
MEAN		7028	6627			5998.3		3546.9	


() Number of hours for which data are available if less than 24. Number of Section Hours at Climax if sum of both sections is less than 40 hours.

Notes: Tokyo neutron monitor counting rate increased by 2.0/1.5 since the beginning of September 1977. The number of counters changed from 27 to 36. Since the scaling factor has been changed, the listed figures are nearly the same as those in and before May 1977. The level in June, July, and August, 1977 is slightly lower than before. The level in September 1977 has been adjusted, so that direct comparison with the data in and before May, 1977 is possible.

Thule, Alert, Calgary, Sulphur Mountain, Kiel, Climax and Kula Scaling Factors = 100. Deep River Scaling Factor = 300. Tokyo Scaling Factor = 256.


Kula data are available on magnetic tape from the World Data Center A for Solar-Terrestrial Physics. These data include the periods July 1967-December 1970 and October 1975 to the present.

COSMIC RAY INDICES
(Neutron Monitors)
Bartels Rotation 1979 (April-May 1978)




COSMIC RAY INDICES (Neutron Monitors)

Bartels Rotation 1979 (April - May 1978)




COSMIC RAY INDICES
(Neutron Monitors)

Bartels Rotation 1980 (May 1978)



COSMIC RAY INDICES (Neutron Monitors)

Bartels Rotation 1980 (May 1978)



GEOMAGNETIC ACTIVITY INDICES

MAY 1978

Day	Three-Hourly Indices Kp									Three-Hourly Indices Km									Ap	aa *				Cp
		1	2	3	4	5	6	7	8	Sum	1	2	3	4	5	6	7	8		N	S	M		
1	05	3-	5-	6-	5+	7+	4+	7-	6+	45	3-	4	4+	4+	7-	3+	5	7+	83	97	93	48	142	1.8
2	01	7+	6-	7+	7	7	5+	4-	5-	48	6	5-	6+	6-	5+	4	3+	4	94	85	93	89	89	1.9
3	04	5-	5+	6	5+	7-	7-	6	7	48-	4-	5-	5-	5	5	5	5+	5+	83	85	83	95	72	1.8
4	02	7+	8-	7+	6+	7-	4+	5-	2-	46	6	7-	6+	6-	5+	3+	4-	2-	96	100	117	164	54	1.9
5	Q0A	1+	2-	1	1	1+	1	2+	4-	13+	1+	1	1-	1-	1	1-	2-	3+	7	15	8	7	17 K	0.4
6	Q4	2-	1	1+	1	1	1	1	3-	11-	1+	1-	1+	1	1	1	1-	2+	5	9	7	8	8 CK	0.2
7	Q9A	3-	1+	2-	2-	1+	2-	3-	2	15	2+	2-	2-	2-	1	2	3-	2	7	15	10	10	15 CC	0.4
8		2-	1+	1	3	3	4	4+	4-	22	1+	1	2-	3-	3	3+	3+	3+	16	29	20	13	36	0.9
9	D3	5	5	8-	6+	7	7-	5	3+	46	4+	4+	7-	6-	6-	5	4+	3	85	85	96	104	77	1.8
10		1-	1+	1-	1-	1+	1-	3+	5-	13+	1-	1+	0+	1-	2-	1	3-	4	10	13	12	4	22 K	0.6
11		4	6	5	3+	3	3	3+	4-	31+	3+	5	4+	3	3-	3	3	3+	30	47	34	50	31	1.3
12		4-	3+	4-	3-	3+	3	4-	3+	27-	4-	3+	3	3-	3	2+	4-	2+	18	33	31	29	35	1.0
13		5-	2-	1	1	2+	2-	1+	3-	16+	4	2-	1	1	2+	1+	1	3-	11	19	11	17	14	0.6
14		3-	2	1+	2	1+	3-	3+	2+	18-	2+	2	2-	2	1+	2+	3	2+	9	20	10	12	19 K	0.5
15	Q5	1	0+	0+	2	1+	2+	2	2	11+	2-	0+	1-	2+	1+	2-	2-	2-	5	13	7	7	14 CC	0.2
16	Q7A	2-	2	1	1	2+	3-	2-	2-	14	2-	1+	1-	1	2-	2	2-	1+	7	15	8	9	15 CC	0.3
17		2-	2+	2+	1+	1+	1+	2+	3	16-	1+	2+	2+	1+	1+	1	2-	3-	8	15	8	9	15 CC	0.4
18	Q3	1+	2	1-	1+	1+	2	1+	0+	10+	1+	2+	0+	1+	1	2	1	0+	5	12	8	9	12 CC	0.2
19	Q1	1	1-	1-	2+	2-	1	0+	1	9-	0+	0+	1-	2	2-	1-	0+	1-	4	9	5	7	7 CC	0.2
20		1+	1+	1+	1+	1	2+	4	1+	14	1	1+	2-	1+	1	2	3	1+	8	19	7	9	18 KK	0.4
21		2	3	2+	1+	3-	2+	6-	6	25+	2+	3+	2+	2-	2+	2	5-	5+	26	43	36	19	61	1.2
22		5	3-	3-	3-	3	4	5-	4	29-	4-	3	3-	2+	3	3+	4-	4-	24	43	27	28	43	1.2
23		3	4-	3	2	2+	4+	4+	5+	28	3-	3	3-	3-	3-	3	4-	4-	24	43	23	22	45	1.1
24		5-	3	4+	4+	5-	3	3-	4-	30+	4+	3	4	4-	3+	3-	2+	4-	26	38	42	44	36	1.2
25		4-	2+	2+	1	2+	1+	2	3+	18+	4	3-	2+	1+	2+	2-	2-	3	10	20	17	18	20	0.6
26	Q8A	3	2-	2-	2-	2-	2-	2-	1	14	3	2-	2	2+	2	1+	2-	1	7	14	18	17	15	0.3
27	Q2	1+	1	2-	1+	1	1-	1-	2	10	1+	1+	2	1	1-	1-	1-	2+	5	12	4	8	9 CC	0.2
28	Q6A	2-	1	1+	2-	2	2	3-	2-	14	2-	1+	1+	3-	2	2	2+	1+	7	17	16	11	22 K	0.3
29		1+	1-	0+	1	1+	1	4-	3+	13-	1+	1-	1-	1	1+	1	3	3	8	17	11	6	22	0.4
30		5	4	4-	2-	3-	2+	3-	2+	24+	5-	3+	4-	2	2+	2	2+	2	18	30	21	28	24	1.0
31		4	4	2+	1+	3-	1	1+	1	18-	3+	3+	2+	2	2+	1+	1+	1	12	20	13	24	9	0.7
																				25	33.4	29.0	31.3	0.81

Day	Three-Hourly Indices Kn									Three-Hourly Indices Ks								
	1	2	3	4	5	6	7	8		1	2	3	4	5	6	7	8	
1	3-	4	5-	5-	6+	4-	5+	7		2+	4	4	4	7-	3	5	8-	
2	6+	5-	7-	6-	6-	4	3	4-		6	5-	6	6	5	4	3+	4+	
3	4	5-	5	5-	5	5+	5-	6-		4-	4+	5-	5	5+	5-	5	5+	
4	6-	7-	7-	6-	6-	4-	4-	2-		6	6+	6	6-	5-	3+	3+	1+	
5	1	1+	1+	1	1+	1+	2+	3		1+	1	0+	0+	0+	0+	1+	4-	
6	2-	1	2-	1+	2-	1+	1+	2+		1	1-	1+	1-	0+	0+	0	2	
7	3-	2	2-	2+	1+	2+	3	3-		2+	1+	1+	1	1-	1+	2	1	
8	2-	1	2-	3	3	4-	4-	3+		1+	1+	1+	2+	3	3+	3	3	
9	5-	5-	7-	6-	6-	5+	4+	3		4	4	6+	6	6-	5	4+	3	
10	1	1+	0+	1	2-	1-	3	4+		1-	1+	0+	0+	1+	1	2+	4	
11	4-	5+	4+	3	3-	3	3	3		3+	5	4+	3	3-	3	3	3+	
12	4-	3+	3	3-	3+	2+	3+	3-		4-	3+	3+	2+	3	2+	4-	2	
13	4-	2-	1+	1+	3-	2-	2-	3-		4+	1+	1-	1	2-	1+	0+	2+	
14	3-	2	2-	2+	1+	3-	3	3-		2+	2	1+	2-	1	2-	3	2+	
15	2-	0+	1	3-	2-	2	2	2+		1+	0+	0+	2-	1+	1	1	1	
16	2-	2-	1+	1+	2+	3-	2	2		1+	1+	0+	1-	1+	2-	1+	1-	
17	2-	3-	2+	2-	2-	1+	2+	3-		1	2	2+	1	1	1	1	3	
18	1+	2+	1-	2-	1+	2+	1+	1-		1+	2+	0	1	1-	2-	1-	0	
19	1-	0+	1-	2+	2	1	1-	1+		0+	0+	1-	2-	1+	0	0+	0	
20	1	2-	2	2-	2-	3-	3+	1+		1-	1	1+	1-	0	1	3-	1	
21	3-	3+	3-	2+	3-	3-	5	5-		2	4-	2	1+	2-	1	5-	6-	
22	4	3	3-	3-	3	3+	3+	3		4-	3	3-	2+	3-	3+	4	4	
23	3-	3	3-	3-	3-	4-	4	5-		3-	3	3	3-	3-	3-	3	4+	
24	4	3	4	4	4-	3	3-	3+		5-	3+	4+	4-	3+	3-	2-	4+	
25	3+	3-	3-	2-	2+	2-	2	3-		5-	3-	2	1+	2+	1+	1+	3	
26	3	2-	2-	2	2	2-	2-	1+		3	2-	2	2+	2	1	2-	1-	
27	1+	1+	2+	1+	1	1-	1	2-		1+	1+	2	1	0	0+	0+	3-	
28	2-	1+	2	2+	2+	2	2+	1+		2-	1+	1	3-	2-	2-	2+	1+	
29	1	1	1	1	2-	1+	3+	3		2-	0	0	1-	1+	0+	2+	3-	
30	5-	3	3+	2+	2+	2+	3-	2+		5	4-	4-	2	2+	2-	2-	1+	
31	4-	4-	2+	3-	3-	2-	2	1+		3	3+	2+	1+	2-	0+	1-	0+	

Quiet days (Q) and disturbed days (D), geomagnetic planetary three-hour-range indices (Kp) (integers alone are equivalent to those normally given with a small zero), magnetic character figures (Cp), and average amplitude (Ap) (unit 2y) prepared by Geophysikalisches Institut at the University of Göttingen, F.R. of Germany for the International Service of Geomagnetic Indices. Ten most quiet days [Q1-Q10] and five most disturbed days [D1-D5] are ordered from most quiet or disturbed, respectively. A or K means "not really quiet" (A = "Ap > 6", K = "Ap ≤ 6 but one Kp ≥ 30 or two Kp values ≥ 3-"). An * means "not really disturbed" (Ap < 20).
Geomagnetic three-hourly indices (Kn), (Ks) and (Km) as in IAGA-Bulletin No. 32 and indices (aa), "antipodal", as in IAGA-Bulletin No. 33 prepared by P. N. Mayaud of the Institut de Physique du Globe, Paris, France. Really quiet (C) and quiet but slightly disturbed three-hourly intervals (K) are given for 24-hour and 48-hour intervals centered on 12 UT.


DAILY AVERAGE INDICES AP

1977

1978


DAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY
1	9	15	6	4	4	5	6	7	15	33	12	88
2	14	11	4	6	5	6	69	8	14	27	15	94
3	6	9	7	8	10	4	9	13	14	15	41	83
4	5	8	9	6	7	8	14	89	11	3	55	96
5	7	5	40	3	8	10	18	31	17	6	21	7
6	5	28	21	4	8	7	5	34	14	7	9	5
7	6	15	17	6	3	5	3	13	7	9	5	7
8	6	14	12	8	6	3	2	19	10	20	5	16
9	6	16	20	11	2	3	3	23	16	14	6	85
10	8	14	12	13	4	9	4	21	7	12	36	10
11	4	10	28	19	12	6	38	7	5	7	64	30
12	4	4	11	6	28	18	21	4	10	3	29	18
13	6	9	11	28	14	26	16	8	8	12	24	11
14	9	18	12	10	13	42	8	3	11	10	51	9
15	3	12	11	9	19	25	5	2	48	17	19	5
16	10	27	9	7	8	14	9	14	11	24	8	7
17	8	14	29	10	12	8	12	9	10	25	7	8
18	10	7	13	6	22	6	3	12	10	24	19	5
19	10	23	24	42	28	6	3	6	12	15	38	4
20	11	29	8	44	7	4	4	3	12	9	23	8
21	6	10	5	64	5	5	6	1	12	7	9	26
22	10	11	5	63	22	3	6	3	22	13	8	24
23	10	6	6	21	6	2	4	2	6	15	22	24
24	7	7	10	12	6	2	5	6	5	6	48	26
25	5	5	27	10	4	15	5	12	12	3	17	10
26	6	3	13	18	6	19	11	12	37	49	18	7
27	7	3	14	24	62	12	6	5	42	70	16	5
28	12	4	7	9	47	5	10	9	46	17	12	7
29	7	61	6	3	9	6	8	36		14	6	8
30	9	17	5	4	9	12	5	36		16	58	18
31		8	4		6		6	23		8		12
MEAN	8	14	13	16	13	10	10	15	16	16	23	25

GEOMAGNETIC ACTIVITY INDICES



GEOMAGNETIC ACTIVITY INDICES Hourly Equatorial Dst

by Bartels Rotation




Note: Both the sensitivity indicator placed on the last day of the month and the zero reference level change from month to month.

HOURLY EQUATORIAL DST VALUES (PROVISIONAL)

MAY 1978

NASA/GODDARD SPACE FLIGHT CENTER

DAY	(Time-UT)																								(Units-Gammas)
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
1	-52	-53	-65	-88	-98	-108	-107	-95	-70	-65	-70	-58	-92	-154	-151	-132	-135	-122	-76	-105	-124	-205	-217		
2	-163	-202	-193	-187	-175	-167	-194	-208	-205	-201	-209	-158	-207	-216	-186	-172	-162	-152	-135	-133	-133	-123	-112	-83	
3	-80	-96	-101	-98	-100	-102	-110	-115	-123	-125	-118	-142	-146	-158	-168	-165	-182	-173	-160	-154	-122	-126	-114	-122	
4	-139	-130	-151	-174	-175	-171	-192	-209	-218	-194	-198	-212	-214	-200	-177	-171	-163	-148	-144	-128	-122	-118	-113	-110	
5	-107	-95	-57	-54	-93	-97	-95	-97	-59	-58	-56	-51	-86	-81	-80	-80	-76	-69	-68	-67	-65	-71	-77	-82	
6	-84	-81	-78	-70	-70	-68	-68	-69	-64	-68	-70	-72	-71	-70	-66	-66	-68	-62	-61	-59	-56	-57	-59	-67	
7	-67	-64	-62	-55	-56	-57	-60	-64	-70	-72	-68	-66	-60	-57	-58	-56	-51	-47	-44	-52	-49	-46	-44	-50	
8	-50	-43	-40	-44	-42	-41	-39	-48	-53	-49	-49	-56	-59	-48	-45	-38	-30	-30	-29	-22	-20	-29	-8	-1	
9	-18	-17	-9	-23	-30	-23	-23	-85	-157	-191	-182	-188	-171	-148	-152	-136	-144	-154	-151	-144	-123	-114	-98	-99	
10	-91	-84	-82	-80	-80	-80	-82	-85	-88	-92	-95	-87	-80	-76	-76	-75	-70	-68	-66	-63	-50	-43	-48	-67	
11	-65	-62	-63	-67	-75	-95	-93	-102	-110	-105	-105	-106	-97	-88	-93	-92	-92	-91	-87	-80	-75	-70	-71	-79	
12	-72	-72	-72	-70	-69	-74	-80	-80	-76	-75	-78	-67	-61	-61	-63	-61	-64	-64	-68	-74	-63	-59	-58	-72	
13	-75	-64	-69	-66	-66	-67	-64	-64	-65	-67	-65	-61	-60	-55	-56	-52	-50	-46	-45	-46	-49	-44	-38	-46	
14	-46	-45	-46	-52	-51	-56	-57	-51	-49	-50	-46	-45	-42	-41	-40	-40	-42	-42	-42	-44	-39	-42	-51	-49	
15	-41	-38	-31	-24	-23	-26	-25	-22	-19	-10	-11	-20	-24	-26	-32	-29	-22	-19	-15	-16	-16	-19	-19	-23	
16	-23	-26	-31	-35	-37	-38	-33	-32	-31	-29	-28	-33	-36	-31	-28	-24	-30	-33	-33	-26	-23	-18	-16	-20	
17	-19	-15	-23	-28	-26	-34	-35	-42	-39	-36	-33	-31	-34	-37	-35	-32	-29	-24	-23	-20	-28	-31	-29	-27	
18	-23	-27	-29	-36	-37	-39	-38	-35	-30	-37	-34	-30	-27	-26	-24	-19	-21	-27	-26	-28	-33	-31	-28	-26	
19	-26	-28	-32	-32	-29	-26	-25	-28	-29	-32	-31	-25	-20	-14	-13	-16	-19	-20	-23	-21	-19	-15	-15	-14	
20	-12	-5	-9	-11	-11	-13	-9	-15	-19	-22	-22	-27	-27	-20	-17	-13	-1	6	-8	-28	-41	-28	-18	-18	
21	-18	-14	-7	-1	-13	-15	-5	-21	-24	-20	-22	-14	-8	-6	-2	2	3	5	0	-25	-72	-108	-109	-77	
22	-69	-66	-74	-84	-78	-79	-75	-60	-60	-52	-54	-63	-68	-68	-66	-76	-95	-106	-111	-115	-111	-105	-89	-80	
23	-71	-70	-86	-80	-78	-86	-83	-65	-83	-77	-66	-67	-67	-65	-61	-63	-56	-60	-45	-46	-47	-65	-59	-64	
24	-56	-58	-60	-56	-57	-56	-60	-64	-67	-73	-69	-58	-69	-72	-75	-64	-62	-64	-63	-56	-54	-48	-47	-52	
25	-49	-52	-53	-53	-47	-55	-58	-53	-60	-58	-50	-46	-38	-35	-30	-23	-21	-22	-21	-24	-31	-33	-33	-42	
26	-44	-38	-43	-48	-48	-50	-46	-40	-38	-42	-47	-48	-47	-44	-43	-43	-46	-46	-41	-40	-35	-28	-27	-28	
27	-29	-25	-28	-32	-34	-32	-32	-32	-35	-35	-33	-32	-32	-35	-38	-38	-37	-37	-35	-34	-32	-28	-29	-29	
28	-30	-28	-24	-21	-17	-16	-18	-18	-20	-25	-33	-34	-34	-33	-36	-38	-41	-42	-48	-48	-38	-26	-22	-27	
29	-29	-26	-29	-25	-31	-31	-30	-31	-28	-26	-25	-22	-18	-11	-9	-9	-4	-6	7	16	3	-12	-12	-6	
30	-16	-28	-50	-60	-75	-86	-86	-76	-71	-60	-54	-49	-46	-47	-44	-41	-44	-45	-43	-49	-57	-46	-41	-47	
31	-49	-57	-75	-75	-57	-61	-70	-72	-60	-58	-54	-44	-28	-23	-14	-9	-9	-13	-15	-13	-10	-8	-17	-25	



Note: Both the sensitivity indicator placed on the last day of the month and the zero reference level change from month to month. Hourly values of the provisional Dst index for May 1978 are based on data from Hermanus, Kakioka and San Juan; the magnetometer at Honolulu was not operating for about 1 month.

PRINCIPAL MAGNETIC STORMS

MAY 1978

OBS. 2 letter IAGA code	GEOMAG- NETIC LATI- TUDE	COMMENCEMENT			SC - AMPLITUDES			MAXIMUM 3 HOUR - INDEX K		RANGES			UT END	
		hr min		TYPE	D(°)	H(γ)	Z(γ)	DAY(3 HOUR PERIOD)	K	D(°)	H(γ)	Z(γ)	DAY	HOUR
		DAY	(UT)											
FR	49.6N	30	0952	SC	- 5	+36	- 7	01(8)	8	54	575	565	04	21
HI	54.2N	1	0828	SC*	- 2 *	-45 *	0	01(8)	8	65	360	295	04	20
SJ	29.9N	1	1836	SC	- .5	+19	+ 5	01(8)	7	12	184	36	02	15
GM	24.5N	1	0800	..	..	..	..	--	-	11	215	67	04	23
JP	17.3N	1	0800	..	..	..	..	--	-	9	190	45	04	23
SH	14.6N	1	0800	..	..	..	..	--	-	8	233	52	04	23
UJ	13.5N	1	0800	..	..	..	..	--	-	6	212	45	04	23
AL	09.5N	1	0800	..	..	..	..	01(5)	7	7	191	51	04	23
HD	07.6N	1	0826	SC	- .2	+17	- 1	01(5)	7	6	229	20	01	18
HD	07.6N	1	1835	SC	- .5	+44	- 2	01(7,8) 02(3,4,5)	6	6	177	39	02	19
GU	04.0N	1	0828	SC	..	+17	- 5	01(5)	6	--	120	20	01	18
GU	04.0N	1	1836	SC	..	+32	- 9	01(8)	7	10	200	50	04	19
AN	01.5N	1	0800	..	..	..	..	--	-	7	246	130	04	23
HU	00.6S	1	0826	SC	+ 1	+28	+ 6	01(5,8)	7	12	459	70	02	21
TV	01.1S	1	0800	..	..	..	..	--	-	4	262	182	04	23
GN	43.3S	1	1836	SC	+ 6.8	+30	+36	01(8)	8	52	200	210	02	20
GN	43.3S	1	0829	SC*	+ 1.3	+16 *	+ 6	01(5)	7	22	80	180	01	18
KG	56.5S	1	0828	SC*	--	--	--	01(5,8)	9	--	--	--	04	21
IR	41.0N	2	2320	SC	- 2.6	+19	+ 3	03(8) 04(3,5)	6	32	246	127	04	21
SJ	29.9N	2	2324	SC	+ 1	+15	+ 5	04(2)	6	12	99	29	04	19
HD	07.6N	2	2317	SC	+ .3	+23	- 1	03(4,5) 04(2,3)	6	5	181	29	04	21
HU	00.6S	2	2318	SC	+ 1	+22	+ 3	03(6)	6	10	287	42	04	20
GN	43.3S	2	2319	SC	+ 5.2	+13	+25	03(5) 04(1,4,5)	6	21	180	180	04	21
NE	55.1N	7	2154	SC*	+ 2	+22	..	09(3,4,5)	7	62	434	503	09	04
FR	49.6N	7	21--	..	..	..	..	09(3)	7	50	280	190	10	00
HU	00.6S	7	2156	SC	--	+16	+ 2	09(3,5,6)	6	11	395	50	09	23
CO	64.6N	8	10--	..	..	..	..	09(3)	8	274	1670	1160	10	04
SI	60.0N	8	11--	..	..	..	..	09(5)	8	160	--	770	09	23
HI	54.2N	8	13--	..	..	..	..	09(3)	7	30	260	130	09	23
IR	41.0N	8	0500	..	..	..	..	09(3)	8	36	198	114	09	23
SJ	29.9N	8	1200	..	..	..	..	09(3)	7	11	168	42	10	00
GM	24.5N	8	1300	..	..	..	..	--	-	9	229	82	10	03
JP	17.3N	8	1300	..	..	..	..	--	-	9	234	58	10	03
SH	14.6N	8	1300	..	..	..	..	--	-	8	294	45	10	03
UJ	13.5N	8	1300	..	..	..	..	--	-	7	259	49	10	03
AL	09.5N	8	1300	..	..	..	..	09(3)	7	8	237	55	10	03
HD	07.6N	8	1300	..	..	..	..	09(3)	8	7	282	36	10	01
GU	04.0N	8	1303	..	..	..	..	09(3)	7	10	320	30	09	23
AN	01.5N	8	1300	..	..	..	..	--	-	7	372	168	10	03
TV	01.1S	8	1300	..	..	..	..	--	-	4	--	--	10	03
GN	43.3S	8	11--	..	..	..	..	09(6)	7	34	200	210	10	00
TO	46.7S	8	11--	..	..	..	..	09(3,4,5)	6	47	234	119	09	23
KG	56.5S	8	1713	SC*	--	--	--	09(5,6)	7	--	--	--	09	21
CO	64.6N	10	2004	SC*	- 4	+14	- 6	12(3)	7	149	1010	650	13	04
SI	60.0N	10	20--	..	..	..	..	11(2)	7	--	440	400	12	15
NE	55.1N	10	2005	SC*	+ 1	+22	--	11(2,3)	6	41	190	200	13	05
FR	49.6N	10	2005	SC	- 1	+23	- 3	10(8) 11(2) 12(1)	5	18	100	76	12	06
HD	07.6N	10	2002	SC	- .2	+ 8	- 1	10(8)	4	5	66	28	11	22
KG	56.5S	10	20--	..	..	..	..	11(2)	5	--	--	--	11	10
FR	49.6N	20	17--	..	..	..	..	21(7,8) 23(7,8)	5	24	180	98	25	03
GM	24.5N	20	1600	..	..	..	..	24(3,4)	-	--	--	--	--	--
JP	17.3N	20	1600	..	..	..	..	--	-	9	127	53	23	03
SH	14.6N	20	1600	..	..	..	..	--	-	8	129	35	23	03
UJ	13.5N	20	1600	..	..	..	..	--	-	8	143	47	23	03
AL	09.5N	20	1600	..	..	..	..	21(7,8)	5	8	140	50	23	03
TV	01.1S	20	1600	..	..	..	..	--	-	5	190	78	23	03
CO	64.6N	21	18--	..	..	..	..	22(6,7) 24(3,4,5)	6	208	1140	660	24	15
NE	55.1N	21	0243	SC	+ 1	+18	--	21(8) 22(1) 23(8)	5	30	177	168	25	09
HI	54.2N	21	0241	SC*	+ 1 *	+ 6	0	21(7,8) 24(1)	6	35	190	85	24	17
SJ	29.9N	21	0241	SC	..	+11	+ 2	21(7)	6	12	126	27	22	12
HD	07.6N	21	0240	SC	+ .1	+21	- 2	21(8)	6	7	162	26	22	23
GU	04.0N	21	0242	..	..	..	..	21(7)	5	10	100	30	22	03
HU	00.6S	21	0241	SC	--	+15	+ 3	21(7,8)	6	6	303	40	22	23
TO	46.7S	21	19--	..	..	..	..	21(7,8)	5	35	148	31	24	18
KG	56.5S	22	11--	..	..	..	..	22(7)	6	--	--	--	23	00
NE	55.1N	29	1831	SC*	+ 4	+18	--	30(1,3) 31(1)	5	27	173	174	31	12
FR	49.6N	29	1831	SC	- 1	+25	- 4	29(1) 31(2)	5	17	105	39	31	15
GM	24.5N	29	1830	SC	- .3	+31	+ 6	--	-	8	95	32	31	03
JP	17.3N	29	1830	SC	- .5	+27	- 4	--	-	7	81	37	31	03
SH	14.6N	29	1830	SC	+ .3	+25	+ 3	--	-	8	100	27	31	03
UJ	13.5N	29	1830	SC	- .3	+33	- 7	--	-	6	96	35	31	03
AL	09.5N	29	1830	SC	- .4	+23	- 3	29(7) 30(1)	4	5	63	32	31	03
HD	07.6N	29	1830	SC	- .2	+26	- 1	30(1)	5	6	79	26	31	16
GU	04.0N	29	1831	SC	..	+17	- 5	30(1)	6	10	110	40	30	08
HU	00.6S	29	1830	SC*	+ 1	+62	+ 7	30(1,2)	5	4	285	21	31	08
TV	01.1S	29	1830	SC	+ .1	+20	+28	--	-	3	127	73	31	03
KG	56.5S	29	1834	SC	--	--	--	30(1)	5	--	--	--	30	12

Reports were received from the following observatories:

Alibag Annamalai Nagar College Fredericksburg Gulmarg Gwangara Guam Huancayo Hyderabad Irkutsk Jaipur
Kerguelen Newport Shillong San Juan Sitka Toolangi Trivandrum Trujain Witteveen

SUDDEN COMMENCEMENTS AND SOLAR FLARE EFFECTS

MAY 1978

PRELIMINARY REPORT ON RAPID MAGNETIC VARIATIONS (by Dr. A. Romaná).

The meaning of the station symbols is given in the IAGA-News No. 16.
Times of ssc are mean values.

Sudden commencements followed by a magnetic storm or a period of storminess (ssc).

01 0828 A: COI QUE LAS TRW CZT PAF
B: WNG WIT AQU KAK HUA DRV
C: MMB EBR KNY (si: A: FUR - bps: A: LMN)

01 1835 A: EBR COI KAK QUE SZT HUA LMN LAS
B: WIT DOU MMB AQU KNY
C: NGK (si: A: FUR)

02 2318 A: AQU EBR COI QUE HUA
B: WIT KNY SZT
C: NGK KAK (si: A: FUR TOL: B: LMN - bs: A: KSA)

07 2155 A: HUA
B: SOD SZT
C: VIC AQU (si: A: OTT; B: EBR; C: TOL? - b: A: LMN)

10 2005 A: OTT COI TOL FRD HUA LAS TRW
B: SOD NUR ESK WNG WIT DOU VIC AQU KSA QUE DRV
C: HAD MMB EBR KAK LMN (si: A: FUR)

21 0241 B: QUE SZT HUA
C: WNG WIT MMB AQU TOL (bps: C: EBR)

29 1831 A: SOD ESK WNG WIT DOU VIC FUR EBR COI TOL FRD HUA LMN LAS TRW PAF
B: NUR HAD OTT AQU KAK QUE CZT
C: NGK MMB (bs: A: KSA)

Solar-flare effects (sfe).

Effects confirmed by ionospheric or solar observations are underlined.

05 1027 - 1036 WNG
06 2015 - 2025 HUA
07 0324 - 0505 MMB KAK KNY
07 1550 - 1618 HUA
23 0020 - 0105 KNY
26 1748 - 1803 HUA

Very unusual events.

01 1237 bp PAF (+926 +574 +380) DRV (-1000 -869 -1600)

RADIO PROPAGATION QUALITY INDICES



MAY 1978

Quality indices calculated for reception at Lüchow

DAY	TOKYO	NORFOLK	MOSCOW	CANBERRA	BRACKNELL
1	2.1	3.4	10.5	2.2	12.3
2	2.0	3.5	10.7	3.1	11.8
3	2.4	3.4	11.1	3.8	13.3
4	2.3	3.2	10.3	4.9	12.3
5	4.4	4.8	11.7	4.9	14.7
6	5.8	4.2	12.2	4.3	14.2
7	6.0	4.7	11.5	4.8	14.8
8	6.3	4.6	12.2	4.8	13.7
9	4.1	3.9	11.6	5.0	12.7
10	6.6	5.1	12.1	5.0	14.6
11	3.7	4.1	12.1	5.0	13.5
12	5.0	4.4	12.7	5.2	14.5
13	5.9	4.5	11.9	6.0	13.8
14	5.2	4.8	12.0	6.0	14.2
15	6.8	4.7	12.2	5.6	14.1
16	5.8	4.7	12.3	5.5	14.4
17	5.3	4.9	12.1	5.6	14.8
18	5.5	5.4	11.6	4.9	13.8
19	7.0	5.3	11.9	5.1	13.5
20	7.1	6.9	12.9	5.9	14.9
21	5.8	4.6	12.6	6.0	13.5
22	4.0	4.2	11.2	5.4	13.3
23	3.5	3.9	11.1	5.1	13.0
24	4.3	4.2	11.4	4.7	13.1
25	5.4	5.0	11.8	5.0	14.9
26	6.1	4.0	11.3	5.1	13.8
27	5.6	5.4	11.3	5.5	14.3
28	5.6	4.8	11.1	5.9	14.9
29	4.6	4.2	11.8	5.2	13.7
30	4.0	3.4	11.4	5.0	13.6
31	5.4	3.6	11.3	4.8	13.2
MEAN	5.0	4.4	11.7	5.0	13.8

TRANSMISSION FREQUENCY RANGES -- NORTH ATLANTIC PATH



MAY 1978




TRANSMISSION FREQUENCY RANGES -- NORTH ATLANTIC PATH

169
May 78

MAY 1978




Field strengths from five frequencies, 5.0, 8.1, 10.9, 16.4 and 20.0 MHz, observed on a Lüchow -Norfolk circuit are represented above. Heavy solid lines represent field strengths -12 dB above $1 \mu\text{v/m}$ (transmitter power reduced to 1 kW). Observed field strengths between -12 dB above $1 \mu\text{v/m}$ and -40 dB above $1 \mu\text{v/m}$ are represented by the fine line. Adapted from Observations by Deutsche Bundespost



WORLD DATA CENTER A

FOR

SOLAR-TERRESTRIAL PHYSICS



The ICSU Panel on WDCs has recommended that it would be appropriate courtesy to acknowledge in publications that data were obtained from the originating station or investigator through the intermediary of the WDCs. The following statement is suggested:

"Data used in this study were provided by WDC-A for Solar-Terrestrial Physics, NOAA E/GC2, 325 Broadway, Boulder Colorado 80303, USA."