



**U.S. DEPARTMENT OF COMMERCE**  
**Juanita M. Kreps, Secretary**  
**NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION**  
**Richard A. Frank, Administrator**  
**ENVIRONMENTAL DATA AND INFORMATION SERVICE**  
**Thomas D. Potter, Acting Director**

## **Solar - Geophysical Data**

NO. 421      SEPTEMBER 1979

**Part I (Prompt Reports)**

DATA FOR  
AUGUST 1979  
JULY 1979

**NATIONAL GEOPHYSICAL AND SOLAR - TERRESTRIAL DATA CENTER  
BOULDER, COLORADO**

For obtaining bulletins on a data exchange basis, send request to: World Data Center A for Solar-Terrestrial Physics, NOAA, Boulder, Colorado 80303.

For sale through the National Geophysical and Solar-Terrestrial Data Center, NOAA, Boulder, CO 80303. Subscription Price: \$34.00 annually for both part I (Prompt Reports) and part II (Comprehensive Reports) or \$18.00 annually for either part. Annual supplement containing explanation is included. For foreign mailing add \$32.00 for both parts or \$16.00 for either part. Single issue price is \$1.50 for either part and \$1.40 for the extra issue. Make checks and money orders payable to: Department of Commerce, NOAA/NGSDC. Note: \$2.00 Minimum charge per order.

To standardize referencing these reports in the open literature, the following format is recommended:

Solar-Geophysical Data, 414 Part I (or Part II), pages, December 1979. U.S. Department of Commerce, (Boulder, Colorado, U.S.A. 80303).

# SOLAR-GEOPHYSICAL DATA

No. 421

*Issued in two parts*

Helen E. Coffey, Editor

J. Virginia Lincoln, Chief  
Solar-Terrestrial Physics Division

## CONTENTS

	PAGE
<b>Part I (Prompt Reports)</b>	
Index for 1979	2
Data for August 1979	3-42
Data for July 1979	43-167
<b>Part II (Comprehensive Reports)</b>	
Index for 1979	2
Data for March 1979	3-40
Data for February 1979 (Data not available at time of publication)	
Miscellaneous Data	41-53
<u>Geomagnetic Indices</u> June 1979	
Sudden Commencements	
<u>Energetic Solar Particles</u> January 1979	
IMP 8 Electrons, Protons and Alpha Particles	
<u>Solar-Terrestrial Activity</u> 1978	

## DETAILED COVERAGE FOR 1979 PUBLISHED IN "SOLAR-GEOPHYSICAL DATA"

	1979							
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug
<b>A. SOLAR AND INTERPLANETARY PHENOMENA</b>								
A.1	Sunspot Drawings	415A 52	416A 50	417A 44	418A 48	419A 48	420A 50	421A 50
A.2a	Zurich Provisional Relative Sunspot Numbers Rz	414A 11	415A 11	416A 11	417A 9	418A 11	419A 11	420A 11 421A 11
A.2b	Zurich Final Sunspot Numbers Rz							
A.2c	American Relative Sunspot Numbers RA	414A 11	415A 11	416A 11	417A 9	418A 11	419A 11	420A 11 421A 11
A.3a	Mt. Wilson Magnetograms	415A 52	416A 50	417A 44	418A 48	419A 48	420A 50	421A 50
A.3b	Mt. Wilson Magnetic Characteristics of Sunspots	418B 50	418B 60	417A106	418A108	419A110	420A110	421A112
A.3c	Kitt Peak Magnetograms	415A 52	416A 50	417A 44	418A 48	419A 48	420A 50	421A 50
A.3d	Mean Solar Magnetic Field (Stanford)	414A 42	415A 44	416A 42	417A 36	418A 38	419A 38	420A 40 421A 40
A.3e	Stanford Magnetograms	415A 52	416A 50	417A 44	418A 48	419A 48	420A 50	421A 50
A.4	H-alpha Filtergrams	415A 52	416A 50	417A 44	418A 48	419A 48	420A 50	421A 50
A.5	Calcium Plage Drawings - McMath (or Catania)	415A 52	416A 50	417A 44	418A 48	419A 48	420A 50	421A 50
A.5a	Calcium Plage (McMath) and Sunspot Regions	418B 50	418B 60	417A106	418A108	419A110	420A110	421A112
A.5b	McMath Daily Calcium Plage Indices	415A125	416A116	417A118	418A118	419A123	420A121	421A125
A.6	H-alpha Synoptic Charts	415A 48	416A 46	417A 40	418A 42	419A 43	420A 44	421A 44
A.6b	Synoptic Chart and Active Regions (Paris)	419B 4	420B 4	421B 4				
A.6c	Stanford Solar Magnetic Field Synoptic Charts	415A 49	416A 47	417A 41	418A 43	419A 44	420A 46	421A 46
A.6d	Kitt Peak Solar Magnetic Field Synoptic Charts				418A 45	419A 45	420A 48	421A 48
A.7f	Helium D3 Chromosphere (Big Bear)	---	---	416A 38	417A 33	418A 34	419A 34	420A 35 421A 37
A.7g	Helium Synoptic Maps (KPNO)	414A 34	415A 40	416A 36	417A 32	418A 33	419A 33	420A 34 421A 36
A.7h	Coronal Line Emission (Sac Peak)	415A 52	416A 50	417A 44	418A 48	419A 48	420A 50	421A 50
A.8aa	2800 MHz - Daily Values of Solar Flux (ARO-Ottawa)	414A 11	415A 11	416A 11	417A 9	418A 11	419A 11	420A 11 421A 11
A.8ac	2800 MHz - Daily Values of Adj. Solar Flux (ARO-Ottawa)	414A 11	415A 11	416A 11	417A 9	418A 11	419A 11	420A 11 421A 11
A.8b	Daily Values of Adjusted Solar Flux (AFGL)	414A 11	415A 11	416A 11	417A 9	418A 11	419A 11	420A 11 421A 11
A.9eb	8.6 mm Radio Maps of the Sun (NOSC - La Posta)	---	---	---	---	419A 48	420A 50	421A 50
A.9d	2 cm Radio Maps of the Sun (NOSC - La Posta)	---	---	---	---	419A 48	420A 50	421A 50
A.10a	169 MHz - Interferometric Observations (Nancy)	414A 24	415A 25	416A 25	417A 21	419B 52	420B 69	420A 24
A.10c	21 cm East-West Solar Scans (Fleurs)	414A 27	415A 28	416A 28	417A 24	418A 25	420B 70	420A 27 421A 28
A.10d	43 cm East-West Solar Scans (Fleurs)	414A 28	415A 29	416A 29	417A 25	418A 26	420B 71	420A 28 421A 29
A.10e	10.7 cm East-West Solar Scans (Ottawa-ARO)	414A 26	415A 27	416A 27	417A 23	418A 24	419A 26	420A 26 421A 27
A.10f	3 cm East-West Solar Scans (Toyokawa)	414A 25	415A 26	416A 26	417A 22	418A 23	419A 25	420A 25 421A 26
A.11k	Solar X-ray Radiation (SOLRAD 11)	415A129	416A120	417A119	418A122	419A126	420A124	421A129
A.11g	Solar X-ray (SMS/GOES) (graphs)	419B 33	420B 53	421B 35				
A.12ba	Cosmic Ray Protons (Pioneers 6 & 7)	414A 36	---	---	---	---	---	---
A.12bb	Cosmic Ray Protons (Pioneers 8 & 9)	414A 37	---	---	---	---	---	---
A.12e	Energetic Solar Particles (IMP II & J)	421B 43	420B 48	421B 30				
A.12f	Energetic Solar Particles (GIS/SEM)	---	---	---	---	---	---	---
A.13a	Solar Wind (Pioneers 6 & 7)	414A 36	---	---	---	---	---	---
A.13ab	Solar Wind (Pioneers 8 & 9)	414A 37	---	---	---	---	---	---
A.13d	Solar Wind from IPS Measurements	414A 39	415A 45	416A 39	417A 37	418A 35	419A 35	420A 37
A.13e	Solar Plasma (IMP II & J)	419B 32	419B 47	421B 29				
A.13f	Solar Wind (Pioneer 12 (Venus))	414A 38	415A 39	416A 35	417A 31	418A 32	419A 32	420A 36 421A 35
A.17	Interplanetary Magnetic Field (Pioneer 8)	414A 37	---	---	---	---	---	---
A.17	Interplanetary Magnetic Field (Pioneer 9)	415A 42	415A 42	417A 34	417A 34	418A 36	419A 36	420A 38 421A 38
A.17c	Inferred IP Magnetic Field	---	---	---	---	---	---	---
A.18	Interplanetary Electric Field (Pioneer 8)	414A 37	---	---	---	---	---	---
A.18	Interplanetary Electric Field (Pioneer 9)	414A 37	---	---	---	---	---	---
<b>B. IONOSPHERIC (AND RADIO WAVE PROPAGATION) PHENOMENA</b>								
B.52	Graphs of Transmission Frequency Range	415A162	416A166	417A166	418A166	419A168	420A166	421A166
B.53	Quality Figures Based on Frequency Ranges	415A161	416A165	417A165	418A165	419A167	420A168	421A165
<b>C. FLARE-ASSOCIATED EVENTS</b>								
C.1a	Optical Observations Flares	414A 14	414A 15	416A 14	417A 12	418A 14	419A 14	420A 14
C.1ba	Optical Observations Flares (Standardized Data)	420B 82						
C.1d	Flare Patrol Observations	414A 23	415A 24	416A 24	417A 20	418A 23	419A 24	420A 23
C.1d	Flare Patrol Observations	420B120						
C.1e	Flare Indices (by day)	420B119						
C.1f	Flare Indices (by Region)							
C.3	Solar Radio Waves - Outstanding Occurrences	419B 8	420B 8	421B 10				
C.3t	Solar Radio Waves - Fixed Frequencies - Selected	414A 29	415A 30	416A 30	417A 26	418A 28	419A 27	420A 29 421A 30
C.4a	43, 25, 80 and 160 MHz Selected Bursts (Culgoora)	415A147						
C.4b	Solar Radio Spectral Obs. (Fort Davis)	417B 60	417B 62	417A138	420B 72	420B 75	420A139	
C.4d	Solar Radio Spectral Obs. (Culgoora)	415A129	416A134	417A138	418A137	419A142	420A139	421A145
C.4e	Solar Radio Spectral Obs. (Weissenau)	415A129	416A134	417A138	418A137	419A142	420A139	
C.4f	Solar Radio Spectral Obs. (Sagamore Hill)	415A129	416A134	417A138	418A137	419A142	420A139	421A145
C.4h	Solar Radio Spectral Obs. (Dwingeloo)	415A129	416A134	417A138	418A137	419A142	---	421A145
C.4i	Solar Radio Spectral Obs. (Durnten)	415A129	416A134	417A138	418A137	419A142		
C.4j	Solar Radio Spectral Obs. (Manila)	415A129	416A134	417A138	418A137	419A142	420A139	421A145
C.5e	Solar X-ray (SMS/GOES) (graphs)	419B 33	420B 53	421B 35				
C.6	Sudden Ionospheric Disturbances	415A126	416A117	417A119	418A119	419A124	420A122	421A126
<b>D. GEOMAGNETIC AND MAGNETOSPHERIC PHENOMENA</b>								
D.1a	Geomagnetic Indices Kp, K <sub>n</sub> , K <sub>s</sub> , K <sub>n</sub> , Ap, aa, Cp	415A155	416A158	417A158	418A158	419A160	420A160	421A159
D.1ba	27-day Chart of Kp Indices	415A157	416A160	417A160	418A160	419A162	420A162	421A161
D.1c	27-day Chart of C9							
D.1d	Principal Magnetic Storms	415A158	416A163	417A163	418A163	419A165	420A165	421A164
D.1e	Reduced Magnetograms							
D.1f	Sudden Commencement and Solar Flare Effects	415A160	416A164	418B 76	419B 63	419A166	421B 42	
D.1g	Equatorial Indices Dst	416B 90	416A162	417A162	418A162	419A164	420A164	421A163
D.1h	Geomagnetic Substorm Log (Boulder)	414A 43	415A 46	416A 43	417A 38	418A 39	419A 39	420A 41 421A 41
<b>F. COSMIC RAYS</b>								
F.1a	Cosmic Ray Neutron Counts (Deep River)	415A154	416A151	417A151	418A151	419A153	420A155	421A158
F.1b	Cosmic Ray Neutron Counts (Climax)	416B 88	416A151	417A151	418A151	419A153	420A155	421A158
F.1e	Cosmic Ray Neutron Counts (Alert)	415A154	416A151	417A151	418A151	420B 78	420A155	421A158
F.1f	Cosmic Ray Neutron Counts (Calgary)							
F.1h	Cosmic Ray Neutron Counts (Thule)	419B 62	419B 62	419B 62	419B 62	419A153	420A155	421A158
F.1i	Cosmic Ray Neutron Counts (Kiel)	415A154	416A151	417A151	418A151	419A153	420A155	421A158
F.1j	Cosmic Ray Neutron Counts (Tokyo)	415A154	416A151	417A151	418A151	419A153	420A155	421A158
F.1k	Cosmic Ray Neutron Counts (Kula)							
F.1l	Cosmic Ray Neutron Counts (Huancayo)		417B 67	418B 72	419B 58	420B 79	420A155	421A158
<b>H. MISCELLANEOUS</b>								
H.60	IUMDS Alert Decisions	414A 4	415A 5	416A 4	417A 4	418A 5	419A 5	420A 5 421A 5
H.62	Abbreviated Calendar Record	420B 58						

## Notes:

"415A 52" listed under 1979 Jan means that the sunspot drawings for January 1979 were contained in *Solar-Geophysical Data* Number 415 - Part I, beginning on page 52.

A = Part I, B = Part II.

---- = no data available.


blank = data not yet received.

SGD 421 Part I (Prompt)

AUGUST 1979 DATA

Contents

	Page
<u>Alert Periods</u>	
IUWDS Alert Periods (Advance and Worldwide)	5-9
<u>Daily Solar Indices</u>	
Relative Sunspot Numbers, $R_z$ , and Daily Solar Flux at 2800 MHz (12 Month Tables)	10
Daily Solar Indices (Sunspot Numbers and Solar Fluxes)	11
Graph of Observed and Predicted Sunspot Numbers	12
Smoothed Observed and Predicted Sunspot Numbers	13
<u>Solar Flares</u>	
H $\alpha$ Solar Flares	14-24
Intervals of No Flare Patrol Observation	25
<u>Solar Radio Emission</u>	
169 MHz Solar Interferometric Chart - Nancay (Data not available at time of publication)	
3 cm East-West Solar Scans - Toyokawa	26
10.7 cm East-West Solar Scans - ARO, Ottawa	27
21 cm East-West Solar Scans - Fleurs	28
43 cm East-West Solar Scans - Fleurs	29
Selected Fixed Frequency Events	30-33
Selected Solar Noise Bursts	34
<u>Spacecraft Observations</u>	
Pioneer XII (Pioneer Venus)	35
<u>Coronal Holes</u>	
Helium 1083 $\text{\AA}$ Synoptic Map	36
Helium D3 Chromosphere	37
<u>Solar Wind Measurements</u>	
Interplanetary Scintillations (Data not available at time of publication)	
<u>Inferred Interplanetary Magnetic Field Polarities</u>	38
<u>Mean Solar Magnetic Field</u>	
Stanford Mean Solar Magnetic Field (Map)	39
Stanford Mean Solar Magnetic Field (Table)	40
<u>Geomagnetic</u>	
Boulder Geomagnetic Substorm Log	41
<u>Solar Proton Event (Provisional)</u>	



ALERT PERIODS  
INTERNATIONAL URSIGRAM  
AND WORLD DAYS SERVICE  
AUGUST 1979

PRESTO MESSAGES (THE RAPID REPORT OF MAJOR EVENTS).

- 01 AUGUST 1979 BOULDER SOFLARE M1/NO OPTICAL 01/0116Z.  
TENFLARE 160 FLUX UNITS 01/1116Z DURATION 3 MINUTES.
- 13 AUGUST 1979 BOULDER SOFLARE M2/NO OPTICAL (GREECE SAW AN ASR AT SE 42).  
TENFLARE 2200 FLUX UNITS 13/1013Z DURATION 138 MINUTES.
- 14 AUGUST 1979 BOULDER SOFLARE M3/IN S22E73 14/1243Z DURATION 101 MINUTES.  
TENFLARE 5900 FLUX UNITS 14/1243Z DURATION 74 MINUTES.  
SOLFLARE S17W42 14/1542Z DURATION 11 MINUTES.
- 18 AUGUST 1979 TENFLARE 620 FLUX UNITS 14/1544Z DURATION 13 MINUTES.  
BOULDER SOFLARE X6/18 N10E90 18/1403Z DURATION 20 MINUTES.  
TENFLARE 700 FLUX UNITS 18/1345Z DURATION 80 MINUTES.  
SOFLARE X1/5E LIMB 18/1343Z DURATION 18 MINUTES.
- 19 AUGUST 1979 BOULDER PROTON EVENT BEGAN AT 19/0850Z 62 PROTONS/CM<sup>2</sup>/S/SR AT GREATER THAN 10 MEV  
AT 19/2200Z.
- 20 AUGUST 1979 BOULDER SOFLARE X5/28 N05E76 20/0903Z DURATION 30 MINUTES.  
TENFLARE 650 FLUX UNITS 20/0903Z DURATION 32 MINUTES.
- 26 AUGUST 1979 BOULDER SOFLARE X1/28 N05W11 26/1700Z DURATION 75 MINUTES.  
TENFLARE 640 FLUX UNITS 26/1600Z.

SUMMARY OF THE GEOLERT WWA MESSAGES

Message serial number	Date of issue	Date of observation	Wolf number	IO on solar flux	A index	Active Regions				Outstanding events	Forecasts			Alert Situations									
						Location		No. of Flares			Date	Location	Desc*										
						Lat-Long	Total	M	X						Lat-Long								
213	01	31	197	148	003	N14W47	0	0	0		01	N14W47	Q	SOLNIL MAGQUIET									
						S16W83	1	0	0			S16W83	Q										
						S15W60	0	0	0			S15W60	Q										
						N16W22	0	0	0			N16W22	Q										
						S18W12	0	0	0			S18W12	Q										
						S22E07	0	0	0			S22E07	Q										
						N05E12	0	0	0			N05E12	Q										
						S12E13	0	0	0			S12E13	Q										
						N12E37	0	0	0			N12E37	Q										
						N22W10	0	0	0			N22W10	Q										
						N17E08	0	0	0			N17E08	Q										
						214	02	21	176			145	011		N13W60	0	0	0		02	N13W60	Q	SOLQUIET MAGQUIET
															S16W75	0	0	0			S16W75	Q	
N15W36	1	0	0	N15W36	Q																		
S18W23	0	0	0	S18W23	Q																		
S22W06	3	0	0	S22W06	E																		
N04W00	0	0	0	N04W00	Q																		
S12W01	7	1	0	S12W01	E																		
N12W25	0	0	0	N12W25	Q																		
N18W00	0	0	0	N18W00	Q																		
N18E13	0	0	0	N18E13	Q																		
S17E41	0	0	0	S17E41	Q																		
S10E69	0	0	0	S10E69	Q																		
215	03	02	149	142	014					N14W75	0			0	0		03	N14W75			Q	SOLQUIET MAGQUIET	
						N16W50	2	0	0	N16W50	E												
						S22W19	1	0	0	S22W19	E												
						N04W14	0	0	0	N04W14	Q												
						S12W16	1	0	0	S12W16	E												
						N12E11	0	0	0	N12E11	Q												
						S09E56	1	0	0	S09E56	E												
						N18E41	0	0	0	N18E41	Q												
						N23E66	1	0	0	N23E66	E												
						N26W69	0	0	0	N26W69	Q												
						216	04	03	161	141	012	N18W65	0	0	0				04	N18W65	E		SOLQUIET MAGQUIET
												S22W32	1	0	0					S22W32	Q		
												N04W27	0	0	0					N04W27	Q		
S12W29	0	0	0	S12W29	Q																		
N12W01	0	0	0	N12W01	Q																		
S10E43	0	0	0	S10E43	Q																		
N17E21	0	0	0	N17E21	Q																		
N26E49	1	0	0	N26E49	Q																		
N27W82	3	0	0	N27W82	Q																		
N06W16	0	0	0	N06W16	Q																		
N12E73	0	0	0	N12E73	Q																		
N13W58	0	0	0	N13W58	Q																		
217	05	04	116	138	014							N18W77	0	0	0		05			N18W77	E	SOLQUIET MAGQUIET	
						S21W45	0	0	0	S21W45	Q												
						S12W44	2	0	0	S12W44	Q												
						N12W13	0	0	0	N12W13	Q												
						N26E37	1	0	0	N26E37	Q												
						N06W29	1	0	0	N06W29	Q												
						N11E61	0	0	0	N11E61	Q												
						N13W69	0	0	0	N13W69	Q												
						218	06	05	109	138	012	N26E25	0	0	0				06	N26E25	Q		SOLQUIET MAGQUIET
												N06W42	0	0	0					N06W42	Q		
												N12E47	0	0	0					N12E47	Q		
												S21W59	0	0	0					S21W59	Q		
												S12W57	0	0	0					S12W57	Q		
N12W27	0	0	0	N12W27	Q																		
S26E65	0	0	0	S26E65	Q																		
S14E69	0	0	0	S14E69	Q																		
219	07	06	161	145	018							S21W71	0	0	0		07			S21W71	Q	SOLQUIET MAGQUIET	
												N12W40	0	0	0					N12W40	Q		
												N26E12	0	0	0					N26E12	Q		
												N06W56	0	0	0					N06W56	Q		
												N11E34	0	0	0					N11E34	Q		
						S27E52	0	0	0	S27E52	Q												
						S14E55	0	0	0	S14E55	Q												
						N25W40	0	0	0	N25W40	Q												
						N25E79	0	0	0	N25E79	Q												
						S16W35	0	0	0	S16W35	Q												
						N12W30	0	0	0	N12W30	Q												
						220	08	17	162	146	010	S21W84	0	0	0				08	S21W84	Q		SOLALERT 08/12 MAGQUIET
												N12W53	0	0	0					N12W53	Q		
N26W01	0	0	0	N26W01	Q																		
N06W69	1	0	0	N06W69	E																		
N12E20	0	0	0	N12E20	Q																		
S27E40	0	0	0	S27E40	Q																		
S14E42	0	0	0	S14E42	Q																		
N25E57	0	0	0	N25E57	Q																		
S16W48	0	0	0	S16W48	Q																		
N14E79	3	1	0	N14E79	A																		
S12E29	0	0	0	S12E29	Q																		

**ALERT PERIODS**  
**INTERNATIONAL URSIGRAM**  
**AND WORLD DAYS SERVICE**

AUGUST 1979

**SUMMARY OF THE GEDALERT WWA MESSAGES**

Message serial number	Date of issue	Date of observation	Wolf number	10 cm solar flux	A index	Active Regions				Outstanding events	Forecasts		Alert Situations										
						Location		No. of Flares			Date	Location		Desc*									
						Lat-Long	Total	M	X						Lat-Long								
221	09	08	190	148	006	N12W70	0	0	0		09	N12W70	Q	SOLALERT 09/12 MAGQUJET									
						N26W17	0	0	0			N26W17	Q										
						N06W84	0	0	0			N06W84	Q										
						N12E14	0	0	0			N12E14	Q										
						S27E27	0	0	0			S27E27	Q										
						S14E32	0	0	0			S14E32	E										
						N27E53	0	0	0			N27E53	Q										
						S16W62	1	0	0			S16W62	Q										
						N15E65	2	0	0			N15E65	A										
						S13E15	0	0	0			S13E15	Q										
						S25E08	0	0	0			S25E08	Q										
						S24E67	0	0	0			S24E67	Q										
						N18W07	0	0	0			N18W07	Q										
						N17E52	0	0	0			N17E52	Q										
222	10	09	143	154	007	N11W83	0	0	0		10	N11W83	Q	SOLALERT MAGQUJET 10/11									
						S28E14	1	0	0			S28E14	E										
						S15E19	0	0	0			S15E19	Q										
						N26E40	1	0	0			N26E40	E										
						S17W74	2	0	0			S17W74	E										
						N14E53	5	0	0			N14E53	E										
						S25E55	0	0	0			S25E55	Q										
						N15E40	0	0	0			N15E40	Q										
						N16E13	0	0	0			N16E13	Q										
						223	11	10	128			151	006		S27W00	0	0	0		11	S27W00	Q	SOLALERT 11/13 MAGQUJET
															S15E05	0	0	0			S15E05	Q	
N26E29	0	0	0	N26E29	E																		
S16W87	0	0	0	S16W87	Q																		
N14E40	3	1	0	N14E40	A																		
S25E42	0	0	0	S25E42	Q																		
N16E26	0	0	0	N16E26	Q																		
N16W01	0	0	0	N16W01	Q																		
224	12	11	143	150	006					S26W10	3			0	0		12	S26W10			E	SOLALERT 12/14 MAGQUJET	
										S15W09	0			0	0			S15W09			Q		
						N25E15	0	0	0	N25E15	E												
						N14E25	7	0	0	N14E25	A												
						S26E28	0	0	0	S26E28	Q												
						N22E13	0	0	0	N22E13	Q												
						N32E25	0	0	0	N32E25	Q												
						S14E44	0	0	0	S14E44	Q												
						N18E75	0	0	0	N18E75	Q												
						225	13	12	141	141	017	S27W24	0	0	0				13	S27W24	Q		SOLALERT 13/xx MAGQUJET
S16W22	0	0	0	S16W22	Q																		
N25E03	0	0	0	N25E03	Q																		
N14E13	4	0	0	N14E13	E																		
N24W01	0	0	0	N24W01	Q																		
N36E12	0	0	0	N36E12	Q																		
S14E34	0	0	0	S14E34	Q																		
N18E65	0	0	0	N18E65	Q																		
S21E64	0	0	0	S21E64	Q																		
226	14	13	129	152	046							S16W35	0	0	0	A TENFLARE WAS REPORTED BY MOSCOW, ATHENS, AND SAGAMORE HILL WITH 4100 FLUX UNITS MAXIMUM AT 1026Z, NO OPTICAL REPORTS	14			S16W35	E	SOLALERT 14/16 MAGALERT 14	
						N27W10	0	0	0	N27W10	E												
						N15W01	3	0	0	N15W01	A												
						N18E54	0	0	0	N18E54	Q												
						S21E51	0	0	0	S21E51	Q												
						N17W15	0	0	0	N17W15	Q												
						S05E59	0	0	0	S05E59	Q												
						227	15	14	186	173	011	S17W47	2	1	0			THREE TENFLARES WERE REPORTED 13/1014Z 2360 FLUX UNITS, 14/1243Z 5900 FLUX UNITS, 14/1544Z 620 FLUX UNITS.	15	S17W47	Q		SOLALERT 15/17 MAGNIL
N28W19	0	0	0	N28W19	Q																		
N14W13	1	0	0	N14W13	E																		
N18E41	0	0	0	N18E41	Q																		
S22E48	1	0	0	S22E48	A																		
S06E46	0	0	0	S06E46	Q																		
S25E65	2	1	0	S25E65	A																		
228	16	15	180	163	006							S16W61	4	0	0		16			S16W61	Q	SOLALERT 16/18 MAGQUJET	
						N29W32	1	0	0	N29W32	Q												
						N14W28	2	0	0	N14W28	E												
						N18E27	0	0	0	N18E27	Q												
						S23E35	2	1	0	S23E35	E												
						S07E31	0	0	0	S07E31	Q												
						S26E52	6	0	0	S26E52	A												
						N19E15	0	0	0	N19E15	Q												
						S14E65	0	0	0	S14E65	Q												
						N18E73	0	0	0	N18E73	Q												
229	17	16	138	160	007	N14W41	0	0	0		17	N14W41	E	SOLALERT 17/19 MAGQUJET									
						N18E12	1	0	0			N18E12	Q										
						S23E22	0	0	0			S23E22	E										
						S27E39	7	1	0			S27E39	A										
						S14E50	0	0	0			S14E50	Q										
						N17E59	0	0	0			N17E59	Q										

ALERT PERIODS  
INTERNATIONAL URSIGRAM  
AND WORLD DAYS SERVICE

AUGUST 1979

SUMMARY OF THE GEOALERT WWA MESSAGES

Message serial number	Date of issue	Date of observation	Wolf number	10 cm solar flux	A index	Active Regions				Outstanding events	Forecasts		Alert Situations										
						Location		No. of Flares			Date	Location		Desc*									
						Lat-Long	Total	M	X						Lat-Long								
230	18	17	138	162	005	N14W53	0	0	0		18	N14W53	E	SOLALERT 18/20 MAGUIET									
						N17W01	0	0	0			N17W01	Q										
						S23E06	0	0	0			S23E06	Q										
						S27E27	1	0	0			S27E27	A										
						S12E36	0	0	0			S12E36	Q										
						N17E45	0	0	0			N17E45	Q										
						N14W41	0	0	0			N14W41	Q										
231	19	18	138	176	007	N14W66	0	0	0	SOFLARE X1/SE LIMB 18/1343Z DURATION 18 MINUTES TENFLARE 700 FLUX UNITS 18/1345Z DURATION 80 MINUTES.	19	N14W66	E	SOLALERT 19/xx MAGUIET									
						N18W14	0	0	0			N18W14	Q										
						S23W07	0	0	0			S23W07	Q										
						S25E14	4	0	0			S25E14	A										
						N18E32	0	0	0			N18E32	Q										
						N12W54	0	0	0			N12W54	Q										
						N27E08	0	0	0			N27E08	Q										
232	20	19	310	182	034	N12W77	1	0	0	PRESTO PROTON EVENT BEGAN AT 19/0850Z 62 PROTONS/CM <sup>2</sup> /S/SR AT GREATER THAN 10 MEV AT 2200Z 19 AUGUST.	19	N12W77	Q	SOLALERT 20/22 MAGALERT 20/xx									
						N16W26	0	0	0			N16W26	Q										
						S14W17	0	0	0			S14W17	Q										
						S26E00	8	0	0			S26E00	E										
						S13E10	0	0	0			S13E10	Q										
						N17E18	0	0	0			N17E18	Q										
						N13W68	3	0	0			N13W68	Q										
						N26W05	0	0	0			N26W05	Q										
						S09W27	0	0	0			S09W27	Q										
						N12W16	0	0	0			N12W16	Q										
						N08E34	0	0	0			N08E34	Q										
						S16E36	3	0	0			S16E36	Q										
						S14E51	0	0	0			S14E51	Q										
						S19E59	1	0	0			S19E59	Q										
						N24E62	1	0	0			N24E62	Q										
						S32E76	0	0	0			S32E76	Q										
						N05E79	1	0	0			N05E79	A										
N20W48	0	0	0	N20W48	Q																		
N20E38	0	0	0	N20E38	Q																		
233	21	20	259	203	027	N16W39	0	0	0	PRESTO SOFLARE X5/2B N05E76 AT 20/0903Z DURATION OF 30 MINUTES. TENFLARE OF 660 FLUX UNITS AT 20/0903Z WITH DURATION of 32 MINUTES POLCAP ABSORPTION BEGAN AT 20/0015Z WITH 3.5 dB.	20	N16W39	Q	SOLALERT 21/23 MAGALERT MINOR 21/23									
						S25W29	0	0	0			S25W29	Q										
						S27W11	4	0	0			S27W11	E										
						S12W05	0	0	0			S12W05	Q										
						N17E05	0	0	0			N17E05	Q										
						N13W82	2	0	0			N13W82	Q										
						N26W19	0	0	0			N26W19	Q										
						N08E20	1	0	0			N08E20	Q										
						S15E23	0	0	0			S15E23	Q										
						S13E35	2	0	0			S13E35	Q										
						S18E46	1	0	0			S18E46	Q										
						S30E63	2	0	0			S30E63	Q										
						N04E69	10	1	1			N04E69	A										
						S14E08	3	0	0			S14E08	E										
						N23E06	0	0	0			N23E06	Q										
						234	22	21	335			210	025		N17W52	3	0	0	PCA ENDED 22/2300Z.	22	N17W52	Q	SOLALERT 22/24 MAGALERT MINOR 22/24
															S24W43	0	0	0			S24W43	Q	
S27W26	3	0	0	S27W26	E																		
S12W19	0	0	0	S12W19	Q																		
N18W08	0	0	0	N18W08	Q																		
N26W33	0	0	0	N26W33	Q																		
N08E07	0	0	0	N08E07	Q																		
S16E10	0	0	0	S16E10	Q																		
S12E25	0	0	0	S12E25	Q																		
S20E34	0	0	0	S20E34	Q																		
S32E52	2	0	0	S32E52	Q																		
N05E54	5	1	0	N05E54	A																		
S16W05	4	0	0	S16W05	A																		
N25W19	0	0	0	N25W19	Q																		
S15W41	0	0	0	S15W41	Q																		
N17W18	0	0	0	N17W18	Q																		
N23W20	0	0	0	N23W20	Q																		
235	23	22	262	218	016	N17W66	0	0	0		22	N17W66	Q	SOLALERT 23/25 MAGALERT MINOR 23									
						S23W57	1	0	0			S23W57	Q										
						S27W38	2	0	0			S27W38	E										
						S11W33	1	0	0			S11W33	Q										
						N16W20	0	0	0			N16W20	Q										
						N25W43	0	0	0			N25W43	Q										
						S15W05	0	0	0			S15W05	Q										
						S14E11	2	0	0			S14E11	Q										
						S21E20	0	0	0			S21E20	Q										
						S31E39	1	0	0			S31E39	E										
						N05E40	8	0	0			N05E40	A										
						S16W18	1	0	0			S16W18	Q										
						S14W51	0	0	0			S14W51	Q										
						N27W31	0	0	0			N27W31	Q										
						S21E68	0	0	0			S21E68	Q										



**ALERT PERIODS**  
**INTERNATIONAL URSIGRAM**  
**AND WORLD DAYS SERVICE**

AUGUST 1979

**SUMMARY OF THE GEOALERT WWA MESSAGES**

Message serial number	Date of issue	Date of observation	Wolf number	10 cm solar flux	A index	Active Regions				Outstanding events	Forecasts		Alert Situations										
						Location		No. of Flares	M		X	Date		Location	Desc*								
						Lat-Long	Total									Lat-Long	Desc*						
236	24	23	261	214	004	N17W75	0	0	0		23	N17W75	Q	MAJOR FLARE ALERT 24/xx MAGNIL									
						S24W70	0	0	0			S24W70	Q										
						S26W51	1	0	0			S26W51	E										
						S13W43	0	0	0			S13W43	Q										
						N17W33	0	0	0			N17W33	Q										
						N26W56	0	0	0			N26W56	Q										
						S13W02	1	0	0			S13W02	E										
						S20E07	0	0	0			S20E07	Q										
						S32E26	0	0	0			S32E26	E										
						N05E28	6	1	0			N05E28	P										
						S15W31	0	0	0			S15W31	Q										
						S15W65	0	0	0			S15W65	Q										
						N27W44	0	0	0			N27W44	Q										
						S22E55	0	0	0			S22E55	Q										
						N17E37	0	0	0			N17E37	Q										
						S22E70	0	0	0			S22E70	Q										
237	25	24	313	220	010	S24W83	0	0	0		24	S24W83	Q	MAJOR FLARE ALERT 25/xx MAGALERT RECURRENCE 26/27									
						S26W64	1	0	0			S26W64	Q										
						N16W46	0	0	0			N16W46	Q										
						N25W74	0	0	0			N25W74	Q										
						S13W15	2	0	0			S13W15	E										
						S19W08	0	0	0			S19W08	Q										
						S32E14	4	0	0			S32E14	E										
						N05E15	6	0	0			N05E15	P										
						S15W46	3	0	0			S15W46	E										
						S25W85	0	0	0			S25W85	Q										
						N28W56	0	0	0			N28W56	Q										
						S21E43	0	0	0			S21E43	Q										
						N18E23	6	0	0			N18E23	A										
						S22E55	0	0	0			S22E55	Q										
						S10E16	0	0	0			S10E16	Q										
						S28E74	0	0	0			S28E74	Q										
N13W13	0	0	0	N13W13	Q																		
238	26	25	256	232	016	S26W77	1	0	0		25	S26W77	Q	SOLALERT 26/28 MAGALERT 26/28									
						S12W72	3	0	0			S12W72	Q										
						N24W87	2	0	0			N24W87	Q										
						S13W29	0	0	0			S13W29	Q										
						S19W21	0	0	0			S19W21	Q										
						S32E02	5	0	0			S32E02	E										
						N05E02	6	1	0			N05E02	P										
						S15W59	3	0	0			S15W59	Q										
						S21E29	2	0	0			S21E29	Q										
						N18E10	3	0	0			N18E10	A										
						S22E41	0	0	0			S22E41	Q										
						S10E03	0	0	0			S10E03	Q										
						S18E60	0	0	0			S18E60	Q										
						239	27	26	236			223	014		S14W43	0	0	0		26	S14W43	Q	SOLALERT 27/29 MAGALERT 27/28
															S30W11	0	0	0			S30W11	Q	
															N05W11	11	0	1			N05W11	P	
N26W82	0	0	0	N26W82	Q																		
S21E17	1	0	0	S21E17	E																		
N18W00	2	0	0	N18W00	E																		
S21E31	0	0	0	S21E31	Q																		
S11W01	0	0	0	S11W01	Q																		
S27E47	0	0	0	S27E47	Q																		
N17E75	1	0	0	N17E75	Q																		
N28W26	0	0	0	N28W26	Q																		
240	28	27	277	208	015					S13W57	0			0	0		27	S13W57			Q	SOLALERT 28/xx MAGALERT 28/xx	
										S32W24	1			0	0			S32W24			E		
										N06W26	4			0	0			N06W26			A		
										S21E04	1			0	0			S21E04			E		
										N18W15	0			0	0			N18W15			Q		
						S21E15	0	0	0	S21E15	Q												
						S10W24	0	0	0	S10W24	Q												
						S27E34	0	0	0	S27E34	Q												
						N13W48	0	0	0	N13W48	Q												
						N19E66	3	0	0	N19E66	E												
						S23E61	0	0	0	S23E61	Q												
						241	29	28	221	210	015	S13W69	0	0	0				28	S13W69	Q		SOLALERT 29/31 MAGALERT MINOR 29/30
												S32W36	2	0	0					S32W36	Q		
												N06W38	11	0	0					N06W38	A		
												N18W28	1	1	0					N18W28	E		
												S21E03	0	0	0					S21E03	Q		
S12W34	0	0	0	S12W34	Q																		
S27E22	2	0	0	S27E22	E																		
N18E54	6	0	0	N18E54	E																		
N24E49	2	0	0	N24E49	Q																		
N18W00	0	0	0	N18W00	Q																		
N13E71	0	0	0	N13E71	Q																		

**ALERT PERIODS**  
INTERNATIONAL URSIGRAM  
AND WORLD DAYS SERVICE  
AUGUST 1979

SUMMARY OF THE GEOALERT WWA MESSAGES

Message serial number	Date of issue	Date of observation	Wolf number	10 cm solar flux	A index	Active Regions			Outstanding events	Forecasts			Alert Situations	
						Location		No. of Flares		Date	Location			Desc*
						Lat-Long	Total				M	X		
242	30	29	169	194	040	S32W48	1	0	0	A MINOR GEOMAGNETIC STORM STARTED WITH SC AT 29/0459Z.	29	S32W48	E	SOLALERT 30/31 MAGALERT 30/31
						N05W50	3	0	0		N05W50	A		
						N18W40	1	0	0		N18W40	Q		
						S21W10	0	0	0		S21W10	Q		
						S27E08	1	0	0		S27E08	Q		
						N18E43	1	0	0		N18E43	E		
						N24E35	1	0	0		N24E35	Q		
						N18W14	0	0	0		N18W14	Q		
						N12E56	1	0	0		N12E56	Q		
						243	31	30	169		184	015	S33W61	
N04W64	1	0	0	N04W64	E									
N17W54	1	0	0	N17W54	Q									
N23W21	1	0	0	N23W21	Q									
S28W05	0	0	0	S28W05	Q									
N19E29	0	0	0	N19E29	Q									
N24E22	0	0	0	N24E22	Q									
N16W29	0	0	0	N16W29	Q									
N21E64	6	0	0	N21E64	E									
N13E66	0	0	0	N13E66	Q									
244	01	31	213	177	013	N05W78	4	0	0		31	N05W78	A	SOLALERT 01/xx MAGQUIET
						S32W74	0	0	0		S32W74	Q		
						N26W74	0	0	0		N26W74	Q		
						N18W67	1	0	0		N18W67	Q		
						N17W41	1	0	0		N17W41	Q		
						S23W34	0	0	0		S23W34	Q		
						S28W13	0	0	0		S28W13	Q		
						N24W07	0	0	0		N24W07	Q		
						N12E12	0	0	0		N12E12	Q		
						N19E16	0	0	0		N19E16	E		
						N21E52	6	0	0		N21E52	E		
						N13E53	3	0	0		N13E53	E		

\* Q=Quiet E=Eruptive A=Active P=Proton C=Caution D=Doubtful O.G.=Other Groups MF=Major Flare

RELATIVE SUNSPOT NUMBERS  
ZURICH, R<sub>Z</sub>

DAY	1978 FINAL				1979 PROVISIONAL							
	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG
1	136	96	139	110	158	116	116	131	108	121	158	115
2	167	112	122	110	158	127	138	134	106	152	168	96
3	159	105	125	117	191	148	141	135	103	161	205	121
4	162	100	129	115	157	123	142	138	112	178	219	110
5	177	73	121	134	146	134	135	109	113	207	232	93
6	177	74	108	122	173	146	144	91	122	226	249	104
7	147	95	112	138	163	144	146	77	148	222	223	110
8	120	103	118	148	172	142	143	69	165	220	219	132
9	139	121	108	152	165	139	146	61	162	231	191	115
10	99	149	120	144	163	137	140	87	145	205	163	92
11	84	158	118	170	157	137	156	109	149	186	155	84
12	72	158	99	188	159	138	170	107	158	199	145	87
13	92	156	90	165	199	152	169	113	163	172	142	91
14	113	170	78	150	162	163	159	116	203	149	127	119
15	133	166	59	140	178	161	155	117	207	127	121	135
16	143	163	77	143	164	159	130	119	187	133	114	122
17	136	143	92	146	164	160	142	107	184	122	109	138
18	156	135	93	132	146	162	142	98	144	126	109	157
19	159	154	85	95	138	166	138	79	109	110	135	176
20	163	151	76	84*	177	169	120	68	107	111	158	187
21	171	144	68	68	181	171	134	68	114	124	151	216
22	148	125	77	63	178	155	140	79	121	168	152	216
23	156	116	55	59	198	127	139	79	117	96	154	206
24	163	104	61	65	209	99	118	80	119	90	143	203
25	168	96	85	81	239	88	114	85	124	120	144	201
26	152	102	101	93	173	106	114	118	123	132	142	182
27	142	115	118	110	162	97	117	125	114	112	146	189
28	126	117	118	122	157	95	114	132	110	128	132	174
29	122	137	111	135	153	110	110	132	113	124	148	198
30	94	128	103	159	149	127	120	120	96	154	150	150
31		111		177	130		147		120		144	168
MEAN	138.2	125.1	97.9	122.7	165.8	138.0	137.0	102.8	134.6	150.5	159.6	143.5

1978 yearly mean=92.5

DAILY SOLAR FLUX AT 2800 MHz  
OTTAWA ARO  
FLUX ADJUSTED TO 1 A.U., S<sub>11</sub>

DAY	1978				1979							
	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG
1	159.8	139.0	152.0	166.6	194.1*	185.8	168.5	202.6*	183.4	189.5	186.3	149.1
2	171.7*	137.8	159.0	167.6	200.1	185.6	170.7	203.4	179.2	206.8*	200.9*	143.9*
3	167.0	131.7	169.9	164.2	213.5*	187.4*	173.3	194.2	164.3	216.1*	213.4	145.1
4	174.4*	132.0*	177.4	165.3	192.7*	187.7	181.4	183.5	175.0	228.2*	215.1	141.7
5	179.4	138.7*	191.2	169.5	194.9	197.4	180.1*	179.3	169.6	230.2	204.5	141.6
6	181.1	137.4	172.2*	164.5	190.9	206.5	182.4	176.3	171.1*	238.1	211.3	149.5
7	177.5	141.6	174.6	178.5*	196.2	203.4	183.1*	166.7	178.0	238.1	207.2	151.1
8	167.1	152.1	168.0*	189.9	210.1	207.2*	173.5	169.0*	182.4*	242.7	206.7	152.7
9	157.6*	155.8	164.9*	189.6	192.6	198.7	181.4	169.6	181.3	247.4*	197.9*	157.3
10	149.8	162.3	166.3	204.7	186.2	198.4*	180.6	173.3	174.7	239.9	185.9	152.1*
11	141.5	171.6*	163.7	210.5	179.5	232.2*	181.7*	170.0*	178.6	229.6	178.6	154.4
12	138.5	177.2	150.4	217.3	174.5	195.4	189.7	174.5	184.2	208.3	170.1	144.8
13	138.0	178.5	145.3	210.6*	133.9	195.4	186.3	175.8	185.6	193.7	161.4	155.8
14	143.5*	180.1	136.3	197.0	220.0*	204.2*	189.4	170.9	182.0	185.7	154.7*	158.2*
15	152.6	162.0	133.8	192.7	192.1*	205.0*	181.3	168.1	181.9	176.0	151.1	157.6
16	161.5	176.7*	128.8	180.5	189.9*	209.2	183.5*	171.7	175.4	167.5	143.6	164.8
17	161.8	171.5	128.1	177.7	175.7	213.1	177.7	168.0	187.7	158.1	142.7	165.8
18	169.3*	169.4	127.4	161.5	177.6	237.7	186.6*	158.7	171.3*	152.6	141.2	180.0
19	168.8*	170.4	128.9	152.9	197.8	237.8	177.6	159.4	161.5	146.2	143.6	186.4
20	168.6	171.0	134.9	138.1	197.2	230.1*	184.1	156.1	155.6	151.5	146.6	204.2*
21	172.5	166.9*	126.0	132.1*	210.3	225.1	182.2	161.5	155.7	148.9	143.7*	207.6*
22	171.5*	161.4	127.1	132.7	226.9	223.3	181.1	159.7*	156.5*	141.1	159.7	223.2
23	165.5*	161.4	121.9	133.4	225.1	196.3	188.5	162.3	156.0	139.0	163.1*	218.6
24	158.9	156.9	123.5	135.2*	208.5	182.8	183.3	161.9	159.2*	141.2	168.5	225.2
25	157.2	156.1	124.7*	138.0	226.1	167.5	188.2	172.5	153.3*	147.8	164.5	229.3*
26	148.5	154.4	132.7	144.2	192.9	166.0	200.2	182.0	149.1	153.7	165.6	223.3
27	146.2*	150.7	144.4*	148.7*	235.4	162.7	187.9	195.1*	149.4	158.5	159.1*	212.8
28	147.8	148.4*	154.1	164.1	239.6	163.6	186.6	192.1*	149.2	159.1	156.1	214.2
29	148.1	149.8	162.2	166.2	229.3		191.4	185.7	156.2	166.9	156.7	197.6
30	142.6	146.5	167.8	181.7	194.1*		186.6	185.2*	158.4	176.7*	160.3	187.8
31		144.0		195.1	193.7		201.4*		174.9		152.4	179.9
MEAN	159.6	157.1	148.2	170.0	196.5	199.1	184.0	175.0	163.9	186.0	171.4	177.0

\* adjusted for burst  
A = interpolated data point


# DAILY SOLAR INDICES

AUGUST 1979

AUG 1979	YEAR DAY	BARTELS 27-DAY CYCLE NUMBER	SUNSPOT NUMBERS		OBSERVED FLUX OTTAWA 2800	SOLAR FLUX ADJUSTED TO 1 A.U.										
			R <sub>Z</sub>	R <sub>A</sub> *		AFGL 15400	AFGL 8800	AFGL 4995	OTTAWA 2800	AFGL 2695	AFGL 1415	AFGL 606	AFGL 410	AFGL 245		
1	213	1	115	95	144.8				149.1							
2	214	2	96	84	139.7*				143.9*							
3	215	3	121	90	140.9				145.1							
4	216	4	110	79	137.7				141.7							
5	217	5	93	79	137.6				141.6							
6	218	6	104	100	145.3				149.5							
7	219	7	110	99	147.0				151.1							
8	220	8	132	104	148.5				152.7							
9	221	9	115	97	153.0				157.3							
10	222	10	92	68	148.1*				152.1*							
11	223	11	84	79	150.3				154.4							
12	224	12	87	73	141.0				144.8							
13	225	13	91	64	151.9				155.8							
14	226	14	119	91	154.2*				158.2*							
15	227	15	135	109	163.4				167.6							
16	228	16	122	103	160.8				164.8							
17	229	17	138	104	161.8				165.8							
18	230	18	157	114	175.6				180.0							
19	231	19	176	164	182.0				186.4							
20	232	20	187	172	199.4*				204.2*							
21	233	21	218	203	202.9*				207.6*							
22	234	22	216	204	218.2				223.2							
23	235	23	205	190	213.9				218.6							
24	236	24	203	187	220.4				225.2							
25	237	25	201	195	224.4*				229.3*							
26	238	26	182	168	218.7				223.3							
27	239	27	189	169	208.4				212.8							
28	240	1	174	160	210.0				214.2							
29	241	2	158	161	193.7				197.6							
30	242	3	150	134	184.3				187.8							
31	243	4	168	138	176.5				179.9							
MEAN			143.5	125.1	172.7				177.0							

Data not available at time of publication.

\* Adjusted for burst.



OBSERVED AND PREDICTED SUNSPOT NUMBERS

SMOOTHED OBSERVED AND PREDICTED SUNSPOT NUMBERS  
CYCLE 21

MONTH	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1976	15.2	13.2	12.2	12.6	12.5	12.2	12.9	14.0	14.3	13.4	13.5	14.8
1977	16.7	18.1	20.0	22.2	24.2	26.3	29.0	33.4	39.1	45.6	51.9	56.9
1978	61.3	64.5	69.6	76.9	83.2	89.3	97.4	104.0	108.4	111.0	113.3	116.7
1979	122.8	130.4	135.0	138.1	140.9	145.5	150.0	153.1	155.2	156.4	156.7*	156.1
			(4)	(10)	(14)	(16)	(18)	(20)	(22)	(23)	(26)	(28)
1980	154.4	152.7	151.8	151.9	151.1	147.7	143.9	140.8	138.9	137.8	136.3	135.0
	(29)	(30)	(29)	(30)	(32)	(35)	(33)	(40)	(41)	(42)	(44)	(47)
1981	134.9	134.4	131.8	128.7	126.0	123.3	122.0	121.8	121.1	119.7	117.3	114.1
	(49)	(49)	(47)	(46)	(46)	(46)	(45)	(44)	(43)	(43)	(42)	(40)
1982	110.9	107.6	105.2	103.4	101.2	98.8	95.0	90.3	86.0	81.3	77.9	74.3
	(38)	(37)	(36)	(34)	(32)	(30)	(23)	(26)	(25)	(22)	(21)	(20)
1983	70.2	67.2	65.2	63.1	60.8	58.3	56.3	54.5	52.7	51.5	50.7	49.9
	(20)	(21)	(21)	(22)	(22)	(23)	(24)	(26)	(27)	(29)	(30)	(31)
1984	48.6	46.6	43.7	40.3	37.8	36.7	35.8	34.2	32.6	31.4	30.1	28.6
	(31)	(30)	(29)	(29)	(30)	(31)	(32)	(31)	(30)	(29)	(28)	(27)
1985	27.4	26.7	25.9	25.4	24.8	23.8	23.0	22.1	21.4	20.6	19.7	19.1
	(27)	(26)	(26)	(26)	(26)	(25)	(23)	(22)	(22)	(23)	(24)	(24)
1986	18.6	17.9	17.1	16.1	14.8	13.6	12.7	12.1	11.9	11.6	11.5	11.5
	(24)	(24)	(24)	(23)	(22)	(21)	(20)	(19)	(17)	(16)	(15)	(13)
1987	11.9	12.5	13.4	14.4	15.5	16.6	17.7					
	(12)	(11)	(11)	(12)	(13)	(13)	(14)					

The table gives observed Zürich smoothed sunspot numbers for Cycle 21 up to the one calculated from the latest observed data, marked by a vertical bar. They are based on final Zürich numbers through 1978 and provisional Zürich numbers thereafter. Some of these data after the June 1976 value will change slightly when final data for 1979 are received. The numbers after the vertical bar are predictions by the McNish-Lincoln method (see *Explanation of Data Reports*, February 1978). Shown in parentheses are the corresponding absolute values of the 90% confidence interval, an indication of the uncertainty above and below the predicted number.

The McNish-Lincoln method is very sensitive to the identification of a minimum epoch. In SGD 390-401 issues, the Cycle 21 predictions were based on March 1976 as the minimum epoch. Latest studies, including one published by Waldmeier, show that June 1976 is the more appropriate epoch of minimum. Thus, we have adopted a June 1976 minimum.

\*Prediction of Sunspot Maximum -- The McNish-Lincoln prediction method is recommended for predictions up to only one year ahead. From that point, the predictions regress rapidly towards the mean value. Combining this McNish-Lincoln prediction of sunspot maximum with the Ohl method (as done by Sargent, see *Explanation of Data Reports*, February 1979) indicates that the most probable value for sunspot maximum is  $156 \pm 26$ .

# H $\alpha$ SOLAR FLARES

AUGUST 1979

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM POR- TANCE	OBS.		MEASUREMENTS			REMARKS
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MCMATH PLAGE REGION	CMP. DAY			COND.	TYPE	TIME UT	MEAS. AREA Mill. of Disk	CORR. AREA Sq. Deg.	
					LAT.	MER. DIST.											
PALE	01	0430	J432	J436	S23	E 2	.437		1.3	6	SN	3	C		50		DE
ATHN	01	1008E	1010U	1033	S14	E 9	.327		2.1	250	SB	3	C		80		F
HOLL	01	1405	1421	1510	S13	E 0	.273	16175	1.6	65	1B	3	C		213		FDE
RAMY	01	1407E	1414U	1416D	S12	E 1	.257		1.7	90	SB	2	C		72		F
HUAN	01	1412		1457	S12	E03	.261		1.8	45	SN	1	C	1415	40	.4	E
BIGB	01	1416	1417	1429	S13	E04	.291		1.9	13	SN	2	C	1417	90	.9	
BIG3	01	1441	1443	1507	S13	E04	.281		1.9	26	SN	2	C	1443	50	.5	
BIG9	01	1602	1607	1645	S17	W65	.921		26.8	43	SN	2	C	1607	70		
HOLL	01	1644	1647	1703	S13	W 1	.274		1.6	19	SB	3	C		78		
HOLL	01	1758	1800	1818	S13	W 2	.275		1.6	20	SB	3	C		127		FDE
HUAN	01	1759	1800	1814	S13	E02	.275		1.9	15	SN	2	C	1800	60	.6	E
PALE	01	1800E	1801U	1820D	S13	W 2	.275		1.6	200	SB	3	C		0		FDE
PALE	01	1835E	1837U	1850D	S13	W 2	.275		1.6	150	SB	3	C		J		FDE
HOLL	01	1837	1839	1851	S13	W 2	.275		1.6	14	SB	3	C		113		FDE
BIGB	01	1838	1840	1844	S12	E00	.256		1.8	6	SB	2	C	1840	50	.5	
BIG9	01	1920	1924	1932	N20	E07	.317		2.3	12	SF	3	C	1924	40	.4	
BIG3	01	2001	2009	2017	N25	E80	.984		7.8	16	SN	3	C	2009	20		
BIG3	01	2022	2024	2032	N11	E26	.455		3.8	10	SF	3	C	2024	20	.2	
HOLL	01	2027	2028	2039	N15	W36	.609		29.2	12	SN	3	C		35		
HUAN	01	2032E		2045D	N17	W37	.629		29.1	130	SF	1	P	2033	20	.2	D
BIG3	01	2046	2049	2055	S11	W01	.240		1.8	9	SB	3	C	2049	20	.2	K
HOLL	01	2046	2046	2055	S13	W 3	.278		1.6	9	SB	3	C		23		
HOLL	01	2107	2108	2117	S24	W 3	.454		1.7	10	SB	3	C		35		
BIGB	01	2108	2111	2120	S24	W03	.454		1.7	12	SN	3	C	2111	30	.3	
BIG9	01	2203	2204	2215	S11	W01	.240		1.6	12	SN	3	C	2204	20	.2	K
BIGB	01	2219	2221	2232	S14	W05	.302		1.6	13	SN	3	C	2221	70	.7	
BIGB	01	2226	2231	2257	N24	E80	.984		7.9	31	SN	3	C	2231	30		
ISTA	02	0604E		0620	S13	W04	.233		2.0	160	SF		V				D
ISTA	02	0627		0645	N14	W43	.693		29.0	18	SF		V				D
HOLL	02	1316	1316	1334	N15	W45	.719		29.2	18	SN	3	C		35		
BIGB	02	1519	1522	1541	N24	E70	.943		7.9	22	SB	2	C	1522	60		
BIGB	02	1720	1721	1805	N25	E70	.943		8.0	45	SN	3	C	1721	20		
BIGB	02	1737	1740	1759	N18	W48	.759		29.1	22	SF	2	C	1740	30		
BIG3	02	1808	1811	1832	N25	E70	.943		8.0	24	SB	3	C	1811	20		D
HOLL	02	1821	1852	1859	S 7	E68	.931		7.9	38	SN	3	C		20		
HUAN	02	1926		1930	S10	E67	.927		7.8	4	SF	1	C	1927	15		D
HUAN	02	1941E		1947	S11	E65	.915		7.7	60	SF	1	P				
BIGB	02	1944	1948	1954	S10	E64	.907		7.6	10	SN	3	C	1948	40		
HOLL	02	1951	1951	2009	N15	W49	.763		29.2	18	SB	3	C		20		F
HOLL	02	2105	2105	2121	N15	W51	.784		29.1	16	SB	3	C		82		FDE
PALE	02	2109E	2109U	2110D	N15	W51	.784		29.1	20	SB	3	C		100		FDE
BIG3	02	2215	2216	2222	S10	E64	.907		7.7	7	SN	3	C	2216	40	.9	
HOLL	03	1340	1401	1415	N25	W77	.974		27.8	35	SN	3	C		20		
BIGB	03	1613	1616	1627	N25	W85	.984		27.7	14	SN	3	C	1616	60		
HOLL	03	1614	1619	1626	N25	W80	.984		27.7	12	SN	3	C		0		
HUAN	03	1617E		1628D	N26	W78	.978		27.8	110	SN	1	P	1620	20		D
BIGB	03	1706	1710	1718	N25	W80	.984		27.7	12	SN	3	C	1710	30		
BIGB	03	1805	1809	1821	N25	W80	.984		27.8	16	SN	3	C	1809	40		
ISTA	04	0650E		0718	S14	W35	.626		1.7	280	SB		V				D
ISTA	04	0713		0730	N26	E48	.781		7.9	17	SN		V				E
HUAN	04	1941		1945	N26	W90	1.000		28.1	4	SF	1	C	1941	20		D
HOLL	04	2019	2021	2033	S14	W43	.719		1.6	14	SB	2	C		93		DE
PALE	04	2020	2022U	2039	S13	W42	.704		1.7	19	SB	2	C		61		F
HOLL	04	2323	2324	2335	N 6	W30	.500		2.7	12	SN	2	C		21		
ISTA	05	0730E		0745	N16	W90	1.000		28.6	150	SN		V				AB
BIGB	05	1438	1445	1455	S15	E78	.983		11.5	17	SB	2	C	1445	20		
BIGB	05	2055	2059	21040	N05	W44	.694		2.6	90	SN	1	P	2059	70	1.0	
HEND	06	0831		0853	N09	W54	.808		2.3	22	SF		C	0845	15	.3	CD
HEND	06	0831	0845	09040	N07	W57	.837		2.1	330	SN		C	0845	30	.6	CD
HEND	06	1056		12160	N25	E84	.993		12.8	800	SN		C		40		A
HOLL	07	1916	1917	1923	N16	E75	.964		13.4	7	SB	3	C		17		F
BIGB	07	1955E	2000	2000D	N11	E80	.983		13.8	50	SN	1	P	2000	30		
BIGB	07	2005E	2010	2028	N01	W70	.940		2.6	230	SN	1	P	2010	40		
RAMY	07	2007	2037	2028D	N16	E75	.964		13.5	210	SF	2	C		22		F
HOLL	07	2008	2008	2100D	N18	E74	.960		13.4	520	SB	3	C		0		F
RAMY	07	2009	2011	2019	N 3	W69	.933		2.7	10	SN	2	C		14		

# H $\alpha$ SOLAR FLARES

AUGUST 1979

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM- POR- TANCE	OBS.		MEASUREMENTS			REMARKS
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MCMATH PLAGE REGION	CNR DAY			COND	TYPE	TIME UT	MEAS. AREA Mill. of Disk	CORR. AREA Sq. Deg.	
					LAT.	MER. DIST.											
BIGB	07	2017	2032	2053E	N20	E80	.983		13.8	360	SB	2	P	2032	100		Y
BIGB	08	1705	1707	1730	N05	W80	.994		2.7	25	SN	1	C	1707	40		
BIGB	08	1737	1744	1803	N12	E70	.938		14.0	26	SB	2	C	1744	70		
PALE	08	1743	1745	1801	N11	E72	.949		14.1	21	SN	3	C		81		
HOLL	08	1743	1748	1817	N15	E68	.926		13.8	34	SB	3	C		136		U F
BIGB	08	2248	2252	2319	N20	E66	.915		13.9	31	SF	2	C	2252	20		
ISTA	09	0616		0648	N05	W90	1.000	16176	2.5	32	1N		V				A
ISTA	09	0634		0648	N16	E63	.891	16208	14.0	14	1B		V				E
ISTA	09	0802		0805	S26	E23	.604		11.1	3	SN		V				D
ISTA	09	0808		0810	N16	E63	.891		14.1	2	SN		V				O
ATHN	09	0835	0838	0846	N12	E58	.848		13.7	11	SB	3	C		32		F
HOLL	09	1344	1434	1531	N16	E65	.867		14.1	77	SB	3	C		21		
BIGB	09	1420	1424	1457	N12	E59	.856		14.0	37	SN	2	C	1424	30	.6	
HOLL	09	1438	1448	1504	S16	W69	.945		4.4	26	SN	3	C		21		
HOLL	09	1627	1630	1639	N16	E59	.859		14.1	12	SN	3	C		24		
HOLL	09	1648	1727	1840	N13	E58	.848		14.1	112	SN	3	C		54		FDE
HOLL	09	1648	1745	1840	N13	E58	.848		14.1	112	SB	3	C		88		FDE
RAMY	09	1721	1743	1823	N14	E57	.840		14.0	62	SB	3	C		87		FDE
HOLL	09	1727	1745	1747D	N13	E58	.848		14.1	200	SB	3	V		88		FDE
PALE	09	1739	1744	1809	N13	E57	.839		14.0	30	SB	3	C		38		FDE
BIGB	10	0126E	0134	0139D	N13	E54	.810		14.1	130	SN	1	P	0134	40	.7	
ATHN	10	0919E	0921U	1010	N12	E47	.734		13.9	51D	SB	3	C		80		F
BIGB	10	1844	1848	1902	N20	E46	.672		13.8	18	SF	2	C	1848	20	.3	
BIGB	10	2013	2043	2202	N13	W14	.286		9.8	109	SN	2	C	2043	150	1.6	G
BIGB	10	2026	2040	2135	N24	W60	.876		6.4	69	SN	2	P	2040	60	1.2	G
BIGB	10	2100	2103	2110	N22	W71	.945		5.6	10	SN	2	C	2103	20		
ISTA	11	0635E		0650	N12	E36	.595		14.0	150	SN		V				D
ISTA	11	0713		0717	N21	E33	.592		13.8	4	SN		V				D
ISTA	11	0717		0719	N16	E34	.581		13.9	2	SN		V				D
RAMY	11	1256	1300	1312	S25	W5	.490		11.2	16	SN	3	C		28		F
RAMY	11	1337	1339	1346	N15	E32	.550		14.0	9	SB	3	C		34		
RAMY	11	1355	1356	1358	N15	E32	.550		14.0	3	SN	3	C		31		
RAMY	11	1656	1657	1715	N15	E31	.537		14.0	19	SB	3	C		68		
HOLL	11	1658	1658	1709	N16	E30	.528		14.0	11	SB	3	C		48		
PALE	11	1701E	1701U	1707	N14	E29	.505		13.9	60	SN	3	C		25		
PALE	12	0058	0059	0103	N14	E26	.462		14.0	5	SN	3	C		57		FDE
PALE	13	0232	0241	0250	N11	E8	.182		13.7	18	SB	3	C		79		FDE
BIGB	13	1424	1429	1436	S29	E05	.551		14.0	12	SF	2	C	1429	30	.3	G
RAMY	13	1456	1457	1510	N15	E5	.207		14.0	14	SN	3	C		42		
BIGB	13	1533	1534	1544	S08	E68	.933		18.7	11	SN	2	C	1534	30		G
BIGB	13	1538	1540	1542	S21	E90	1.000		20.4	4	SN	2	C	1540	20		
BIGB	13	1807	1808	1810	S21	E90	1.000		20.5	3	SF	2	C	1808	30		
HUAN	13	1807		1809	S22	E90	1.000		20.5	2	SF	1	C				
BIGB	13	1810	1813	1830	S23	E90	1.000		20.5	20	SF	2	C	1813	30		
RAMY	13	1837	1837	1842	N15	E3	.196		14.0	5	SN	3	C		23		
BIGB	13	2041	2042	2053E	S23	E90	1.000		20.6	120	SF	2	P	2042	20		
BIGB	13	2152	2211	2242	S23	E90	1.000		20.7	50	SN	2	C	2211	30		
BIGB	13	2242	2244	2327	S25	E90	1.000		20.7	45	SB	2	C	2244	40		
WEND	14	0557E		0610D	S24	E71	.964		19.6	130	SF		C	0601	30		T
WEND	14	0614		0630	S05	E53	.806		18.2	16	SF		C	0624	20	.3	D
WEND	14	0624		0704D	S24	E70	.959		19.5	400	SN		C	0700	35		T
WEND	14	0649		0702	S22	E80	.991		20.3	13	SN		C	0653	30		T
ISTA	14	0745E		0910	S25	E75	.979	16224	19.9	850	3B		V				A
ISTA	14	0750		0803	S26	W08	.518		13.7	13	SB		V				K
ISTA	14	0820		0833	S25	W15	.539		13.2	13	SN		V				O
WEND	14	1003	1007	1025	S16	W40	.700		11.4	22	SN		C	1007	34	.5	E
WEND	14	1042		1124	S16	W37	.667		11.7	42	SF		C	1051	25	.3	
WEND	14	1153		1203	S23	E70	.958		19.7	10	SN		C	1157	25		T
WEND	14	1218		1231	S22	E69	.953		19.7	13	SF		C	1223	45		T
WEND	14	1218	1221	1236	N20	W10	.318		13.8	18	SN		C	1221	75	.8	E
RAMY	14	1228	1231	1258	N19	W10	.304	16208	13.8	30	1N	3	C		221		H
RAMY	14	1243	1546	1743D	S22	E73	.970	16224	20.0	3000	1B	3	C		0		Y
RAMY	14	1243	1244	1743D	S22	E73	.970	16224	20.0	3000	1N	3	C		0		Y
WEND	14	1244E		1430D	S27	E72	.970	16224	19.9	1060	1N		C	1258	70		AT
HUAN	14	1340E		1411D	S27	E80	.993		20.6	310	SN	1	P	1347	40		E



# H $\alpha$ SOLAR FLARES

AUGUST 1979

OBSERVATORY	OBSERVED UT				LOCATION				DURATION MIN.	IM POR- TANCE	OBS.		MEASUREMENTS			REMARKS		
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MCMATH PLAGE REGION			CMP. DAY	COND.	TYPE	TIME UT	MEAS. AREA Mill. of Disk		CORR. AREA Sq. Deg.	
					LAT.	MER. DIST.												
RAMY	14	1500	1521	1539	S21	E52	.837	18.5	39	SN	3	C		32				
HUAN	14	1500		1525	S23	E54	.860	18.7	25	SF	1	C	1508	15	.3		D	
RAMY	14	1500	1508	1539	S21	E52	.837	18.5	39	SB	3	C		40				
RAMY	14	1542	1548	1551	S17	W42	.726	11.5	9	SN	3	C		21				
HUAN	14	1542	1546	1552	S24	E80	.992	20.7	10	SN	2	C	1546	23			D	
BIGB	14	1543	1544	1554	S23	E76	.981	20.4	11	SB	2	C	1544	120			A	
RAMY	14	1609	1614	1623	S21	E51	.829	18.5	14	SB	3	C		55				
BIGB	14	1612	1614	1624	S23	E35	.691	17.3	12	SB	2	C	1614	30	.4			
HUAN	14	1612	1615	1619	S23	E56	.875	18.9	7	SN	2	C	1615	25	.5		D	
WEND	14	1619E		1631	S27	E72	.970	20.1	120	SF		C	1621	40			AT	
WEND	14	1700E		17290	S27	E71	.967	20.0	290	SF		C	1717	65			T	
WEND	14	1728		17300	S16	W44	.743	11.4	20	SN		C	1729	50	.8			
RAMY	14	1729	1730	17430	S18	W45	.762	11.4	140	SB	3	C		148			H	
HUAN	14	1729	1730	1745	S18	W46	.772	11.3	16	SN	2	C	1730	50	.8			
BIGB	14	1842	1844	1846	S23	E66	.939	19.7	4	SB	1	C	1844	20				
BIGB	14	1953	1954	2000	S23	E66	.939	19.8	7	SB	2	C	1954	30				
BIGB	14	2009	2010	2014	S26	E70	.962	20.1	5	SB	2	C	2010	20			D	
RAMY	14	2010	2011	2017	S22	E65	.932	19.7	7	SB	2	C		32				
BIGB	14	2013	2015	2022	S23	E52	.844	18.7	9	SB	2	C	2015	60	1.0			
HUAN	14	2014	2015	2024	S23	E54	.860	18.9	10	SN	2	C	2015	25	.4		D	
BIGB	14	2048	2050	2057	S16	W48	.784	11.3	9	SB	2	C	2050	30	.5			
HUAN	14	2048	2052	2104	S17	W48	.787	11.3	16	SN	1	C	2052	30	.5			
HUAN	14	2051	2052	2057	S23	E68	.949	20.0	6	SN	1	C	2052	50			E	
BIGB	14	2051	2052	2100	S22	E66	.937	19.8	9	SB	2	C	2052	90				
PALE	14	2130E	2130U	22150	S25	E71	.965	20.2	450	SB	1	C		40			F	
BIGB	14	2147	2150	2200	S16	W45	.753	11.5	13	SB	1	C	2150	40	.6			
BIGB	14	2311	2313	2317	S12	E70	.948	20.2	6	SB	2	C	2313	40				
BIGB	14	2352	2356	24000	S23	E68	.949	20.1	80	SB	2	C	2356	60				
PALE	15	0000E	0000U	00050	S25	E70	.961	20.3	50	SB	3	C		20			FOE	
BIGB	15	0041	0042	0051	S16	W50	.803	11.3	10	SN	2	C	0042	20	.3		E	
WEND	15	0642E		07090	S24	E54	.863	19.3	270	SF		C	0709	30	.6			
WEND	15	0821E		08350	S23	E43	.767	18.6	140	SN		C	0821	40	.6			
RAMY	15	1232	1235	1246	N32	W24	.583	13.7	14	SN	3	C		24			F	
WEND	15	1336		1347	N21	W21	.444	14.0	11	SN		C	1340	60	.7			
RAMY	15	1338	1340	1346	N20	W21	.435	14.0	8	SN	3	C		72			U	
WEND	15	1359		1432	N20	W23	.459	13.9	33	SN		C	1407	75	.9			
HUAN	15	1404	1408	1425	N19	W25	.477	13.7	21	SN	1	C	1408	50	.5			
RAMY	15	1405	1411	1425	N19	W24	.464	13.8	20	SN	3	C		100				
RAMY	15	1405	1408	1425	N19	W24	.464	13.8	20	SB	3	C		134				
WEND	15	1527	1531	1539	S23	E43	.739	18.6	12	SN		C	1531	75	1.1			
HUAN	15	1528	1530	1541	S24	E43	.772	18.9	13	SN	2	C	1530	70	1.1			
RAMY	15	1528	1531	1550	S23	E41	.748	16221	18.7	22	18	3	C		172			
BIGB	15	1528	1529	1538	S23	E41	.748	18.7	10	SB	2	C	1529	70	1.0			
BIGB	15	1641	1642	1644	S23	E52	.844	19.6	3	SN	2	C	1642	10	.2			
WEND	15	1712		1724	S26	E54	.870	19.6	12	SF		C	1714	30	.6			
BIGB	15	1713	1714	1725	S26	E55	.877	19.8	12	SB	2	C	1714	60	1.1			
RAMY	15	1714	1719	1730	S27	E53	.866	19.7	16	SB	3	C		77			F	
HUAN	15	1714		1725	S28	E57	.896	20.0	11	SF	1	C					E	
BIGB	15	1735	1736	1739	N18	E36	.613	18.4	4	SF	2	C	1736	20	.3			
BIGB	15	1922	1924	19280	S23	E39	.730	18.7	60	SB	1	P	1924	20	.3		E	
PALE	15	1931	1933	19570	S23	E29	.634	18.0	260	SN	3	C		36			F	
WEND	16	0607E		06220	S26	E50	.840	20.0	150	SN		C	0607	90	1.6		BE	
ISTA	16	0615E		0712	S22	E52	.841	16231	20.2	570	18	V					U	
ISTA	16	0615E		0653	S26	E56	.884	16231	20.5	380	18	V					D	
RAMY	16	1134	1141	1200	S25	E47	.812	20.0	26	SN	3	C		23				
RAMY	16	1137	1145	1314	N18	E24	.456	18.3	97	SB	3	C		191			U	
RAMY	16	1204	1207	1217	S25	E47	.812	20.0	13	SN	3	C		23				
RAMY	16	1240	1240	1243	N10	E80	.983	22.5	3	SF	3	C		0				
BIGB	16	1526	1533	1554	S25	E49	.828	20.3	28	SN	1	C	1533	50	.8			
RAMY	16	1531	1532	1540	S26	E48	.824	20.2	9	SN	3	C		30			F	
PALE	16	2022	2028	2033	S27	E43	.789	20.1	11	SN	3	C		59			F	
HUAN	17	2110		2115	S24	E24	.600	19.7	5	SF	1	C	2114	20	.2		D	
HANI	18	0256E	0256	03050	S25	E18	.565	19.5	90	SB	3	C		100			EG	
ISTA	18	0618		0648	N08	E58	.845	22.6	30	SB		V					D	
ISTA	18	0700		0720	N13	W48	.744	14.7	20	SN		V					D	
HUAN	18	1327	1328	1332	S24	E17	.545	19.8	5	SF	1	C	1328	15	.2		D	
HUAN	18	1400	1402	1411	S24	E15	.532	19.7	11	SN	2	C	1402	40	.4		E	
RAMY	18	1402	1403	1410	S26	E19	.584	20.0	8	SB	3	C		45			F	

# H $\alpha$ SOLAR FLARES

AUGUST 1979

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IMPROVEMENT TANCE	OBS.		MEASUREMENTS			REMARKS
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MCMATH PLAGE REGION	CMPR DAY			COND.	TYPE	TIME UT	MEAS. AREA Mill. of Disk	CORR. AREA Sq. Deg.	
					LAT.	MER. DIST.											
HUAN	18	1421	1430	1436	N08	E90	1.000		25.3	15	SN	1	C	1430	30		
RAMY	18	1422	1431	1434	N 9	E90	1.000	16239	25.3	12	1B	3	C		0		
RAMY	18	1448	1503	1533	N 9	E81	.986		24.7	45	SN	3	C		0		
RAMY	18	1448	1520	1533	N 9	E81	.986		24.7	45	SN	3	C		0		
RAMY	18	1454	1455	1503	S26	E18	.577		20.0	9	SB	3	C		41		FDE
HUAN	18	1454	1454	1500	S27	E25	.640		20.5	6	SN	2	C	1454	40	.5	E
BIGB	18	1457E	1516	1529E	N09	E90	1.000		25.4	320	SN	1	P	1516	60		
BIGB	18	1731	1743	1752D	S16	E76	.978		24.4	210	SB	1	P	1743	60		
HUAN	18	1731		1744D	S15	E82	.994		24.9	130	SN	1	P	1739	30		E
RAMY	18	1731	1741	1812D	S14	E73	.965		24.2	410	SB	3	C		0		FDE
HOLL	18	1847	1849	1908	S26	E16	.563		20.0	21	SB	3	C		40		
HUAN	18	1847		1856	S24	E13	.519		19.8	9	SN	1	C	1849	35	.4	E
HUAN	18	1928		1933	S27	E23	.624		20.5	5	SF	1	C				E
HUAN	18	2030		2045D	S23	E11	.494		19.7	150	SN	1	P	2030	30	.3	E
HOLL	18	2031	2032	2047	S26	E16	.563		20.1	16	SB	3	C		36		
MANI	19	0615E	0615U	0621	S22	E07	.463		19.8	60	SF	3	C		25	.3	
ISTA	19	0658		0706	S21	E07	.446		19.8	10	SN		V				E
MANI	19	0705E	0705U	0713D	S22	E 9	.471		20.0	80	SN	3	C		15		
ISTA	19	0744		0757	N04	E90	1.000		26.1	13	SF		V				AD
RAMY	19	1146	1231	1206	S14	E44	.737		22.8	20	SN	3	C		18		
RAMY	19	1209	1211	1237	N13	W61	.872		14.9	28	SN	3	C		17		
RAMY	19	1314	1335	1405	S14	E44	.737		22.9	51	SN	3	C		57		
HUAN	19	1536		1557	S26	E03	.525		20.3	21	SN	1	C	1547			E
HOLL	19	1538	1540	1559	S26	E 5	.516		20.0	21	SB	3	C		57		
BIGB	19	1538	1542	1556	S25	E05	.501		20.0	18	SN	2	C	1542	50	.5	
RAMY	19	1539	1540	1552	S25	E 5	.501		20.0	13	SN	3	C		33		
BIGB	19	1541	1544	1608	S16	E43	.735		22.9	27	SN	2	C	1544	20	.3	
HOLL	19	1554	1555	1614	S16	E62	.904		24.3	20	SF	3	C		23		
RAMY	19	1555	1556	1559	S17	E63	.913		24.4	4	SF	3	C		20		
HUAN	19	1645E		1649D	S15	E45	.752		23.1	40	SF	1	P	1648	20	.3	CD
BIGB	19	1645	1647	1700	S16	E42	.724		22.8	15	SN	1	C	1647	20	.3	
PALE	19	1758	1759	1806	N13	W65	.903		14.9	8	SN	3	C		22		
PALE	19	1826	1827	1832	S16	E41	.714		22.8	6	SN	3	C		21		DE
HOLL	19	2019	2020	2029	S24	E 2	.481		20.0	10	SB	3	C		35		F
HOLL	19	2053	2058	2118	N12	W66	.910		14.9	25	SB	3	C		35		F
HOLL	19	2107	2110	2117	S22	W 3	.452		19.7	10	S3	3	C		51		U
HOLL	19	2156	2157	2205	N11	W69	.931		14.7	9	SN	3	C		12		
HOLL	19	2223	2224	2233	S26	E 2	.511		20.1	10	SN	3	C		23		F
HOLL	19	2228	2336	2339	N 7	E80	.983		25.9	71	SB	3	C		0		Y
HOLL	19	2228	2306	0033	N 7	E80	.983		25.9	125	SB	3	C		0		Y
HOLL	19	2228	2251	2339	N 7	E80	.983		25.9	71	SN	3	C		0		Y
HOLL	20	0052	0108	0119	N 6	E76	.969		25.7	27	SB	2	C		34		DE
HOLL	20	0100	0101	0116	S22	W 6	.460		19.6	16	SN	2	C		24		
MANI	20	0105E	0109U	0114D	N 5	E75	.964		25.7	90	SB	3	C		20		
HOLL	20	0118	0119	0121D	S28	E 4	.545		20.4	30	SB	2	C		25		
MANI	20	0245E	0245U	0255D	N 5	E76	.969		25.8	100	SB	3	C		50		
MANI	20	0508E	0513U	0519D	N 5	E75	.964		25.8	110	SB	3	C		50		
ISTA	20	0700E		0732	N06	E90	1.000	16239	27.0	320	1B		V				AB
ATHN	20	0723E	0725	0750	N 5	E77	.973	16239	26.1	270	1B	4	C		222		Z
ISTA	20	0728		0739	S16	E35	.648		22.9	11	SN		V				D
ISTA	20	0815		0850	N07	E77	.973	16239	26.1	35	1B		V				U
ATHN	20	0906	0923	1045	N 5	E76	.969	16239	26.1	99	2B	4	C		254		FDE
RAMY	20	1141	1148	1322	N 7	E72	.949		25.9	101	SB	3	C		70		
RAMY	20	1142	1144	1148	S25	W 5	.503		20.1	6	SB	3	C		36		
RAMY	20	1242	1300	1308	N12	W78	.976		14.7	26	SN	3	C		0		
RAMY	20	1308	1311	1352	N 8	E28	.470		22.6	44	SB	3	C		79		
RAMY	20	1318	1321	1324	N12	W78	.976		14.7	6	SN	3	C		0		
RAMY	20	1323	1404	1427	N 7	E74	.959		26.1	64	SB	3	C		0		F
RAMY	20	1419	1455	1503	S15	E15	.419		21.7	44	SF	3	C		23		
RAMY	20	1527	1531	1531	S15	E15	.419		21.8	4	SF	3	C		29		
RAMY	20	1545	1608	1629	S15	E14	.409		21.7	44	SB	3	C		132		F
HOLL	20	1604	1607	1805	S16	E14	.422	16231	21.7	121	1B	3	V		197		U
RAMY	20	1605	1627	1630D	S30	E70	.967		25.9	250	SN	3	C		14		
RAMY	20	1618	1618	1630	S12	E42	.707		23.8	12	SN	3	C		26		
HOLL	20	1627	1629	1639	S30	E75	.983		26.3	12	SN	3	C		9		
BIGB	20	1652E	1657	1729	S16	E06	.368		21.2	370	SN	2	P	1657	120	1.2	
BIGB	20	1701	1706	1719	S23	E51	.839		24.5	18	SN	2	C	1706	30	.5	
HOLL	20	1702	1702	1715D	S18	E50	.812		24.5	130	SB	3	C		31		
HUAN	20	1703E		1744	S16	E16	.440		21.9	410	SN	1	P	1705	110	1.2	E

## H $\alpha$ SOLAR FLARES

AUGUST 1979

OBSERVATORY	OBSERVED UT				LOCATION					DURATION — MIN.	IM POR- TANCE	OBS.		MEASUREMENTS			REMARKS
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MCMMATH PLAGE REGION	CMP. DAY			COND.	TYPE	TIME — UT	MEAS. AREA Mill. of Disk	CORR. AREA Sq. Deg.	
					LAT.	MER. DIST.											
HUAN	20	1703E		1715	S22	E54	.859		24.8	120	SN	1	P	1733	25	.5	D
HUAN	20	1725	1733	1745	S12	E44	.730		24.0	20	SN	1	C	1733	35	.5	
BIGB	20	1726	1728	1747	S13	E73	.964		26.2	21	SN	2	C	1728	33		
HOLL	20	1728	1729	1743	S12	E41	.696		23.8	15	SB	3	C		57		
BIGB	20	1730	1732	1739	N05	E78	.977		26.6	9	SB	2	C	1732	30		E
HOLL	20	1731	1731	1742	N 7	E66	.911		25.7	11	SB	3	C		29		
HUAN	20	1831	1832	1835	N05	E81	.987		26.6	4	SF	1	C	1832	30		E
HUAN	20	1850		1857	S15	E14	.409		21.8	7	SF	1	C				E
PALE	20	1911	1931U	1935	N 5	E79	.938		26.0	24	SN	3	C		46		DE
PALE	20	1937	2011U	2014D	N 5	E70	.938		26.1	37D	SB	3	C		48		DE
HOLL	20	1945	1948	1953	N 7	E71	.943		26.1	8	SB	3	C		14		F
BIGB	20	2110	2111	2135	S14	E41	.705		24.0	25	SB	1	P	2111	40	.5	
PALE	20	2113	2113	2142D	S13	E40	.689		23.9	29D	SB	3	C		72		
HOLL	20	2121	2121	2130	S26	W11	.538		20.1	9	SN	3	C		29		
HOLL	20	2228	2251	0033	N 7	E80	.983		26.9	125	SN	3	C		55		Y
HOLL	20	2231	2235	2340	N 9	E21	.363		22.5	69	SB	3	C		67		
BIGB	20	2232	2236	2303	N07	E22	.374		22.6	31	SN	2	C	2236	30	.3	E
PALE	20	2332E	2343U	2343D	N 7	E62	.880		25.6	11D	SB	2	C		20		FDE
HOLL	20	2340	2347	2350	N 7	E62	.880		25.6	13	SB	3	C		18		
MANI	20	2350E	0005U	0005D	N 5	E63	.925		26.1	150	SN	3	C		20		
MANI	20	2351E	2353	0005D	S15	E12	.392		21.9	14D	SB	3	C		30		
PALE	21	0205E	0206U	0206D	N 6	E65	.904		26.3	10	SN	3	C		49		FDE
MANI	21	0611	0613	0645D	N15	W38	.625	16218	18.4	34D	13	3	C		200	2.6	U
ATHN	21	0614E	0616	0648D	N16	W42	.678	16218	18.1	34D	18	5	C		254		U
ISTA	21	0615E		0655	N17	W40	.656	16218	18.3	40D	38		V				BU
WEND	21	0635E		0653D	N17	W41	.668		18.2	18D	SN		C	0641	130	1.9	U
ISTA	21	0715		0730	N13	W90	1.000	16208	14.6	15	1N		V				A
RAMY	21	1146	1206	1220	S31	E56	.901		25.7	34	SN	3	C		30		H
RAMY	21	1301	1303	1315	S30	E58	.910		25.9	14	SN	3	C		19		
HUAN	21	1321E		1328	S25	W27	.640		19.5	7D	SF	1	P	1322	20	.2	D
HUAN	21	1333		1351	S25	W25	.631		19.6	18	SF	1	C	1333	35	.4	E
HOLL	21	1334	1334	1437	S22	W28	.621		19.5	63	SB	3	C		46		FDE
RAMY	21	1342	1342	1351	S25	W19	.575		20.1	9	SN	3	C		23		
BIGB	21	1416	1417	1430	S23	W28	.633		19.5	14	SN	2	C	1417	40	.5	
HUAN	21	1418E		1421	S24	W26	.621		19.6	30	SF	1	P				E
HOLL	21	1508	1542	1547	N16	W47	.736		18.1	39	SN	3	C		17		
HOLL	21	1526	1526	1539	N 7	E58	.845		26.0	13	SN	3	C		15		
HUAN	21	1548	1549	1554	S25	W26	.631		19.7	6	SN	2	C	1549	45	.6	E
BIGB	21	1549	1550	1601	S23	W28	.630		19.6	12	SN	2	C	1550	30	.4	
HOLL	21	1549	1550	1603	S26	W21	.602		20.1	14	SB	3	C		43		
HUAN	21	1630		1641D	S15	E01	.340		21.8	11D	SF	1	P				E
HOLL	21	1640	1652	1735	N 8	E54	.906		25.7	55	SB	3	C		75		DE
HUAN	21	1646E		1705D	N08	E56	.816		25.9	19D	SN	1	P	1655	60	1.3	E
BIGB	21	1648	1656	1733	N07	E55	.816		25.8	45	SB	2	C	1656	50	.9	
RAMY	21	1654	1654	1703	S15	E 1	.340		21.8	9	SN	3	C		24		
RAMY	21	1654E	1656U	1719	N 6	E57	.836		26.0	25D	SB	3	C		110		F
BIGB	21	1734	1735	1749	S15	E00	.340		21.7	15	SN	2	C	1735	30	.3	
HOLL	21	1735	1736	1749	S14	W 1	.324		21.7	14	SB	3	C		60		DE
HUAN	21	1736	1737	1747	S15	E01	.340		21.8	11	SN	1	C	1737	50	.5	E
PALE	21	1736	1736	1742	S16	W 1	.357		21.7	6	SN	3	C		43		DE
BIGB	21	1748	1751	1805	S23	W30	.649		19.5	17	SN	2	C	1751	70	.8	
HUAN	21	1749	1752	1803	S25	W26	.648		19.6	14	SN	2	C	1752	100	1.3	E
HOLL	21	1749	1753	1802	S26	W22	.609		19.1	13	SB	3	C		81		
PALE	21	1752	1753	1759	S24	W30	.657		19.5	7	SN	3	C		31		DE
HUAN	21	1800		1807D	S15	E01	.340		21.8	7D	SN	1	P	1804	50	.5	E
PALE	21	1801	1803	1816	S15	W 1	.340		21.7	15	SN	3	C		43		DE
BIGB	21	1801	1802	1819	S15	E00	.340		21.8	18	SB	2	C	1802	40	.4	
BIGB	21	1826	1828	1831	N05	E57	.836		26.0	5	SB	2	C	1828	20	.4	D
BIGB	21	1934	1935	1951	S15	W03	.344		21.6	17	SF	2	C	1935	30	.3	
BIGB	21	1935	1936	1945	N05	E56	.827		26.0	10	SN	2	C	1936	20	.4	
HOLL	21	1935	1936	1946	S14	W 2	.325		21.7	11	SB	3	C		52		
PALE	21	1936	1937	1940	S15	W 2	.342		21.7	4	SN	3	C		22		DE
BIGB	21	2056	2057	2109	N05	E57	.836		26.1	13	SN	2	C	2057	30	.6	
BIGB	21	2057	2111	2133	S32	E56	.904		26.1	36	SN	2	C	2111	30	.6	
BIGB	21	2149	2152	2202	N05	E57	.836		26.2	13	SF	2	C	2152	30	.6	
BIGB	21	2153	2156	2207	S14	E26	.529		23.9	14	SF	2	C	2156	20	.2	
BIGB	21	2221	2229	2236	N04	E55	.817		26.1	15	SN	2	C	2229	70	1.2	
BIGB	21	2232	2239	2245	S32	E55	.898		26.1	13	SN	2	C	2239	30	.5	
HOLL	21	2256E	2256U	0116D	S27	W21	.613		20.4	140D	SN	3	C		65		
HOLL	21	2300	2308	0034	N 5	E54	.807		26.0	94	SB	3	C		107		DE
BIGB	21	2307	2308	2319	N04	E55	.817		26.1	12	SN	2	C	2308	80	1.4	

# H $\alpha$ SOLAR FLARES

AUGUST 1979

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM- POR- TANCE	OBS.		MEASUREMENTS			REMARKS	
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MCMATH PLAGE REGION	CMP. DAY			COND.	TYPE	TIME UT	MEAS. AREA Mill. of Disk	CORR. AREA Sq. Deg.		
					LAT.	WER. DIST.												
PALE	21	2313E	2313U	2324	S 6	E55	.829		26.1	110	SN	3	C				30	F
PALE	21	2351	0000	0030D	S 6	W54	.819		17.9	390	SB	3	C				40	F
BIGB	22	0000	0001	0013	NJ4	E55	.817		26.1	13	SN	2	C	0001		.3		
MANI	22	0001E	0001U	0029D	N 6	E55	.817		26.1	280	SB	3	C				50	F
HOLL	22	0037	0045	0116D	N 6	E53	.796		26.0	390	SB	2	C				69	
MANI	22	0040E	0042	0047D	N 6	E55	.817		26.2	70	S9	3	C				60	
PALE	22	0044	0046	0052	N 6	E54	.806		26.1	8	SN	3	C				28	
HOLL	22	0104	0106	0116	S12	E24	.489		23.8	12	SN	2	C				31	
PALE	22	0229E	0229U	0253D	S26	W26	.642		20.2	240	SN	3	C				122	DE
PALE	22	0229E	0259	0300D	N 6	E51	.775		25.9	310	SN	3	C				57	FDE
PALE	22	0229E	0237	0300D	N 6	E51	.775		25.9	310	SN	3	C				37	FDE
WEND	22	0704E		0733D	NJ5	E52	.786		26.2	290	SF		C	0705		.7		
HOLL	22	1342	1344	1356	S25	W42	.773		19.4	14	SN	3	C				21	
HOLL	22	1344	1347	1355	S13	W13	.377		21.6	11	SB	3	C				41	
BIGB	22	1513	1514	1538	N18	W59	.857		18.2	25	SF	3	C	1514		.8		
BIGB	22	1547	1549	1555	S22	E85	.999		29.0	8	SN	3	C	1549			80	A
HUAN	22	1548	1551	1557	S21	E87	1.000		29.2	9	SN	1	C	1551			30	
HOLL	22	1641	1642	1646	S26	W34	.710		20.1	5	SB	3	C				38	
BIGB	22	1641	1642	1642D	S23	W43	.771		19.5	10	SN	3	P	1642		.4		
HUAN	22	1644E		1650	S25	W42	.773		19.5	60	SF	1	P	1645		.3		D
BIGB	22	1722	1727	1807	NJ5	E47	.729		26.2	45	SN	3	C	1727		.6		
HUAN	22	1724		1750	NJ6	E47	.729		26.3	26	SF	1	P	1735		.8		E
PALE	22	1726E	1732	1857D	N 6	E44	.692		26.0	910	SN	3	C				32	FDE
HUAN	22	1749		1759	S14	E19	.450		24.2	10	SF	1	C					O
BIGB	22	1753	1754	1803	S13	E18	.428		24.1	10	SN	3	C	1754		.4		
PALE	22	1756	1757	1857D	S14	E15	.408		23.9	610	SN	3	C				23	FDE
HOLL	22	1850	1858	1947	N 8	E40	.641		25.8	57	SB	3	C				61	FDE
RAMY	22	1851	1857	1949	N 6	E42	.667		25.9	58	SB	3	C				51	F
HUAN	22	1853		1932	NJ8	E40	.641		25.8	39	SN	1	C	1904		.4		
PALE	22	1912E	1912U	2033D	N 7	E39	.627		25.7	810	SB	3	C				52	
BIGB	22	2154	2200	2212	S25	W45	.799		19.5	18	SF	3	C	2200		.6		
BIGB	22	2155	2158	2238	N15	E50	.768		26.7	43	SF	2	C	2158		.6		G
BIGB	22	2215	2219	2235	NJ5	E43	.680		26.2	20	SN	2	C	2219		.3		
BIGB	22	2248	2249	2306	S35	E51	.886		26.8	18	SF	2	C	2249		.3		
HOLL	22	2300	0000	0034	N 5	E54	.807		27.0	94	SB	3	C				65	DE
HOLL	22	2300	2308	0034	N 5	E54	.807		27.0	94	SB	3	C				107	DE
HOLL	22	2333	2334	2336D	S14	W29	.566		20.8	3D	SB	3	V				92	
BIGB	22	2333	2334	2340	S12	W33	.601		20.5	7	SN	2	C	2334		.2		G
BIGB	22	2341	2350	2400D	S22	E75	.978		28.6	190	SN	2	P	2350			70	
PALE	22	2351	0000	0030D	S 6	W54	.819		18.9	390	SB	3	C				40	F
PALE	22	2351	0000	0030D	N 6	E54	.806		27.0	390	SB	3	C				40	F
HOLL	22	2353	2353	0010	S19	E73	.969	16245	28.5	17	1N	3	C				0	
PALE	23	0307	0312	0319	N 6	E42	.667		26.3	12	SN	3	C				63	FDE
RAMY	23	1213	1213	1241	N 7	E36	.586		26.2	28	SB	3	C				73	F
RAMY	23	1244	1250	1449	N 7	E29	.483	16239	25.7	125	1B	3	C				223	Z U
HUAN	23	1244	1259	1454	NJ5	E30	.498	16239	25.8	130	1N	2	C	1259		2.6		EU
WEND	23	1329E		1419D	NJ8	E29	.484	16239	25.7	500	1N		P	1329		2.2		B
HOLL	23	1331E	1332	1451	N 8	E34	.558		26.1	800	SB	3	C				134	
BIGB	23	1433E	1433U	1458D	NJ9	E28	.470		25.7	250	SF	2	P	1433		.5		
HUAN	23	1458	1459	1500	S32	E36	.771		26.3	2	SF	1	C	1459		.3		D
HUAN	23	1507		1524	NJ6	E35	.571		26.3	17	SF	1	C	1512		.3		
HOLL	23	1508	1509	1523	N 5	E33	.543		26.1	15	SN	3	C				51	F
BIGB	23	1756	1757	1835	S13	W30	.571		21.5	39	SF	3	C	1757		.4		
BIGB	23	1801	1804	1837	N25	W56	.840		19.6	36	SF	3	C	1804		1.1		
HOLL	23	1811	1812	1831	N26	W54	.825		19.7	20	SN	3	C				36	
BIGB	23	1833	1834	1838	S36	W43	.843		20.5	5	SF	3	C	1834		.4		
BIGB	23	1838	1839	1840D	S35	W41	.825		20.7	20	SB	3	P	1839		.3		D
HUAN	23	1838	1840	1844	S35	W43	.838		20.6	6	SN	2	C	1840		.4		D
HOLL	23	1839	1839	1845	S25	W50	.840		20.0	6	SB	3	C				21	
HUAN	23	1935	1936	1938	NJ5	E32	.528		26.2	3	SF	1	C	1936		.3		
BIGB	23	1935	1936	1942	NJ5	E32	.528		26.2	7	SN	3	C	1936		.5		
HOLL	23	2300	0000	0034	N 5	E54	.807		28.0	94	SB	3	C				65	DE
BIGB	23	2316	2325D	2359D	NJ7	E32	.528		26.4	43D	SN	3	P	2325		1.8		
HOLL	23	2326E	2326U	2353D	N 5	E28	.468		26.1	27D	SB	3	C				0	F
HOLL	23	2333	2334	0009	S12	W33	.601		21.5	36	SB	3	C				92	
PALE	24	0122	0129	0138	N17	E37	.617		26.8	16	SN	3	C				24	DE
PALE	24	0209	0215	0404	N18	E36	.608		26.8	115	SN	3	C				58	
BUCA	24	0700		0720	N25	W68	.927		19.2	20	SB		C	0702		.8		O
RAMY	24	1159	1212	1314	N 6	E20	.341	16239	26.0	75	1B	3	C				330	F

## H $\alpha$ SOLAR FLARES

AUGUST 1979

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM POR- TANCE	OBS.		MEASUREMENTS			REMARKS
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MCMATH PLAGE REGION	CMP, DAY			COND.	TYPE	TIME UT	MEAS. AREA Mill. of Disk	CORR. AREA Sq. Deg.	
					LAT.	MER. DIST.											
HUAN	24	1316	1321	1327	N22	W68	.925		19.5	11	SN	1	C	1321	20		D
[ RAY	24	1459	1501	1514	S12	W11	.347		23.8	15	SB	3	C		67		F
HUAN	24	1500		1507	S14	W05	.354		24.0	7	SF	1	C				E
RAY	24	1532	1534	1540	S13	W42	.713		21.5	6	SN	3	C		29		
RAY	24	1544	1545	1556	N 6	E19	.324		26.1	12	SN	3	C		34		
PALE	24	1814	1815	1832	N 6	E17	.291	16239	26.0	18	1B	3	C		210		DE
[ HOLL	24	1815	1816	1822	N 6	E16	.275		26.0	7	SB	3	C		97		UDE
HUAN	24	1815	1816	1820	N07	E17	.292		26.0	5	SN	1	C	1816	80		
HUAN	24	1817	1817	1823	N08	E25	.423		26.6	6	SF	1	C	1817	20	.2	D
PALE	24	1845	1846	1850	N 6	E17	.291		26.1	5	SN	3	C		25		
[ HOLL	24	1920	1924	2021	N16	E28	.493		26.9	61	SB	3	C		41		
HUAN	24	1924		1934	S32	E18	.655		26.2	10	SF	1	C				
PALE	24	1924	1925	1935	N18	E29	.517		27.0	11	SB	3	C		31		
HUAN	24	1924		1952	N18	E28	.503		26.9	28	SF	1	C	1927	30	.3	E
PALE	24	1925	1925	1930	S31	E18	.643		26.2	5	SN	3	C		29		
PALE	24	1939	1953	2002	N18	E29	.517		27.0	23	SF	3	C		37		
PALE	24	1939	1939	2002	N18	E29	.517		27.0	23	SN	3	C		25		
BIGB	24	1941	1944	2030	N22	E40	.672		27.8	490	SF	1	P	1944	100	1.3	G
BIGB	24	1949	1957	2009	N16	E28	.493		26.9	200	SN	1	P	1957	30	.4	
[ HOLL	24	2116	2120	2142	N 5	E16	.275		26.1	26	SB	3	C		63		U
PALE	24	2117	2121	2141	N 6	E15	.258		26.0	240	SB	3	C		45		FDE
BIGB	24	2118	2120	2148	N07	E16	.276		26.1	30	SN	1	C	2120	40	.4	
[ HOLL	24	2129	2155	2315	N17	E26	.471	16238	26.8	106	1B	3	C		436		U F
PALE	24	2135	2139	2143	N17	E28	.498		27.0	80	SN	3	C		80		DE
BIGB	24	2148	2153	2226	N17	E28	.498		27.0	380	SB	1	P	2153	80	.9	
PALE	24	2152E	2155U	2240	N18	E25	.463	16238	26.6	430	1B	3	C		282		FDE
HOLL	24	2218	2218	2226	S26	W59	.907		20.5	8	SN	3	C		16		
[ HOLL	25	0019	0023	0036	N 5	E14	.241		26.1	170	SB	2	C		161		F
PALE	25	0025E	0027U	0051	N 7	E17	.292		26.3	260	SB	3	C		113		FDE
BIGB	25	0026	0027	0107	N07	E15	.259		26.1	41	SN	1	C	0027	50	.5	
[ MANI	25	0028E	0028U	0050	N 5	E16	.275		26.2	220	SN	3	V		80		F
HOLL	25	0029	0030	0036	N17	E25	.457		26.9	70	SN	2	C		40		
ISTA	25	0747		0835	N17	E22	.416	16238	27.0	48	1B		V				F
ISTA	25	0802		0806	S34	E03	.642		25.9	4	SN		V	0804			D
RAY	25	1241	1248	1313	S15	W54	.840		21.5	32	SN	3	C		31		
[ HUAN	25	1352	1357	1414	N07	E08	.142		26.2	22	SN	2	C	1357	30	.3	E
HOLL	25	1353	1405	1438	N 5	E 6	.104		26.0	45	SB	3	C		160		F
RAY	25	1354	1357	1412	N 5	E 6	.104		26.0	130	SB	3	C		49		
[ HUAN	25	1356	1358	1407	N17	E18	.362		26.9	11	SN	2	C	1358	80	.8	E
HOLL	25	1357	1430	1412	N17	E17	.348		26.9	15	SB	2	C		117		F
RAY	25	1357	1359	1410	N17	E17	.348		26.9	13	SB	3	C		84		
[ HOLL	25	1403	1410	1445	S13	W68	.939		20.5	42	SN	3	C		44		
RAY	25	1405	1410	1412	S13	W70	.950		20.3	70	SF	3	C		0		
HUAN	25	1408		1430	S15	W68	.942		20.5	22	SN	1	C	1415	25		D
HOLL	25	1507	1510	1514	N 5	E 6	.104		26.1	7	SB	3	C		25		
[ HUAN	25	1511		1536	S17	W55	.854		21.5	25	SN	1	C	1521	70	1.3	E
HOLL	25	1511	1512	1519	S14	W56	.855		21.4	80	SB	3	C		23		
BIGB	25	1511E	1522	1540	S15	W54	.840		21.6	290	SN	1	P	1522	90	1.6	G
[ HUAN	25	1534	1535	1550	N25	W85	.993		19.3	16	SN	2	C	1535	40		
HOLL	25	1537	1537	1552	N24	W82	.987		19.5	15	SN	3	C		32		
[ HUAN	25	1605		1609	S32	E10	.621		26.4	40	SN	1	P	1607	60	.3	E
HOLL	25	1606	1622	1652	S32	E 6	.611		26.1	46	SB	3	C		120		U
HOLL	25	1612	1612	1658	S24	W81	.994		19.6	46	SN	3	C		8		
[ HOLL	25	1617	1621	1702	S14	W56	.855	16231	21.5	45	1B	3	C		255		F
HOLL	25	1620	1622	1637	S13	W69	.945		20.5	17	SN	3	C		14		
BIGB	25	1620E	1623U	1642	S33	E09	.632		26.4	220	SN	1	P	1623	90	.9	
BIGB	25	1625E	1626D	1712	S15	W55	.849	16231	21.6	470	1N	1	P	1626	210	3.8	G
HOLL	25	1702	1704	1736	N 5	E 5	.087		26.1	34	SB	3	C		49		F
HOLL	25	1708	1709	1753	S26	W69	.960		20.5	45	SN	3	C		11		
HOLL	25	1716	1718	1726	S13	W70	.950		20.5	10	SN	3	C		32		
[ HOLL	25	1800	1801	1808	S32	E 5	.609		26.1	8	SB	3	C		61		
BIGB	25	1924	1926U	1930	S13	W78	.950		20.6	6	SN	2	C	1926	20		
[ HOLL	25	1943	2007	2145	N 5	W 1	.018	16239	25.7	122	1B	3	C		414		FDE
BIGB	25	1946E	1951E	2047	N05	E02	.035		26.0	610	SB	2	P	1951	130	1.3	
PALE	25	1947	2014U	2121	N 4	W 0	.021	16239	25.8	940	1B	3	C		300		FDE
[ HUAN	25	2004E		2146	N05	W02	.035	16239	25.7	1020	1N	2	P	2016	250	2.5	E
BIGB	25	2209	2211	2218	S14	W57	.864		21.6	9	SN	2	C	2211	60	1.1	
[ HOLL	25	2220	2227	2248	S19	E30	.618		28.2	28	SB	3	C		119		
BIGB	25	2221	2228	2251	S20	E30	.627		28.2	30	SB	2	C	2228	50	.6	
BIGB	25	2308	2311	2334	S13	W75	.973		20.3	26	SN	2	C	2311	40		G

# H $\alpha$ SOLAR FLARES

AUGUST 1979

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM- POR- TANCE	OBS.		MEASUREMENTS			REMARKS
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	NOMATH PLAGE REGION	CMP. DAY			COND.	TYPE	TIME UT	MEAS. AREA Mill. of Disk	CORR. AREA Sq. Deg.	
					LAT.	MER. DIST.											
BIGB	26	0007	0010	0026	N17	E12	.285		26.9	19	SB	3	C	0010	60	.6	
MANI	26	0010E	0010U	0016D	N18	E14	.320		27.1	60	SB	3	C		100		
BIGB	26	0138	0141	0144D	S15	W58	.874	16231	21.7	60	1B	3	P	0141	120	2.3	G
MANI	26	0140E	0157U	0201D	S13	W57	.862	16231	21.8	21D	2B	3	C		250		F
ISTA	26	0651		0715	N04	E04	.073	16239	26.6	24	2N	V		0656			IF
BUCA	26	0652E		0659D	N04	E04	.073	16239	26.6	7D	1F	C		0653	214	2.2	
ISTA	26	0704		0709	S22	E26	.606		28.2	5	SF	V		0705			D
ISTA	26	0755		0804	S15	W90	1.000		19.6	9	SN	V					AD
ISTA	26	0802		0815	N06	W07	.122	16239	25.8	13	1N	V		0804			IF
RAMY	26	1125	1128	1149	N 5	W 6	.104		26.0	24	SN	3	C		36		
HUAN	26	1222E		1321	N04	W09	.158		25.8	59D	SN	2	P	1236	100	1.0	E
HOLL	26	1257E	1258U	1323	N 5	W 9	.156		25.9	26D	SB	2	C		120		U F
RAMY	26	1321	1321	1325	S14	W64	.916		21.8	4	SN	3	C		32		
HUAN	26	1350		1406	N04	W09	.158		25.9	16	SF	1	C	1353	45	.4	E
HOLL	26	1353	1353	1407	N 5	W 9	.156		25.9	14	SB	3	C		30		F
HUAN	26	1403	1407	1428	S22	E27	.616		28.6	25	SN	2	C	1407	45	.5	E
HOLL	26	1403	1409	1426	S21	E22	.560		28.2	23	SN	3	C		61		
RAMY	26	1423	1503	1555	N 5	W 8	.139		26.0	92	SB	3	C		47		F
HOLL	26	1445	1446	1453	N 5	W 7	.121		26.1	8	SB	3	C		28		
BIGB	26	1447	1450	1454	N17	E90	1.000		2.4	7	SN	3	C	1450	20		
HOLL	26	1512	1532	1548	N 5	W 8	.139		26.0	36	SB	3	C		41		F
RAMY	26	1615	1705U	1750D	N 5	W 9	.156	16239	26.0	95D	3B	3	C		763		Z U
HOLL	26	1617	1649	1652D	N 5	W 9	.156		26.0	35D	2B	3	V		514		U
HOLL	26	1617	1802	2203	N 5	W 9	.156		26.0	346	1B	3	C		475		Z U
HOLL	26	1617	1702	2203	N 5	W 9	.156		26.0	346	2B	3	C		991		Z U
RAMY	26	1639	1640	1645	N20	E75	.962		1.3	6	SF	3	C		0		
BIGB	26	1639	1701	2146D	N05	W12	.207	16239	25.8	307D	2B	3	P	1701	550	5.8	
HUAN	26	1646E		2101D	N05	W13	.224	16239	25.7	255D	2B	2	P	1658	530	5.6	E
PALE	26	1707E	1707U	2002D	N 5	W10	.173	16239	26.0	175D	2B	3	C		763		U F
BIGB	26	2049	2051	2107	N26	E05	.362		27.2	18	SN	3	C	2051	40	.4	G
PALE	27	0049E	0049U	0055	N 6	W12	.207		26.1	6D	SB	3	C		45		DE
MANI	27	0050E	0050U	0055	N05	W10	.173		26.3	5D	SF	3	V		40	.4	F
PALE	27	0055E	0055U	0104	N18	E75	.962		1.7	9D	SN	3	C		22		DE
ISTA	27	0719		0725	N10	W10	.190		26.6	6	SN	V					O
ISTA	27	0812		0830	N05	W20	.341		25.8	18	SN	V					E
RAMY	27	1230	1232	1240	S20	E 9	.452		28.2	10	SN	3	C		33		
RAMY	27	1343	1350	1359	N18	E65	.903		1.4	16	SN	3	C		14		
HUAN	27	1455E		1556	N03	W14	.245		26.6	61D	SF	1	P	1502	20	.2	D
HUAN	27	1541		1620	S28	E45	.616		31.0	39	SF	1	C				E
RAMY	27	1543	1608	1705	N 4	W24	.406		25.9	82	SB	3	C		48		
BIGB	27	1548	1550	1609	S29	E44	.814		31.0	21	SN	2	C	1550	20	.3	
BIGB	27	1602	1605	1627	N04	W04	.074		27.4	25	SN	2	C	1605	20	.2	
HOLL	27	1608	1609	1621	N 5	W22	.373		26.0	13	SB	3	C		25		
BIGB	27	1654	1655	1710	N03	W15	.261		26.6	16	SB	2	C	1655	10	.1	D
BIGB	27	1717	1719	1734	N03	W15	.261		26.6	17	SN	2	C	1719	10	.1	
BIGB	27	1809	1810	1813	N07	W18	.308		26.4	4	SN	2	C	1810	20	.2	
PALE	27	1829E	1845U	1930D	N 5	W23	.389		26.0	61D	SN	2	C		50		F
HUAN	27	1834		1911	N04	W24	.406		26.0	37	SN	1	C	1852	70	.7	E
RAMY	27	1835	1851	1939	N 6	W22	.373		26.1	64	SB	3	C		119		F
HOLL	27	1838	1850	1914	N 4	W23	.390		26.1	36	SB	3	C		90		F
BIGB	27	1849	1852	1936	N05	W23	.389		26.1	47	SB	2	C	1852	40	.4	
BIGB	27	1920	1922	1949	N05	W17	.291		26.5	29	SN	2	C	1922	30	.3	
HUAN	27	1920		1935	N04	W16	.276		26.6	15	SF	1	C				E
BIGB	27	2011	2012	2037	N05	W17	.291		26.6	26	SN	2	C	2012	40	.4	
RAMY	27	2012	2012	2023	N 4	W17	.292		26.6	11	SB	3	C		25		
HOLL	27	2048	2051	2058	S32	W22	.680		26.2	10	SN	3	C		23		F
HOLL	27	2137	2141	2315	N18	E69	.930	16252	2.1	98	1B	3	C		189		ZDE
RAMY	27	2137	2141	2149D	N18	E62	.881	16252	1.6	12D	1B	3	C		160		FDE
BIGB	27	2138	2148	2149D	N06	E60	.863	16255	1.4	11D	1B	2	P	2148	120	2.5	
HOLL	28	0028	0028	0031	N17	E63	.888		1.7	3	SN	3	C		17		
BIGB	28	0035	0040	0100	N05	W19	.324		26.6	25	SN	2	C	0040	40	.4	
PALE	28	0335E	0345U	0346	S27	E32	.705		30.5	11D	SN	3	C		29		DE
PALE	28	0336E	0337U	0345	N17	E61	.872		1.7	9D	SN	3	C		28		DE
BUCA	28	0615		0705	N05	W22	.373	16239	26.6	5D	1N	C		0621	214	2.4	
ATHN	28	0759	0802	0823	N 5	W21	.357		26.8	24	SB	4	C		80		F
RAMY	28	1219	1230	1245	N18	E50	.770		1.3	26	SB	3	C		96		
RAMY	28	1222	1222	1313	N 4	W26	.438		26.6	51	SB	3	C		35		
RAMY	28	1301	1308	1408	N19	W23	.441	16238	26.8	67	1B	3	C		254		DE
RAMY	28	1335	1335	1341	N17	E54	.809		1.6	6	SN	3	C		14		F
HUAN	28	1351E		1402D	N18	W24	.447		26.8	11D	SF	1	P				E

# H $\alpha$ SOLAR FLARES

AUGUST 1979

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IMPOR- TANCE	OBS.		MEASUREMENTS			REMARKS
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MCMATH PLAGE REGION	CMP. DAY			COND.	TYPE	TIME UT	MEAS. AREA Mill. of Disk	CORR. AREA Sq. Deg.	
					LAT.	MER. DIST.											
HUAN	28	1505	1509	1512	N02	W28	.472		26.5	7	SN	1	C	1509	20	.2	D
BIGB	28	1508	1519	1531	N03	W28	.470		26.5	23	SN	1	C	1519	20	.2	
RAMY	28	1508	1510	1543	N 6	W33	.542		26.2	35	SB	3	C		35		F
BIGB	28	1517	1518	1541	N21	E55	.824		1.8	24	SN	1	C	1518	20	.4	
BIGB	28	1518	1523	1547	N04	W37	.600		25.9	29	SN	1	C	1523	30	.4	
BIGB	28	1646	1647	1723	N03	W29	.485		26.5	37	SN	1	C	1647	10	.1	
RAMY	28	1647	1648	1655	N 6	W34	.557		26.1	8	SB	3	C		30		
HOLL	28	1659	1706	1739	N24	E53	.810		1.7	40	SB	3	C		118		
RAMY	28	1700	1741	1747	N 3	W29	.485		26.5	47	SN	3	C		22		F
BIGB	28	1703	1704U	1747	N24	E54	.819		1.8	44	SN	2	P	1704	50	.9	
RAMY	28	1704	1706	1721	N26	E53	.814		1.7	17	SB	3	C		46		
PALE	28	1706	1706	1721	N25	E54	.821		1.8	15	SN	3	C		32		DE
PALE	28	1722	1725	1750	N 4	W29	.484		26.5	28	SN	3	C		30		DE
BIGB	28	1725	1726	1758	N05	W29	.483		26.6	33	SN	2	C	1726	30	.4	
HOLL	28	1800	1806	1812	N17	E57	.838		2.0	12	SN	3	C		20		
PALE	28	1804	1850	2007D	N 5	W34	.557		26.2	123D	SF	3	C		22		FOE
PALE	28	1804	1818	2007D	N 5	W34	.557		26.2	123D	SN	3	C		20		FDE
RAMY	28	1806	1818	1829	N 6	W35	.571		26.1	23	SB	3	C		66		F
RAMY	28	1806	1808	1829	N 6	W35	.571		26.1	23	SF	3	C		19		F
BIGB	28	1807	1816	1836	N03	W30	.500		26.5	29	SN	2	C	1816	30	.4	
BIGB	28	1817	1818	1831	N08	W38	.613		25.9	14	SB	2	C	1818	30	.4	
HOLL	28	1834	1842	1909	S28	E24	.652		30.6	35	SB	3	C		97		
RAMY	28	1834	1842	1925	S27	E24	.642		30.6	51	SB	3	C		85		F
BIGB	28	1835	1842	1935	N28	E25	.541		30.6	60	SN	2	C	1842	120	1.4	
PALE	28	1849E	1849U	1912	S29	E23	.655		30.5	23D	SB	3	C		55		
RAMY	28	1851	1851	1905	N 6	W35	.571		26.2	14	SB	3	C		22		F
HOLL	28	1851	1851	1859	N 4	W34	.558		26.2	8	SB	3	C		20		
HOLL	28	1910	1920	1951	N 4	W35	.572		26.2	41	SN	3	C		72		DE
HOLL	28	1910	1947	1951	N 4	W35	.572		26.2	41	SB	3	C		96		DE
RAMY	28	1911	1919	1926D	N 6	W36	.585		26.1	15D	SB	3	C		75		F
BIGB	28	1914	1922	1959	N04	W31	.514		26.5	45	SB	2	C	1922	60	.7	
BIGB	28	1945	1946	1951	N03	W30	.500		26.6	6	SB	2	C	1946	20	.2	E
HOLL	28	2040	2042	2103	S31	W37	.775		26.1	23	SN	3	C		21		
BIGB	28	2051	2052	2059	N07	W33	.542		26.4	8	SF	2	C	2052	20	.3	
BIGB	28	2113	2115	2129	N10	E73	.953		3.4	16	SN	2	C	2115	30		
BIGB	28	2134	2135	2146	N06	W32	.528		26.5	12	SB	2	C	2135	30	.4	
HOLL	28	2136	2136	2141	N 6	W32	.528		26.5	5	SB	3	C		33		F
PALE	28	2138E	2138U	2138D	N18	E65	.903		2.8		SB	2	C		45		FDE
HOLL	28	2151	2156	2251	N 4	W36	.586	16239	26.2	60	SB	3	C		277		U F
HOLL	28	2151	2236	2251	N 4	W36	.586		26.2	60	SB	3	C		70		U F
BIGB	28	2151	2157	2230	N06	W32	.528		26.5	39	SB	2	C	2157	70	.9	
HOLL	28	2153	2203	2224	S30	W36	.760		26.2	31	SN	3	C		36		DE
HOLL	28	2203	2224	2246	N19	E57	.839		2.2	43	SB	3	C		61		F
BIGB	28	2236	2237	2246	N07	W40	.640		25.9	10	SB	2	C	2237	30	.4	
HOLL	28	2358	0005	0015	N17	E63	.888		2.7	17	SB	3	C		33		
BIGB	29	0032	0033	0042	N10	E70	.936		3.3	10	SN	1	C	0033	20		
BIGB	29	0038	0041	0115	N19	W44	.706		25.7	37	SF	3	C	0041	40	.6	
BIGB	29	0100	0101	0114	N16	E57	.837		2.3	14	SB	1	C	0101	30	.6	
ISTA	29	0611	0622	0622	N23	E90	.999		5.0	11	SF	V	V	0615			AD
ISTA	29	0617	0626	0626	N19	E58	.848		2.6	9	SN	V	V	0619			EF
ISTA	29	0657	0712	S23	W01	.478			29.2	15	SN	V	V				FU
ISTA	29	0740	0817	N21	E90	.999		16263	5.1	37	SB	V	V	0745			AF
ISTA	29	0804	0813	N14	E90	1.000			5.1	9	SF	V	V				AD
WEND	29	1207		1209D	N19	W36	.609		26.8	2D	SN	C	C	1209	75	1.0	
RAMY	29	1211	1211	1229	N18	W35	.593		26.9	18	SN	3	C		23		
BIGB	29	1430	1447	1451	N19	E70	.936		3.9	21	SN	3	C	1447	90		A
BIGB	29	1504	1519	1550	N19	E70	.936		3.9	46	SN	3	C	1519	100		
BIGB	29	1554	1558	1603	N19	E70	.936		3.9	9	SB	3	C	1558	50		
BIGB	29	1558	1559	1606	S15	E65	.924		3.5	8	SN	3	C	1559	30		
BIGB	29	1606	1609	1621	N19	E70	.936		3.9	15	SB	3	C	1609	60		
WEND	29	1651		1719	S28	E15	.595		30.8	28	SB	C	C	1656	113	1.4	F
BIGB	29	1653	1655	1721	S30	E15	.620		30.8	28	SB	3	C	1655	90	1.0	
PALE	29	1715E	1715U	1720	S27	E13	.572		30.7	5D	SN	2	C		20		DE
BIGB	29	1721	1727	1736	S16	W90	1.000		23.0	15	SN	3	C	1727	30		
BIGB	29	1755	1800	1815	N19	E69	.930		3.9	20	SB	3	C	1800	60		
BIGB	29	1837	1840	1849	N19	E69	.930		4.0	12	SB	3	C	1840	70		
BIGB	29	1858	1859	1907	N19	E69	.930		4.0	9	SB	3	C	1859	40		

# H $\alpha$ SOLAR FLARES

AUGUST 1979

OBSERVATORY	OBSERVED UT				LOCATION				DURATION MIN.	IM-POR-TANCE	OBS.		MEASUREMENTS			REMARKS	
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	MCMATH PLAGE REGION			CMP. DAY	COND.	TYPE	TIME UT	MEAS. AREA Mill. of Disk		CORR. AREA Sq. Deg.
					LAT.	MER. DIST.											
BIGB	29	1915	1919	1932	N19	E69	.930		4.0	17	SB	C	1919	30			
BIGB	29	1925	1931	2013	N05	W44	.692		26.5	48	SN	3 C	1931	60	.9		
HUAN	29	1926E		1933J	N05	W45	.705		26.4	70	SF	1 P				D	
HOLL	29	1943	2011	2037	N23	E77	.970		4.6	54	SF	3 C		25			
BIGB	29	1951	1954	1959	N20	E85	.993		5.2	8	SB	3 C	1954	60			
BIGB	29	2008	2011	2049	N20	E85	.993		5.2	41	SB	3 C	2011	30			
BIGB	29	2023	2038	2106	N20	E65	.904		3.7	43	SB	C	2038	90			
BIGB	29	2224	2225	2235	S34	W64	.951		25.1	11	SN	3 C	2225	30	.7		
BIGB	29	2235	2238	2300	N20	E67	.917		4.0	25	SF	3 C	2238	30			
BIGB	29	2252	2253	2312	N05	W44	.692		26.7	20	SN	3 C	2253	60	.9		
PALE	29	2252	2253	2307	N 4	W51	.775		26.1	15	SB	3 C		66		DE	
PALE	29	2252	2252	2305	S33	W48	.863	16241	26.4	13	1N	3 C		200		F	
HOLL	29	2257E	2257U	2308	N 5	W52	.785		26.1	110	SB	1 C		147			
BIGB	29	2311	2312	2314	S33	W65	.954		25.1	3	SN	3 C	2312	20			
PALE	30	0047E	0049U	00500	N17	W42	.677		26.9	30	SN	1 C		28		DE	
HUAN	30	1443		1447D	N20	E70	.935		4.9	40	SN	1 P	1447	40		T	
HUAN	30	1516		1542	N20	E70	.935		4.9	26	SN	1 C	1518	30			
HUAN	30	1555		1630	N20	E70	.935		4.9	35	SN	1 C	1611	40			
WEND	30	1557E		16400	N20	E69	.930	16254	4.8	430	1B	C	1612	94			
HOLL	30	1657E	1812	18130	N21	E62	.882		4.4	760	1N	3 V		267			
PALE	30	1712	1800	1824	N21	E68	.924	16263	4.8	72	1B	3 C		151		DE	
PALE	30	1712	1717	1824	N21	E68	.924		4.8	72	SF	3 C		56		DE	
HOLL	30	1812E	1839	2016	N21	E65	.904	16263	4.6	1240	1N	3 C		188			
HOLL	30	1812E	1812	2001	N21	E65	.904	16263	4.6	1090	1N	3 C		267			
PALE	30	1839	1839	1908	N21	E67	.917		4.8	29	SB	3 C		119		DE	
HUAN	30	2022		2042	N21	E65	.904		4.7	20	SN	1 C	2030	30			
HOLL	30	2023	2031	2044	N22	E66	.911		4.8	21	SN	3 C		23			
HOLL	30	2124	2136	2203	N 5	W62	.881		26.2	39	SB	3 C		81			
PALE	30	2132	2136	2142	N 4	W64	.897		26.1	10	SN	3 C		34		DE	
PALE	30	2136	2136	2141	N21	E66	.911		4.9	5	SN	3 C		59		DE	
HOLL	30	2325	2327	2341	N21	E64	.897		4.8	16	SB	3 C		14			
HOLL	30	2354	2359	0017	N22	E64	.897		4.8	23	SB	3 C		51			
BIGB	31	0000E	0001	0016	N20	E65	.903		4.9	160	SN	3 P	0001	50			
HOLL	31	0026	0027	0033	N16	W54	.808		27.0	7	SN	3 C		25		U	
MANI	31	0045	0048	0055	N20	E63	.889		4.8	10	SF	3 V		30	.6		
HOLL	31	0047	0050	0054	N21	E64	.897		4.8	7	SN	2 C		26			
PALE	31	0048E	0048U	00520	N21	E64	.897		4.8	40	SN	3 C		29		DE	
WEND	31	0631		0657	N19	W58	.847		26.9	26	SN	C	0642	70	1.8		
ISTA	31	0648E		0657	N18	W59	.855		26.9	90	SF	V				E	
WEND	31	0659		0730	N07	W77	.972		25.5	31	SN	C	0705	50		D	
ISTA	31	0703		0708	N07	W74	.959		25.7	5	SF	V				D	
ISTA	31	0718		0725	N19	E60	.864		4.8	7	SF	V				D	
WEND	31	0745	0759	0816	N20	E58	.848	16264	4.7	31	1N	C	0759	120	3.2		
WEND	31	0910E		09120	N18	E56	.829		4.6	20	SN	C	0910	50	1.0	D	
HOLL	31	1340	1359	1408	N12	E59	.853		5.0	28	SB	3 C		95		F	
HOLL	31	1409	1733	1801	N13	E59	.853		5.0	232	SB	3 C		84			
HOLL	31	1409	1436	1801	N13	E59	.853	16252	5.0	232	1B	3 C		166			
HUAN	31	1426		1435	N13	E59	.853		5.0	9	SF	1 C					
BIGB	31	1426	1439	1507	N11	E59	.853		5.0	41	SN	3 C	1439	50	1.0		
WEND	31	1431E		1548	N13	E62	.879		5.3	770	SN	C	1450	90	2.0	T	
HUAN	31	1449		1506	N13	E64	.894		5.4	17	SF	1 C	1457	20	.4	D	
BIGB	31	1451	1456	1515	N12	E63	.887		5.3	24	SN	3 C	1456	20	.5		
HUAN	31	1522		1545	N11	E60	.862		5.1	23	SF	1 C					
BIGB	31	1524	1529	1650	N11	E60	.862		5.1	86	SN	3 C	1529	60	1.2		
BIGB	31	1701	1712	1722	N11	E59	.853		5.1	21	SN	3 C	1712	40	.8		
HUAN	31	1704		1721	N12	E58	.844		5.1	17	SF	1 C					
PALE	31	1708	1713	1728	N12	E55	.815		4.8	20	SN	3 C		46		FDE	
BIGB	31	1732	1735	1837	N11	E59	.853		5.2	65	SB	3 C	1735	50	1.0		
BIGB	31	1758	1803	1823	S35	W70	.975		26.5	25	SN	3 C	1803	30			
HOLL	31	1802	1803	1824	N 2	W67	.920		26.7	22	SN	3 C		21			
BIGB	31	1803	1804	1816	S05	W70	.944		26.5	13	SN	3 C	1804	30			
BIGB	31	1805	1808	1839	N11	E59	.853		5.2	34	SN	3 C	1808	50	1.0		
BIGB	31	1806	1807	1816	N20	E56	.831		5.0	10	SB	3 C	1807	20	.4		
HOLL	31	1843	1847	1851	N16	W39	.637		28.9	8	SB	3 C		20			
BIGB	31	1843	1852	1905	S20	E90	1.001		7.5	22	SB	3 C	1852	40			
HOLL	31	1849	1851	1902	S19	E90	1.001		7.5	13	SN	3 C		0			
BIGB	31	1850	1855	2002	N11	E59	.853		5.2	72	SN	3 C	1855	50	1.0		
HOLL	31	1918	1919	1932	N 4	W73	.955		26.3	14	SB	3 C		38			
HOLL	31	1943	1944	1952	N 4	W73	.955		.3	9	SN	3 C		27			
BIGB	31	2013	2023	2115	N11	E58	.844		5.2	62	SN	3 C	2023	60	1.2		



# H $\alpha$ SOLAR FLARES

AUGUST 1979


OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM POR- TANCE	OBS.		MEASUREMENTS			REMARKS	
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	NOMATH PLAGE REGION	CMP. DAY			COND.	TYPE	TIME UT	MEAS. AREA Mil. of Disk	CORR. AREA Sq. Deg.		
					LAT.	MER. DIST.												
HOLL	31	2016	2019	2036	N21	E53	.804		4.8	20	SB	3	C			64		DE
PALE	31	2018	2019	2026	N18	E51	.780		4.7	8	SN	3	C			35		
BIGB	31	2018	2020	2036	N19	E51	.781		4.7	18	SB	3	C	2020		30	.5	
HUAN	31	2020	2022	2028	N20	E52	.793		4.7	8	SN	2	C	2022		30	.4	E
BIGB	31	2110	2111	2122	N19	E51	.781		4.7	12	SN	3	C	2111		30	.5	
PALE	31	2111	2112	2113	N18	E51	.780		4.7	2	SN	3	C			17		FDE
HOLL	31	2231	2231	2250	N22	E52	.796		4.8	270	SN	3	V			40		DE
HOLL	31	2231	2251	2307	N22	E52	.796		4.8	36	SB	3	C			110		DE
HOLL	31	2231	2231	2307	N22	E52	.796		4.8	36	SN	3	C					DE
BIGB	31	2237	2238	2241	N06	H78	.976		26.1	4	SN	3	C	2238		40		
BIGB	31	2245	2249	2302	N19	E58	.847		5.3	17	SN	3	C	2249		40	.8	
PALE	31	2247	2250	2252	N18	E50	.769		4.7	5	SN	3	C			67		DE
HANI	31	2250E	2250U	2255	N21	E53	.804		4.9	50	SB	3	C			80		F

"Remarks":

A = Eruptive prominence whose base is less than 90° from central meridian.  
 B = Probably the end of a more important flare.  
 C = Invisible 10 minutes before.  
 D = Brilliant point.  
 E = Two or more brilliant points.  
 F = Several eruptive centers.  
 G = No visible spots in the neighborhood.  
 H = Flare accompanied by a high speed dark filament.  
 I = Active region very extended.  
 J = Distinct variations of plage intensity before or after the flare.  
 K = Several intensity maxima.  
 L = Existing filaments show signs of sudden activity.  
 M = White-light flare.

N = Continuous spectrum shows effects of polarization.  
 O = Observations have been made in the calcium II lines H and K.  
 P = Flare shows helium D<sub>3</sub> in emission.  
 Q = Flare shows the Balmer continuum in emission.  
 R = Marked asymmetry in H $\alpha$  line suggests ejection of high velocity material.  
 S = Brightness follows disappearance of filament (same position).  
 T = Region active all day.  
 U = Two bright branches, parallel (||) or converging (Y).  
 V = Occurrence of an explosive phase: important and abrupt expansion in about a minute with or without important intensity increase.  
 W = Great increase in area after time of maximum intensity.  
 X = Unusually wide H $\alpha$  line.  
 Y = System of loop-type prominences.  
 Z = Major sunspot umbra covered by flare.

# INTERVALS OF NO FLARE PATROL OBSERVATION FOR PRECEDING SOLAR FLARE TABLE AUGUST 1979



Observatories included in total patrol:


Athens	Holloman	Istanboul	Manila	Ramey	Wendelstein
Bucharest	Huancayo	Kandilli	Palehua	Upice	

Times of no flare patrol are shown by the shaded area for each day divided into times of no cinematographic patrol (bottom half of day) and times of neither visual nor cinematographic patrol (top half of day).

# EAST-WEST SOLAR SCANS AUGUST 1979

TOYOKAWA, JAPAN


3 CM  
FAN BEAM WITH 1.1 MINUTES OF ARC



# EAST-WEST SOLAR SCANS AUGUST 1979

ALGONQUIN RADIO OBSERVATORY  
CANADA

10.7 cm  
Fan Beam with 1.5 minutes of arc  
E-W Resolution




EAST-WEST SOLAR SCANS  
AUGUST 1979

Fleurs, Australia

ESTIMATED QUIET SUN LEVEL  
COLD SKY LEVEL

21 cm  
Fan-Beam with 2 minutes of arc  
E-W Resolution




### EAST-WEST SOLAR SCANS

AUGUST 1979

Fleurs, Australia

43 cm  
Fan-Beam with 4 minutes of arc  
E-W Resolution



## SOLAR RADIO EMISSION SELECTED FIXED FREQUENCY EVENTS

AUGUST 1979

DAY OF MONTH	FREQUENCY STATION	TYPE	STARTING TIME	TIME OF MAXIMUM	DURATION	FLUX DENSITY $10^{-22} \text{ W m}^{-2} \text{ Hz}^{-1}$		INT	REMARKS	
			UT	UT	MINUTES	PEAK	MEAN			
1	2800 OTTA	23 GRF	1114	1312	245		6.4			
	2800 OTTA	4 S/F	1116.1	1117.1	3		12.8	6.4		
	2695 BOUL	1 S	1410.5E	1411.5	1.50		5	2		
	2695 PENT	1 S	1413.3	1413.9	1		6.6	3.3		
	2695 PENT	1 S	1418	1419	2		3.6	2		
	2800 OTTA	1 S	1647	1648	2		3	1.7		
	2800 OTTA	21 GRF	1755	1839.5	75		4	1.8		
	2800 OTTA	8 S	1838.1	1838.4	.5		5.8	2.9		
	2800 OTTA	1 S	2028	2030	7		1.6			
	2800 OTTA	20 GRF	2105	2115	35		1.8	.9		
	2800 OTTA	20 GRF	2215	2225	25		1.8	.9		
	2	2800 OTTA	1 S	1149	1153.5	8		3	1.5	
		2800 OTTA	20 GRF	1311	1313	45		3	1.2	
2800 OTTA		20 GRF	1520	1550	145		2.4	1.4		
2800 OTTA		20 GRF	1805	1810	55		1.8	1.3		
2800 OTTA		1 S	2105.2	2106	1.5		5	2.5		
2800 OTTA		29 PBI	2106.7	2106.7	10		1.8	1		
2695 PENT		20 GRF	2335	2345	30		6.2	3.1		
3	2800 OTTA	20 GRF	1430		120		2.4	1.4		
	2800 OTTA	2 S/F	2020	2020.1	2.5		3.6	1.2		
5	2800 OTTA	20 GRF	2120	2235	260		6.2	3.1		
	2800 OTTA	20 GRF	1938	1944	35		2.6	1.3		
6	2800 OTTA	23 GRF	2109	2015	125		11.4	5		
	2800 OTTA	20 GRF	2138	2144	35		5.8	2.9		
	2695 BOUL	46 C	1728	1730	5	D	15	5		
7	2800 OTTA	1 S	1901	1902	6		2.6	1.3		
	2800 OTTA	23 GRF	1940	2055	360	D	14.4			
	2695 BOUL	20 GRF	1943	2002	34	D	25	8		
	2800 OTTA	3 S	1956	2000.8	11		21.4	8.6		
	2800 OTTA	20 GRF	2142	2148	30		6	3		
	2800 OTTA	21 GRF	1737	1753	65		2.6	1.3		
8	2800 OTTA	2 S/F	1738	1738.9	1.5		5.4	1.4		
	2800 OTTA	2 S/F	1740.5	1741.8	1.5		8.2	4.1		
	2695 PENT	20 GRF	2230	2315	140		4.2	2.1		
	2800 OTTA	23 GRF	1625	1725	140		5	2.5		
9	2695 BOUL	41 F	1727	1732.5	26	D	86	29		
	2800 OTTA	45 C	1739	1744.5	15		19.6	4.8		
	2800 OTTA	20 GRF	1934	1937.5	11		2.6	1.3		
	2800 OTTA	22 GRF	2100	2137	160		3.6	1.7		
	2695 PENT	1 S	0013	0015	5		3.2	1.6		
10	2695 PENT	22 GRF	0120	0135	40		4.2			
	8800 HANI	S	0903	0914.6	20.2	3	228.9	76.3		
	2800 OTTA	27A RF	1110		280		3	2.5		
	2800 OTTA	24 R	1110	1130	20		3	1.5		
	2800 OTTA	24P R	1130		180		3			
	2695 PENT	1 S	1411	1413	5		2.2	1.6		
	2800 OTTA	26 FAL	1430	1550	80		-3	-1.6		
	2800 OTTA	20 GRF	1600	1642	105		3.2	2.2		
	2800 OTTA	240 R	1835	1845	10		2	1.5		
	2800 OTTA	20 GRF	2015	2050	140		5	2.5		
	11	2800 OTTA	1 S	1336	1336.5	2		3.2	1.2	
		2800 OTTA	20 GRF	1430	1445	55		1.8	.9	
		2800 OTTA	27A RF	1605		365		2.8	2.5	
2800 OTTA		24 R	1605	1705	60		2.8	1.4		
2800 OTTA		1 S	1656	1656.5	2		8.4	2.8		
2800 OTTA		24P R	1705		290		2.8			
2800 OTTA		20 GRF	1745	1750	40		1.6	1		
2800 OTTA		20 GRF	1826	1945	135		2.8	1.4		
2800 OTTA		26 FAL	2155	2210	15		-2.8	-1.4		
2695 PENT		8 S	2252	2252.2	.5		2.8	1.4		
2695 PENT		3 S	2350.3	2350.5	2		10	2.6		
2695 BOUL		3 S	2351	2351.5	1.50		10	3		
12		2695 PENT	1 S	0054	0055	3		4.6	1.5	
	2800 OTTA	22 GRF	1200	1230	110		2.6	1.3		
	2800 OTTA	1 S	1550	1550.2	1		2.2	1		
13	2800 OTTA	47 GB	1107.5		180	D	2200			
	2800 OTTA	24 R	1430	1500	30		2.6	1.3		
	2800 OTTA	27 RF	1430		270		2.6	2		
	2800 OTTA	24P R	1500		170		2.6			
	2800 OTTA	26 FAL	1750	1800	70		-2.6	-0.9		
	2800 OTTA	20 GRF	1924	1930	30		1.6	1.2		
	2800 OTTA	20 GRF	2033	2008	40		1.4	1		

# SOLAR RADIO EMISSION SELECTED FIXED FREQUENCY EVENTS

AUGUST 1979

DAY OF MONTH	FREQUENCY STATION	TYPE	STARTING TIME	TIME OF MAXIMUM	DURATION	FLUX DENSITY		INT	REMARKS	
			UT	UT	MINUTES	$10^{-22} \text{ Wm}^{-2} \text{ Hz}^{-1}$ PEAK	MEAN			
	2800 OTTA	20 GRF	2120	2130	35	1.6	1.2			
	2800 OTTA	27 RF	2220		120	2.8	2.3			
	2800 OTTA	24 R	2220	2225	5	2.0	1.4			
	2695 PENT	24P R	2225		90	2.8				
	2695 PENT	26 FAL	2355	2410	15	-2.8	-1.4			
14	2695 PENT	240 R	0050	0100	10	2.8	1.4			
	2800 OTTA	28 PRE	1134	1232	68	53.6	34.7			
	2800 OTTA	47 GB	1242	1251.8	78	4030	1430			
	2695 BOUL	47 GB	1243.5U	1253	68 U	5224 U	1741		SUNRISE	
	2800 OTTA	30 PBI	1400	1400	425	54	17.2			
	2800 OTTA	8 S	1543.4	1543.5	.6	535				
	2800 OTTA	2 S/F	1612	1612.3	3	3.4	1.7			
	2800 OTTA	4 S/F	1728.2	1730	3	10.8	5.4			
	2695 BOUL	42 SER	1858.5E	2002	113 D	46	15			
	2800 OTTA	40 F	2000	2001	1.5	60				
	2695 PENT	8 S	2011.5	2011.6	.2	6				
	2695 PENT	4 S/F	2013	2014	2	21.4	7.2			
	2800 OTTA	4 S/F	2048.5	2049	3	15.2	5			
	2800 OTTA	21 GRF	2120	2230	240	9	4.5			
	2800 OTTA	22 GRF	2147	2151	11	3	1.6			
2695 MANI	S	2356	2357.3	3	1	43.9	14.6			
2695 PENT	3 S	2356	2357.4	4		13.8	4.6			
2695 PENT	2 S/F	2441	2442	3		3				
15	2800 OTTA	8 S	1136.7	1136.7	.1	9.4				
	2800 OTTA	240AR	1230	1340	10	3	1.5			
	2800 OTTA	8 S	1233.6	1233.7	.4	123				
	2800 OTTA	22 GRF	1313	1318	15	3	1.5			
	2800 OTTA	4 S/F	1357	1559.5	3	30	15			
	2800 OTTA	4 S/F	1528.1	1529	5	32	14			
	2800 OTTA	21 GRF	1528	1540	50	3	1.5			
	2695 BOUL	4 S/F	1529 E	1530	3 D	26	9			
	2800 OTTA	1 S	1541.5	1542	1	1.8	.9			
	2800 OTTA	20 GRF	1700	1718	75	2.4	1.3			
	2800 OTTA	1 S	1828	1828.8	2	2.2				
	2695 PENT	20 GRF	2035	2013	15	2.2	1			
	2800 OTTA	20 GRF	2115	2210	120	5.4	3			
	16	2695 MANI	S	0455.3	0456.4	5.1	3	140.5	46.8	
		2800 OTTA	240 R	1135	1140	5	2.8	1.4		
2800 OTTA		20 GRF	1154	1215	155	6.8	3.4			
2800 OTTA		20 GRF	1525	1530	20	2.4	1.4			
2800 OTTA		20 GRF	1620	1630	20	2.4	1.2			
17	2800 OTTA	20 GRF	1750	1930	160	3.6	1.8			
	2800 OTTA	1 S	2200	2203.8	6	9.8	4.9			
	2800 OTTA	30 PBI	2206	2206	55	4	2			
	2800 OTTA	2 S/F	2219.2	2221.7	6	3				
	2695 PENT	1 S	2334	2334.2	1	7.4	4			
18	2800 OTTA	46F C	1345.5	1423.5	64.5	490	163			
	2695 BOUL	4 S	1347 E	1349	8 D	119	39			
	2695 BOUL	45 C	1402 E	1425	45 D	335	112			
	2800 OTTA	30 PBI	1450	1450	70	4.6				
	2800 OTTA	3 S	1453.5	1454.1	1.5	23.2	11.6			
	2800 OTTA	29 PBI	1455	1455	8	5.4	1.8			
	2800 OTTA	23 GRF	1730	1740.5	90	5.6	2.8			
	2800 OTTA	1 S	1824.8	1825	1	1.4	.7			
	2800 OTTA	22 GRF	1845.7	1847.3	25	2.6				
	2800 OTTA	24 R	1915	1930	15	3.4	1			
	2800 OTTA	27A RF	1915		155	3.4	2.7			
	2800 OTTA	24P R	1930		90	3.4				
	2800 OTTA	3 S	2030	2031.6	4	12.6	5			
	2800 OTTA	3 S	2035	2035.3	1.5	12	4			
	2800 OTTA	26F FAL	2100	2150	50	-3.4	-1.7			
19	2800 OTTA	1 S	1128.5	1129	1.5	3.6	1.8			
	2800 OTTA	240AR	1128	1130	2	2.4	1.2			
	2800 OTTA	240FR	1253	1306	13	3.6				
	2800 OTTA	21 GRF	1535	1540	14	5.4	2.5			
	2800 OTTA	8 S	1538.9	1539	.2	10.8				
	2800 OTTA	23 GRF	2020	2137	160	4.4	2.4			
	2800 OTTA	1 S	2127.8	2128.2	3.5	8	3.8			
	2800 OTTA	20 GRF	2153	2200	17	3	1.8			
20	8800 MANI	S/F	0721.1	0722.2	2.2	4	295.2	98.4		
	2695 MANI	S/F	0721.1	0722.3	5.4	4	52	17.3		
	8800 MANI	4 GB	0905.5	0924.3	41.7	7	2804.4	934.8		
	2695 MANI	4 GB	0908.5	0924.3	37.4	7	520	173.3		
	2800 OTTA	21 GRF	1140	1248	215	8.4	4.2			
	2800 OTTA	3 S	1141	1142.4	4	38.6	16.6			
	2800 OTTA	29 PBI	1145	1145	21	11	5.5			
	2800 OTTA	1 S	1258.5	1259	4	4.8	2.4			
	2800 OTTA	240 R	1620	1630	10	3.6	1.8			



## SOLAR RADIO EMISSION SELECTED FIXED FREQUENCY EVENTS

AUGUST 1979

DAY OF MONTH	FREQUENCY STATION	TYPE	STARTING TIME	TIME OF MAXIMUM	DURATION	FLUX DENSITY $10^{22} \text{ Wm}^{-2} \text{ Hz}^{-1}$		INT	REMARKS
			UT	UT	MINUTES	PEAK	MEAN		
	2800 OTTA	20 GRF	1640		100	5.4			
	2800 OTTA	24 R	1835	1855	20	2.6	1.3		
	2800 OTTA	27 RF	1835		115	2.6	2		
	2800 OTTA	24P R	1855		65	2.6			
	2800 OTTA	26 FAL	2000	2030	30	-2.6	-1.3		
	2800 OTTA	21 GRF	2105	2210	145	5.8	2.9		
	2800 OTTA	2 S/F	2109.5	2111.5	4	8.8	4.4		
	2800 OTTA	2 S/F	2231.2	2232	2	3.6	2		
21	2695 MANI	S	0611.5	0614.5	3.5	3	25.9	8.6	
	2800 OTTA	21 GRF	1320	1342	110	5.8	2.9		
	2800 OTTA	1 S	1331.3	1331.8	1	2.8	1.4		
	2800 OTTA	2 S/F	1356	1358	3	3.6	1.6		
	2695 PENT	1 S	1410	1411	2	5.2			
	2695 PENT	2 S/F	1416	1417.5	3	2	.9		
	2800 OTTA	1 S	1548.5	1549.5	3	4.8	2.4		
	2800 OTTA	21 GRF	1640	1657	100	10.2	3.4		
	2800 OTTA	4 S/F	1751	1752	6	14.6	5		
	2800 OTTA	21 GRF	1840	1930	90	3	1.5		
	2800 OTTA	1 S	1858.2	1859	2	7.6	3.8		
	2695 PENT	21 GRF	2120	2410	230	D	20.6		
	2695 PENT	20 GRF	2244	2251.5	11	7	3.4		
22	2800 OTTA	21 GRF	1120	1138	105	11	5.5		
	2800 OTTA	1 S	1133	1134	2	3	1.5		
	2800 OTTA	240 R	1317	1350	33	5.4	3		
	2800 OTTA	20 GRF	1525	1550	95	3.6	1.8		
	2800 OTTA	21 GRF	1845	2200	375	8.4			
	2800 OTTA	4 S/F	1854	1858.3	12	15.8	5.4		
	2695 PENT	45 C	2343	2350	11	36	7.2		
23	2800 OTTA	20 GRF	1211	1213	20	10.6	3.6		
	2695 BOUL	45 C	1235	U 1301	34	U 143	48		SUNRISE
	2800 OTTA	46F C	1243	1300	27	124	45.6		
	2800 OTTA		1243	1252	14	114			
	2800 OTTA		1257	1300	13	124			
	2800 OTTA	30 PBI	1310	1310	230	19.8	7.4		
	2800 OTTA	3 S	1318	1318.5	1.5	12.8	4.2		
	2800 OTTA	3 S	1506	1508.5	6	32	10.6		
	2695 BOUL	3 S	1508	E 1509	4	14	5		
	2800 OTTA	29 PBI	1512	1512	10	4.4	2.2		
	2800 OTTA	22 GRF	1800	1850	150	6.6	3.3		
	2695 PENT	21 GRF	2300	2322	70	11.8	5.6		
	2695 PENT	1 S	2304	2306	4	3.6	1.8		
24	2695 PENT	20 GRF	0015	0020	50	D	5.2		
	2800 OTTA	45 C	1154	1201	26	36.6	22		
	2800 OTTA	29 PBI	1220	1220	90	17.4	8.7		
	2800 OTTA	20 GRF	1435	1507	50	5.6	1.9		
	2800 OTTA	240 R	1600	1635	35	4	2		
	2800 OTTA	1 S	1636	1637.5	4	2.4	1.2		
	2800 OTTA	1 S	1738	1739	4	8	6		
	2800 OTTA	29 PBI	1742	1742	10	4	1.4		
	2800 OTTA	2 S/F	1814	1814.7	3	6.4	3.2		
	2800 OTTA	29 PBI	1817	1817	20	2.4	1.2		
	2800 OTTA	240 R	1900	1925	25	4	2		
	2800 OTTA	22 GRF	1940	1950	45	2.8			
	2800 OTTA	20 GRF	2035	2117	65	4.8	2.8		
	2800 OTTA	21 GRF	2151	2210	120	7	3.5		
	2800 OTTA	3 S	2152.3	2152.7	1.5	11.4	3.8		
25	2800 OTTA	240 R	1210	1240	30	6	3		
	2800 OTTA	3 S	1509	1511.7	5	24	12		
	2800 OTTA	30 PBI	1514	1514	25	6.4	3.2		
	2800 OTTA	1 S	1534	1534.5	1	4	2		
	2800 OTTA	21 GRF	1610	1620	100	10.4	4.8		
	2800 OTTA	20 GRF	1700	1702	30	8.4	4.2		
	2800 OTTA	21 GRF	1900	2055	240	12	6		
	2800 OTTA	4 S/F	1943	1959.5	25	85	28.4		
	2695 BOUL	3 S	1959	E 2001	5.50	100	30		
	2800 OTTA	29 PBI	2008	2008	30	8	4		
	2695 PENT	3 S	2313.3	2313.7	1	22	11		
26	2695 PENT	3 S	0009.9	0010.3	5	15	5		
	2800 OTTA	21 GRF	1215	1240	100	4	1.4		
	2800 OTTA	8 S	1232	1232.1	.5	2.4	1.2		
	2800 OTTA	21 GRF	1358	1445	100	5.2	2.6		
	2800 OTTA	1 S	1445	1445.3	1.5	5.2	2.4		
	2800 OTTA	46F C	1640	1647	60	400	115		
	2695 BOUL	45 C	1641	E 1648	40	D 362	121		
	2800 OTTA	30 PBI	1740	1740	240	36	24		
	2800 OTTA	3 S	1753	1802	38	285	97		
	2695 BOUL	3 S	1754.5E	1803	31	D 222	74		
	2800 OTTA	22 GRF	1849	1857	13	6.6	3.2		
27	2800 OTTA	8 S	1809.8	1809.9	.4	11.4	5.7		

## SOLAR RADIO EMISSION SELECTED FIXED FREQUENCY EVENTS

AUGUST 1979

DAY OF MONTH	FREQUENCY STATION	TYPE	STARTING TIME	TIME OF MAXIMUM	DURATION	FLUX DENSITY $10^{-22} \text{ W m}^{-2} \text{ Hz}^{-1}$		INT	REMARKS	
			UT	UT	MINUTES	PEAK	MEAN			
28	2800 OTTA	24 R	1830	1845	15	4	2			
	2800 OTTA	27A RF	1830		170	4	3			
	2800 OTTA	24P R	1845		90	4				
	2800 OTTA	2 S/F	1849.5	1849.8	1	5.6	1.9			
	2800 OTTA	26 FAL	2015	2120	65	-4	-2			
	2800 OTTA	22 GRF	2135	2200	85	7.6	3.8			
	2800 OTTA	23 GRF	1215	1313	160	12	5.9			
	2800 OTTA	2 S/F	1227	1227.5	1.5	8.2	4.1			
	2800 OTTA	4 S/F	1304	1308	7	29	10			
	2800 OTTA	27A RF	1500		300	4	3.7			
	2800 OTTA	24 R	1500	1515	15	4	2			
	2800 OTTA	24P R	1515		260	4				
	2800 OTTA	1 S	1517	1518	2	4.4	2.2			
	2800 OTTA	4 S/F	1816.5	1817.9	6	13.4	4.5			
	2800 OTTA	20 GRF	1830	1850	35	4	2.4			
	2800 OTTA	20 GRF	1910	1918.5	22	6.4	3.2			
	2800 OTTA	26 FAL	1935	2000	25	-4	-2			
	2800 OTTA	1 S	2135	2135.7	1.5	3.2	1.5			
	2800 OTTA	3 S	2152	2152.7	4	17.2	5.8			
	2800 OTTA	29 PBI	2156	2156	25	4.8	2.4			
	2800 OTTA	40 F	2235	2236.8	3	78				
	2695 SCUL	4 S/F	2238	2239	3 D	49	16			
	29	2800 OTTA	27 RF	1140		140	3.6	3.1		
		2800 OTTA	24 R	1140	1200	20	3.6	1.8		
		2800 OTTA	24P R	1200		100	3.6			
		2800 OTTA	26 FAL	1340	1400	20	-3.6	-1.8		
2800 OTTA		27A FRF	1438		367	3.2	3			
2800 OTTA		24 R	1438	1450	12	3.2	1.6			
2800 OTTA		24P R	1450		330	3.2				
2800 OTTA		8 S	1654.2	1654.2	.1	7.2				
2800 OTTA		20 GRF	1925	1933	35	2.4	1.2			
2800 OTTA		26 FAL	2020	2045	25	-3.2	-1.6			
2695 PENT		21 GRF	2250	2255	20	3.4	2.6			
2695 PENT		40 F	2252	2252	3	11.8				
2695 PENT		20 GRF	2350	2500	100 D	7.6				
30	2800 OTTA	20 GRF	1435	1445	25	2.2	1.1			
	2800 OTTA	22 GRF	1505	1530	70	3	1.5			
	2800 OTTA	20 GRF	2120	2123	30	3.6	2.8			
31	2800 OTTA	20 GRF	1243	1303	50	3	2.4			
	2800 OTTA	20 GRF	1340	1847	12	2.2	1.4			

Observatories:



BERN = Berne    BOUL = Boulder    MANI = Manila    OTTA = Ottawa ARO    PENT = Penticton    SGMR = Sagamore Hill

Explanation of Type Code:


1 Simple 1	6 Minor	22 Simple 3F	27 Rise and Fall	32 Absorption	44 Noise Storm in Progress
2 Simple 1F	7 Minor +	23 Simple 3AF	28 Precursor	40 Fluctuation	45 Complex
3 Simple 2	8 Spike	24 Rise	29 Post Burst Increase	41 Group of Bursts	46 Complex F
4 Simple 2F	20 Simple 3	25 Rise A	30 Post Burst Increase A	42 Series of Bursts	47 Great Burst
5 Simple	21 Simple 3A	26 Fall	31 Post Burst Decrease	43 Onset of Noise Storm	48 Major
					49 Major +

# SELECTED SOLAR NOISE BURSTS

AUGUST 1979




AUGUST 14, 1979  
SELECTED 2800 MHz SOLAR NOISE BURST  
A.R.O. OTTAWA, ONT.  
CANADA



AUGUST 26, 1979

SELECTED 2800 MHz SOLAR NOISE BURST  
A.R.O. OTTAWA, ONT.  
CANADA



## PIONEER XII

AUGUST 1979

DATE Aug '79	TIME (UT)	ESV (°)	UH+ (Km/sec)	NH+ (H <sup>+</sup> /CC)	TH+ (x10 <sup>6</sup> °K)
1	1147	164.	428.	22.3	0.203
2	1117		573.	5.3	.436
3	1212		473.	6.8	.13
4	1220		837.	26.3	.519
5	1310		618.	4.8	.282
6	0855		495.	5.4	.078
7	0521		419.	6.6	----
8	1524		323.	13.2	.032
9	1006		318.	26.1	.048
10	1022		313.	56.4	.047
11	1129		471.	41.9	.721
12	0653		562.	8.8	.117
13	0000		528.	12.9	.279
14	2207		597.	4.4	.102
15	2358	173.	459.	----	----
16	0007		----	10.8	----
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30		176.			
31					

NOTE: PN-12 data estimated suspended until approximately  
9 Sep 79.


Venus undergoing superior conjunction. Communication  
link immersed in solar corona resulting in somewhat  
noisy and unsatisfactory data.

Additionally, PN-11 undergoing Saturn encounter thus  
reducing PN-12 Deep Space Net (DSN) priority.

# HELIUM 10830Å SYNOPTIC MAPS

## CARRINGTON ROTATION 1684

KITT PEAK NATIONAL OBSERVATORY



# CORONAL HOLES

Helium D3 Chromosphere at Solar Limb

AUGUST 1979

Big Bear Solar Observatory

During the month of August, we made a total of five D<sub>3</sub> scan observations and no holes were observed. The five days we observed were August 10, 13, 25, 27 and 31.

INFERRED IP MAGNETIC FIELD

BARTELS ROTATION	DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
1981	JUN 22	TA					A*						- TA	TA TA	AT				*				* AT	AT -	AT -	AT -	AT -	
1982	JUL 19								TA											TA			AT	AT *	AT *	TA	TA	
1983	AUG 15					TA		AT			AT AT			AT	TA		A*				A*						TA	
1984	SEP 11			TA			AT			TA	T*					A*										A* TA	-	
1985	OCT 8	* TA			T*																							
1986	NOV 4							AT												TA		AT						
1987	DEC 1	AT																				AT	AT	AT				
1988	DEC 28												TA	TA T*														
1989	1979 JAN 24										TA	TA	TA	TA							*							
1990	FEB 20		TA												TA A*	TA A*		TA A*		TA A*								
1991	MAR 19													*												A*		
1992	APR 15																											
1993	MAY 12																											
1994	JUN 8	TA	TA A*		TA																							
1995	JUL 5	TA	TA	AT		TA		AT A*	TA		TA			TA	AT													
1996	AUG 1																											
1997	AUG 28																											

= definitely towards the sun      = definitely away from the sun  
 T = towards the sun     A = away from the sun     \* = effect doubtful or not discernible     - = missing data

The table shows daily inferences of the polarity of the interplanetary magnetic field. The first half of the day is based principally on magnetograms produced by the magnetometer at the Vostok Antarctic Station of the USSR. The magnetometer of the U.S. Air Weather Service now operated at Thule by the Danish Meteorological Institute is used for the second half of the day.

STANFORD MEAN SOLAR MAGNETIC FIELD

BARTELS ROTATION	DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
1982	JUL 14																											
1983	AUG 10																											
1984	SEP 6																											
1985	OCT 3																											
1986	OCT 30																											
1987	NOV 26																											
1988	DEC 23																											
1989	1979 JAN 19																											
1990	FEB 15																											
1991	MAR 14																											
1992	APR 10																											
1993	MAY 7																											
1994	JUN 3																											
1995	JUN 30																											
1996	JUL 27																											
1997	AUG 23																											

POLARITY OF THE MEAN SOLAR MAGNETIC FIELD:  = FIELD > 2μT,  = -2μT ≤ FIELD ≤ 2μT,  = FIELD < -2μT  
 No box visible indicates no data available for that day.

Note: Data are taken daily at 2000 UT. Dates given are not Bartels Rotation dates. These earlier dates correspond to the occurrence of phenomena on the sun which affect the Earth during the given Bartels Rotation.



STANFORD MEAN SOLAR MAGNETIC FIELD (MICROTESLA)

1978

1979

DAY	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MARCH	APRIL	MAY	JUNE	JULY	AUG.
01	26	-11	-18	-72	11	.	-36	-4	26	41	97	24
02	32	-20	-21	-39	-1	-1	.	16	13	82	86	21
03	15	-14	-36	-7	30	.	.	57	6	137	70	6
04	18	-8	-28	17	27	-24	.	44	10	115	35	4
05	2	-3	-19	19	-13	-6	.	11	45	104	-33	2
06	-24	-7	-12	9	1	46	9	9	68	78	-61	-6
07	-12	-20	3	5	50	64	14	14	101	15	-81	-8
08	-7	-29	-6	-15	88	56	67	67	134	-27	-80	-8
09	.	-37	-17	-26	59	.	102	102	126	-50	-70	-6
10	-35	-29	-3	-37	39	.	124	124	75	-76	-68	-16
11	-34	-32	5	-19	40	21	138	138	31	-82	-75	-43
12	-42	-14	9	-16	30	63	100	100	-13	-52	-23	-59
13	-36	2	.	13	.	100	51	51	-66	-52	-23	-46
14	-27	7	16	31	78	106	-12	-12	-104	-37	-20	-33
15	-26	8	20	43	62	.	-51	-51	.	-28	-24	-38
16	-36	9	.	65	27	24	.	.	.	-42	-30	-61
17	-48	5	34	.	6	45	-121	-121	.	-43	-26	-57
18	-44	-1	42	59	.	.	-117	-117	-27	-35	-32	-41
19	-50	.	.	30	-52	-56	-72	-72	-29	-32	-16	4
20	-33	4	55	18	.	-81	-40	-40	-36	-37	-10	.
21	-21	3	35	32	9	-81	-27	-27	-34	-24	.	41
22	-14	19	40	27	-15	.	-32	-32	-43	0	-16	55
23	5	20	28	-3	.	-51	-40	-40	-56	-7	6	58
24	31	25	27	-20	-54	-41	.	.	-51	-7	33	68
25	43	23	18	-26	-64	-28	.	.	-30	10	58	74
26	42	24	2	-32	-70	.	-99	-99	-16	17	69	77
27	40	29	-17	-63	-64	-29	-92	-92	-17	29	83	47
28	29	30	-48	-51	-27	-36	-57	-57	-4	47	92	40
29	15	17	-61	-36	12	-12	.	.	19	64	90	32
30	2	-3	-65	-22	.	-26	3	3	10	93	82	1
31		-16		-21		-28			9		53	-1

DOT SYMBOL ENTRY INDICATES NO DATA AVAILABLE FOR THE DAY.

## BOULDER GEOMAGNETIC SUBSTORM LOG

AUGUST 1979

DATE	ONSET TIME	DIRECTION	COMMENTS	DATE	ONSET TIME	DIRECTION	COMMENTS
01			SSC at 1145 UT. Field active balance of day, no distinctive SS activity.	16	0550 0630	East = center	Slow onset, weak SS. Weak SS.
02	0520 0545 0825 1550	East East West	1st of double onset, weak SS 2nd of double onset, moderate SS Strong SS Slow onset.	17	0810 0825	West West	1st of double onset, weak SS. 2nd of double onset, weak SS.
03	0310 0620 0735 0950	East East = center West	Weak SS Moderate SS. Moderate SS.	18			2030 UT; gradual onset to minor magstorm.
04	0415 0810 1155	East West West	Moderate SS. Moderate SS. Moderate SS, series of injections follow with final recovery at 1520 UT.	19			Minor magstorm conditions.
05	0350	East	Slow, weak onset followed by series of injections with final recovery at 0620 UT.	20	1630		Positive impulse H-component mid and low latitude stations at 0622 UT. Onset of very strong SS having several injections, with recovery near 1900 UT.
06	0730 0800 0940 1030 1230	= center = center West West	Field active through 1700 UT 1st of double onset, moderate SS. 2nd of double onset, moderate SS. Moderate SS. SS response mainly along oval stations.	21	0215 0550 0850	East East West	Magstorm conditions through 1030 UT. Onset of strong SS with multiple injections. Strong SS. Strong SS.
07	0725 1100	West West		22	0415 0445 0510 0610 0640 0835 1025	East East East = center = center West West	1st of multiple onset. 2nd of Multiple onset. 3rd of multiple onset. 4th of multiple onset. 5th of multiple onset.
08	0500 0650 1140	East West West	Weak SS	23			Quiet day.
09	0520 0540 0640 1100 1205 1535	East = center West West West	1st of double onset. 2nd of double onset. Weak SS Weak SS Slow onset	24	0840 1540 1620 1940	West	Small positive impulse H-component of low latitude Pacific Island stations. Variable SS activity follows in Alaskan Chain. Moderate SS; Normal Wells to Cape Parry to Arctic Village. Strong SS; Sachs Harbour to Johnson Point.
10	0500 1230	East West	Slow onset	25	0725 1055 1710		Onset of multiple injections SS activity along Auroral oval with recovery near 1500 UT. Very strong injection vicinity College - Talkeetna. Onset of active conditions mid and low latitude stations and storm conditions Cape Parry northward in Polar cap. Only minor perturbations along the Auroral oval.
11			Weak SSC at 1813 UT. Weak ring current 2000 UT to 12/0300 UT. No distinctive SS activity during this period.	26	0700 1255	= center West	
12	0945	West	Slow positive increase, beginning at 1850 UT in the H-component at mid and low latitude stations. Field active balance of UT day.	27	0340 0440 0625 0925	East East West West	SS onset with multiple injections. SS onset with multiple injections
13	1050		Negative impulse H-component mid and low latitude stations at 0610 UT followed by magstorm conditions with final recovery 14/0300 UT. Onset of very strong SS having several injections, with final recovery at 1445 UT.	28	0500 0950 1500	East West	Slow onset.
14			Field slightly unsettled, no distinctive SS activity.	29			SSC at 0459 UT. Magstorm follows
15	0545	East	Weak SS.	30			Final recovery from magstorm near 1300 UT.
				31	0900 1320 2050	= center West	

## SOLAR PROTON EVENT (PROVISIONAL) | AUGUST 1979

Date/Time(UT)	Detector	Observation	Remarks
August 18/1400	H $\alpha$ patrol	Start time of importance 1b(X6) flare; N10E90	Max 1416; end 1445 UT; McMath Region 16239. Peak 10-cm flux 740 units above background.
18/2030	IMS magne- tometer network	Gradual onset of mag- netic storm	The North American high-latitude mag- netometer network consists of three meridional chains and an east-west chain along the auroral oval.
18/21XX	Fredericksburg magnetometer	Gradual onset of moderate magnetic storm	Gradual onset typical of major flare activity near east limb; storm not result of 1b(X6) flare earlier in the day.
19/0850	GOES-2	Proton event thresh- old exceeded	Threshold set at 10 part/cm <sup>2</sup> s sr for energies >10 MeV. Observations made at geostationary altitude (6.67 Earth radii). Gradual onset character- istic of flares east of central meridian.
19/2400	Fredericksburg magnetometer	A index = 40	
20/0903	H $\alpha$ patrol	Start time of importance 2b(X5) flare; N05E76	Max 0919; end 1118 UT; McMath Region 16239. Peak 10-cm flux 660 units above background; accompanied by Type II burst.
20/0830	GOES-2	1st Max of >10 MeV proton flux	450 part/cm <sup>2</sup> s sr
20/1630	IMS magne- tometer network	Very strong substorm onset	Several particle injections occurred; recovery near 1900 UT.
20/1700	GOES-2	2nd Max of >10 MeV proton flux	410 part/ cm <sup>2</sup> s sr; source probably 2b(X5) flare earlier in the day.
20/1700- 1745	Thule 30 MHz riometer	Peak absorption 4.4 dB	Daylight conditions prevailed.
20/2400	Fredericksburg magnetometer	A index = 29	
21/0145	H $\alpha$ patrol	Start time of importance Sn(M2) flare; N07E68	Max 0158; end 0226 UT; McMath Region 16239.
21/0215	IMS magne- tometer network	Strong substorm onset	Multiple particle injections; observed east of Boulder.
21/0550	IMS magne- tometer network	Strong substorm onset	Observed east of Boulder.
21/0611	H $\alpha$ patrol	Start time of importance 1b(C6) flare; N15W38	Max 0613; end >0645 UT; McMath Region 16218.
21/0740	GOES-2	3rd Max of >10 MeV proton flux	500 part/cm <sup>2</sup> s sr; source probably 1b(C6) flare described in above entry.
21/0850	IMS magne- tometer network	Strong substorm onset	Observed west of Boulder.
21/2400	Fredericksburg magnetometer	A index = 28	

Before solar rotation carried it over the west limb on September 2, 1979, McMath Region 16239 flared once more at the X level--a 2b(X2) flare that began 26/1638 UT near N05W09. This plage's associated spot group developed at nearly the same solar latitude and longitude as the proton producing region of September 1977.


SGD 421 Part I (Prompt)

## JULY 1979 DATA

## Contents


	Page
<u>Daily Solar Activity Center</u>	
H $\alpha$ Synoptic Charts and Solar Magnetic Field Synoptic Charts	44-49
Magnetograms, Calcium Plages, H $\alpha$ Filtergrams, Sunspots, and Corona	50-111
Regions of Solar Activity	112-125
Daily Calcium Plage Index	125
<u>Sudden Ionospheric Disturbances</u>	126-128
<u>Solar X-ray Radiation</u>	
Solrad 11	129-144
<u>Solar Radio Emission</u>	
Spectral Observations	145-153
Selected Solar Events (by Radioheliograph) (Data not available at time of publication)	
<u>Cosmic Rays</u>	
Chart of Variations	154-157
Neutron Monitors Daily Values	158
<u>Geomagnetic Indices</u>	
Geomagnetic Activity Indices (Kp, Kn, Ks, Km, Cp, Ap, aa)	159
Daily Average Indices Ap	160
Chart of Kp by Bartels 27-day Rotation	161
Chart of Dst by Bartels 27-day Rotation	162
Hourly Equatorial Dst Values (Provisional)	163
Principal Magnetic Storms	164
Sudden Commencements and Solar Flare Effects (Data not available at time of publication)	
<u>Radio Propagation Indices</u>	
Quality Indices on Paths to Germany	165
Transmission Frequency Ranges - North Atlantic Path	166-167

# H $\alpha$ SYNOPTIC CHART CARRINGTON ROTATION 1683 (PRELIMINARY)



# H $\alpha$ SYNOPTIC CHART

## CARRINGTON ROTATION 1684 (PRELIMINARY)




# SOLAR MAGNETIC FIELD SYNOPTIC CHART

## CARRINGTON ROTATION 1683


0, ±100, 200, 500... μT


Stanford Solar Observatory

















KPNO SOLAR MAGNETIC FIELD SYNOPTIC CHART



JULY 1, 1979 (P = -2.97, B<sub>0</sub> = 2.84, L<sub>0</sub> = 214.01)






PROMINENCES


1452 UT

1435 UT



OI Boulder

1452 UT



MAGNETOGRAM  
Solid - Plus; zero level  
Dashed - Minus

STANFORD

1727 UT

Levels  
0 μT  
± 50  
± 100  
± 200

8.6 MM

2.0 CM

NOSC LA POSTA

NO DATA

SCHEDULE

SCHEDULE

NO DATA

----- UT




----- UT

Ant. Temp. Unit 100° K


Ant. Temp. Unit 100° K

Ant. Temp. Unit 100° K


JULY 2, 1979 (P = -2.5l, B<sub>0</sub> = 2.95, L<sub>0</sub> = 200.77)



O2  
Boulder




Boulder



SUNSPOTS

McMATH-HULBERT



CALCIUM REPORT

GOOD	M
04-	2300-3.0
08-	3600-3.0
11-	1900-3.0
12-	5300-3.0
15-	1400-2.5
17-	3500-3.5
18-	2100-3.0
19-	1600-2.5
20-	0600-3.0
21-	1300-3.0
22-	4000-3.5


PROMINENCES

NOSC LA POSTA

2.0 CM


NOSC LA POSTA

8.6 MM






STANFORD

MAGNETOGRAM  
Solid - Plus; zero level  
Dashed - Minus




Levels  
0  $\mu$ T  
+ 50  
+ 100  
+ 200

JULY 3, 1979 (P = -2.06, B<sub>0</sub> = 3.06, L<sub>0</sub> = 187.53)




O3


Boulder




H $\alpha$




BOULDER



SUNSPOTS



McMATH-HULBERT



CALCIUM REPORT

FAIR	M
04-	2500-3.0
08-	3200-3.0
11-	1600-2.5
12-	5000-2.5
15-	1100-2.5
17-	3700-3.0
18-	1700-2.5
20-	0700-3.0
21-	1200-3.0
22-	4000-3.5
23-	4500-3.5
26-	0700-2.5

PROMINENCES

NOSC LA POSTA


2.0 CM

NOSC LA POSTA

8.6 MM


STANFORD

MAGNETOGRAM  
Solid - Plus; zero level  
Dashed - Minus




E L L L

1603 UT



E L L L

1456 UT






Levels  
0  $\mu$ T  
+ 50  
+ 100  
+ 200

2032 UT




JULY 4, 1979 (P = -1.61, B<sub>0</sub> = 3.17, L<sub>0</sub> = 174.30)



04

Boulder



H $\alpha$


BOULDER

Np

Sp

1420 UT

SUNSPOTS



PROMINENCES

NO DATA


McMATH-HULBERT

Np

Sp

1315 UT

CALCIUM REPORT



	W	FAIR	M
04-	2500-3.0		
08-	3500-2.5		
11-	1600-2.5		
12-	5000-2.5		
17-	3800-3.5		
18-	1500-2.5		
20-	0700-3.0		
21-	1000-3.0		
22-	4000-3.5		
23-	4300-3.5		
24-	1500-3.5		
25-	1200-2.5		
26-	1000-3.0		

NOSC LA POSTA

Np

NO DATA

WEATHER

2.0 CM

NOSC LA POSTA

Np

NO DATA

WEATHER

8.6 MM





STANFORD

Np

Sp

MAGNETOGRAM

Solid - Plus; zero level  
Dashed - Minus






Sp Ant. Temp. Unit 100° K

Sp Ant. Temp. Unit 100° K


0035 UT-JUL 5, 1979

JULY 5, 1979 (P = -1.15, B<sub>0</sub> = 3.28, L<sub>0</sub> = 161.06)



O5

Boulder



1503 UT

Hz


BOULDER

Np

SUNSPOTS

McMATH-HULBERT

CALCIUM REPORT



1430 UT

PROMINENCES

1140 UT

FAIR	S
04-	2100-3.0
08-	3500-2.5
11-	1600-2.5
12-	4800-2.5
15-	1300-2.5
17-	3500-3.0
18-	1500-2.5
19-	1600-2.5
20-	1000-3.0
21-	1000-2.5
22-	3700-3.0
23-	4000-3.0
24-	1300-3.5
25-	1500-3.0
26-	0800-2.5
27-	0600-3.0

MOSC LA POSTA

2.0 CM


MOSC LA POSTA

8.6 MM

STANFORD

MAGNETOGRAM

Solid - Plus; zero level  
Dashed - Minus



E  
E  
E  
E  
E


1543 UT

Sp Ant. Temp. Unit 100°K

1449 UT




Sp Ant. Temp. Unit 100°K

Levels  
0 μT  
+ 50  
+ 100  
+ 200  
•••




0228 UT-JUL 6, 1979

JULY 6, 1979 (P = -0.70, B<sub>0</sub> = 3.38, L<sub>0</sub> = 147.83)



06


Boulder



BOULDER

Np


SUNSPOTS



McMATH-HULBERT

Np

CALCIUM REPORT



GOOD	S
04-	1800-3.0
08-	3200-2.5
11-	1500-2.5
12-	4300-2.5
17-	4100-3.0
18-	1600-3.0
19-	1900-2.5
20-	1000-3.0
21-	1200-2.5
22-	4000-3.0
23-	4000-3.5
24-	1600-3.0
25-	2000-3.0
26-	0600-2.5
27-	0600-3.0

PROMINENCES

1430 UT

1353 UT


1145 UT

MOSC LA POSTA

2.0 CM

NOSC LA POSTA

8.6 MM




E  
E  
E  
E

1634 UT

Sp Ant. Temp. Unit 100°K

┌



E  
E  
E  
E

1536 UT

Sp Ant. Temp. Unit 100°K


┌

STANFORD

Np




MAGNETOGRAM

Solid - Plus; zero level  
Dashed - Minus








Levels  
0  $\mu$ T  
± 50  
± 100  
± 200  
•••

JULY 7, 1979 (P = -0.24, B<sub>0</sub> = 3.49, L<sub>0</sub> = 134.59)




Levels  
5  
+ 10  
+ 20  
+ 40  
+ 80

07



FAIR	S
08-	3000-2.0
11-	1400-2.5
12-	4500-2.5
17-	4300-3.5
18-	1200-3.0
20-	1100-3.0
21-	1300-2.5
22-	4000-3.0
23-	4000-3.5
24-	1600-3.5
25-	2300-3.0
26-	0400-2.5
27-	0800-3.0

**MAGNETOGRAM**  
Solid - Plus; zero level  
Dashed - Minus



8.6 MM

Np

**NOSC LA POSTA**

2.0 CM

Np

**NOSC LA POSTA**




NO DATA

NO DATA

SCHEDULE




SCHEDULE

Levels  
0  $\mu$ T  
+ 50  
+ 100  
+ 200






JULY 8, 1979 (P=0.21,  $B_o = 3.59$ ,  $L_o = |21.36|$ )




08


Boulder



Boulder



Boulder



MOSC LA POSTA

Np

2.0 CM

MOSC LA POSTA

Np


8.6 MM

STANFORD

Np

MAGNETOGRAM

Solid - Plus; zero level  
Dashed - Minus



NO DATA

SCHEDULE

W E

SCHEDULE

W E

NO DATA

W

----- UT



----- UT






----- UT

Ant. Temp. Unit 100°K





Ant. Temp. Unit 100°K

Levels  
0  $\mu$ T  
+ 50  
 $\pm$  100  
 $\pm$  200  
•••

JULY 9, 1979 (P = 0.66,  $B_0 = 3.70$ ,  $L_0 = 108.12$ )




O9  
Boulder



POOR	M
12- 4500-3.0	
17- 3800-3.0	
18- 1200-2.5	
20- 1300-2.5	
21- 1300-2.5	
22- 3700-3.0	
23- 4300-3.0	
24- 1600-2.5	
25- 2800-2.5	
27- 1400-3.5	

MAGNETOGRAM  
Solid - Plus; zero level  
Dashed - Minus



8.6 MM

2.0 CM

NOSC LA POSTA

NOSC LA POSTA


NO DATA

NO DATA

EQUIPMENT

EQUIPMENT

EQUIPMENT



Levels  
0  $\mu$ T  
+ 50  
+ 100  
+ 200

NO DATA

NO DATA

NO DATA

EQUIPMENT

EQUIPMENT




EQUIPMENT

Ant. Temp. Unit 100° K

Ant. Temp. Unit 100° K

Ant. Temp. Unit 100° K

JULY 10, 1979 (P = 1.11,  $B_0 = 3.80$ ,  $L_0 = 94.89$ )




Levels  
 + 5  
 + 10  
 + 20  
 + 40  
 + 80

MAGNETOGRAM  
 Bright - Plus  
 Dark - Minus


MAGNETOGRAM  
 Solid - Plus  
 Dotted - Minus

DELTA TAY =  
 DELTA TAX =

IO  
Boulder




Boulder



SUNSPOTS

PROMINENCES

McMATH-HULBERT




CALCIUM REPORT

GOOD	M
12-	3700-2.5
15-	1100-2.5
17-	2500-2.5
19-	1000-2.5
20-	1500-3.0
21-	1300-2.5
22-	3700-3.0
23-	4500-3.5
24-	1400-3.0
25-	2800-2.5
27-	1500-3.5
33-	0800-3.0

MAGNETOGRAM

Solid - Plus; zero level  
Dashed - Minus

STANFORD





NOSC LA POSTA

2.0 CM

NOSC LA POSTA

8.6 MM






Levels  
0  $\mu$ T  
+ 50  
 $\pm$  100  
 $\pm$  200

Sp Ant. Temp. Unit 100° K

Sp Ant. Temp. Unit 100° K



JULY 11, 1979 (P = 1.57, B<sub>o</sub> = 3.90, L<sub>o</sub> = 81.65)







Levels  
+ 5  
+ 10  
+ 20  
+ 40  
+ 80

MAGNETOGRAM  
Bright-Plus  
Dark-Minus




MAGNETOGRAM  
Solid-Plus  
Dotted-Minus

DELTA TAY = 12.7  
DELTA TAX = 9.7



GOOD	M
12-	3000-2.0
20-	1800-2.5
21-	1300-2.5
22-	3700-3.0
23-	4500-3.5
24-	1200-2.5
27-	2100-3.0
33-	1300-3.0
37-	0500-2.5

PROMINENCES



MAGNETOGRAM  
Solid - Plus; zero level  
Dashed - Minus

Levels  
0  $\mu$ T  
± 50  
± 100  
± 200

|||||

|||||

Sp Ant. Temp. Unit 100° K




Sp Ant. Temp. Unit 100° K

Sp Ant. Temp. Unit 100° K




JULY 12, 1979 (P = 2.02, B<sub>o</sub> = 4.00, L<sub>o</sub> = 68.42)


SACRAMENTO PEAK      Np      CORONA (1.15 R<sub>o</sub>)  
5303 Å



I2 Boulder



H $\alpha$




BOULDER

SUNSPOTS

McMATH-HULBERT


CALCIUM REPORT




POOR	M
15-	1100-3.0
20-	1800-2.5
21-	1300-2.5
22-	3000-3.0
23-	5000-3.5
24	1000-2.5
27-	2100-3.0
33-	1200-2.5
35-	0400-2.5
37-	1900-2.5
39-	0500-2.5

PROMINENCES


MOSC LA POSTA



MOSC LA POSTA



STANFORD



MAGNETOGRAM  
Solid - Plus; zero level  
Dashed - Minus

E L L L L

1632 UT

Sp Ant. Temp. Unit 100°K




E L L L L

1527 UT


Sp Ant. Temp. Unit 100°K

Levels  
0  $\mu$ T  
+ 50  
+ 100  
+ 200  
•••


JULY 13, 1979 (P = 2.46, B<sub>0</sub> = 4.10, L<sub>0</sub> = 55.18)



13  
Big Bear




BOULDER




SUNSPOTS

McMATH-HULBERT




FAIR	S
22-	2400-3.0
23-	5500-3.5
24-	1200-2.5
27-	2400-3.0
37-	1800-3.0
39-	1600-3.0
40-	0300-2.5


MOSC LA POSTA



MOSC LA POSTA



STANFORD






Levels  
0  $\mu$ T  
+ 50  
+ 100  
+ 200  
•••





E L L L L

E L L L L

JULY 14, 1979 (P = 2.91, B<sub>0</sub> = 4.20, L<sub>0</sub> = 41.95)



14  
Boulder



POOR	M
22- 0900-3.0	
23- 5300-3.5	
24- 1200-2.5	
27- 2500-3.0	
37- 1800-3.0	
39- 2000-3.0	
40- 0300-2.5	


PROMINENCES

MOSC LA POSTA  
Np  
1355 UT

2.0 CM  
Np  
1335 UT

MOSC LA POSTA  
Np  
1335 UT

8.6 MM  
Np  
1355 UT



MAGNETOGRAM  
Solid - Plus; zero level  
Dashed - Minus

Levels  
0 μT  
± 50  
± 100  
± 200

NO DATA



SCHEDULE

NO DATA




SCHEDULE

Sp Ant. Temp. Unit 100° K

Sp Ant. Temp. Unit 100° K




JULY 15, 1979 (P = 3.36, B<sub>0</sub> = 4.30, L<sub>0</sub> = 28.72)



15

Big Bear




2005 UT

Np

H $\alpha$


BOULDER



1400 UT

Np

SUNSPOTS



1330 UT

McMATH-HULBERT

CALCIUM REPORT

FAIR	M
23- 5300-3.5	
27- 2800-3.0	
33- 1000-2.5	
37- 2000-3.0	
39- 2000-3.0	
40- 0300-3.0	
48- 2000-2.5	

PROMINENCES

1426 UT

MOSC LA POSTA

2.0 CM

Np


8.6 MM

Np

STANFORD

MAGNETOGRAM

Solid - Plus; zero level  
Dashed - Minus



Levels  
0  $\mu$ T  
± 50  
± 100  
± 200

1838 UT

NO DATA

SCHEDULE

NO DATA


SCHEDULE

Sp Ant. Temp. Unit 100°K

Sp Ant. Temp. Unit 100°K



UT





UT




JULY 16, 1979 (P = 3.80, B<sub>o</sub> = 4.40, L<sub>o</sub> = 15.48)

SACRAMENTO PEAK  
CORONA (1.15 R<sub>o</sub>)  
5303 Å



MAGNETOGRAM  
Bright - Plus  
Dark - Minus

KITT PEAK



MT. WILSON




DELTA Y = 12.7  
DELTA X = 9.4

Levels  
+ 5  
+ 10  
+ 20  
+ 40  
+ 80

16.53-17.89 UT




JULY 17, 1979 (P = 4.24, B<sub>0</sub> = 4.49, L<sub>0</sub> = 2.25)



17

Big Bear

Np




E

1754 UT

H $\alpha$

BOULDER

Np




NO DATA

Sp

SUNSPOTS

McMATH-HULBERT

Np



1230 UT

CALCIUM REPORT

GOOD	S
32-	0800-2.5
33-	1300-3.0
37-	2400-3.0
39-	2000-3.0
48-	2500-2.5
50-	0900-2.5
54-	0400-2.5


NOSC LA POSTA

E

2.0 CM

┌

Np



1729 UT


NOSC LA POSTA

E

8.6 MM

┌

Np




1633 UT

STANFORD

Np

MAGNETOGRAM

Solid - Plus; zero level  
Dashed - Minus






Levels  
0  $\mu$ T  
+ 50  
+ 100  
+ 200  
...

1951 UT

1951 UT


Sp

JULY 18, 1979 (P = 4.68, B<sub>0</sub> = 4.59, L<sub>0</sub> = 349.02)



18


Boulder



1440 UT

H $\alpha$


Boulder



1415 UT

SUNSPOTS

McMATH-HULBERT



1140 UT

CALCIUM REPORT

FAIR	M
37 -	2500-3.0
39 -	2200-3.0
48 -	2500-2.5
50 -	0900-2.5
53 -	3300-2.5
54 -	0500-3.0
56 -	0400-2.5

NOSC LA POSTA

2.0 CM


NOSC LA POSTA

8.6 MM

STANFORD

MAGNETOGRAM

Solid - Plus; zero level  
Dashed - Minus



1849 UT

E  
F  
L  
U  
----- UT

Sp Ant. Temp. Unit 100°K

E  
F  
L  
U  
----- UT

Sp Ant. Temp. Unit 100°K

Levels  
0  $\mu$ T  
± 50  
± 100  
± 200  
•••

E

WEATHER




WEATHER

WEATHER


NO DATA

NO DATA


JULY 19, 1979 (P = 5.12, B<sub>0</sub> = 4.68, L<sub>0</sub> = 335.79)




19  
Boulder



BOULDER



McMATH-HULBERT



CALCIUM REPORT


GOOD	M
37-3000-3.5	
39-2300-3.5	
48-2500-2.5	
53-3700-2.5	
54-0500-2.5	
56-0900-3.0	
60-0300-2.5	
61-0900-3.5	

MOSC LA POSTA


2.0 CM

MOSC LA POSTA

8.6 MM



STANFORD



MAGNETOGRAM

Solid - Plus; zero level  
Dashed - Minus

E L L L

1623 UT

E L L L

1510 UT




Levels  
0  $\mu$ T  
+ 50  
 $\pm$  100  
 $\pm$  200

Sp Ant. Temp. Unit 100°K


Sp Ant. Temp. Unit 100°K




JULY 20, 1979 (P = 5.56,  $B_0 = 4.77$ ,  $L_0 = 322.56$ )




20  
Boulder



Boulder




McMATH-HULBERT




CALCIUM REPORT

GOOD	M
37-3000-3.0	
39-2300-3.0	
48-2500-3.0	
53-3700-2.5	
54-0700-3.0	
55-0800-3.0	
56-1200-3.0	
60-0900-3.5	
61-1600-3.5	
64-2000-2.5	

MAGNETOGRAM  
Solid - Plus; zero level  
Dashed - Minus




MOSC LA POSTA 2.0 CM



Ant. Temp. Unit 100°K

MOSC LA POSTA 8.6 MM






Ant. Temp. Unit 100°K





PROMINENCES

Levels  
0  $\mu$ T  
+ 50  
+ 100  
+ 200  
• • •

JULY 21, 1979 (P = 5.99, B<sub>0</sub> = 4.86, L<sub>0</sub> = 309.33)




Boulder



GOOD	S
37-	3000-3.0
39-	2300-3.0
48-	2500-3.0
53-	3300-2.5
55-	1000-3.0
56-	1200-3.5
60-	1000-3.0
61-	1600-3.5
64-	1700-2.5
66-	0500-2.5

MAGNETOGRAM  
 Solid - Plus; zero level  
 Dashed - Minus



8.6 MM


NO DATA

NOSC LA POSTA

2.0 CM

NO DATA

NOSC LA POSTA



8.6 MM

NO DATA

NOSC LA POSTA

2.0 CM

NO DATA

NOSC LA POSTA

Levels  
 0  $\mu$ T  
 $\pm$  50  
 $\pm$  100  
 $\pm$  200




Ant. Temp. Unit 100° K

Ant. Temp. Unit 100° K







Ant. Temp. Unit 100° K

Ant. Temp. Unit 100° K

JULY 22, 1979 (P = 6.43, B<sub>0</sub> = 4.95, L<sub>0</sub> = 296.10)






1448 UT




JULY 23, 1979 (P = 6.86, B<sub>0</sub> = 5.04, L<sub>0</sub> = 282.87)


SACRAMENTO PEAK NP CORONA (1.15 R<sub>⊙</sub>)  
5303 Å




Boulder



Boulder



McMATH-HULBERT




CALCIUM REPORT


FAIR	M
39- 2000-3.0	
53- 2700-2.5	
55- 1000-3.0	
56- 1100-3.0	
61- 2700-3.5	
65- 1300-3.5	
66- 0900-3.0	

PROMINENCES

NOSC LA POSTA




NOSC LA POSTA



8.6 MM

STANFORD



MAGNETOGRAM

Solid - Plus; zero level  
Dashed - Minus

Levels  
0  $\mu$ T  
 $\pm$  50  
 $\pm$  100  
 $\pm$  200




Ant. Temp. Unit 100°K

1552 UT


1711 UT



JULY 24, 1979 (P = 7.28, B<sub>0</sub> = 5.12, L<sub>0</sub> = 269.64)




Boulder




H $\alpha$

BOULDER



SUNSPOTS

McMATH-HULBERT



CALCIUM REPORT

FAIR	M
39- 1800-3.0	
48- 2000-2.5	
53- 2300-2.5	
55- 0700-2.5	
56- 1300-3.5	
65- 1700-3.5	
66- 1200-3.0	
69- 1100-2.5	
71- 2800-3.5	

PROMINENCES

1437 UT

1430 UT

1430 UT


1437 UT

NOSC LA POSTA

2.0 CM

NOSC LA POSTA

8.6 MM



1818 UT

Ant. Temp. Unit 100°K


1717 UT

Ant. Temp. Unit 100°K

STANFORD

MAGNETOGRAM



Solid - Plus; zero level  
Dashed - Minus




Levels  
0  $\mu$ T  
+ 50  
 $\pm$  100  
 $\pm$  200  
...

1816 UT

JULY 25, 1979 (P = 7.71, B<sub>0</sub> = 5.21, L<sub>0</sub> = 256.41)



MAGNETOGRAM  
Bright - Plus  
Dark - Minus




MAGNETOGRAM  
Solid-Plus  
Dotted-Minus

DELTA TAY = 12.7  
DELTA TAX = 9.4


Levels  
+ 5  
+ 10  
+ 20  
+ 40  
+ 80

25


Boulder



BOULDER



McMATH-HULBERT



NOSC LA POSTA



2.0 CM

NOSC LA POSTA

8.6 MM

STANFORD

MAGNETOGRAM  
Solid - Plus; zero level  
Dashed - Minus





Ant. Temp. Unit 100° K

Ant. Temp. Unit 100° K

Ant. Temp. Unit 100° K


JULY 26, 1979 (P = 8.13, B<sub>0</sub> = 5.29, L<sub>0</sub> = 243.18)



MAGNETOGRAM  
Bright - Plus  
Dark - Minus

MT. WILSON


DELTA TAY = 12.7  
DELTA TAX = 9.4




MAGNETOGRAM  
Solid-Plus  
Dotted-Minus

Levels  
± 5  
± 10  
± 20  
± 40  
± 80

Boulder




Boulder



PROMINENCES

McMATH-HULBERT



GOOD	S
53-1700-3.0	
56-1200-3.0	
64-1700-2.5	
66-1000-2.5	
69-1400-2.5	
71-4000-3.5	
74-1000-2.5	

NOSC LA POSTA

2.0 CM


NOSC LA POSTA

8.6 MM

STANFORD

MAGNETOGRAM

Solid - Plus; zero level  
Dashed - Minus



1536 UT

Ant. Temp. Unit 100° K

1439 UT

Ant. Temp. Unit 100° K

1405 UT

1345 UT




1335 UT

1405 UT

1345 UT

1928 UT

JULY 27, 1979 (P = 8.55, B<sub>0</sub> = 5.37, L<sub>0</sub> = 229.95)



MAGNETOGRAM  
Bright-Plus  
Dark-Minus


MAGNETOGRAM  
Solid-Plus  
Dotted-Minus

DELTA TAY = 12.7  
DELTA TAX = 9.4


Levels  
+1 5  
+1 10  
+1 20  
+1 40  
+1 80

27


Big Bear



Boulder




McMATH-HULBERT




GOOD	S
53-	1900-3.0
56-	1300-2.5
64-	1900-3.0
66-	0900-2.5
69-	1400-2.5
71-	4200-3.5
75-	1000-2.5


NOSC LA POSTA



NOSC LA POSTA






STANFORD






JULY 28, 1979 (P = 8.96, B<sub>0</sub> = 5.45, L<sub>0</sub> = 216.72)




Big Bear



H $\alpha$

BOULDER




SUNSPOTS

PROMINENCES

1530 UT

McMATH-HULBERT



CALCIUM REPORT

FAIR	M
53- 1800-3.0	
56- 1400-2.5	
64- 1900-3.5	
66- 0900-3.0	
69- 1500-3.0	
71- 4500-3.5	
74- 1900-2.5	
75- 1200-3.0	


NOSC LA POSTA

2.0 CM

NOSC LA POSTA

8.6 MM

MAGNETOGRAM  
Solid - Plus; zero level  
Dashed - Minus



Levels  
0  $\mu$ T  
+ 50  
+ 100  
+ 200

1850 UT


NOSC LA POSTA

2.0 CM

NOSC LA POSTA

8.6 MM

MAGNETOGRAM  
Solid - Plus; zero level  
Dashed - Minus



Levels  
0  $\mu$ T  
+ 50  
+ 100  
+ 200

1850 UT


NOSC LA POSTA

2.0 CM

NOSC LA POSTA

8.6 MM

MAGNETOGRAM  
Solid - Plus; zero level  
Dashed - Minus



Levels  
0  $\mu$ T  
+ 50  
+ 100  
+ 200

1850 UT


NOSC LA POSTA

2.0 CM

NOSC LA POSTA

8.6 MM




MAGNETOGRAM  
Solid - Plus; zero level  
Dashed - Minus



Levels  
0  $\mu$ T  
+ 50  
+ 100  
+ 200




1850 UT

JULY 29, 1979 (P=9.37,  $B_0 = 5.53$ ,  $L_0 = 203.50$ )






JULY 30, 1979 (P = 9.78, B<sub>0</sub> = 5.61, L<sub>0</sub> = 190.27)



30

Big Bear



BOULDER


Np

SUNSPOTS

McMATH-HULBERT

Np

CALCIUM REPORT



FAIR	S
64- 2000-3.5	
69- 1500-3.0	
71- 4500-3.0	
74- 2500-2.5	
75- 1500-3.0	

H $\alpha$

Np

BOULDER

Np

SUNSPOTS

McMATH-HULBERT

Np

CALCIUM REPORT

NOSC LA POSTA

Np

2.0 CM

NOSC LA POSTA

Np


8.6 MM

STANFORD

Np

MAGNETOGRAM

Solid - Plus; zero level  
Dashed - Minus



NO DATA

EQUIPMENT

2.0 CM

NOSC LA POSTA

Np


8.6 MM

STANFORD

Np

MAGNETOGRAM

Solid - Plus; zero level  
Dashed - Minus



NO DATA

NO DATA

E

EQUIPMENT

Np

NO DATA

8.6 MM

STANFORD



Np

MAGNETOGRAM

Solid - Plus; zero level  
Dashed - Minus

W

Sp



Ant. Temp. Unit 100° K




Ant. Temp. Unit 100° K

Ant. Temp. Unit 100° K


Ant. Temp. Unit 100° K

Ant. Temp. Unit 100° K


JULY 31, 1979 (P = 10.19, B<sub>0</sub> = 5.69, L<sub>0</sub> = 177.04)




Boulder



Boulder




Boulder




Calcium Report

POOR	S
64-	1500-3.5
69-	1000-3.0
71-	4500-3.0
74-	2800-2.5
75-	1500-2.5


NOSC LA POSTA



NOSC LA POSTA



STANFORD





REGIONS OF SOLAR ACTIVITY

JULY 1979

MCMATH REGION 16104				CMP DATE 1.0				RETURN OF REGION 16046				ROTATION 2				
				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	6	24	16104	N14 E88	212	1200	2.5	20696	N14 E86	214	AP	3	B	60	1	HSX
79	6	25	16104	N15 E80	208	1600	3.5	20696	N16 E75	212	AP	3	B	150	2	DSO
79	6	26	16104	N15 E65	209	2800	3.5	20696	N16 E60	214	BP	5	B	180	1	HSX
79	6		16104						N17 E63				B	60	5	DSO
79	6	27	16104	N16 E49	211	2500	3.5	20696	N16 E48	211	(BP)	5	B	160	3	CSO
79	6		16104						N18 E46				B	60	6	CSO
79	6	28	16104	N16 E36	212	2800	3.0	20696	N15 E33	213	(AP)	5	B	170	1	HSX
79	6		16104						N17 E36				B	50	10	CSO
79	6	29	16104	N16 E21	213	2200	3.0	20696	N16 E19	214	(BP)	5	B	130	1	HSX
79	6		16104						N09 E21				B	20	3	BXO
79	6	30	16104					20696	N15 E06	215	(BP)	5	B	180	3	CSO
79	6		16104						N18 E08				B	40	7	DSO
79	7	1	16104					20696	N14 W06	212	(BY)	4				
79	7	2	16104	N17 W23	213	2300	3.0	20696	N14 W22	214	(BY)	4	B	200	13	DSI
79	7	3	16104	N17 W35	214	2500	3.0	20696	N14 W34	213	(BY)	5	B	220	9	DSI
79	7	4	16104	N17 W47	213	2500	3.0	20696	N14 W46	212	(Y)	4	B	140	5	CSI
79	7	5	16104	N17 W60	214	2100	3.0	20696	N14 W59	212	(B)	4	B	120	3	CSO
79	7		16104						N10 W68	221	(B)	2				
79	7	6	16104	N17 W73	214	1800	3.0	20696	N14 W72	212	(AP)	4	B	150	2	CSO
79	7	7	16104	N17 W86	213	900	1.5	20696	N14 W85	211	AP	3				

MCMATH REGION 16129				CMP DATE 2.4												
				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	5	16129	N32 W41	195	100	1.0									
79	7	6	16129	N32 W53	194	100	1.5									

MCMATH REGION 16126				CMP DATE 2.8												
				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	2	16126	N10 E00	190	400	2.0									
79	7	3	16126	N10 W12	191	700	2.5	20716	N10 W12	191	(BY)	3	B	100	16	DSI
79	7	4	16126	N10 W25	191	1000	3.0	20716	N09 W26	192	(BY)	3	B	30	12	CRI
79	7	5	16126	N10 W38	192	800	2.5	20716	N09 W39	192	(B)	3	B	10	3	BXO
79	7	6	16126	N10 W53	194	600	2.5									
79	7	7	16126	N11 W66	193	400	2.5									
79	7	8	16126	N10 W79	192	400	2.0									

MCMATH REGION 16108				CMP DATE 3.5				RETURN OF REGION 16051				ROTATION 7				
				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	6	26	16108	N18 E85	189	1000	1.5									
79	6	27	16108	N18 E70	190	1600	2.5									
79	6	28	16108	N20 E56	192	3300	3.0									
79	6	29	16108	N20 E43	191	3000	3.0									
79	6	30	16108					20711	N09 E28	193	(AP)	3				
79	7	2	16108	N22 E10	180	3600	3.0									
79	7	3	16108	N22 W02	181	3200	3.0									
79	7	4	16108	N22 W16	182	3500	2.5									
79	7	5	16108	N22 W27	181	3500	2.5									
79	7	6	16108	N23 W39	180	3200	2.5									
79	7	7	16108	N23 W52	179	3000	2.0									
79	7	8	16108	N23 W66	179	1900	2.0									

MCMATH REGION 16111				CMP DATE 4.0				RETURN OF REGION 16056				ROTATION 3				
				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	6	27	16111	N05 E88	172	300	2.0									
79	6	28	16111	N05 E73	175	1500	3.5	20705	N04 E69	177	(BP)	4	B	70	8	CAO
79	6	29	16111	N05 E59	175	1300	3.5	20705	N04 E56	177	(BP)	4	B	50	5	CRO
79	6	30	16111					20705	N04 E42	179	(BP)	3	B	60	9	DSO
79	7	1	16111					20705	N04 E29	177	(B)	3				
79	7	2	16111	N06 E18	172	1900	3.0	20705	N04 E17	175	(B)	2	B	20	8	DRO
79	7	3	16111	N06 E05	174	1600	2.5	20705	N04 E01	178	(AF)	2	B	40	6	DSO
79	7	4	16111	N07 W08	174	1600	2.5	20705	N05 W10	176	(B)	2	B	10	9	BXO
79	7	5	16111	N07 W20	174	1600	2.5	20705	N05 W18	171	B	2	B	10	4	BXO

CONTD

REGIONS OF SOLAR ACTIVITY

JULY 1979

MCMATH REGION 16111 (CONT) CMP DATE 4.0 RETURN OF REGION 16056 ROTATION 3

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS	
79	7	6	16111	N07 W34	175	1500	2.5	20705	N06 W32	172	(AP)	2				
79	7	7	16111	N07 W47	174	1400	2.5	20705	N06 W50	176	(AP)	2	B	0	1	AXX
79	7	8	16111	N07 W60	173	1400	2.5									
79	7	9	16111	N08 W73	172	1500	1.5									

MCMATH REGION 16117 CMP DATE 4.2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS	
79	6	28	16117	N18 E72	176	1800	3.5	20706	N17 E74	172	(B)	4	B	250	15	DAO
79	6	29	16117	N18 E58	176	3000	3.5	20706	N18 E60	173	(B)	4	B	380	13	EAO
79	6	30	16117					20706	N18 E45	176	(B)	4	B	450	25	EKI
79	7	1	16117					20706	N18 E33	173	(B)	4				
79	7	2	16117	N18 E20	170	3500	3.5	20706	N18 E18	174	(D)	4	B	610	46	EKI
79	7	3	16117	N18 E08	171	3700	3.0	20706	N17 E03	176	(D)	4	B	580	47	EKI
79	7	4	16117	N18 W05	171	3800	3.5	20706	N17 W10	176	(BY)	4	B	250	28	EAI
79	7	5	16117	N18 W18	172	3500	3.0	20706	N17 W24	177	(BP)	4	B	140	26	FAI
79	7	6	16117	N18 W33	174	4100	3.0	20706	N17 W38	178	(BP)	4	B	140	21	FAO
79	7	7	16117	N18 W45	172	4300	3.5	20706	N17 W51	177	(BP)	4				
79	7	8	16117	N18 W58	171	3800	3.5	20706	N18 W67	180	(AP)	2				
79	7	9	16117	N18 W73	172	3800	3.0	20706	N18 W80	180	AP	2	B	60	2	CSD
79	7	10	16117	N20 W86	173	2500	2.5									

MCMATH REGION 16131 CMP DATE 4.9

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS	
79	7	8	16131	S07 W48	161	200	2.5	20733	S07 W50	163	(B)	2	B	10	2	AXX
79	7	9	16131	S07 W62	161	100	1.0									

MCMATH REGION 16128 CMP DATE 5.0

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS	
79	7	5	16128	N11 W07	161	200	1.5		N11 W09			B	10	3	BXO	
79	7	6	16128	N11 W20	161	200	1.0									

MCMATH REGION 16112 CMP DATE 5.3 RETURN OF REGION 16052 ROTATIONS 5 AND 3

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS	
79	6	28	16112	S23 E85	163	1200	2.3	20707	S23 E75	171	(AP)	4	B	320	2	CHO
79	6	29	16112	S24 E75	159	2100	2.5	20707	S22 E62	171	(AP)	5	B	300	2	CSO
79	6		16112						S27 E79			B	10	1	AXX	
79	6	30	16112					20707	S22 E51	170	(AP)	5	B	300	1	HHX
79	6		16112					20712	S28 E70	151	(B)	2	B	10	2	BXO
79	7	1	16112					20707	S22 E39	167	(AP)	5				
79	7	2	16112	S24 E34	156	5300	3.0	20707	S22 E27	165	(AP)	5	B	410	2	HHX
79	7	3	16112	S24 E21	158	5000	2.5	20707	S22 E13	166	(AP)	5	B	310	1	HHX
79	7		16112					20717	S18 E11	168	(AF)	3	B	10	1	HRX
79	7	4	16112	S24 E10	156	5000	2.5	20707	S22 E01	165	(AP)	5	B	240	2	HHX
79	7		16112					20717	S17 W03	169	(AF)	2				
79	7		16112					20722	S24 W05	171	(AP)	2				
79	7	5	16112	S23 W01	155	4800	2.5	20707	S22 W12	165	(AP)	5	B	330	1	HHX
79	7	6	16112	S23 W15	156	4300	2.5	20707	S22 W25	165	(AP)	5	B	260	2	HHX
79	7	7	16112	S23 W28	155	4500	2.5	20707	S22 W37	163	(BP)	5	B	300	2	HHX
79	7		16112					20731	S24 W25	151	(AF)	2				
79	7	8	16112	S23 W41	154	4500	3.0	20707	S22 W51	164	(BP)	5	B	330	7	HHX
79	7	9	16112	S23 W54	153	4500	3.0	20707	S22 W63	163	(BP)	3	B	390	17	DHI
79	7	10	16112	S24 W67	154	3700	2.5	20707	S22 W75	162	BP	3	B	320	5	CHO
79	7	11	16112	S25 W80	155	3000	2.0									

MCMATH REGION 16116 CMP DATE 5.5 RETURN OF REGION 16063 ROTATION 2

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
79	6	29	16116	S38 E88	146	500	1.5								
79	7	2	16116	S38 E36	154	200	1.0								

CONTD

## REGIONS OF SOLAR ACTIVITY

JULY 1979

MCMATH REGION 16116				(CONT)	CMP DATE 5.5				RETURN OF REGION 16063				ROTATION 2			
				CALCIUM	PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS	
79	7	3	16116	S38 E23	156	100	1.0									
79	7	4	16116	S38 E12	154	100	1.0									

MCMATH REGION 16118					CMP DATE 5.6				RETURN OF REGION 16063				ROTATION 2			
				CALCIUM	PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS	
79	7	1	16118					20713	S15 E54	152	(B)	3				
79	7	2	16118	S14 E38	152	2100	3.0	20713	S15 E40	152	(B)	3	B	160	12	
79	7	3	16118	S14 E26	153	1700	2.5	20713	S15 E26	153	(B)	3	B	140	13	
79	7	4	16118	S14 E14	152	1500	2.5	20713	S15 E12	154	(B)	2	B	40	6	
79	7	5	16118	S15 E01	153	1500	2.5	20713	S15 W04	157	(B)	2	B	10	5	
79	7	6	16118	S15 W14	155	1600	3.0	20713	S15 W16	156	(BP)	3	B	10	5	
79	7	7	16118	S14 W27	154	1200	3.0	20713	S15 W28	154	(AP)	2	B	20	3	
79	7	8	16118	S14 W41	154	1200	2.5									
79	7	9	16118	S14 W56	155	1200	2.5									
79	7	10	16118	S16 W70	157	1200	2.0									
79	7	11	16118	S17 W83	158	1100	2.0									

MCMATH REGION 16115					CMP DATE 5.9				RETURN OF REGION 16057				ROTATION 5			
				CALCIUM	PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS	
79	6	29	16115	N04 E88	146	800	1.5	20709	N05 E85	148	(AP)	3	B	130	1	
79	6	30	16115					20709	N05 E72	149	(AP)	4	B	150	1	
79	7	1	16115					20709	N05 E58	148	(AP)	5				
79	7	2	16115	N04 E44	146	1400	2.5	20709	N05 E45	147	(AP)	4	B	140	1	
79	7	3	16115	N04 E30	149	1100	2.5	20709	N05 E31	148	(AP)	5	B	140	2	
79	7	4	16115	N04 E18	148	1100	2.0	20709	N04 E17	149	(AP)	4	B	120	1	
79	7	5	16115	N04 E06	148	1300	2.5	20709	N04 E05	148	(AP)	5	B	150	1	
79	7	6	16115	N04 W07	148	1100	2.0	20709	N04 W08	148	(AP)	5				
79	7	7	16115	N04 W20	147	1000	2.0	20709	N05 W22	148	(AP)	4	B	130	1	
79	7	8	16115	N04 W33	146	1100	2.0	20709	N05 W37	150	(BP)	5	B	130	3	
79	7	9	16115	N04 W47	146	1100	2.0	20709	N05 W48	148	(AP)	5				
79	7		16115					20734	N08 W42	142	(B)	1	B	140	3	
79	7	10	16115	N04 W61	148	1100	2.5	20709	N05 W61	148	(AP)	4	B	140	1	
79	7	11	16115	N04 W74	149	1200	2.0	20709	N05 W75	149	(AP)	3	B	140	1	
79	7	12	16115	N05 W86	147	1100	3.0									

MCMATH REGION 16114					CMP DATE 6.1				RETURN OF PART OF REGION 16058				ROTATIONS 4 AND 5			
				CALCIUM	PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS	
79	6	29	16114	N20 E88	146	500	1.5									
79	7	2	16114	N21 E44	146	500	1.5									
79	7	3	16114	N22 E32	147	400	2.0									
79	7	4	16114	N22 E20	146	400	1.5									
79	7	5	16114	N22 E08	146	700	2.0									
79	7	6	16114	N22 W05	146	700	2.0									
79	7	7	16114	N22 W18	145	500	2.0									
79	7	8	16114	N22 W33	146	600	2.0									
79	7	9	16114	N23 W47	146	600	2.0									
79	7	10	16114	N23 W60	147	600	2.0									
79	7	11	16114	N24 W72	147	600	1.5									
79	7	12	16114	N24 W85	146	400	1.0									

MCMATH REGION 16119					CMP DATE 6.9				RETURN OF PART OF REGIONS 16058				ROTATIONS 4 AND 5			
				CALCIUM	PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS	
79	7	2	16119	N16 E56	134	1600	2.5									
79	7	3	16119	N16 E44	135	1300	2.0	20718	N08 E42	137	(B)	3	B	50	3	
79	7	4	16119	N15 E32	134	1200	2.0	20718	N08 E27	139	(B)	3	B	40	5	
79	7	5	16119	N14 E18	136	1600	2.5	20718	N08 E13	140	(B)	3	B	10	4	
79	7	6	16119	N15 E05	136	1900	2.5	20718	N08 W01	141	(B)	2				
79	7	7	16119	N15 W08	135	1700	2.0	20732	N09 W03	129	(B)	3				
79	7	8	16119	N15 W21	134	1800	2.0									
79	7	9	16119	N15 W36	135	1100	2.0									
79	7	10	16119	N15 W50	137	1000	2.5									
79	7	11	16119	N15 W63	138	1100	2.0									
79	7	12	16119	N15 W76	137	800	2.0									

REGIONS OF SOLAR ACTIVITY

JULY 1979

MCMATH REGION 16120

CMP DATE 7.6

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	1	16120					20714	N22 E75	131	(AP)	3				
79	7	2	16120	N24 E63	127	600	3.0	20714	N23 E62	130	(BP)	4	B	60	1	HSX
79	7	3	16120	N24 E52	127	700	3.0	20714	N23 E50	129	(BP)	4	B	180	5	HSX
79	7	4	16120	N24 E40	126	700	3.0	20714	N23 E37	129	(BP)	4	B	100	4	HSX
79	7	5	16120	N24 E27	127	1000	3.0	20714	N22 E24	129	(BP)	4	B	120	5	CAO
79	7	6	16120	N24 E14	127	1000	3.0	20714	N23 E11	129	(BP)	4	B	110	5	CSO
79	7	7	16120	N24 E01	126	1100	3.0	20714	N23 W02	128	(BP)	4	B	80	3	HSX
79	7	8	16120	N24 W12	125	1300	3.0	20714	N23 W16	129	(BP)	4	B	100	2	HSX
79	7	9	16120	N25 W26	125	1300	2.5	20714	N22 W30	130	(BY)	4	B	90	5	CAO
79	7	10	16120	N25 W40	127	1500	3.0	20714	N22 W42	129	(D)	4	B	110	6	DSI
79	7	11	16120	N25 W52	127	1800	2.5	20714	N22 W55	129	(AP)	3	B	110	7	DAI
79	7	12	16120	N25 W65	126	1800	2.5	20714	N23 W67	127	(AP)	3	B	50	2	HSX
79	7	13	16120	N24 W78	125	1400	1.5	20714	N22 W78	125	AP	2	B	70	1	HSX

MCMATH REGION 16122

CMP DATE 8.2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	1	16122					20715	N10 E80	126	(AP)	3				
79	7	2	16122	N08 E72	118	4000	3.5	20715	N10 E70	122	(BP)	5	B	590	5	EKO
79	7	3	16122	N09 E60	119	4000	3.5	20715	N09 E55	124	(BP)	5	B	380	10	CKO
79	7		16122					20720	N09 E64	115	(B)	3	B	160	9	DSI
79	7	4	16122	N09 E49	117	4000	3.5	20715	N10 E41	125	(D)	5	B	420	9	HXX
79	7		16122					20720	N09 E49	117	(B)	3	B	30	13	BXI
79	7	5	16122	N09 E36	118	3700	3.0	20715	N10 E29	124	(D)	5	B	430	11	DAO
79	7		16122					20720	N09 E35	118	(B)	3	B	40	16	CSI
79	7	6	16122	N10 E22	119	4000	3.0	20715	N11 E16	124	(D)	5				
79	7	7	16122	N10 E09	118	4000	3.0	20715	N11 E03	123	(BY)	5	B	320	15	CHI
79	7	8	16122	N10 W07	120	3700	3.0	20715	N11 W12	125	(D)	5	B	380	18	HXX
79	7	9	16122	N11 W20	119	3700	3.0	20715	N11 W25	125	(AP)	5	B	360	20	CKO
79	7	10	16122	N11 W33	120	3700	3.0	20715	N11 W37	124	(AP)	5	B	380	9	DHO
79	7	11	16122	N11 W45	120	3700	3.0	20715	N11 W51	125	(AP)	5	B	290	4	CHO
79	7	12	16122	N10 W58	119	3000	3.0	20715	N11 W65	125	(AP)	5	B	300	2	HSX
79	7	13	16122	N11 W71	118	2400	3.0	20715	N11 W76	123	(AP)	4	B	140	1	HSX
79	7	14	16122	N10 W84	119	900	3.0									

MCMATH REGION 16121

CMP DATE 8.4

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	2	16121	N17 E74	116	1300	3.0									
79	7	3	16121	N17 E61	118	1200	3.0	20719	N18 E58	121	(B)	2	B	10	3	BXO
79	7	4	16121	N17 E49	117	1000	3.0	20719	N17 E45	121	(AP)	2				
79	7	5	16121	N17 E37	117	1000	2.5	20719	N17 E30	123	B	2	B	0	2	AXX
79	7	6	16121	N18 E25	116	1200	2.5	20730	N17 E28	112	(B)	3	B	40	12	DAO
79	7	7	16121	N17 E12	115	1300	2.5	20730	N18 E12	114	(BY)	4	B	40	8	CAO
79	7	8	16121	N17 W01	114	1300	2.5	20730	N18 W03	116	(BP)	3	B	30	4	GRO
79	7	9	16121	N17 W15	114	1300	2.5	20735	N16 W09	109	(AF)	2	B	10	2	BXO
79	7	10	16121	N17 W28	115	1300	2.5	20736	N18 W27	114	(B)	2				
79	7	11	16121	N17 W40	115	1300	2.5		N20 W42				B	0	1	AXX
79	7	12	16121	N17 W53	114	1300	2.5									
79	7	13	16121	N17 W67	114	1300	1.5									
79	7	14	16121	N17 W80	115	600	1.0									

MCMATH REGION 16123

CMP DATE 9.9

RETURN OF REGION 16067

ROTATION 3

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	3	16123	N17 E80	99	4500	3.5	20721	N13 E79	100	(AP)	3	B	30	2	HSX
79	7	4	16123	N16 E68	98	4300	3.5	20721	N13 E66	100	(BP)	3	B	130	2	CSO
79	7		16123					20726	N17 E70	96	(AF)	3				
79	7	5	16123	N16 E54	100	4000	3.0	20728	N13 E54	99	(BP)	4	B	210	5	DAI
79	7		16123					20728	N20 E57	96	(AF)	2	B	0	1	AXX
79	7	6	16123	N17 E42	99	4000	3.5	20721	N12 E40	100	(BP)	4				
79	7		16123					20728	N21 E43	97	(B)	4				
79	7	7	16123	N17 E29	98	4000	3.5	20721	N13 E27	99	(BP)	5	B	200	11	OSI
79	7		16123					20728	N22 E30	96	(B)	3	B	70	9	DAO
79	7	8	16123	N17 E16	97	4500	3.0	20721	N13 E12	101	(AP)	4	B	140	9	CSO
79	7		16123					20728	N22 E16	97	(B)	4	B	40	11	GRI
79	7	9	16123	N17 E03	96	4300	3.0	20721	N13 W02	102	(AP)	4	B	100	1	HSX
79	7		16123					20728	N22 E02	98	(B)	2	B	60	17	GRI
79	7	10	16123	N18 W10	97	4500	3.5	20721	N13 W14	101	(AP)	4	B	90	3	CSO
79	7		16123					20728	N21 W09	96	(B)	2	B	150	23	ORI

CONTD

REGIONS OF SOLAR ACTIVITY

JULY 1979

MCMATH REGION 16123				(CONT)	CMP DATE 9.9				RETURN OF REGION 16067				ROTATION 3			
				CALCIUM	PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	11	16123	N19 W22	97	4500	3.5	20721	N13 W27	101	(BP)	4	8	140	14	CSO
79	7		16123					20728	N22 W21	95	(B)	4	8	60	26	ESO
79	7	12	16123	N19 W35	96	5000	3.5	20721	N13 W41	101	(AP)	4	8	80	3	HSX
79	7		16123					20728	N22 W35	95	(B)	3	8	100	21	DAO
79	7		16123					20740	N17 W34	94	(B)	3	9	30	6	CRO
79	7	13	16123	N19 W49	96	5500	3.5	20721	N13 W54	101	(AP)	4	8	70	1	HSX
79	7		16123					20728	N21 W47	94	(B)	3	8	50	13	CRI
79	7		16123					20740	N17 W45	92	(AP)	2	8	50	13	CRI
79	7	14	16123	N19 W62	97	5300	3.5	20721	N13 W67	101	(AF)	4	8	90	6	DSO
79	7		16123					20728	N21 W60	94	(BF)	3	8	120	9	DAO
79	7		16123					20740	N17 W58	92	(AF)	2				
79	7	15	16123	N19 W75	96	5300	3.5	20721	N13 W80	101	AP	2	8	100	3	OSO
79	7		16123					20728	N21 W76	97	B	2	8	30	4	BXO
79	7		16123					20740	N17 W72	93	(B)	2				
79	7	16	16123	N21 W88	97	800	2.5									

MCMATH REGION 16124					CMP DATE 10.3				RETURN OF REGION 16065				ROTATION 3			
				CALCIUM	PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	3	16124	S18 E90	89	500	1.5		S19 E88				8	30	1	HSX
79	7	4	16124	S20 E80	86	1500	3.5	20724	S17 E73	93	(AP)	3				
79	7		16124					20725	S15 E73	93	(X)	2	B	70	2	CSO
79	7	5	16124	S16 E65	89	1300	3.5	20724	S18 E60	93	(AP)	3	B	80	3	DSO
79	7		16124					20725	S15 E63	90	(AF)	2				
79	7	6	16124	S16 E52	89	1600	3.0	20724	S17 E48	92	(BP)	4	8	100	8	DAO
79	7	7	16124	S17 E38	89	1600	3.5	20724	S17 E34	92	(AP)	4	8	100	5	CSO
79	7	8	16124	S16 E22	91	1600	3.0	20724	S18 E21	92	(BP)	4	8	70	4	CSO
79	7	9	16124	S16 E08	91	1600	2.5	20724	S18 E08	92	(BP)	4	8	70	2	CSO
79	7	10	16124	S15 W04	91	1400	3.0	20724	S17 W05	92	(AP)	3	8	80	1	HSX
79	7	11	16124	S15 W15	90	1200	2.5	20724	S17 W17	91	(BP)	4	8	110	2	CSO
79	7	12	16124	S15 W28	89	1000	2.5	20724	S17 W30	90	(AP)	3	8	70	1	HSX
79	7	13	16124	S15 W42	89	1200	2.5	20724	S17 W47	94	(AP)	4	8	100	1	HSX
79	7		16124					20742	S13 W52	99	(AF)	3	8	0	1	AXX
79	7	14	16124	S15 W54	89	1200	2.5	20724	S17 W56	90	(AP)	4	8	50	2	HSX
79	7	15	16124	S15 W67	88	1300	2.0	20724	S17 W68	89	(AP)	3	8	40	1	HSX
79	7	16	16124	S15 W81	90	300	1.0	20724	S17 W82	90	AP	2				

MCMATH REGION 16125					CMP DATE 10.4				SUNSPOT DATA							
				CALCIUM	PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	3	16125	S28 E90	89	300	1.0		S29 E86				B	60	1	HSX
79	7	4	16125	S28 E80	86	1200	2.5	20723	S28 E70	96	BP	3	B	70	3	OSO
79	7	5	16125	S27 E64	90	1500	3.0	20723	S28 E60	93	(AP)	3	B	100	9	DAO
79	7	6	16125	S27 E53	88	2000	3.0	20723	S28 E46	94	(BP)	3	B	100	11	DAO
79	7	7	16125	S28 E39	88	2300	3.0	20723	S28 E33	93	(BY)	4	8	50	8	DSO
79	7	8	16125	S27 E24	89	3000	3.0	20723	S28 E20	93	(BY)	4	8	30	10	CSO
79	7	9	16125	S26 E10	89	2800	2.5	20723	S27 E05	95	(AP)	3	8	50	7	CSI
79	7	10	16125	S26 W02	89	2000	2.5	20723	S26 W11	98	(AP)	3				
79	7		16125					20737	S30 W02	89	(AP)	1	B	50	3	CSO
79	7	11	16125	S26 W12	87	2500	2.0	20723	S27 W21	95	(AP)	3	B	10	2	BXO
79	7	12	16125	S26 W25	86	2200	2.0	20723	S27 W35	95	(AP)	3	B	30	4	CRO
79	7	13	16125	S26 W38	85	2300	2.0	20723	S29 W47	94	(AP)	2	B	0	1	HRX
79	7	14	16125	S27 W49	84	2300	2.0	20723	S27 W60	94	(AP)	2	B	40	1	HRX
79	7	15	16125	S27 W63	84	2200	2.0		S27 W74				B	0	1	AXX

MCMATH REGION 16149					CMP DATE 11.1				SUNSPOT DATA							
				CALCIUM	PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	16	16149	N06 W71	80	100	2.0									

MCMATH REGION 16127					CMP DATE 11.6				SUNSPOT DATA							
				CALCIUM	PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	5	16127	N28 E85	69	600	3.0	20729	N27 E78	75	(AP)	3	B	30	1	HSX
79	7	6	16127	N28 E70	71	600	3.0	20729	N27 E64	76	(B)	3	B	60	6	DAO
79	7	7	16127	N28 E53	74	800	3.0	20729	N27 E51	75	(B)	3	B	40	9	CRI
79	7	8	16127	N28 E39	74	1200	3.5	20729	N28 E39	74	(B)	3	B	80	13	DAI

CONTD

REGIONS OF SOLAR ACTIVITY

JULY 1979

MCMATH REGION 16127 (CONT) CMP DATE 11.6

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	9	16127	N28 E25	74	1400	3.5	20729	N29 E26	74	(B)	3	B	210	19	OKI
79	7	10	16127	N28 E13	74	1500	3.5	20729	N28 E15	72	(B)	4	B	240	23	OAI
79	7	11	16127	N28 E02	73	2100	3.0	20729	N28 E02	72	(B)	4	B	140	18	OAI
79	7	12	16127	N28 W10	71	2100	3.0	20729	N28 W12	72	(B)	3	B	130	17	DAO
79	7	13	16127	N28 W24	71	2400	3.0	20729	N28 W24	71	(B)	4	B	70	8	DSO
79	7	14	16127	N28 W37	72	2500	3.0	20729	N28 W37	71	(BF)	4	B	50	8	DSO
79	7	15	16127	N28 W49	70	2800	3.0	20729	N28 W47	68	(AF)	3				
79	7	16	16127	N28 W61	70	2100	3.0	20729	N28 W62	70	(B)	3	B	10	3	AXX
79	7	17	16127	N28 W74	69	1500	2.0									
79	7	18	16127	N29 W85	68	1200	2.0									

MCMATH REGION 16130 CMP DATE 12.2 RETURN OF REGION 16078 ROTATION 2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	6	16130	N07 E85	56	300	1.0									
79	7	7	16130	N07 E65	62	500	1.5									
79	7	8	16130	N07 E50	63	500	2.0									
79	7	9	16130	N08 E35	64	100	1.0									
79	7	10	16130	N08 E21	66	100	1.0									

MCMATH REGION 16150 CMP DATE 13.4

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	14	16150	S26 W14	49	200	1.0									
79	7	15	16150	S24 W38	59	400	1.5	20747	S25 W32	53	(AF)	1				
79	7	16	16150	S25 W41	50	500	2.5	20747	S25 W41	49	(B)	2				
79	7	17	16150	S24 W54	49	900	2.5	20747	S24 W57	49	(B)	3	R	30	6	DRO
79	7	18	16150	S24 W69	52	900	2.5	20747	S25 W69	50	B	2	B	20	2	BXO
79	7	19	16150	S24 W84	54	500	1.5									

MCMATH REGION 16133 CMP DATE 14.0

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	9	16133	N10 E60	39	200	1.5									
79	7	10	16133	N11 E46	41	800	3.0	20738	N12 E53				B	20	2	BXO
79	7	11	16133	N11 E34	41	1300	3.0	20738	N11 E44	43	(B)	3	B	30	3	CRO
79	7	12	16133	N11 E20	41	1200	2.5	20738	N11 E31	43	(B)	4	B	100	11	DSO
79	7	13	16133	N12 E06	41	1400	2.0	20738	N11 E17	43	(B)	3	B	120	11	DSO
79	7	14	16133	N12 W07	42	1200	2.0	20738	N11 E02	45	(B)	4	B	80	4	DAO
79	7	15	16133	N12 W21	42	1000	2.5	20738	N11 W10	44	(B)	4	B	40	5	DSO
79	7	16	16133	N12 W35	44	1000	2.5	20738	N10 W25	46	(B)	4				
79	7	17	16133	N12 W51	46	1300	3.0	20738	N11 W39	47	(B)	3	B	70	14	DRO
79	7	18	16133	N13 W64	47	1600	2.0	20738	N11 W55	47	(BP)	4	R	80	11	DSI
79	7	19	16133	N13 W77	47	1100	2.0	20738	N11 W67	48	(BP)	4	B	110	5	CSO
79	7	20	16133	N10 W90	46	300	1.5									

MCMATH REGION 16151 CMP DATE 14.5

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	14	16151	S27 E00	35	100	1.0	20745	S27 W02	36	(AP)	2	B	0	1	AXX
79	7	15	16151	S27 W14	35	100	1.5	20745	S26 W15	36	(AP)	1				
79	7	16	16151	S26 W26	35	600	2.0									
79	7	17	16151	S26 W39	34	200	1.0									
79	7	18	16151	S25 W52	35	100	1.0									

MCMATH REGION 16154 CMP DATE 15.0

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	16	16154	S19 W20	29	100	1.5	20749	S18 W21	29	(AP)	2	B	10	1	AXX
79	7	17	16154	S19 W33	28	400	2.5	20749	S18 W36	28	(B)	3	R	50	9	DSO
79	7	18	16154	S19 W46	29	500	3.0	20749	S18 W48	29	(B)	3	B	50	6	CRI
79	7	19	16154	S19 W59	29	500	2.5	20749	S18 W62	28	(AP)	3	B	10	1	AXX
79	7	20	16154	S19 W72	28	700	3.0									

CONTD



REGIONS OF SOLAR ACTIVITY

JULY 1979

MCMATH REGION 16150

CMP DATE 16.6

				CALCIUM PLAGE DATA			SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
79	7	18	16160					20754	N29 W27	8	(AF)	3 B	10	3	8X0
79	7	19	16160	N28 W38	8	300	2.5								
79	7	20	16160	N29 W51	7	900	3.5	20754	N29 W51	5	B	3 B	80	16	DRI
79	7	21	16160	N29 W65	8	1000	3.0	20754	N28 W62	4	(B)	3 B	70	17	DSI
79	7	22	16160	N29 W78	7	1000	2.5	20754	N29 W75	3	(B)	3 B	60	2	CSO
79	7	23	16160	N30 W90	6	500	2.9		N30 W88			B	20	1	HSX

MCMATH REGION 16137

CMP DATE 17.7

				CALCIUM PLAGE DATA			SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
79	7	11	16137	S28 E82	354	500	2.5	20739	S27 E72	2	(X)	2			
79	7	12	16137	S28 E69	353	1900	2.5	20739	S27 E61	0	(B)	3 B	70	5	DAO
79	7	13	16137	S27 E52	356	1800	3.0	20739	S27 E51	357	(BP)	3 B	130	8	ERI
79	7	14	16137	S27 E40	356	1800	3.0	20739	S27 E40	355	(B)	4 B	160	21	ESI
79	7	15	16137	S27 E27	355	2000	3.0	20739	S27 E27	355	(BP)	4			
79	7	16	16137	S27 E15	355	2500	3.0	20739	S27 E14	355	(B)	4 B	100	22	ESI
79	7	17	16137	S27 E02	354	2400	3.0	20739	S27 W01	354	(BP)	4 R	150	13	DSO
79	7	18	16137	S27 W11	354	2500	3.0	20739	S26 W14	355	(BP)	4 B	210	14	OSI
79	7		16137					20755	S19 W10	351	(AP)	2			
79	7	19	16137	S25 W24	354	3000	3.5	20739	S27 W30	356	(BP)	4 B	160	11	CSI
79	7		16137					20755	S21 W25	351	(B)	3 B	40	5	CRO
79	7	20	16137	S25 W36	352	3000	3.0	20739	S27 W43	357	AP	4 B	90	3	HSX
79	7		16137					20755	S21 W37	351	9	3 B	20	4	BX0
79	7	21	16137	S27 W50	353	3000	3.0	20739	S27 W55	357	(AP)	3 B	120	6	CSO
79	7	22	16137	S27 W64	353	2600	3.0	20739	S27 W69	357	(AP)	3 B	20	3	CSO
79	7	23	16137	S28 W77	353	2100	2.9								

MCMATH REGION 16161

CMP DATE 17.8

				CALCIUM PLAGE DATA			SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
79	7	19	16161	N17 W23	353	900	3.5	20757	N16 W25	351	(BP)	3 B	30	14	CRI
79	7	20	16161	N17 W36	352	1600	3.5	20757	N15 W39	353	BP	3 B	100	27	DRI
79	7	21	16161	N16 W50	353	1600	3.5	20757	N15 W51	353	(B)	4			
79	7	22	16161	N17 W65	354	2100	3.5	20757	N15 W65	353	(D)	4 B	330	28	EKI
79	7	23	16161	N16 W78	354	2700	3.5	20757	N15 W79	354	(B)	3 B	250	6	EKI
79	7	24	16161	N17 W90	354	800	2.0								

MCMATH REGION 16140

CMP DATE 17.9

				CALCIUM PLAGE DATA			SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
79	7	12	16140	S12 E75	347	200	2.0								
79	7	13	16140	S12 E57	351	300	2.5	20744	S12 E58	350	(AF)	2 B	0	1	AXX
79	7	14	16140	S12 E45	351	300	2.5								
79	7	15	16140	S12 E31	351	300	3.0								
79	7	16	16140	S12 E18	352	300	2.5								
79	7	17	16140	S12 E05	351	300	1.5								
79	7	18	16140	S12 W09	352	300	1.0								
79	7	19	16140	S12 W23	353	300	1.0	20758	S13 W28	354	(AP)	2 B	10	2	AXX
79	7	20	16140	S12 W37	353	200	1.0								
79	7	21	16140	S12 W51	354	200	1.0								
79	7	22	16140	S12 W66	355	100	1.0								

MCMATH REGION 16142

CMP DATE 18.2

				CALCIUM PLAGE DATA			SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
79	7	12	16142	N09 E75	347	200	1.0								
79	7	13	16142	N09 E60	348	500	1.0								
79	7	14	16142	N10 E48	348	300	1.0								
79	7	15	16142	N09 E34	348	200	1.0								
79	7	16	16142	N09 E21	349	200	1.0								
79	7	17	16142	N09 E09	347	100	1.0								
79	7	18	16142	N09 W05	348	200	1.0								
79	7	19	16142	N09 W21	351	100	1.0								
79	7	20	16142	N09 W35	351	200	1.5								
79	7	21	16142	N08 W49	352	100	1.0								
79	7	22	16142	N08 W64	353	200	1.0								

CONTD





REGIONS OF SOLAR ACTIVITY

JULY 1979

MCMATH REGION 16147                      CMP DATE 19.7                      RETURN OF REGION 16084                      ROTATION 4

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	14	16147	N18 E72	324	400	1.5									
79	7	15	16147	N17 E58	324	400	1.0									
79	7	16	16147	N18 E43	327	500	1.5									

MCMATH REGION 16155                      CMP DATE 20.4

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	15	16155	S21 E63	319	100	1.5									
79	7	16	16155	S21 E52	318	200	1.5									
79	7	17	16155	S21 E38	318	200	2.0	20751	S20 E32	321	AP	1	R	10	1	AXX
79	7	18	16155	S21 E26	317	300	1.5									
79	7	19	16155	S21 E12	318	300	1.5	20759	S20 E07	319	(B)	3	B	20	4	BX0
79	7	20	16155	S20 W03	319	800	3.0	20759	S20 W06	320	B	3	B	40	18	DRI
79	7	21	16155	S20 W17	320	1000	3.0	20759	S19 W17	319	(B)	4	B	200	26	DAI
79	7	22	16155	S20 W30	319	1200	3.0	20759	S20 W29	317	(BF)	3				
79	7		16155					20763B	S17 W37	325	(AP)	4	B	120	15	DSO
79	7	23	16155	S20 W44	320	1000	3.0	20759	S20 W43	318	(AF)	3	B	80	7	EA0
79	7		16155					20763B	S17 W52	327	(AP)	3				
79	7	24	16155	S18 W57	321	700	2.5	20759	S21 W56	318	(AF)	2				
79	7		16155					20763B	S17 W66	328	(AP)	2	B	90	8	DA0
79	7	25	16155					20759	S20 W67	317	(AF)	2				
79	7		16155					20763B	S17 W78	328	(AP)	2	B	50	2	DS0
79	7	26	16155	S20 W88	325	200	1.0									

MCMATH REGION 16148                      CMP DATE 21.4                      RETURN OF REGION 16088                      ROTATION 2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	15	16148	S05 E77	305	2000	2.5	20748	S04 E71	311	(AP)	3				
79	7	16	16148	S04 E65	305	2000	2.5	20748	S04 E62	307	(B)	4	B	140	3	HSX
79	7	17	16148	S04 E53	303	2500	2.5	20748	S04 E49	304	(B)	4	R	150	15	ESO
79	7	18	16148	S04 E40	303	2500	2.5	20748	S04 E37	304	(BP)	4	B	250	16	ESI
79	7	19	16148	S04 E25	305	2500	2.5	20748	S05 E14	312	(AP)	4				
79	7		16148					20760	S05 E27	299	(AF)	3	B	150	16	FS0
79	7	20	16148	S04 E11	305	2500	3.0	20748	S05 E01	313	AP	4				
79	7		16148					20760	S04 E14	300	AF	3				
79	7	21	16148	S04 W03	306	2500	3.0	20748	S04 W12	314	(AP)	4				
79	7		16148					20760	S04 E03	299	(B)	3	B	140	10	FS0
79	7	22	16148	S04 W16	305	2500	2.0	20748	S04 W26	314	(AP)	4	B	90	6	FS0
79	7		16148					20760	S04 W11	299	(AF)	2				
79	7	23	16148	S04 W30	306	2000	2.0	20748	S04 W39	314	(AP)	3	B	40	2	HSX
79	7	24	16148	S04 W42	306	2000	2.5	20748	S04 W53	315	(AP)	2	B	30	2	HSX
79	7	26	16148	S04 W68	305	800	1.5									
79	7	27	16148	S03 W80	304	800	1.0									

MCMATH REGION 16156                      CMP DATE 22.1

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	17	16156	N29 E64	292	100	1.0	20752	N30 E57	296	B	1				
79	7	18	16156	N29 E50	293	400	2.5	20752	N31 E46	295	(B)	3	B	70	7	CRX
79	7	19	16156	N30 E37	293	900	3.0	20752	N31 E32	294	(B)	4	B	80	11	CS0
79	7	20	16156	N30 E24	292	1200	3.0	20752	N31 E19	295	BP	4	B	80	10	DS0
79	7	21	16156	N31 E07	296	1200	3.5	20752	N31 E06	296	(B)	4	B	70	6	DS0
79	7	22	16156	N31 W07	296	1100	2.0	20752	N31 W10	298	(BP)	4	B	70	4	CA0
79	7	23	16156	N31 W20	296	1100	3.0	20752	N32 W23	298	(B)	4	B	80	11	DS0
79	7	24	16156	N31 W33	297	1300	3.5	20752	N32 W36	298	(BY)	4	B	100	13	DSI
79	7	25	16156					20752	N32 W48	298	(BY)	4	B	170	10	OSI
79	7	26	16156	N32 W60	297	1200	3.0	20752	N32 W59	296	(BP)	4	B	120	7	EA0
79	7	27	16156	N33 W72	296	1300	2.5	20752	N32 W72	295	(BP)	3	B	40	9	CRO
79	7	28	16156	N33 W85	295	1400	2.5									

MCMATH REGION 16166                      CMP DATE 23.2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	20	16166	S06 E36	280	200	1.5	20762	S07 E32	282	AP	1				
79	7	21	16166	S06 E22	281	500	2.5	20762	S05 E19	283	(B)	3	B	50	12	DS0
79	7	22	16166	S05 E08	281	900	2.5	20762	S06 E06	282	(BY)	3	B	100	28	DS0

CONTD

122  
Jul 79

## REGIONS OF SOLAR ACTIVITY

JULY 1979

MCMATH REGION 16166 (CONT) CMP DATE 23.2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	23	16166	S05 W06	282	900	3.3	20762	S06 W06	281	(AP)	3	B	140	28	DKI
79	7	24	16166	S05 W19	283	1200	3.0	20762	S06 W22	284	(D)	2	B	40	29	CAC
79	7	25	16166					20762	S06 W34	284	(BY)	3	B	20	9	CAO
79	7	26	16166	S05 W46	283	1000	2.5	20762	S06 W47	284	(B)	3	B	30	2	CRO
79	7	27	16166	S05 W58	282	900	2.5	20762	S07 W59	282	(B)	2				
79	7	28	16166	S06 W71	281	900	3.0	20762	S07 W76	286	(B)	2	B	20	3	BXO
79	7	29	16166	S06 W84	281	700	2.0									

MCMATH REGION 16159 CMP DATE 23.8 RETURN OF REGION 16109 ROTATION 2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	18	16159	S13 E72	271	100	1.0									
79	7	19	16159	S12 E58	272	300	1.0									
79	7	20	16159	S11 E44	272	300	1.0									
79	7	21	16159	S10 E30	273	400	1.5									
79	7	22	16159	S09 E17	272	400	1.5									
79	7	23	16159	S09 E04	272	300	1.0									
79	7	24	16159	S09 W10	274	300	1.0									
79	7	26	16159	S10 W37	274	300	1.5									
79	7	27	16159	S09 W49	273	300	1.5									
79	7	28	16159	S09 W62	272	200	1.0									
79	7	29	16159	S09 W76	273	200	1.0									

MCMATH REGION 16158 CMP DATE 24.0

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	18	16158	N23 E76	267	600	1.0									
79	7	19	16158	N24 E63	267	600	1.0									
79	7	20	16158	N24 E47	269	700	1.0									
79	7	21	16158	N24 E35	268	900	1.0									
79	7	22	16158	N23 E21	268	1000	1.5									
79	7	23	16158	N23 E06	270	800	1.5	20766	N23 E08	267	AP	1				
79	7	24	16158	N23 W07	271	600	1.5									
79	7	26	16158	N23 W32	269	600	1.5									
79	7	27	16158	N23 W44	268	500	1.5									
79	7	28	16158	N24 W57	267	700	1.0									
79	7	29	16158	N24 W70	267	700	1.0									
79	7	30	16158	N26 W80	265	200	1.0									

MCMATH REGION 16163 CMP DATE 24.0

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	19	16163	N31 E59	271	100	1.5									
79	7	20	16163	N31 E46	270	100	1.0	20763A	N30 E41	273	AP	2	B	10	1	AXX
79	7	21	16163	N31 E32	271	100	1.5									

MCMATH REGION 16153 CMP DATE 24.1

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	16	16153	N11 E90	280	200	1.0									
79	7	17	16153	N10 E84	272	1100	1.5	20753	N11 E76	277	(AP)	4	R	60	1	HSX
79	7	18	16153	N10 E72	271	3300	2.5	20753	N11 E64	277	(AP)	4	B	80	1	HSX
79	7	19	16153	N12 E60	270	3700	2.5	20753	N11 E49	277	(AP)	4	B	110	4	CSO
79	7		16153					20761	N11 E60	266	(B)	2				
79	7	20	16153	N12 E48	268	3700	2.5	20753	N11 E37	277	AP	4	B	140	5	DSO
79	7		16153					20761	N12 E46	268	B	2				
79	7	21	16153	N12 E33	270	3300	2.5	20753	N10 E23	279	(AP)	4				
79	7		16153					20761	N11 E31	271	(AP)	3	B	100	8	DSO
79	7	22	16153	N12 E20	269	3000	2.0	20753	N10 E10	278	(AP)	4	B	100	3	CSO
79	7	23	16153	N12 E07	269	2700	2.5	20753	N10 W04	279	(AP)	5	B	70	1	HSX
79	7		16153					20767	N13 E13	262	B	2	B	10	2	BXO
79	7	24	16153	N13 W06	270	2300	2.5	20753	N10 W17	279	(AP)	5	B	70	1	HSX
79	7	25	16153					20753	N10 W29	279	(AP)	4	B	70	2	HSX
79	7	26	16153	N13 W32	269	1700	3.0	20753	N10 W42	279	(AP)	4				
79	7		16153					20772	N13 W26	263	(AP)	2	B	50	4	CSO
79	7	27	16153	N13 W46	270	1900	3.0	20753	N10 W56	279	(AP)	3	B	50	1	HSX
79	7	28	16153	N13 W59	269	1800	3.0	20753	N10 W69	279	(AP)	3	B	50	1	HSX

CONTD





REGIONS OF SOLAR ACTIVITY

JULY 1979

MCMATH REGION 16174

GMP DATE 31.9

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
79	7	25	16174					20771	S19 E71	179	(AP)	3	B	60	1	HSX
79	7	26	16174	S20 E68	169	1000	2.5	20771	S20 E60	177	(AP)	3	B	60	2	HSX
79	7		16174					20773	S22 E75	162	(AP)	2	B	140	1	HSX
79	7	27	16174	S20 E54	170	1200	2.0	20771	S19 E48	175	(AP)	3	B	60	1	HSX
79	7		16174					20773	S21 E62	161	(AP)	3	B	80	1	HSX
79	7	28	16174	S20 E43	167	1900	2.5	20771	S19 E34	176	(AP)	3	B	50	2	HSX
79	7		16174					20773	S21 E50	160	(AP)	4	B	140	4	CSO
79	7	29	16174	S19 E30	167	2700	3.0	20771	S19 E21	176	(AP)	3				
79	7		16174					20773	S22 E38	159	(AP)	5				
79	7	30	16174	S20 E18	167	2500	2.5	20771	S19 E08	176	(AP)	3				
79	7		16174					20773	S21 E25	159	(AP)	5				
79	7	31	16174	S19 E04	167	2800	2.5	20771	S19 W05	176	(AP)	2	B	10	1	AXX
79	7		16174					20773	S21 E12	159	(AP)	4	B	230	14	DSO
79	8	01	16174	S19 W09		2400	3.0						B	190	18	D
79	8	02	16174	S19 W21		2600	3.0						B	160	10	D
79	8	03	16174	S20 W33		2700	3.0						B	140	6	C
79	8	04	16174	S20 W46		2800	2.0						B	160	1	H
79	8	05	16174	S20 W59		2000	2.0						B	90	1	H
79	8	06	16174	S20 W70		800	2.5						B	100	1	H
79	8	07	16174	S20 W85		800	1.5						B	90	1	H

NOTE: NO CALCIUM SPECTROHELIOGRAMS WERE SECURED AT THE MCMATH-HULBERT OBSERVATORY ON JULY 1 AND 25, 1979. SUNSPOT OBSERVATIONS WERE MADE AT MT. WILSON ON EVERY DAY OF JULY 1979.

DAILY CALCIUM PLAGE INDEX

JULY 1979

YR	MO	DAY	INDEX	YR	MO	DAY	INDEX	YR	MO	DAY	INDEX
79	7	1	*	79	7	11	46.1	79	7	21	39.8
79	7	2	64.3	79	7	12	40.3	79	7	22	35.0
79	7	3	64.2	79	7	13	36.7	79	7	23	30.2
79	7	4	70.6	79	7	14	30.2	79	7	24	28.9
79	7	5	71.7	79	7	15	27.8	79	7	25	*
79	7	6	75.4	79	7	16	25.0	79	7	26	28.3
79	7	7	73.9	79	7	17	23.4	79	7	27	32.0
79	7	8	72.1	79	7	18	26.1	79	7	28	36.8
79	7	9	58.4	79	7	19	34.5	79	7	29	40.5
79	7	10	54.4	79	7	20	40.0	79	7	30	38.8
								79	7	31	36.6

\* NO OBSERVATIONS

SUDDEN IONOSPHERIC DISTURBANCES

JULY 1979

DAY	UNIVERSAL TIME				WIDE SPREAD INDEX	NUMBER OF STATION REPORTS BY TYPE								KNOWN FLARE	McMATH REGION
	START	END	MAX	IMP		SWF	SCNA	SEA	SPA	LF-SPA	SES	SFD			
01	2307	2315	2312	1-	1				1						16117
02	1615	1645	1629	1-	1						1		*		
02	2013	2105	2039	1-	3	1			1		1		2010E		16122
03	0433	0518	0443	1-	3				1				*		
03	0500	0726	0530	1	3			3					*		
03	1221	1340	1240	1	3	3		3	1		1		1221		16122
03	1815	1935	1831	1-	1						1		1819		16111
03	2039	2109	2048	1-	1				1				2042		16117
03	2306	2327	2313	1-	1				1				2304		16111
04	0213	0430	0247	1-	1				1				*		
04	0607	0716	0617	1	5	4		5	2				0608		16122
04	0843	0955	0903	1-	5	3		4	2		1		0830		16112
04	1028	1116	1059	1-	1			1					1028		16117
04	1132	1300	1140	1+	5	4		4	2		3		1134E		16124
04	1443	1512	1450	1-	1			1	1				1441		16122
04	1605	1638	1619U	1-	1	3		1					1601		16104
04	1914	2047	1939	1+	5				1	1	6		1905		16122
04	2215	2340	2228	1-	1						1		2216		16123
07	0441	0542	0452	1-	3	1			1				*		
07	0814	0845	0825	1	1			1	1				0816E		16125
08	0108	0206	0130	1-	1				1				0105		16123
08	1138	1210	1151	1-	3	2		1	2		1		1136E		16123
08	2021	2140	2034	1+	5	3			2	1	9		2027		16127
08	2209	2256	2227	1-	3	1			1		1		2201		16123
09	0030	0135	0046	1-	1				1				0033E		16127
09	1359	1440	1416	1-	5			1	2		1		1404E		16122
11	1516	1645	1532	1	5	4		4	3	1	7		1516		16123
12	0018	0112	0024	1-	3				1		1		0021		16123
13	0116	0155	0121	1-	1				1				0117E		16144
14	2202	2309	2212	1-	5	1			2		1		2206		16123
15	0119	0156	0124	1-	1				1				0122E		16123
15	1655	1740	1705	1-	5				1		5		1701E		16123
15	1745	1830	1752	1-	5	1			1		7		1744		16123
15	2021	2120	2045	1-	1						1		2023		16123
16	0041	0116	0049	1-	1				1				0040E		16123
19	1050	1115	1100	1-	1				1		1		1055		16148
19	1537	1558	1547	1-	1				1		1		1540E		16148
20	1825	1850	1830	1-	1						1		1826		16132
20	1941	2024	1946	1-	5	2			3	1	10		1931		16160
21	0128	0227D	0138	1	5	1			2				*		
21	0226	0340	0240	1+	5	1			2				0228		16161
21	0643	0746	0703	1-	5			1	1		1		0643		16161
21	1108	1215	1118	1-	5	2		2	3		2		*		
21	1340	1530	1357	1+	5	6		6	3	1	9		1343		16156
22	0413	0434D	0419	1-	1				1				*		
22	0434E	0457	0438	1-	1				1				*		
22	1050	1104D	1104	1-	1				1		1		*		
22	1151	1155	1127	1-	5	1		1	1		1		*		
22	1154	1230	1210	1-	1				1		1		*		
22	1304	1415	1325	1-	5			1	2		1		1303		16161
22	1629	1715	1638	1-	1				1		1		1629		16161
22	1738	1845	1747	1-	5	1			2		9		1732		16161
22	1923	2023	1934	1-	5				2		4		NF		
22	2111	0040D	2150	1-	5	1			2		4		2119E		16161
23	0756	0915	0827	1	5	2		1	2		1		0802E		16142
23	1130	1215	1145	1-	1				1		1		*		
23	1645	1800	1656	1-	5	2			2	1	5		1645		16166
23	2057	2200	2108	1-	5	2			2		1		NF		

SUDDEN IONOSPHERIC DISTURBANCES

JULY 1979

DAY	UNIVERSAL TIME				WIDE SPREAD INDEX	NUMBER OF STATION REPORTS BY TYPE							KNOWN FLARE	McMATH REGION
	START	END	MAX	IMP		SWF	SCNA	SEA	SPA	LF-SPA	SES	SFD		
24	0056	0152D	0113	1-	5			1	1			1	0058	16156
24	0152E	0300	0206	1-	3			1	1				0152	16156
24	0726E	0912	0809	2	5	3		4	2			1	NF	
24	0755	0855	0812	1-	3	2		4	1				0751	16156
24	1100	1145	1116	1-	3	1		1	1				*	
24	1510	1615	1523	1-	5	2		2	2	1		4	1507	16156
25	0128	0239	0136	1-	1				1				0125	16171
25	0251	0347	0300	1-	1				1				0249	16171
25	1539	1710	1551	1-	3			2					*	
25	1605	1700	1615	1-	5	2		1	3	1		7	1602	16166
25	1738	1815	1740	1-	3							2	1737	16166
26	0226	0254	0232	1-	1				1				0235E	16164
26	0923	1045	0955	1+	5	2			2			1	0923	16164
26	2237	2300	2241	1-	1				1				2237	16171
27	0857	1013	0919	1-	1				1				1853	16171
27	1154	1250	1205	1+	5	3		5	3			2	*	
27	1550	1642	1606	1-	3			2					*	
28	0332	0406	0345	1-	1				1				0334	16171
28	1712	1815	1722	1-	5	3			3	1		9	1707	16169
28	2211	2314	2216	1-	5	1			2			3	2207	16169
29	0000	0030	0005	1-	1				1				0000E	16172
29	0327	0516	0341	2	5	2		1	1				0326	16167
29	0450	0530		1-	1			1					*	
30	0233	0418	0254	1-	3	1			1				0227E	16171
30	1914	1925	1916	1-	1	1							1912	16164
31	0025	0101	0033	1-	1				1				0022	16164

NOTE: A48 is a new observer from Thorwood, New York submitting data for the first time.

PERIODS OF NO OBSERVATIONS:

DATE	TIME (UT) and STATION	DATE	TIME (UT) and STATION
01-23	0000-2400 A5	18	1050-2400 UM (13 kHz), 1052-2400 UM (10 kHz), 1926-1944 TM
01-06	0000-2400 TN	19	0000-1155 UM (10 kHz), 0000-1210 UM (13 kHz), 0206-1600 TM
03	0630-1615 TM	20	1206-1600 TM
06	1210-1554 TM	21	0430-1600 UM (13 kHz)
08	0246-1830 TM	22	0715-1400 UM (13 kHz)
09	0000-2400 TN	24	1000-1400 UM (16 kHz)
10	0210-1617 TM, 1000-1400 UM (16 kHz)	26	0012-1540 TM
12	1624-1700 TM, 2330-2400 TM	29	1052-1558 TM
13	0000-1534 TM	30	1235-1615 TM
14-16	0814-2400 TM	31	0030-1709 TM, 1000-1400 UM (16 kHz)
16	0000-0123 TM, 1314-1816 TM, 2102-2400 TM		
17	0000-1602 TM, 1000-1400 UM (16 kHz)		

STATIONS REPORTING FOR JULY 1979


AAVSO (A1, A5, A19, A21, A26, A28, A31, A34, A45, A48) (SES) (A31) (SWF)  
 DARMSTADT (DA) (SWF)  
 HERSTMONCEUX (HC) (SEA)  
 HIRALSO (HI) (SWF)  
 HOBART (TA) (SEA)  
 HUANCAYO (HU) (SWF)  
 INUBO (IN) (SPA)  
 JULUISRUH (JH) (SWF)  
 KUHLLUNGSBORN (KU) (SEA, SPA)  
 MC MATH (MC) (SWF)

NEW JERSEY (NJ) (SES)  
 PANSKA VES (PU) (SWF, SEA, SES)  
 PRESTON (LO) (SEA)  
 SAO PAULO (UM) (SES, SPA)  
 SOFIA (SF) (SES)  
 ST CLOUD (SC) (SES)  
 TABLE MOUNTAIN (TM) (SPA, LF-SPA)  
 TORINO (TN) (SPA)  
 UPICE (UI) (SEA)  
 VSETIN (VS) (SEA)  
 ZILINA (ZL) (SEA)







SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790701




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790702




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790703




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790704




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790705




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790706




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790707




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790708




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790709




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790710




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790711




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790712



SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790713




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790714







SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790715




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790716




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790717




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790718




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790719




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790720




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790721




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790722




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790723




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790724




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790725




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790726




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790727




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790728



SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790729




SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790730





SOLRAD 11 X-RAY PHOTOMETER DATA FOR 790731









# SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

JULY 1979

DAY	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE	
				DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND				
	START UT	END UT		START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT		
09	0000	1000	MANI											IS
			CULG				0104	0127	1				IS,W	
			CULG				0127	0330					IIIS,W	
		0918	2417	SGMR				0332	0348					IIIG,V
	CULG						0341.5	0344	3	0342.5	0344	1	IIIG	
	CULG						0345.5	0347	2				IIIB	
		2139	2400	MANI				0355.5		1				UNCLF.
	CULG						0353.5	0402	1				IIIB,W	
	CULG						0522.5						III	
		2037	2400	MANI				1532.2	1533.3	1				IIIG
	CULG						1643.7	1645.0	1				IIIN,W	
	CULG						2155	2232					I,W	
				CULG	2235	2236								I
				CULG	2327	2327.5	1							I
				CULG	2334.5	2336								I,W
10	0000	1000	MANI											IIIB,W
			CULG				0103.5						DCIM	
			CULG				0125.5	0126	1				UNCLF,W	
		0920	2417	SGMR				0146	0146.5					IIIG,W
	CULG						0343	0343.5					IIIG,W	
	CULG						0345.5	0346					IIIG	
		2038	2400	CULG				0613.5	0614.5	1				IIIN,W
	CULG						0621	0638.5					I,W	
	CULG						2108.5	2109.5					IIIN,W	
		2139	2400	MANI				2101.5	2158					I,W
	CULG						2313.5	2314.5					IIIG,W	
	CULG						2349.5	2400					IN,W	
	11	0000	0737	MANI				0344						IIIB,W
				CULG				0414.5	0416	1				I
				CULG				0419.5	0421.5					I,W
		0921	2416	SGMR				0543	0654					IN,W
SGMR							1516.2	1516.5	2				V	
CULG							1642.7	1643.0	2				IIIG	
		2037	2400	CULG				2115	2400					IN,W
MANI														
		2140	2400	MANI										
MANI														
12	0000	0737	MANI				0001.5	0004					I,W	
			CULG				0029.5						IIIB,W	
			CULG				0339	0349					IIIN,W	
		0921	2416	CULG				0341.5	0342	2	0341.5	0342	1	IIIG
	CULG						0352		1	0352		1	IIIB	
	CULG						0415.5	0418		0415.5	0418		IIIG,W	
		2037	2400	CULG				0416		1				IIIB
	CULG						0445	0446	1				IIIG	
	SGMR						1217.9	1219.8	2				V	
		2134	2400	MANI				2106	2329.5					IIIN,W
	CULG						2158.5	2159.5	3				IIIB,V	
	SGMR						2158.9	2159.6	2				V	
				CULG				2250	2250.5	2				IIIB
	13	0000	0737	MANI				0146.5	0156	1				II
				CULG				0335	0335.5					UNCLF,W
CULG							0458.5	0459					I,W	
		0922	2415	SGMR										
CULG														
MANI														
	2038	2400	CULG											
MANI														
14	0000	0738	MANI											
			CULG											
			SGMR											
		0923	2415	SGMR										
	MANI													
	2141	2400	MANI											

# SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

JULY 1979

DAY	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE		
				DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND					
	START UT	END UT			START UT	END UT	INT	START UT	END UT	INT	START UT	END UT		INT	
14	2038	2400	CULG				2354.5	2359						IIIGG,W	
			CULG				2354.5	2356	1					UNCLF.	
			CULG				2356.5		1						IIIB
			CULG				2357.5	2358	1	2357.5	2358	1			IIIG
15	0000	0737	CULG												
			0000	1001	MANI										
	0924	2414	SGMR				1407.1	1407.4	2					V	
			SGMR				1407.4	1412.0	3					IIIG	
			SGMR				1428.5	1428.7	1					V	
			SGMR				1451.7	1452.3	2					V	
			SGMR				1520.4	1520.7	2					V	
			SGMR				1730.8	1733.3	2						IIIG
			SGMR				1859.7	1858.8	3						V
			SGMR				1902.6	1902.7	2						V
			SGMR				2024.2	2024.7	2						IIIG
			2041	2205	CULG				2109	2110					
			CULG	2111			2111							IIIB,W	
	2159	2400	MANI												
		CULG	2201.5	2202	2	2201	2202	2					IIIG		
		CULG	2230.5	2231.5	2	2231	2232	1					IIIS		
		CULG	2309										IIIG,W		
16	0000	1000	MANI												
			0000	0738	CULG				0004	0004.5	2				IIIG
			CULG				0039	0040.5						UNCLF,W	
			CULG	0146.5			0146.5							IIIB,W	
			CULG	0147	0148									I,W	
			CULG				0411							IIIB,W	
	0924	2414	SGMR				1844.7	1844.8	2					III	
			SGMR				2043.0	2044.2	2					III	
	2038	2400	CULG	2137	2138	1	2137	2138	2					IIIG	
			CULG	2138.5	2139	1								IIIG	
		CULG	2140	2142		2140	2141						IIIG,W		
2142	2400	MANI													
17	0000	1000	MANI												
			0000	0738	CULG				0034.5						IIIB,W
			CULG	0135.5	0136	1								IIIG	
			CULG	0219	0219.5	1	0219	0219.5	1					IIIG	
			CULG	0221	0221.5	1								IIIG	
			CULG				0221	0221.5						IIIG,W	
			CULG				0408	0551						IIIN,W	
			CULG				0510.5		1					IIIB	
			CULG				0551	0656						IIIS,W	
			CULG				0552	0708						IS,W	
			CULG				0603	0632	1					IIIN	
	0926	2413	SGMR												
	2038	2400	CULG												
2140	2400	MANI													
18	0000	1000	MANI												
			0000	0738	CULG				0136	0206					IIIS,W
			CULG				0136	0206	1					N,RS,DP	
			CULG				0208	0208.5	1					IIIG	
			CULG				0241							IIIB,W	
			CULG				0313	0313.5						UNCLF,W	
			CULG				0329.5							IIIB,W	
			CULG				0332							IIIB,W	
			CULG				0417							IIIB,W	
			CULG				0622.5							IIIB,W	
0926	2412	SGMR													
2139	2400	MANI													
2038	2400	CULG				2246							IIIB,W		
		CULG	2305.5	2306		2305.5							IIIG,W		
19	0000	1000	MANI												
			0000	0738	CULG				0025.5						IIIB,W
			CULG				0034.5	0050.5						IS,W	
			CULG	0059.5	0100	2	0059.5	0101	3	0059.5	0101.5	3		IIIG,V	







# SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

JULY 1979

DAY	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE		
				DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND					
	START UT	END UT			START UT	END UT	INT	START UT	END UT	INT	START UT	END UT		INT	
25	2242	2400	CULG				2213	2213.5	1				IIIG		
			MANI												
			CULG				2254							IIIB,W	
			CULG				2349.5	2350						IIIG,W	
			CULG				2356	2359.5						IIIGG,W	
26	0000	1000	MANI												
			CULG				0016							IIIB,W	
			CULG				0029.5	0026.5	1					IIIG	
			CULG				0023	0028.5	1					IIIG	
			CULG				0023	0029.5						IIIG,W	
			CULG				0037.5			0037.5				IIIB,W	
			CULG				0131	0131.5						IIIG,W	
			CULG				0154.5							IIIB,W	
			CULG				0203.5	0202	2	0201.5			1	IIIG	
			CULG				0224	0228.5						IIIGG,W	
			CULG				0234	0237						IIIGG,W	
			CULG				0323	0324	1					IIIGG	
			CULG				0416.5			0416.5				IIIG,W	
			CULG				0456.5			0456.5				IIIB,W	
			CULG				0544.5	0545						UNCLF.	
			CULG				0546							IIIG,W	
			CULG				0552							IIIG,W	
			CULG				0557	0639						IN,W	
			CULG				0639	0706						IS,W	
			CULG				0716.5	0718.5						IIIGG,W	
			1107	1904		DWIN									
2039	2400		CULG	2056	2108	1						IS			
			CULG				2105	2400				IS,W			
2130	2400		MANI												
			CULG				2133	2400				IIIN,W			
			CULG				2257.5	2258	1			RS,DC			
27	0000	1000	MANI												
			CULG				0050	0017					IS,W		
			CULG				0139.5	0142.5	1				IIIG		
			CULG				0154							IIIB,W	
			CULG				0213.5	0220.5	1	0219.5			1	IIIG	
			CULG			0238	0342		0328	0328.5				IN,W	
			CULG											IIIG,W	
			0502	1904		DWIN									
						CULG				0528			1		IIIB
						CULG				0620	0620.5				IIIG,W
						CULG				0644.5	0645.5				IIIG,W
			2039	2400		CULG				2059	2257				IS,W
						CULG				2122	2122.5				IIIG,W
			MANI												
			SGMR												
28	0000	0738	CULG				0020	0020.5					I,W		
			0029	1002	MANI										
					CULG				0109	0110	3	0109	0110.5	3	IIIG,V
					CULG				0110	0116.5	1	0110.5	0116.5	1	IIIN
					CULG				0348	0640					IN,W
					CULG				0513.5	0514	1				IIIG
			0502	1904	DWIN	1710.0	1711.2	1							IIIG
			2143	2400	MANI										
			2038	2400	CULG				2358	2358.5					IIIG,W
					CULG	2359	2359.5	2	2359	2400	1				IIIG,V
		SGMR													
29	0000	1000	MANI												
			CULG				0006	0010.5					II, W		
			CULG				0007							IIIB,W	
			CULG				0009					1		IIIB	
			CULG				0024					0024		IIIB,W	
			CULG				0053	0053.5						IIIG,W	
			CULG				0151	0151.5	2	0151	0151.5	2		IIIB	

# SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

JULY 1979

DAY	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE	
				DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND				
	START UT	END UT			START UT	END UT	INT	START UT	END UT	INT	START UT	END UT		INT
29			CULG	0324.5	0327.5									DCIM
			CULG				0329.5	0330	1					IIIG
			CULG				0333.5	0402	1					II
			CULG							0331	0349			SWF
			CULG				0342	0410						IV, W
			CULG				0522	0524.5						IIIG, W
			CULG				0612	0613						IIIG, W
	2038	2400	CULG											
	2129	2326	MANI											
			SGMR											
30	0000	0726	CULG				0231	0237	1	0233	0241	1		IIIS
			CULG							0234	0425			SWF
			CULG				0237	0251	2					II
			CULG				0243	0313						IV
			CULG				0249.5	0255						P
			CULG				0316	0339	1					IS
	0334	1000	MANI											
	1100	1904	DWIN											
	2038	2400	CULG				2132.5							IIIB, W
	2146	2353	MANI											
		CULG				2233	2255.5							IIIN, W
		SGMR												
31	0000	0738	CULG	0134			0134							IIIB, W
	0240	1000	MANI											
	0502	1904	DWIN											
			CULG				0647.5	0648.5		0648	0648.5			IIIG, W
	2038	2400	CULG				2117	2219						IIIS, W
	2134	2400	MANI											
			CULG	2219.5	2220	1	2219	2220	2					IIIG
			CULG				2220	2312						IIIN, W
			CULG	2347	2400									IN, W
			SGMR											





The symbols used in connection with the spectral type in describing the important bursts are as follows:

- B = Single burst
- G = Small group (< 10) of bursts
- GG = Large group (> 10) of burst
- C = Underlying continuum (particularly with type I)
- S = Storm in the sense of intermittent but apparently connected activity
- N = Intermittent activity in this period
- U = U-shaped burst of Type III

- RS = Reverse slope burst
- DP = Drifting pairs
- DC = Drifting Chains
- H = Herringbone
- W = Weak
- P = Pulsations
- CONT = Continuum
- UNCLF = Unclassified activity
- DCIM = Fast drift


# COSMIC RAY INDICES (Neutron Monitors)

Bartels Rotation 1994 (June-July 1979)




8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 1 2 3 4  
JUN JUL


COSMIC RAY INDICES  
(Neutron Monitors)  
Bartels Rotation 1994 (June - July 1979)



COSMIC RAY INDICES  
(Neutron Monitors)  
Bartels Rotation 1995 (July 1979)



COSMIC RAY INDICES  
(Neutron Monitors)  
Bartels Rotation 1995 (July 1979)



COSMIC RAY INDICES  
(Neutron Monitors)

July 1979	THULE	ALERT	DEEP RIVER	CALGARY	KIEL	CLIMAX	TOKYO	KULA	HUANCAYO
	Average (cts/h)/100	Average (cts/h)/100	Average (cts/h)/300	Average (cts/h)/100	Average (cts/h)/100	Average (cts/h)/100	Average (cts/h)/256	Average (cts/h)/100	Average (cts/h)/100
1	4259.5	6945.3	6564.3	5943.4	3918.3	3608.1			1734.4
2	4273.2	6977.7	6584.6	5968.6	3943.7	3627.0			1744.7
3	4266.9	6987.3	6595.4	5955.8	3930.5	3623.5			1742.3
4	4279.6	7006.0	6618.9	5960.5	3946.5	3623.1			1740.5
5	4251.9	6961.5	6585.1	5915.9	3914.9	3605.5			1727.0
6	4230.8	6937.7	6563.8	5894.9	3896.0	3605.6			1727.4
7	3984.6	6542.0	6193.3	5573.3	3649.4	3510.8			1670.6
8	4023.4	6591.4	6185.5	5597.2	3629.3	3503.1			1680.5
9	4065.0	6645.3	6244.5	5646.6	3672.8	3531.1			1690.9
10	4085.8	6695.3	6288.0	5694.6	3704.3	3537.3			1700.0
11	4126.5	6785.9	6342.8	5729.3	3752.2	3547.5			1707.5
12	4153.1	6800.1	6394.3	5784.3	3778.7(36)	3569.3			1711.1
13	4164.5	6821.0	6371.3	5790.3	----	3567.7			1712.7
14	4148.8	6787.7	6366.9	5774.1	----	3558.1			1712.7
15	4160.8	6835.2	6381.4	5812.1	3801.8	3576.7			1717.3
16	4161.0	6842.9	6415.3	5835.7	3803.6(28)	3588.3			1719.9
17	4129.6	6821.9	6393.7	5777.9	----	3570.0			1710.5
18	4107.8	6759.5	6363.5	5741.5	----	3549.0			1700.4
19	4129.0	6769.9	6376.0	5744.3	3761.7	3546.3			1701.6
20	4127.6	6767.5	6377.1	5741.8	3764.8	3543.3			1700.3
21	4123.4	6759.7	6372.4	5763.6	3766.8	3544.0			1702.9
22	4132.5	6766.7	6385.1	5767.5	3780.2	3545.9			1704.0
23	4145.1	6775.2	6392.6	5763.7	3784.0	3557.4			1704.4
24	4156.7	6789.1	6389.7	5795.3	3785.8	3564.1			1712.9
25	4150.3	6791.3	6383.6	5789.7	3804.1	3569.6			1716.7
26	4174.1	6857.5	6406.2	5821.7	3816.4	3587.3			1723.2
27	4197.8	6878.4	6476.1	5857.1	3872.0	3601.2			1734.5
28	4215.1	6901.1	6488.0	5880.1	3869.7	3594.9			1731.9
29	4218.0	6899.7	6489.7	5880.1	3868.1	3597.0			1728.1
30	4201.7	6892.8	6476.8	5865.8	3866.7	3594.0			1731.2
31	4220.9	6927.9	6501.0	5909.9	3890.3	3601.2			1731.7
MEAN	4163.4	6823.2	6418.3	5805.7	3814.4	3572.5			1715.2

Data not available at time of publication

Data not available at time of publication.

GEOMAGNETIC ACTIVITY INDICES

JULY 1979

Day	Three-Hourly Indices Kp									Three-Hourly Indices Km									Ap	aa *			Cp		
		1	2	3	4	5	6	7	8	Sum	1	2	3	4	5	6	7	8		N	S	M			
1	Q0A	2	2-	3-	2-	1+	2+	2-	1+	15-	2	2	3-	2+	1+	2-	1+	1	7	17	9	13	13	CK	0.4
2	Q3	2-	1-	0+	1-	1	1	1+	1	8-	2-	1-	0	1-	1	0+	1-	1-	4	9	3	5	7	CK	0.1
3		1-	1-	2+	4	4-	3	3	3	21-	1-	0+	3	4	3	3-	2+	3-	14	30	11	15	25		0.8
4		3	3+	3	2-	1+	1-	1	1+	15+	3-	3+	3+	1+	1	0+	1	1+	9	20	7	20	7		0.5
5		1-	2-	2+	2+	2+	3	3	2+	18-	1-	1+	2-	2+	2-	3-	2+	2	9	18	10	10	19	K	0.5
6	D3	1	2	3-	4	3-	2+	6	4	25-	1	2+	3-	3+	2+	2	5-	3+	22	42	21	15	47		1.1
7	D1	4	4	3	2+	5+	5+	3+	2+	30-	4-	3	3-	2	4+	4-	3-	2	27	35	30	26	40		1.2
8		2	2+	2+	2	2+	3	2+	2+	19-	2	2+	2-	2	2-	2+	2	2+	9	22	8	13	17		0.5
9	Q9K	1	2-	1+	1	1	3	1+	1+	12	1	2-	1	1+	2-	3-	1-	1+	6	15	9	9	16	KK	0.3
10	Q7	1	2-	1-	1-	2	1+	2+	2	12-	0+	2-	1-	1	2-	1	2-	2-	6	12	6	6	12	CK	0.2
11	Q4	1	1+	1+	1+	1-	1-	1	1	8+	1	1	2	2	1-	0+	1	1	4	6	4	7	4	CC	0.1
12		1-	1	0+	1	3-	4	4	2+	16	0+	1	1-	1-	2	3+	3+	2-	11	24	12	4	32		0.6
13		3-	3-	2+	2+	4-	5-	3	2-	23	2+	3-	2+	2+	3+	3+	2	1	16	26	17	17	26		0.9
14		2	1+	1	2+	3-	2-	5-	4-	20	2	2-	1	2	2+	1+	4-	4-	14	26	16	9	33		0.8
15		4-	4-	3	3-	3-	3-	3	2+	24-	3+	3	3-	3-	2+	2+	3	3-	15	30	21	31	22		0.8
16		3	2+	3-	1+	2	2+	3	3+	20	3	2+	3-	2	2-	1+	3-	3	11	24	12	15	20		0.6
17		3+	3	2-	3-	3	2+	2+	4+	23-	3-	3	2-	3	3	2	2	4	14	31	24	22	33		0.8
18		3+	3	3+	3-	3-	2+	3-	4-	24-	3	3	3-	3-	3-	2	2	3+	15	28	16	23	22		0.8
19		4-	3+	2+	1	2	2-	2-	3	19	4-	3+	2	1	2+	1+	2-	3	11	23	14	20	18		0.6
20	D5*	1	2+	2	4	5-	3	3+	4	24+	1	2+	2	3+	4-	3-	3-	4-	18	31	22	19	33		1.0
21		2+	2+	2-	3-	2	2	3-	3-	18+	2+	3-	2-	3-	2-	2-	2	3-	9	17	15	15	18		0.5
22	Q6	2-	2-	2-	1	1	2-	2+	1	12	2-	2-	2	1+	1-	1+	1+	1-	6	15	4	10	9	CC	0.3
23	Q8	1-	2+	1+	1	1	1+	2	2	12	1-	3-	2	1	1+	1+	1+	2	6	13	5	8	11	CC	0.3
24	Q5	2+	2-	1	1-	2	1+	1	2-	11+	2	2-	1+	1-	1+	1	1-	1+	5	14	5	9	10	CC	0.2
25	Q2	1+	1+	1+	0+	0+	1-	1-	1-	6	2-	1+	1	0+	0	0+	0+	1-	3	8	3	7	4	CC	0.1
26		1-	1	2-	1+	1+	2-	5-	6-	18	0+	1	2	2-	1+	1+	4	5	17	28	21	8	41		0.9
27	D4	5+	4+	2-	3	2+	5-	3	3	27+	5	4	3-	2-	2+	3+	2+	3-	23	39	17	25	32		1.1
28		4+	3	0+	1-	1-	2-	2	3	16-	4-	3-	1-	1-	1	2-	1+	3-	10	21	7	15	12		0.6
29	D2	3-	3-	3+	3	4	4	5	4+	29	3-	3	3+	3	3+	3+	4-	4-	24	50	26	25	50		1.2
30		3	2	2-	3	3-	2+	2	1	18-	3-	2	2-	3-	3-	2	2-	1	9	20	17	21	17		0.5
31	Q1	0+	1+	1-	1-	0+	0+	0+	0+	4+	0	1	0+	0+	0+	0+	0+	0	3	5	4	5	3	CK	0.0
												Mean	12	22.5	12.8	17.8		0.59							

Day	Three-Hourly Indices Kn								Three-Hourly Indices Ks							
	1	2	3	4	5	6	7	8	1	2	3	4	5	6	7	8
1	2	2-	3	3-	2-	2+	2-	1+	2	2	2	2-	1+	1-	1	0+
2	2-	1-	0+	1	2-	1	1+	1+	2-	1-	0	0	0	0	0+	0+
3	1	1-	4-	5-	3+	3	2+	3	0+	0+	3-	3+	2+	2	2	
4	3-	3+	3+	2-	2-	1-	2-	2	3	3+	3+	1	0+	0+	0+	1-
5	1	2-	2	3-	2	3	3-	2+	1-	1+	2-	2	1	2-	2	2-
6	1	2+	3	4-	3-	2+	5	4-	1+	2	2+	3-	2	2-	4+	3
7	4	3+	3	2+	4	4	3	3-	3	3-	2	2-	4+	4-	3-	1+
8	2+	2+	2+	2+	2+	3-	3-	3-	2-	2	1+	1+	1+	1+	1+	2
9	1+	2-	1+	1+	2-	3-	1	2-	1-	2-	0+	1+	1+	2+	0+	1
10	1-	2	1	1+	2	2-	2+	2+	0+	2-	0+	0+	1	0+	1	1
11	1+	1+	2+	2+	1-	1-	1+	1+	1-	1-	2-	1+	0+	0	0+	1-
12	1-	1	1-	1	3-	4-	3	2	0+	1-	0+	0+	1+	3-	3+	1+
13	3-	3-	2+	3-	3	4-	2+	1+	2+	3-	2	2	3+	3-	2	1-
14	2	1+	1+	2+	3-	2	4-	4	2	2	1-	1+	2-	1-	3+	4-
15	3+	3	3-	3-	3-	3-	3	3	3+	3	3-	2+	2	2+	3-	2+
16	3-	2+	3-	2+	2	2	3-	3+	3+	2+	3-	2-	1+	0+	2	3-
17	3-	3	2-	3-	3+	3-	3-	4	3-	3	2	3	3-	2-	1+	4
18	3	3	3	3-	3-	2+	2+	3+	3+	2+	3	2+	3-	2-	2	4-
19	3+	3	2+	1+	3-	2	2	3	4	3+	2	1-	2-	1-	1	3
20	1	2+	2+	4-	4-	3-	3	4-	1	2+	2-	3+	3+	3-	3-	4-
21	2+	3	2	3	2	2	2-	2	2+	3-	2-	2+	2-	1+	2+	3
22	2	2-	2	2-	1	2	2-	1	1+	2-	2-	1	0+	0+	1-	0+
23	1-	3-	2	1+	2-	2-	2-	2+	0+	3-	2+	0+	1-	1	1+	1+
24	2+	2-	1	1	2-	1+	1	2-	3-	2	1+	0+	1	1-	0+	1-
25	2-	1+	1+	0+	0+	1	0+	1	1+	1+	1-	0	0	0	0	0+
26	1-	1+	2+	2+	1+	1+	4+	5	0	1-	2-	1+	1+	1	4	5-
27	5-	4	2	3+	3-	4	3-	3	5	4-	1+	2-	2	2+	2	2
28	4-	3-	1-	1+	1+	2	2	3	4-	3-	0+	0+	0+	1	1	2
29	3-	3	4-	3+	4-	4	4	4	2+	3	3	2+	3-	3-	3+	3+
30	3	2+	2-	3	3-	2+	2	1+	2+	2	1+	2+	2+	2-	2-	0+
31	0+	1	0+	1-	0+	0+	1	0	0	1-	0+	0+	0	0	0	0

Quiet days (Q) and disturbed days (D), geomagnetic planetary three-hour-range indices (Kp) (integers alone are equivalent to those normally given with a small zero), magnetic character figures (Cp), and average amplitude (Ap) (unit 2 nT) are prepared by Geophysikalisches Institut at the University of Göttingen, F.R. of Germany for the International Service of Geomagnetic Indices. Ten most quiet days [Q1-Q0(10)] and five most disturbed days [D1-D5] are ordered from most quiet or disturbed, respectively. A or K means "not really quiet" (A = "Ap>6", K = "Ap<6 but one Kp 3o or two Kp values > 3-"). An asterisk means "not really disturbed" (Ap<20).  
Geomagnetic three-hourly indices Kn, Ks and Km as in IAGA-Bulletin No. 32 and indices aa ("antipodal") as in IAGA-Bulletin No. 33 are prepared by M. Menvielle of the Institut de Physique du Globe, Paris, France. Really quiet (C) and quiet but slightly disturbed three-hourly intervals (K) are given for 24-hour and 48-hour intervals centered on 1200 UT.




DAILY AVERAGE INDICES Ap

1978

1979

DAY	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL
1	4	21	13	13	11	10	6	12	33	16	5	7
2	4	20	12	10	3	19	10	20	36	14	6	4
3	16	11	8	12	5	19	9	13	54	6	4	14
4	30	8	17	5	12	45	19	27	47	7	6	9
5	22	7	8	6	10	23	9	13	52	7	4	9
6	16	14	4	2	5	18	16	30	12	6	34	22
7	7	6	4	9	2	32	6	7	12	11	26	27
8	6	24	5	14	3	8	9	7	12	8	14	9
9	5	31	11	8	3	15	9	15	9	14	15	6
10	6	12	15	16	1	4	6	54	12	7	14	6
11	11	12	5	10	1	4	12	18	6	19	10	4
12	21	13	14	53	4	10	17	6	15	9	7	11
13	13	6	8	22	7	5	3	7	11	8	8	16
14	5	5	5	11	28	8	2	3	15	11	7	14
15	3	3	5	8	28	15	11	8	18	11	10	15
16	4	6	4	6	14	12	7	11	16	5	16	11
17	9	8	5	6	9	7	5	21	11	3	14	14
18	24	3	32	5	48	11	22	7	6	11	6	15
19	11	2	22	13	24	19	15	11	6	24	5	11
20	3	5	9	22	26	12	6	6	2	13	8	18
21	6	9	13	16	12	11	59	4	21	13	15	9
22	6	12	10	28	19	14	33	45	45	36	24	6
23	4	11	6	12	7	27	31	12	23	11	19	6
24	4	10	5	18	6	23	17	15	14	27	10	5
25	9	36	7	60	21	34	14	21	126	34	9	3
26	4	36	18	33	8	28	22	26	12	25	20	17
27	29	51	23	17	14	23	24	18	27	17	10	23
28	124	50	14	5	14	13	17	39	31	11	4	10
29	40	109	16	4	20	13	17	68	47	30	7	24
30	31	11	25	5	27	16	14	16	26	10	10	9
31	45		20		18	13		19		6		3
MEAN	17	18	12	15	13	16	15	19	25	14	12	12

# GEOMAGNETIC ACTIVITY INDICES



PLANETARY MAGNETIC  
THREE-HOUR - RANGE INDICES  
Kp (after Bartels)  
Kp till 1979 July 31  
Ks (from Wingst and Göttingen) till Aug 15


▲ = sudden commencement

KEY

0	1	2	3	4	5	6	7	8	9
0	+	+	+	+	+	+	+	+	+
0	-	-	-	-	-	-	-	-	-
0	+	-	0	+	-	0	+	-	0
0	+	-	0	+	-	0	+	-	0

# GEOMAGNETIC ACTIVITY INDICES

## Hourly Equatorial Dst



Note: Both the sensitivity indicator placed on the last day of the month and the zero reference level change from month to month.

HOURLY EQUATORIAL DST VALUES (PROVISIONAL)

JULY 1979

NASA/GODDARD SPACE FLIGHT CENTER

DAY	(Time-UT)																								(Units-Gammas)			
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24				
1	15	12	8	9	8	7	13	13	23	26	17	14	13	12	11	11	9	6	6	9	9	9	12	12				
2	10	10	14	10	11	10	13	12	13	15	16	16	15	20	26	31	34	33	33	32	31	37	33	33				
3	31	27	25	25	24	24	37	32	73	62	49	36	36	28	21	16	8	5	2	4	9	5	7					
4	9	8	7	12	2	-13	-16	-16	-16	-13	-8	-8	-12	-16	-15	-11	-14	-10	-9	-9	-5	-2	4					
5	0	-1	-2	0	3	2	2	5	4	7	10	10	10	9	5	4	5	11	13	17	11	9	13					
6	19	20	17	15	13	12	11	6	7	4	2	1	6	6	-1	-4	-4	-2	-1	13	25	22	26					
7	14	6	11	15	15	13	12	10	5	8	13	13	11	5	-20	-31	-23	-9	-12	-8	-1	-5	6					
8	2	4	-3	-7	-5	-1	2	-4	-5	-6	3	5	7	4	1	-8	-11	-7	-3	-2	1	1	9					
9	14	15	15	13	8	7	3	3	7	10	12	4	-5	-14	-19	-14	-14	-9	-5	-2	0	7						
10	3	4	8	13	13	9	11	9	5	13	15	13	12	14	10	10	7	4	7	5	8	3	5					
11	12	12	13	13	13	16	9	13	10	12	11	11	7	12	16	17	18	15	15	15	17	17	20					
12	19	19	16	15	15	21	21	19	20	23	25	24	25	33	36	37	25	20	14	3	10	12	15					
13	3	-1	-7	-5	-8	-2	0	1	8	11	18	12	16	14	0	-4	3	-2	-3	-10	-7	-8	-6					
14	-8	-8	-5	-4	2	6	15	16	19	21	16	18	12	5	0	0	0	-1	1	-2	-12	-4	8					
15	1	-5	-10	-7	-6	-5	-4	-9	-4	-1	4	3	2	-2	-11	-16	-21	-17	-8	-8	-10	-3	-2					
16	-6	-10	-5	-13	-12	-11	-4	-4	-1	4	11	12	10	5	3	-1	0	2	3	6	6	13	14					
17	2	2	0	2	4	5	7	9	11	17	13	11	15	18	12	10	7	9	14	20	21	15	11					
18	-3	-2	-2	-6	-10	-3	-11	-3	-3	2	7	-1	-6	-4	-8	-8	-7	-9	-10	-10	-9	-1	6					
19	13	9	7	5	2	1	5	9	7	6	10	14	16	10	6	7	9	6	5	5	6	8	13					
20	16	16	11	12	13	12	13	11	3	4	6	9	5	-2	-2	0	-5	-17	-25	-20	-13	-16	-19					
21	-1	-4	-1	1	-5	-10	-9	-7	-4	1	4	5	10	5	4	-1	-5	-2	2	3	0	-2	1					
22	2	-2	-7	-7	-4	-1	5	7	4	4	9	11	12	16	20	22	23	16	15	9	4	-1	3					
23	10	13	13	15	17	8	6	7	10	12	12	9	1	3	3	4	6	7	11	11	7	1	7					
24	14	16	13	11	9	10	7	3	3	6	11	14	16	10	7	5	7	10	7	5	3	0	1					
25	-1	0	4	7	9	13	20	19	15	15	15	16	18	14	6	6	7	9	12	15	19	22	25					
26	21	20	17	13	24	23	23	13	14	15	19	20	19	18	13	11	8	5	10	12	-1	-18	-41					
27	-77	-81	-82	-59	-51	-42	-36	-34	-31	-21	-12	-7	-10	-17	-20	-13	-7	2	-2	-5	-2	-4	-6					
28	-16	-22	-12	-17	-12	-7	-7	-10	-5	-7	-4	-3	-6	-10	-15	-12	-6	-6	3	6	11	30	36					
29	35	23	14	13	24	29	43	51	45	25	24	29	27	20	22	15	5	2	-4	9	17	15	12					
30	12	1	-1	2	5	4	9	9	13	9	0	2	1	-4	-11	-16	-22	-20	-18	-14	-8	-9	-5					
31	-7	-8	-9	-9	-9	-9	-3	-3	-1	-1	-3	-2	2	2	-4	-5	-5	-7	-6	-4	1	3	6					



NOTE: Because of problems in the scale value and the baseline at the Honolulu Magnetic Observatory, data from only three observatories (San Juan, Kakioka and Hermanus) were used in the derivation of the above Dst values. It appears that the problems developed toward the end of June. Therefore the provisional Dst values for June may not be accurate near the end of that month.

## PRINCIPAL MAGNETIC STORMS

JULY 1979

OBS. 3 letter IAGA code	GEOMAG- NETIC LATI- TUDE	COMMENCEMENT			SC - AMPLITUDES			MAXIMUM 3 HOUR - INDEX K		RANGES			UT END	
		DAY	hr min (UT)	TYPE	D(')	H( $\gamma$ )	Z( $\gamma$ )	DAY (3 HOUR PERIOD)	K	D(')	H( $\gamma$ )	Z( $\gamma$ )	DAY	HOUR
HYB	07.6N	3	0300	..	..	..	..	03(4)	6	9	154	40	04	10
GUA	04.0N	3	0533	..	..	..	..	03(4)	5	--	80	20	03	18
COL	64.6N	6	1929	SC*	-22	-172	-15	07(6)	7	139	1360	500	07	21
NEW	55.1N	6	1929	SC*	6	31	6	06(7,8)	5	19	212	155	09	01
WIT	54.2N	6	1930	SC	-2	+140	+7	06(7)	6	20	195	70	07	21
FRD	49.6N	6	1930	SC*	+2	+46	-6	06(7) 07(5,6)	5	24	173	44	09	07
IRK	41.0N	6	1930	SC	-2.3	102	14	06(7)	6	20	141	37	07	21
HON	21.1N	6	1930	SC	4	6	4	06(7,8)	3	10	20	38	07	21
JAI	17.3N	6	1930	SC	-1.6	62	-14		-	8	116	35	08	01
ABG	09.5N	6	1930	SC	-1.2	53	-7	06(7)	6	7	113	45	08	01
HYB	07.6N	6	1931	SC	-.5	+59	-3	06(7)	6	7	124	29	08	04
ANN	01.5N	6	1930	SC	--	--	--		-	--	--	--	08	01
TRD	01.1S	6	1930	SC	.3	53	71		-	5	170	119	08	01
PMG	18.6S	6	1931	SC	+1.3	+33	+34	06(7)	5	6	80	60	07	20
EYR	47.9S	6	1930	SC	4.8	18.4	12.1	06(7)	4	8	58	35	07	05
KGL	56.5S	6	1930	SC	+20	+32	+11	06(7)	5	--	--	--	07	22
JAI	17.3N	12	1239	SC	-4.6	13	-3		-	9	100	28	13	23
ABG	09.5N	12	1239	SC	-.4	11	-3	13(5)	5	7	105	23	13	23
HYB	07.6N	12	1238	SC	-.2	+12	-1	12(7) 13(5,6)	4	6	102	16	13	23
ANN	01.5N	12	1239	SC	-.7	17	7		-	5	121	34	13	23
TRD	01.1S	12	1239	SC	-.2	15	18		-	4	133	74	13	23
KGL	56.5S	12	1248	SC	+4	+6	+3	12(7)	4	--	--	--	13	09
NEW	55.1N	26	1833	SC	7	4	--	27(1)	6	43	114	245	28	06
WIT	54.2N	26	1833	SC	-3	+70		27(6)	6	33	190	80	28	03
FRD	49.6N	26	1833	SC	-2	+28	-3	26(8) 27(1,2)	5	23	130	101	30	15
IRK	41.0N	26	1833	SC	-1.6	51	9	26(7) 27(1,6)	5	15	152	35	27	22
SJG	29.9N	26	1834	SC	-1	+19	+4	26(8)	6	6	146	25	27	08
HON	21.1N	26	1832	SC	2	2	62	27(2)	4	10	132	60	27	06
JAI	17.3N	26	1833	SC	-7.2	31	-5		-	7	93	36	28	03
ABG	09.5N	26	1833	SC	-.6	27	-3	26(8) 27(2)	5	7	99	40	28	03
HYB	07.6N	26	1833	SC	-.2	+24	-1	26(8) 27(2)	5	6	116	23	28	04
GUA	04.0N	26	1833	SC	--	+17	-5	27(2)	5	10	70	30	27	10
ANN	01.5N	26	1833	SC	-1	29	19		-	6	159	--	28	03
TRD	01.1S	26	1833	SC	.2	20	31		-	5	216	108	28	03
PMG	18.6S	26	1833	SC	+ .8	+14	+14	26(7,8) 27(1,2)	5	8	140	60	30	18
HER	33.7S	26	1800	..	..	..	..	26(8) 27(1)	5	19	78	61	28	07
EYR	47.9S	26	1833	SC	1.7	11.5	5.8		-	9	123	35	27	05
KGL	56.5S	26	1835	SC*	+8	+17	+10	27(1)	7	--	--	--	27	06
JAI	17.3N	28	2100	..	..	..	..		-	8	133	41	30	03
ABG	09.5N	28	2100	..	..	..	..	29(3,7)	5	6	159	27	30	03
HYB	07.6N	28	2101	SC	-.1	+11	-1	29(3)	5	6	162	18	30	11
HYB	07.6N	28	2115	SC	-.2	+14	-1	29(3)	5	6	162	18	30	11
ANN	01.5N	28	2100	..	..	..	..		-	--	--	--	30	03
TRD	01.1S	28	2100	..	..	..	..		-	3	199	102	30	03
WIT	54.2N	29	04--	..	..	..	..	29(6,7,8)	5	20	150	55	30	01

REPORTS WERE RECEIVED FROM THE FOLLOWING OBSERVATORIES:

ALIBAG ANNAMALAINAGAR COLLEGE EYREWELL FREDERICKSBURG GNANGARA GUAM HERMANUS HONOLULU  
HYDERABAD JAIPUR KERGUELEN NEWPORT PORT MORESBY SAN JUAN SITKA TRIVANDRUM WITTEVEEN

## RADIO PROPAGATION QUALITY INDICES



JULY 1979

Quality Indices calculated for reception at Lüchow

DAY	TOKYO	HALIFAX	TEHERAN	MOSCOW	CANBERRA	BRACKNELL
1	4.3	4.3	10.1	10.8	2.9	11.3
2	4.7	4.4	11.3	10.7	2.9	12.7
3	3.4	4.7	10.7	11.7	2.6	12.2
4	2.5	4.5	10.7	11.9	3.0	12.0
5	3.6	4.5	10.3	11.9	2.9	12.4
6	3.4	4.5	10.3	12.0	2.6	11.7
7	2.5	4.3	9.8	10.4	2.9	11.0
8	4.2	4.3	10.4	11.5	2.7	11.9
9	4.7	4.7	10.6	11.2	2.6	11.7
10	4.9	4.5	10.6	11.4	3.1	11.9
11	4.8	4.4	10.8	12.2	2.7	12.5
12	3.9	4.8	11.2	12.5	3.3	12.9
13	2.9	5.1	10.1	10.6	3.8	11.2
14	2.7	4.4	10.5	10.9	3.0	11.3
15	3.0	4.4	10.4	10.7	2.8	11.7
16	3.5	4.5	10.5	10.9	2.6	12.0
17	3.9	4.4	11.2	11.3	2.7	11.8
18	3.0	4.7	10.8	10.9	2.9	12.1
19	3.7	4.8	10.8	10.8	2.4	11.1
20	3.2	4.4	10.3	11.7	2.4	11.8
21	3.5	4.6	10.4	10.6	3.0	11.3
22	3.5	4.4	10.3	10.7	2.0	11.6
23	4.7	4.5	10.7	10.5	2.4	11.8
24	4.3	4.5	10.1	11.8	2.6	11.2
25	4.2	4.5	10.6	11.2	2.9	11.3
26	2.9	4.2	10.0	12.2	2.6	11.9
27	2.1	4.6	9.9	10.6	2.8	11.6
28	4.2	4.5	10.2	11.1	3.3	11.0
29	3.6	4.6	9.8	11.9	3.1	12.2
30	2.5	4.7	10.2	11.1	3.8	12.3
31	4.1	4.6	10.0	12.0	2.9	12.6
MEAN	3.6	4.5	10.4	11.3	2.8	11.8

### TRANSMISSION FREQUENCY RANGES -- NORTH ATLANTIC PATH



JULY 1979



# TRANSMISSION FREQUENCY RANGES -- NORTH ATLANTIC PATH


167  
Jul 79

JULY 1979



Field strengths from five frequencies, 6.4, 8.5, 12.8, 17.1 and 22.4 MHz, observed on a Lüchow -Halifax circuit are represented above. Heavy solid lines represent field strengths  $-12$  dB above  $1 \mu\text{v/m}$  (transmitter power reduced to 1 kW). Observed field strengths between  $-12$  dB above  $1 \mu\text{v/m}$  and  $-40$  dB above  $1 \mu\text{v/m}$  are represented by the fine line. Adapted from Observations by Deutsche Bundespost





**WORLD DATA CENTER A**  
**FOR**  
**SOLAR-TERRESTRIAL PHYSICS**



The ICSU Panel on WDCs has recommended that it would be appropriate courtesy to acknowledge in publications that data were obtained from the originating station or investigator through the intermediary of the WDCs. The following statement is suggested:

"Data used in this study were provided by WDC-A for Solar-Terrestrial Physics, NOAA E/GC2, 325 Broadway, Boulder Colorado 80303, USA."