



U.S. DEPARTMENT OF COMMERCE

Malcolm Baldrige, Secretary

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

John V. Byrne, Administrator

ENVIRONMENTAL DATA AND INFORMATION SERVICE

Margaret E. Courain, Acting Director

Solar - Geophysical Data

NO. 452 APRIL 1982

Part I (Prompt Reports)

DATA FOR
MARCH 1982
FEBRUARY 1982

NATIONAL GEOPHYSICAL AND SOLAR - TERRESTRIAL DATA CENTER BOULDER, COLORADO

For obtaining bulletins on a data exchange basis, send request to: World Data Center A for Solar-Terrestrial Physics, NOAA/EDIS/NRSDC, D631, 325 Broadway, Boulder, Colorado 80303.

For sale through the National Geophysical and Solar-Terrestrial Data Center, NOAA/EDIS, D631, 325 Broadway, Boulder, Colorado 80303. Subscription Price: \$64.00 annually for both part I (Prompt Reports) and part II (Comprehensive Reports) or \$32.00 annually for either part. Annual supplement containing explanation is included. For foreign mailing add \$42.00 for both parts or \$21.00 for either part. Single issue price is \$3.00 for either part and \$2.50 for the extra issue. Make checks and money orders payable to: Department of Commerce, NOAA/NRSDC. Note: \$4.00 handling charge per order.

To standardize referencing these reports in the open literature, the following format is recommended:
Solar-Geophysical Data, 450 Part I (or Part II), pages, February 1982, U.S. Department of Commerce (Boulder, Colorado, U.S.A. 80303).

SOLAR-GEOPHYSICAL DATA

No. 452

Issued in two parts

Helen E. Coffey, Editor

Joe H. Allen, Chief
Solar-Terrestrial Physics Division

CONTENTS

Part I (Prompt Reports)	PAGE
Index for 1981-1982	2
Data for March 1982	3-44
Data for February 1982	45-160
Late Data	161-165
Hourly Equatorial Dst Values January 1982	
169 MHz Solar Interferometric Chart Nancy January 1982	
Pioneer XII Magnetic Field Magnitudes January 1982	
Part II (Comprehensive Reports)	
Index for 1981-1982	2
Data for October 1981	3-54
Miscellaneous Data	55-74
Active Regions 18 August - 12 October 1981	
Synoptic Solar Maps 18 August - 12 October 1981	
IMP8 Electrons, Protons, Alphas July - September 1980	

DETAILED COVERAGE FOR 1980-81 PUBLISHED IN "SOLAR-GEOPHYSICAL DATA"

	1981												1982		
	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar		
A. SOLAR AND INTERPLANETARY PHENOMENA															
A.1	Sunspot Drawings														
A.2aa	International Provisional Relative Sunspot Numbers R_i														
A.2c	American Relative Sunspot Numbers R_a														
A.3a	Mt. Wilson Magnetograms														
A.3b	Mt. Wilson Magnetic Characteristics of Sunspots														
A.3c	Kitt Peak Magnetograms														
A.3d	Mean Solar Magnetic Field (Stanford)														
A.3e	Stanford Magnetograms														
A.4	H-alpha Filtergrams														
A.5	Calcium Plage Drawings - Mt. Wilson or Big Bear														
A.5a	Calcium Plage (Mt. Wilson or Big Bear) and Sunspot Regions														
A.5b	Mt. Wilson or Big Bear Daily Calcium Plage Indices														
A.6	H-alpha Synoptic Charts														
A.6b	Synoptic Chart and Active Regions (Paris)														
A.6c	Stanford Solar Magnetic Field Synoptic Charts														
A.6d	Kitt Peak Solar Magnetic Field Synoptic Charts														
A.6e	Mass Ejections from the Sun														
A.7f	Helium D3 Chromosphere (Big Bear)														
A.7g	Helium Synoptic Maps (KPNO)														
A.7h	Coronal Line Emission (Sac Peak)														
A.8aa	2800 MHz - Daily Values of Solar Flux (ARO-Ottawa)														
A.8ac	2800 MHz - Daily Values of Adj. Solar Flux (ARO-Ottawa)														
A.8g	Daily Values of Adjusted Solar Flux (AFGL)														
A.9a	169 MHz - Interferometric Observations (Nancay)														
A.10c	21 cm East-West Solar Scans (Fleurs)														
A.10d	43 cm East-West Solar Scans (Fleurs)														
A.10e	10.7 cm East-West Solar Scans (Ottawa-ARD)														
A.10f	3 cm East-West Solar Scans (Toyokawa)														
A.10g	8 cm East-West Solar Scans (Toyokawa)														
A.11g	Solar X-ray (SMS/GOES) (graphs)														
A.12e	Energetic Solar Particles (IMP H & J)														
A.13d	Solar Wind from IPS Measurements														
A.13e	Solar Plasma (IMP H & J)														
A.13f	Solar Wind (Pioneer 12 (Venus))														
A.13f	Interplanetary Magnetic Field (Pioneer 12)														
A.17c	Inferred IP Magnetic Field														
B. IONOSPHERIC (AND RADIO WAVE PROPAGATION) PHENOMENA															
B.52	Graphs of Transmission Frequency Range														
B.53	Quality Figures Based on Frequency Ranges														
C. FLARE-ASSOCIATED EVENTS															
C.1ba	Optical Observations Flares (Standardized Data) 1979-80														
C.1b	Flare Patrol Observations														
C.1d	Flare Patrol Observations														
C.1e	Flare Indices (by day)														
C.1f	Flare Indices (by Region)														
C.3	Solar Radio Waves - Outstanding Occurrences														
C.3	Solar Radio Waves - Fixed Frequencies - Selected														
C.4a	Solar Radio Spectral Obs. (Fort Davis)														
C.4d	Solar Radio Spectral Obs. (Culgoora)														
C.4e	Solar Radio Spectral Obs. (Weissenau)														
C.4f	Solar Radio Spectral Obs. (Sagamore Hill)														
C.4h	Solar Radio Spectral Obs. (Dwingelloo)														
C.4j	Solar Radio Spectral Obs. (Bleien)														
C.4j	Solar Radio Spectral Obs. (Manila)														
C.4k	Solar Radio Spectral Obs. (Learnmonth)														
C.4l	Solar Radio Spectral Obs. (Palehua)														
C.5e	Solar X-ray (SMS/GOES) (graphs)														
C.6	Sudden Ionospheric Disturbances														
D. GEOMAGNETIC AND MAGNETOSPHERIC PHENOMENA															
D.1a	Geomagnetic Indices Kp, Kn, Ks, Km, Ap, aa, Cp														
D.1ba	27-day Chart of Kp Indices														
D.1c	27-day Chart of C9														
D.1ca	aa graph 1868 - present														
D.1d	Principal Magnetic Storms														
D.1e	Reduced Magnetograms														
D.1f	Sudden Commencement and Solar Flare Effects														
D.1g	Equatorial Indices Dst														
D.1h	Geomagnetic Substorm Log (Boulder)														
F. COSMIC RAYS															
F.1a	Cosmic Ray Neutron Counts (Deep River)														
F.1b	Cosmic Ray Neutron Counts (Climax)														
F.1c	Cosmic Ray Neutron Counts (Alert)														
F.1h	Cosmic Ray Neutron Counts (Thule)														
F.1i	Cosmic Ray Neutron Counts (Kiel)														
F.1j	Cosmic Ray Neutron Counts (Tokyo)														
F.1j	Cosmic Ray Neutron Counts (Huancayo)														
H. MISCELLANEOUS															
H.60	IOWDS Alert Decisions														

Notes:

"441A 58" listed under 1981 Mar means that the sunspot drawings for Mar 1981 were contained in Solar-Geophysical Data Number 441 - Part I, beginning on page 58.

A = Part I, B = Part II.


----- = no data available.
 blank = data not yet received.

SGD 452 Part I (Prompt)

MARCH 1982 DATA

Contents

	Page
<u>Alert Periods</u>	
IUWDS Alert Periods (Advance and Worldwide)	5-9
<u>Daily Solar Indices</u>	
Relative Sunspot Numbers, R_z or R_i , and Daily Solar Flux at 2800 MHz (12 Month Tables)	10
Daily Solar Indices (Sunspot Numbers and Solar Fluxes)	11
Observed and Predicted Solar Activity Indices	12
Smoothed Observed and Predicted Sunspot Numbers	13
Graph of Observed and Predicted Sunspot Numbers	14
Graph of Superposition of Cycles 18, 19 and 20	15
<u>Solar Flares</u>	
H-alpha Solar Flares	16-26
Intervals of No Flare Patrol Observation	27
<u>Solar Radio Emission</u>	
169 MHz Solar Interferometric Chart - Nancy	28
3 cm East-West Solar Scans - Toyokawa	29
10.7 cm East-West Solar Scans - ARO, Ottawa	30
21 cm East-West Solar Scans - Fleurs	31
43 cm East-West Solar Scans - Fleurs	32
Selected Fixed Frequency Events	33-39
Selected Solar Noise Bursts	39
<u>Solar Wind Measurements</u>	
Interplanetary Scintillations (Data not available at time of publication.)	
<u>Coronal Holes</u>	
Helium D3 Chromosphere (Data not available at time of publication.)	
<u>Inferred Interplanetary Magnetic Field Polarities</u>	40
<u>Mean Solar Magnetic Field</u>	
Stanford Mean Solar Magnetic Field (Chart)	41
Stanford Mean Solar Magnetic Field (Table)	42
<u>Spacecraft Observations</u>	
Pioneer XII (Pioneer Venus) Solar Wind	43
<u>Geomagnetic</u>	
Boulder Geomagnetic Substorm Log	44



ALERT PERIODS
INTERNATIONAL URSIGRAM
AND WORLD DAYS SERVICE

MARCH 1982

SUMMARY OF THE GEOALERT WWA MESSAGES

Message serial number	Date of issue	Date of observation	Wolf number	10 cm solar flux	A index	Active Regions				Outstanding events	Forecasts		Alert Situations										
						Location		No of Flares			Date	Location		Desc*									
						Lat-Long	Total	M	X						Lat-Long								
060	01	28	237	228	007	S11W45	0	0	0	Presto Toyokawa TenFlare 140 Flux Units 0450Z Duration 5 Minutes.	01	S11W45	Q	SOLQUIET MAGQUIET									
						S06W28	0	0	0			S06W28	Q										
						S12W15	0	0	0			S12W15	Q										
						S13W05	0	0	0			S13W05	Q										
						N05E02	0	0	0			N05E02	Q										
						S16E12	3	0	0			S16E12	E										
						N15E13	7	1	0			N15E13	E										
						S05E18	1	0	0			S05E18	Q										
						N08E19	0	0	0			N08E19	Q										
						N17E30	7	0	0			N17E30	E										
						S21E53	4	0	0			S21E53	E										
						S14E57	0	0	0			S14E57	Q										
						061	02	01	273			236	045		S12W59	0	0	0		02	S12W59	Q	SOLQUIET MAGALERT MINOR 02
															S07W43	0	0	0			S07W43	Q	
S14W28	0	0	0	S14W28	Q																		
S12W18	1	0	0	S12W18	E																		
N14W01	5	0	0	N14W01	E																		
S14W01	0	0	0	S14W01	E																		
N08E05	0	0	0	N08E05	Q																		
S05E05	0	0	0	S05E05	E																		
N17E15	0	0	0	N17E15	E																		
S21E39	2	0	0	S21E39	E																		
S14E41	0	0	0	S14E41	E																		
062	03	02	266	238	070					S12W72	0			0	0	Presto Magstorm In Progress 02/1500Z A Greater Than 50.	03	S12W72			Q	SOLQUIET MAGALERT 03/06	
										S06W56	0			0	0			S06W56			Q		
										S13W41	0			0	0			S13W41			Q		
						S11W33	0	0	0	S11W33	Q												
						N14W15	3	0	0	N14W15	E												
						S15W15	0	0	0	S15W15	Q												
						S05W09	0	0	0	S05W09	Q												
						N08W08	0	0	0	N08W08	E												
						N17E02	2	0	0	N17E02	E												
						S13E27	5	0	0	S13E27	E												
						S20E27	1	0	0	S20E27	E												
						063	04	03	258	234	015	S12W87	0	0	0				04	S12W87	Q		SOLQUIET MAGALERT MINOR 04
												S07W70	0	0	0					S07W70	Q		
												S13W55	1	0	0					S13W55	Q		
S13W46	0	0	0	S13W46	Q																		
S16W29	0	0	0	S16W29	Q																		
N14W27	2	0	0	N14W27	E																		
S06W22	0	0	0	S06W22	Q																		
N08W21	0	0	0	N08W21	Q																		
N16W12	4	0	0	N16W12	E																		
S13E14	3	0	0	S13E14	E																		
S21E14	4	1	0	S21E14	E																		
S08E74	0	0	0	S08E74	Q																		
064	05	04	242	249	013							S06W84	0	0	0		05			S06W84	Q	SOLQUIET SOLNIL	
												S13W69	0	0	0					S13W69	Q		
						S14W42	0	0	0	S14W42	Q												
						N14W41	0	0	0	N14W41	E												
						S04W34	3	0	0	S04W34	Q												
						S08W34	0	0	0	S08W34	Q												
						N17W24	1	0	0	N17W24	E												
						S13W00	0	0	0	S13W00	E												
						S20W00	6	0	0	S20W00	E												
						S07E59	0	0	0	S07E59	Q												
						S12E74	0	0	0	S12E74	Q												
						065	06	05	233	252	015	S13W82	0	0	0			Presto Soflare M4/2B S14E01 04/0244Z Duration 15 Minutes. TenFlare 140 Flux Units 05/0237Z Duration 40 Minutes	06	S13W82	Q		SOLQUIET MAGQUIET
												S16W59	0	0	0					S16W59	Q		
												N14W54	0	0	0					N14W54	Q		
S04W46	1	0	0	S04W46	E																		
N11W44	0	0	0	N11W44	E																		
N17W38	2	0	0	N17W38	E																		
S13W13	9	0	0	S13W13	E																		
S21W12	6	1	0	S21W12	E																		
S08E47	0	0	0	S08E47	Q																		
S12E62	0	0	0	S12E62	Q																		
N06E73	0	0	0	N06E73	Q																		
066	07	06	202	241	002							S16W73	0	0	0		07			S16W73	Q	SOLALERT 07/09 MAGQUIET	
												N14W68	0	0	0					N14W68	Q		
												S05W60	0	0	0					S05W60	Q		
						N16W50	0	0	0	N16W50	E												
						S13W26	3	0	0	S13W26	E												
						S21W25	3	0	0	S21W25	E												
						S05E17	0	0	0	S05E17	Q												
						S07E33	0	0	0	S07E33	Q												
						S11E47	0	0	0	S11E47	Q												
						N05E57	0	0	0	N05E57	E												
						S14E78	0	0	0	S14E78	Q												
						067	08	07	183	232	003	N14W82	0	0	0			Presto Soflare X2/2B N17W53 07/0308Z Duration 42 Minutes Tenflare 3500 Flux	08	N14W82	Q		SOLALERT 08/08 MAGALERT FLARE 09/10
												S05W75	0	0	0					S05W75	Q		
												N17W62	2	0	1					N17W62	A		
S13W39	0	0	0	S13W39	E																		
S19W37	0	0	0	S19W37	E																		

ALERT PERIODS
INTERNATIONAL URSIGRAM
AND WORLD DAYS SERVICE
MARCH 1982

SUMMARY OF THE GEOALERT WWA MESSAGES						Active Regions			Outstanding events	Forecasts		Alert Situations		
Message serial number	Date of issue	Date of observation	Wolf number	10 cm solar flux	A index	Location				Date	Desc*			
						Lat-Long	Total	M X					Location	Lat-Long
068	09	08	169	216	007	S06E03	1	0	0	Units 07/0246Z Duration 40 Minutes Tenflare 1280 Flux Units 07/0403Z Duration 100 Minutes	09	S06E03	Q	SOLNIL MAGALERT 09/10
						S08E21	0	0	0			S08E21	Q	
						S12E35	0	0	0			S12E35	Q	
						N05E45	1	0	0			N05E45	E	
						S13E66	0	0	0			S13E66	Q	
						S05W88	0	0	0			S05W88	Q	
						N18W76	2	0	0			N18W76	E	
						S19W55	1	0	0			S19W55	E	
						S12W53	1	0	0			S12W53	E	
						S06W10	1	0	0			S06W10	E	
S08E08	0	0	0	S08E08	Q									
S12E21	0	0	0	S12E21	Q									
N06E33	1	0	0	N06E33	E									
S13E52	0	0	0	S13E52	Q									
069	10	09	163	195	018	S20W72	0	0	0		10	S20W72	E	SOLQUIET MAGNIL
						S14W67	2	0	0			S14W67	E	
						S06W26	2	0	0			S06W26	E	
						S15W09	0	0	0			S15W09	Q	
						S08W06	0	0	0			S08W06	Q	
						N30E04	0	0	0			N30E04	Q	
						S12E08	0	0	0			S12E08	Q	
						N06E21	1	0	0			N06E21	E	
						S14E39	0	0	0			S14E39	Q	
						N04E80	0	0	0			N04E80	Q	
N14E85	0	0	0	N14E85	Q									
070	11	10	195	184	012	S20W85	1	0	0		11	S20W85	Q	SOLQUIET MAGQUIET
						S13W81	0	0	0			S13W81	Q	
						N14W67	0	0	0			N14W67	Q	
						S10W30	3	0	0			S10W30	Q	
						S08W18	0	0	0			S08W18	Q	
						S18W18	0	0	0			S18W18	Q	
						N27W11	0	0	0			N27W11	Q	
						S12W04	0	0	0			S12W04	Q	
						N05E06	0	0	0			N05E06	E	
						S24E28	0	0	0			S24E28	Q	
N14E65	1	0	0	N14E65	E									
S11E67	0	0	0	S11E67	Q									
N03E68	2	1	0	N03E68	E									
071	12	11	181	181	011	S13W91	0	0	0		12	S13W91	E	SOLQUIET SOLALERT MINOR 12
						N13W82	0	0	0			N13W82	Q	
						S10W45	1	0	0			S10W45	Q	
						S08W31	0	0	0			S08W31	Q	
						S15W29	0	0	0			S15W29	Q	
						S12W18	0	0	0			S12W18	Q	
						N06W08	0	0	0			N06W08	E	
						S15E15	1	0	0			S15E15	Q	
						N13E53	1	0	0			N13E53	Q	
						N01E55	2	0	0			N01E55	Q	
S03E70	0	0	0	S03E70	Q									
S06E73	2	0	0	S06E73	Q									
072	13	12	202	183	010	S08W55	1	0	0		13	S08W55	Q	SOLQUIET MAGNIL
						S08W45	0	0	0			S08W45	Q	
						S12W32	0	0	0			S12W32	Q	
						N11W27	0	0	0			N11W27	Q	
						N06W21	3	0	0			N06W21	E	
						N24W08	0	0	0			N24W08	Q	
						S15W00	1	0	0			S15W00	Q	
						N14E41	0	0	0			N14E41	Q	
						N03E42	0	0	0			N03E42	Q	
						N15E53	0	0	0			N15E53	Q	
S04E60	0	0	0	S04E60	Q									
N06E61	0	0	0	N06E61	Q									
S12E85	0	0	0	S12E85	Q									
073	14	13	193	188	013	S08W57	0	0	0			S08W57	Q	SOLQUIET MAGQUIET
						S11W45	0	0	0			S11W45	Q	
						N10W36	0	0	0			N10W36	Q	
						N05W34	2	0	0			N05W34	Q	
						N24W20	1	0	0			N24W20	Q	
						S15W12	0	0	0			S15W12	Q	
						N02E30	0	0	0			N02E30	Q	
						N12E32	0	0	0			N12E32	Q	
						S06E46	0	0	0			S06E46	Q	
						N06E50	0	0	0			N06E50	Q	
S12E70	0	0	0	S12E70	Q									
074	15	14	198	204	008	S08W71	0	0	0			S08W71	Q	SOLQUIET MAGQUIET
						N05W47	5	0	0			N05W47	Q	
						N24W35	0	0	0			N24W35	Q	
						S14W24	0	0	0			S14W24	Q	
						N13E14	0	0	0			N13E14	Q	
						N03E15	0	0	0			N03E15	Q	
						S06E32	4	0	0			S06E32	Q	
						N07E36	8	0	0			N07E36	Q	
						S11E58	0	0	0			S11E58	Q	

ALERT PERIODS
INTERNATIONAL URSIGRAM
AND WORLD DAYS SERVICE
MARCH 1982

SUMMARY OF THE GEOALERT WWA MESSAGES

Message serial number	Date of issue	Date of observation	Wolf number	10 cm solar flux	A index	Active Regions			Outstanding events	Forecasts			Alert Situations										
						Location		No. of Flares		Date	Location			Desc*									
						Lat-Long	Total				M	X			Lat-Long								
075	16	15	226	211	006	S07W84	0	0	0		16	S07W84	Q	SOLQUIET MAGQUIET									
						N05W60	7	0	0			N05W60	Q										
						N24W49	0	0	0			N24W49	Q										
						S15W38	0	0	0			S15W38	Q										
						N13E00	0	0	0			N13E00	Q										
						N03E01	0	0	0			N03E01	Q										
						S06E20	1	0	0			S06E20	Q										
						N08E24	3	1	0			N08E24	E										
						N14E38	1	0	0			N14E38	Q										
						S11E44	0	0	0			S11E44	Q										
						076	17	16	246			230	004		N05W73	2	0	0		17	N05W73	Q	SOLQUIET MAGALERT RECURRENT 17/18
S16W50	0	0	0	S16W50	Q																		
N04W11	4	0	0	N04W11	Q																		
N13W10	0	0	0	N13W10	Q																		
S06E06	5	0	0	S06E06	E																		
N08E10	2	0	0	N08E10	E																		
N14E24	5	0	0	N14E24	Q																		
S10E32	0	0	0	S10E32	Q																		
N18E72	0	0	0	N18E72	Q																		
077	18	17	269	233	012					N04W85	0			0	0		18	N04W85			Q	SOLALERT 18/XX MAGALERT 18/19	
										N24W70	0			0	0			N24W70			Q		
						S16W64	0	0	0	S16W64	Q												
						N04W25	5	0	0	N04W25	Q												
						N13W25	0	0	0	N13W25	Q												
						N03W09	0	0	0	N03W09	Q												
						S05W08	8	0	0	S05W08	E												
						N08W03	1	0	0	N08W03	Q												
						N14E12	5	0	0	N14E12	Q												
						S10E18	1	0	0	S10E18	Q												
						N18E58	1	0	0	N18E58	Q												
N04E73	0	0	0	N04E73	Q																		
078	19	18	260	229	018	N04W94	4	0	0		19	N04W94	Q	SOLALERT 19/20 MAGALERT MINOR 19									
						N04W38	4	0	0			N04W38	Q										
						N14W38	0	0	0			N14W38	Q										
						N02W21	1	0	0			N02W21	Q										
						S06W21	11	1	0			S06W21	E										
						N08W17	2	0	0			N08W17	Q										
						N15W02	6	0	0			N15W02	E										
						S11E05	0	0	0			S11E05	Q										
						N18E45	1	0	0			N18E45	Q										
						N04E64	3	0	0			N04E64	Q										
						079	20	19	253			224	012		N13W52	0	0	0	Presto TenFlare 150 Flux Units 18/2136Z Duration 8 Minutes. Softlare M2/2B 19/0405Z S06W26 Duration 148 Minutes.	20	N13W52	Q	SOLALERT 20/XX MAGNIL
N04W51	1	0	0	N04W51	Q																		
N03W36	0	0	0	N03W36	Q																		
S07W35	10	2	0	S07W35	A																		
N08W31	1	0	0	N08W31	Q																		
N15W15	4	0	0	N15W15	Q																		
S10W08	0	0	0	S10W08	Q																		
N07E27	0	0	0	N07E27	Q																		
N18E32	1	0	0	N18E32	Q																		
N04E48	7	0	0	N04E48	Q																		
S13E69	1	0	0	S13E69	Q																		
080	21	20	222	219	012	N05W68	0	0	0		21	N05W68	Q	SOLALERT 21/22 MAGQUIET									
						N15W65	0	0	0			N15W65	Q										
						N04W52	0	0	0			N04W52	Q										
						S07W49	7	0	0			S07W49	A										
						N08W45	0	0	0			N08W45	Q										
						N16W28	7	0	0			N16W28	E										
						S10W21	4	0	0			S10W21	Q										
						N18E18	0	0	0			N18E18	Q										
						N03E34	4	0	0			N03E34	Q										
						S13E53	0	0	0			S13E53	Q										
						N14E57	1	0	0			N14E57	Q										
081	22	21	210	214	018	N03W81	2	0	0		22	N03W81	Q	SOLALERT 22/24 MAGQUIET									
						N14W79	0	0	0			N14W79	Q										
						N03W65	0	0	0			N03W65	Q										
						S06W64	15	0	0			S06W64	E										
						N07W61	2	0	0			N07W61	Q										
						N16W42	2	0	0			N16W42	Q										
						S10W35	2	0	0			S10W35	Q										
						N19E05	1	0	0			N19E05	Q										
						N04E21	3	0	0			N04E21	Q										
						S13E40	0	0	0			S13E40	Q										
						N14E42	1	0	0			N14E42	Q										
S13E69	0	0	0	S13E69	Q																		
082	23	22	245	215	032	N03W95	0	0	0		23	N03W95	Q	SOLALERT 23 MAGQUIET									
						N14W94	0	0	0			N14W94	Q										
						N07W76	0	0	0			N07W76	Q										
						S06W76	2	0	0			S06W76	E										
						N17W55	6	0	0			N17W55	Q										
						S10W48	4	0	0			S10W48	Q										
						N19W08	6	0	0			N19W08	E										
						N04E08	0	0	0			N04E08	E										

ALERT PERIODS
INTERNATIONAL URSIGRAM
AND WORLD DAYS SERVICE

MARCH 1982

SUMMARY OF THE GEOALERT WWA MESSAGES

Message serial number	Date of issue	Date of observation	Wolf number	10 cm solar flux	A index	Active Regions				Outstanding events	Forecasts		Alert Situations										
						Location		No. of Flares			Date	Location		Desc*									
						Lat-Long	Total	M	X						Lat-Long								
083	24	23	223	204	011	S12E27	0	0	0		24	S12E27	Q	SOLNIL MAGQUIET									
						N15E28	0	0	0			N15E28	Q										
						S09E44	0	0	0			S09E44	Q										
						S13E55	0	0	0			S13E55	Q										
						S12E73	0	0	0			S12E73	Q										
						N11E76	3	0	0			N11E76	Q										
						S17E83	0	0	0			S17E83	Q										
						N07W90	1	0	0			N07W90	Q										
						S06W90	0	0	0			S06W90	E										
						N16W69	2	0	0			N16W69	E										
						S10W61	2	0	0			S10W61	E										
						N20W22	1	0	0			N20W22	E										
						N04W08	0	0	0			N04W08	E										
						S12E14	0	0	0			S12E14	Q										
N15E15	0	0	0	N15E15	Q																		
S09E30	0	0	0	S09E30	Q																		
S13E43	0	0	0	S13E43	Q																		
N21E52	0	0	0	N21E52	Q																		
S12E59	0	0	0	S12E59	E																		
N11E64	5	1	0	N11E64	A																		
S17E70	0	0	0	S17E70	Q																		
084	25	24	182	190	010	N16W83	0	0	0		25	N16W83	Q	SOLALERT MAGQUIET									
						S10W74	1	0	0			S10W74	E										
						N19W35	0	0	0			N19W35	Q										
						N03W22	0	0	0			N03W22	Q										
						S12E01	0	0	0			S12E01	Q										
						N14E02	0	0	0			N14E02	Q										
						S07E13	0	0	0			S07E13	Q										
						S16E27	0	0	0			S16E27	Q										
						N19E42	0	0	0			N19E42	Q										
						S12E45	0	0	0			S12E45	Q										
						N12E53	8	1	0			N12E53	E										
						S17E57	0	0	0			S17E57	E										
						S24E85	2	0	0			S24E85	E										
						085	26	25	238			191	014		N16W96	0	0	0		26	N16W96	Q	SOLALERT 26 MAGQUIET
S10W89	1	0	0	S10W89	E																		
N18W49	0	0	0	N18W49	Q																		
N04W35	0	0	0	N04W35	Q																		
S13W12	0	0	0	S13W12	Q																		
N14W11	1	0	0	N14W11	Q																		
S07W00	0	0	0	S07W00	Q																		
S15E13	0	0	0	S15E13	Q																		
N19E28	0	0	0	N19E28	Q																		
S12E34	2	0	0	S12E34	E																		
N12E40	11	2	0	N12E40	A																		
S06E43	0	0	0	S06E43	Q																		
S17E47	0	0	0	S17E47	Q																		
S19E73	1	0	0	S19E73	E																		
S12E79	0	0	0	S12E79	Q																		
086	27	26	217	195	009	N19W62	0	0	0		27	N19W62	Q	SOLALERT 27/29 MAGQUIET									
						N03W49	0	0	0			N03W49	Q										
						N14W25	0	0	0			N14W25	Q										
						S13W25	0	0	0			S13W25	Q										
						S04W15	0	0	0			S04W15	Q										
						S15W01	0	0	0			S15W01	Q										
						S12E20	2	0	0			S12E20	Q										
						N12E26	7	0	0			N12E26	A										
						S16E35	1	0	0			S16E35	E										
						S21E59	3	1	0			S21E59	Q										
						S15E63	0	0	0			S15E63	Q										
						N19E15	0	0	0			N19E15	Q										
						087	28	27	273			198	014		N18W76	0	0	0	Presto Softare M4/28 N11E18 27/1408Z Duration 23 Minutes. Tenflare 200 Flux Units 27/1409Z	28	N18W76	Q	SOLALERT 28/30 MAGQUIET
															N03W63	0	0	0			N03W63	Q	
N13W40	0	0	0	N13W40	Q																		
S13W39	1	0	0	S13W39	Q																		
N09W34	0	0	0	N09W34	Q																		
S14W15	0	0	0	S14W15	Q																		
N19W14	0	0	0	N19W14	Q																		
N19E02	0	0	0	N19E02	Q																		
S12E06	7	0	0	S12E06	E																		
N12E13	9	1	0	N12E13	A																		
S16E23	2	0	0	S16E23	E																		
S21E46	4	0	0	S21E46	E																		
S15E50	0	0	0	S15E50	Q																		
N19E63	0	0	0	N19E63	Q																		
088	29	28	315	201	007	N18W90	0	0	0		29	N18W90	Q	SOLALERT 29/30 MAGQUIET									
						N03W76	0	0	0			N03W76	Q										
						N14W54	1	0	0			N14W54	Q										
						S13W52	0	0	0			S13W52	Q										
						N08W46	0	0	0			N08W46	Q										
						N18W28	0	0	0			N18W28	Q										
						S15W27	1	0	0			S15W27	Q										
						N19W09	0	0	0			N19W09	Q										
						S12W07	5	0	0			S12W07	Q										
						N12E01	14	0	0			N12E01	E										

ALERT PERIODS
INTERNATIONAL URSIGRAM
AND WORLD DAYS SERVICE
MARCH 1982

SUMMARY OF THE GEOALERT WWA MESSAGES

Message serial number	Date of issue	Date of observation	Wolf number	IO cm solar flux	A index	Active Regions				Outstanding events	Forecasts			Alert Situations
						Location		No of Flares			Date	Location	Desc*	
						Lat-Long	Total	M	X					
089	30	29	259	199	013	S04E03	0	0	0		30	S04E03	Q	SOLALERT 30 MAGQUJET
						S05E10	0	0	0			S05E10	Q	
						S16W11	0	0	0			S16W11	Q	
						N06E13	0	0	0			N06E13	Q	
						S21E33	4	1	0			S21E33	E	
						S15E37	2	0	0			S15E37	Q	
						N18E50	0	0	0			N18E50	Q	
						N03W91	0	0	0			N03W91	Q	
						N13W68	0	0	0			N13W68	Q	
						S12W66	1	0	0			S12W66	Q	
						N08W60	1	0	0			N08W60	Q	
						S15W39	11	0	0			S15W39	Q	
						S12W21	5	0	0			S12W21	Q	
						N12W14	11	1	0			N12W14	E	
						S16W02	2	0	0			S16W02	E	
S05W00	0	0	0	S05W00	Q									
N07E03	0	0	0	N07E03	Q									
S21E17	4	0	0	S21E17	Q									
S15E24	1	0	0	S15E24	Q									
N18E35	1	0	0	N18E35	Q									
090	31	30	202	198	014	N13W82	0	0	0	Presto Soflare X2/2B N12W10 30/0543Z Duration 30 Minutes. Tenflare 860 Flux Units 30/0538Z In Progress.	31	N13W82	Q	SOLALERT 31/01 MAGALERT 01
						S11W79	0	0	0			S11W79	Q	
						N08W74	0	0	0			N08W74	Q	
						S14W53	2	0	0			S14W53	Q	
						S12W34	1	0	0			S12W34	Q	
						N12W27	6	2	1			N12W27	A	
						S16W15	0	0	0			S16W15	E	
						S21E04	0	0	0			S21E04	E	
						S15E11	0	0	0			S15E11	Q	
						N18E19	4	0	0			N18E19	Q	
091	01	31	170	185	017	S12W90	0	0	0	Presto Tenflare 1300 Flux Units 30/0522Z Duration 68 Minutes. Tenflare 120 Flux Units 31/2213Z Duration 7 Minutes.	01	S12W90	Q	SOLALERT 01/03 MAGALERT 01/02
						N08W86	0	0	0			N08W86	Q	
						S15W67	1	0	0			S15W67	Q	
						S12W49	2	0	0			S12W49	Q	
						N19W43	1	0	0			N19W43	Q	
						N11W41	17	5	0			N11W41	A	
						S16W27	1	0	0			S16W27	Q	
						S21W08	6	0	0			S21W08	E	
						S15W02	0	0	0			S15W02	Q	
						N18E04	4	0	0			N18E04	E	
S18E57	0	0	0	S18E57	Q									

PRESTO MESSAGES (THE RAPID REPORT OF MAJOR EVENTS)

02 MARCH 1982 BOULDER 02/1654Z STRONG MAGSTORM IN PROGRESS 02/1500Z A GREATER THAN 50
05 MARCH 1982 BOULDER 05/0256Z SOFLARE M4/2B S24E01 04/0244Z DURATION 15 MINUTES
05 MARCH 1982 TOYOKAWA 05/0358Z TENFLARE 140 FLUX UNITS 05/0237Z DURATION 40 MINUTES
07 MARCH 1982 BOULDER 07/0350Z SOFLARE X2/2B N17W53 07/0308Z DURATION 42 MINUTES
07 MARCH 1982 BOULDER 07/0339Z TENFLARE 3500 FLUX UNITS 07/0246Z DURATION IN PROGRESS
07 MARCH 1982 TOYOKAWA 07/0418Z TENFLARE 3350 FLUX UNITS 07/0248Z DURATION 60 MINUTES
07 MARCH 1982 TOYOKAWA 07/0558Z TENFLARE 1280 FLUX UNITS 07/0403Z DURATION 100 MINUTES
19 MARCH 1982 TOYOKAWA 19/0008Z TENFLARE 150 FLUX UNITS 18/2136Z DURATION 8 MINUTES
19 MARCH 1982 BOULDER 19/1400Z SOFLARE M2/2B 19/0405Z S06W26 DURATION 148 MINUTES
27 MARCH 1982 TOYOKAWA 27/0250Z TENFLARE 150 FLUX UNITS 27/0211Z DURATION 15 MINUTES
27 MARCH 1982 BOULDER 27/1440Z SOFLARE M4/2B N11E18 27/1408Z DURATION 23 MINUTES
27 MARCH 1982 BOULDER 27/1440Z TENFLARE 200 FLUX UNITS 27/1408Z DURATION IN PROGRESS
30 MARCH 1982 BOULDER 30/0554Z SOFLARE X2/1B N12W10 30/0541Z DURATION 30 MINUTES
30 MARCH 1982 BOULDER 30/0554Z TENFLARE 860 FLUX UNITS 30/0538Z IN PROGRESS
30 MARCH 1982 TOYOKAWA 30/0706Z TENFLARE 1300 FLUX UNITS 30/0522Z DURATION 68 MINUTES
30 MARCH 1982 SYDNEY 30/0600Z SOFLARE LEARMONTH 2B 30/0543Z N13W11 20 PERCENT UMBRAL COVERAGE AND PARALLEL RIBBONS
30 MARCH 1982 SYDNEY 30/0600Z TENFLARE LEARMONTH 2800 FLUX UNITS AT 2695 MHZ, 20,000 FLUX UNITS AT 245MHZ.
31 MARCH 1982 TOYOKAWA 31/0015Z TENFLARE 1300 FLUX UNITS 30/0522Z DURATION 68 MINUTES
31 MARCH 1982 TOYOKAWA 31/2358Z TENFLARE 120 FLUX UNITS 31/2213Z DURATION 7 MINUTES.

RELATIVE SUNSPOT NUMBERS INTERNATIONAL, R_I

DAY	1981 FINAL												1982 PROVISIONAL		
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR
1	159	148	161	153	112	62	149	121	205	216	165	193	92	258	167
2	141	132	182	170	133	59	140	105	183	206	197	197	94	241	174
3	122	150	169	148	156	44	140	112	160	219	218	212	112	232	175
4	113	126	173	151	152	58	112	109	170	189	221	212	109	221	177
5	94	133	141	146	162	55	112	113	195	195	233	219	99	219	163
6	71	172	147	132	192	57	85	102	220	169	199	234	86	230	165
7	95	158	130	152	171	58	66	107	205	171	192	244	94	226	146
8	108	129	142	195	177	46	62	115	208	185	184	249	97	232	140
9	126	124	124	199	168	58	65	121	190	177	134	258	98	211	116
10	120	157	127	199	148	59	99	138	196	144	147	253	85	199	122
11	123	172	130	200	169	72	130	136	164	131	146	263	46	158	119
12	126	185	128	193	183	79	139	140	138	123	160	240	52	156	135
13	123	143	127	197	149	86	153	134	132	171	158	185	51	162	155
14	106	142	128	180	140	99	145	140	148	187	178	159	58	142	153
15	106	124	110	212	141	111	150	153	129	212	139	113	81	134	140
16	81	129	128	197	127	109	161	134	138	223	126	66	76	111	156
17	72	120	109	213	124	119	171	125	129	219	103	80	111	120	180
18	79	131	95	214	119	104	161	148	145	210	108	79	139	103	168
19	78	138	95	203	100	90	151	175	156	189	90	74	143	107	167
20	88	133	120	199	77	71	145	188	137	183	82	57	134	119	149
21	99	131	135	154	99	87	122	222	175	145	82	65	134	120	153
22	99	128	134	122	106	106	129	220	172	145	73	75	121	100	146
23	115	98	130	103	93	119	162	200	137	118	65	86	93	97	144
24	113	124	125	92	96	109	196	178	135	109	59	68	70	120	122
25	115	137	142	119	93	127	213	189	142	101	60	62	82	115	152
26	120	148	133	90	105	127	206	215	153	92	60	100	119	136	147
27	135	175	126	81	99	133	218	222	181	75	77	104	125	140	182
28	142	170	165	72	93	123	208	214	195	92	130	136	168	145	189
29	165	160	160	100	92	138	159	194	191	131	148	132	216	169	169
30	158	152	106	83	83	161	156	233	190	152	165	112	211	162	162
31	143	132	132	92	92	152	216	216	156	156	126	126	237	132	132
MEAN	114.0	141.3	135.5	156.4	127.5	90.9	143.8	158.7	167.3	162.4	137.5	150.1	110.7	162.6	153.7

1980 YEARLY MEAN = 154.6

* ZURICH R₂ SUNSPOT NUMBER REPLACED BY INTERNATIONAL R₁ SUNSPOT NUMBER BEGINNING WITH JANUARY 1981 DATA.

DAILY SOLAR FLUX AT 2800 MHz OTTAWA ARO

FLUX ADJUSTED TO 1 A.U., S_a

DAY	1981												1982		
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR
1	189.7	207.3	224.4*	210.8*	188.0	149.6	175.4	183.9	248.3	210.6*	222.5*	230.7*	179.9	284.8*	231.3
2	181.4	210.1	230.6*	211.2*	193.4	144.3	168.9	182.6	242.8	204.8*	241.3*	230.3*	177.2	279.7*	228.3
3	173.1	205.4*	238.9*	221.2	206.5*	134.9	163.3*	192.4	229.0	196.5	255.3*	238.6	176.1	272.9*	230.1
4	166.8	197.5	245.6*	219.7	221.2	133.8	165.9	190.6*	233.4	191.1	263.1	241.7	170.4	252.8*	238.3*
5	161.8	187.8	227.3	226.2	237.5	136.0	152.5	178.8	248.7	193.6*	254.1	260.0	165.5	245.2	245.4*
6	157.4	185.4*	212.7	235.7	231.2	140.6	148.7	179.6	263.2*	200.3	244.6	262.1	166.8	245.2	230.0*
7	168.6*	180.5*	201.4	242.3	234.2	146.7	149.8	173.0	262.5*	204.1*	241.4	275.6*	166.9*	239.9	228.3
8	169.2	179.1	200.6*	268.8*	222.4*	146.7*	152.4	178.4	266.3*	200.7*	234.7*	287.8	156.9	245.1*	207.1*
9	167.0	176.7	202.9	287.7	218.6	152.8	150.0*	180.5	256.5	205.4*	232.6	292.4*	164.4	231.7	192.2
10	164.6	185.2	203.1	268.8*	217.7*	157.1	156.5*	182.0	247.6	213.4	231.0*	278.7	145.7	213.7	178.9*
11	160.5	186.4*	199.7	272.1	228.1*	154.8	167.4	206.4	240.8	220.0	217.0	266.7*	136.3	211.1*	178.2
12	156.6	190.6*	188.8	251.9	223.4	152.0	167.7*	209.0*	234.2	236.8*	223.5	254.2*	132.4	204.0*	181.2
13	158.1	197.8	202.1	254.9*	221.3	152.6	174.2*	208.7	230.2	256.2	215.9	218.9	127.5	194.9*	185.5
14	153.9	200.3	208.9	256.5*	232.5	159.1	184.2	208.2	228.7*	275.6	207.4	193.0	130.5	185.3	201.3
15	149.8	193.5	206.3*	254.9*	223.9	164.7	194.5*	225.1	230.4	287.1	191.2	172.6	136.3	180.3	207.6*
16	152.5	186.9	194.9	247.5*	218.9	169.1	205.3*	221.8*	227.5	302.4	181.2	157.4	146.7	170.5	227.7
17	155.3	188.1*	181.5	242.7	207.6	171.2	200.8*	228.7	218.2*	302.9	172.7	144.2	152.6	162.5	230.4
18	161.0	190.2*	180.0	229.2	194.4	170.1	204.7*	244.1	216.5*	296.5*	160.8*	136.3*	167.6	165.7	226.8
19	165.4	178.8	175.1	214.9	186.6*	165.9	220.3	254.6*	210.5*	278.6	157.0	129.7	169.4	170.9*	219.7*
20	159.9*	188.3	182.7	200.9*	180.0	159.8	234.7*	269.8	200.1	257.8*	152.0	133.9	167.0	171.3	177.0
21	156.6	189.9*	189.5	196.1	180.4	153.6	228.1*	267.1*	191.2	238.2	153.9	142.2	163.3	165.2	212.4
22	156.4	199.5	189.4*	191.5	169.3*	166.1*	235.9	262.2*	183.0	218.6	152.7	145.9	152.9	163.7	213.7
23	156.8	217.9*	188.0*	204.9	159.6	171.2*	254.7*	254.8	183.8	208.2	151.9	153.0	148.0	173.1	202.4
24	157.3	231.5*	191.4	203.0*	169.8	174.6	261.6*	258.9	182.2	201.1	150.4	156.1*	149.1	185.9*	189.0
25	169.2*	233.8	199.3	177.2	183.6	259.7	254.8	182.0	186.0	186.0	159.1	162.1	169.3*	184.1	189.9
26	174.6	238.5	198.6*	198.8	173.8	193.9	273.1*	272.9*	188.8	172.0	178.3*	166.2	182.7*	204.0	192.8*
27	175.8*	235.4	197.6	194.7*	177.0	193.4	255.8*	281.6*	202.8	171.2	190.3	176.8	197.2	222.1	195.4*
28	197.2*	224.9*	203.7*	178.2*	181.3	191.6	223.6	275.3	200.9	182.4	206.4*	183.0	234.7	224.0	200.6
29	204.2	.	212.4*	176.9	170.6	187.5*	213.3	259.1	204.5	187.5	226.5*	183.6	267.0	.	198.0
30	209.1	.	208.2	175.3	164.6*	179.0	204.2*	265.1	203.8	201.5	231.6	185.7	284.5	.	194.5*
31	209.1	.	214.0*	.	156.1	.	197.6	256.0*	.	207.1	.	182.8	289.1	.	184.1
MEAN	169.0	199.5	203.2	224.7	198.9	161.9	198.2	226.0	221.9	222.8	203.3	201.4	173.4	208.9	208.3

* adjusted for burst
A = interpolated data point

DAILY SOLAR INDICES

MARCH 1982

DAY OF MONTH	YEAR DAY	BARTELS 27-DAY CYCLE NUMBER	PROVISIONAL SURSPOT NUMBERS		OBSERVED FLUX OTTAWA 2800	SOLAR FLUX ADJUSTED TO 1 A.U.									
			R I	R A'		AFGL 15400	AFGL 8800	AFGL 4995	OTTAWA 2800	AFGL 2895	AFGL 1415	AFGL 606	AFGL 410	AFGL 245	
1	60	26	167	169	235.5	617	326	247	231.3	229	198	118	64		
2	61	27	174	176	232.2	614	315	252	228.3	225	201	91	48		
3	62	1	175	176	234.1	631	315	236	230.1	227	194	94	46		
4	63	2	177	178	242.2*	627	331	254	238.3*	249	204	96	45		
5	64	3	163	175	249.4*	626	324	274	245.4*	260	197	87	44		
6	65	4	165	170	233.5*	630	325	246	230.0*	248	192	93	45		
7	66	5	146	156	231.8	548	304	232	228.3	232	181	86	50		
8	67	6	140	126	210.0*	603	302	203	207.1*	202	167	88	42		
9	68	7	116	115	194.9	616	292	192	192.2	189	165	83	38		
10	69	8	122	121	181.3*	604	284	189	178.9*	188	161	76	43		
11	70	9	119	118	180.5	568	283	194	178.2	191	166	68	39		
12	71	10	135	148	183.4	585	291	203	181.2	190	164	74	44		
13	72	11	155	167	187.8	620	305	231	185.5	225	174	88	52		
14	73	12	153	151	203.5	627	317	255	201.3	240	189	93	46		
15	74	13	140	146	209.9*	619	326	252	207.6*	236	188	100	67		
16	75	14	156	161	230.0	615	317	252	227.7	239	184	108	90		
17	76	15	180	177	232.7	611	322	258	230.4	230	176	84	55		
18	77	16	168	165	228.9	626	320	248	226.8	226	173	86	52		
19	78	17	167	168	221.5*	621	318	242	219.7*	223	166	90	60		
20	79	18	149	156	218.7	613	321	240	217.0	218	171	90	55		
21	80	19	153	149	213.9	628	326	234	212.4	203	167	88	54		
22	81	20	146	151	215.2	643	328	228	213.7	197	162	87	52		
23	82	21	144	134	203.6	645	327	221	202.4	198	162	91	48		
24	83	22	122	126	190.1	640	317	220	189.0	198	162	91	48		
25	84	23	152	134	190.9	631	317	220	189.9	204	162	73	45		
26	85	24	147	137	193.6*	641	347	227	192.8*	204	181	119	57		
27	86	25	182	174	196.2*	624	333	226	195.4*	204	177	105	56		
28	87	26	189	183	201.2	636	333	235	200.6	200	188	98	51		
29	88	27	169	159	198.6	618	321	217	198.0	197	182	94	57		
30	89	1	162	162	194.9*	602	319	209	194.5*	185	164	89	50		
31	90	2	132	123	184.5	618	317	230	184.1	216	178	91	51		
MEAN			153.7	153.3	210.5	618	317	230	208.3	216	178	91	51		

*Adjusted for burst.
NOTE: Data gaps in AFGL Sagamore Hill data are due to equipment problems.

OBSERVED AND PREDICTED SOLAR ACTIVITY INDICES

Date	SUNSPOT NUMBERS						2800 MHz FLUX adjusted to 1 AU Sa	
	Rz or RI		Ra		Rs		Monthly Mean	Monthly Smoothed
	Monthly Mean	Smoothed	Monthly Mean	Smoothed	Monthly Mean	Smoothed		
Apr 79	101.5	141	95.8	133	127.0	133	175.0	180
May	134.4	147	121.8	139	120.4	139	168.9	186
Jun	149.5	153	136.4	144	138.9	144	186.0	191
Jul	159.4	155	140.5	145	123.1	145	171.4	192
Aug	142.2	155	125.1	144	129.2	145	177.0	192
Sep	188.4	156	184.0	143	156.5	144	202.3	191
Oct	186.2	158	178.2	144	171.7	145	216.4	192
Nov	183.3	162	176.5	149	182.9	149	226.8	196
Dec	176.3	164	157.6	152	151.0	152	197.2	199
Jan 80	159.6	164	145.3	153	153.6	154	199.6	200
Feb	155.0	163	133.9	154	148.7	155	195.1	200
Mar	126.2	161	107.9	153	117.8	153	166.5	200
Apr	164.1	159	138.5	151	164.0	152	209.3	198
May	179.7	156	172.3	149	185.4	151	229.1	197
Jun	157.3	155	153.6	149	153.2	151	199.3	198
Jul	136.3	153	136.0	144	144.1	151	190.8	197
Aug	135.4	150	133.0	144	121.9	150	170.3	196
Sep	155.0	150	150.0	146	138.8	152	185.9	198
Oct	164.7	150	160.8	149	157.1	154	202.9	200
Nov	147.9	148	149.9	149	168.5	153	213.4	199
Dec	174.4	143	167.5	145	174.3	150	218.8	196
Jan 81	114.0	140	115.4	144	120.5	149	169.0	195
Feb	141.3	142	143.7	146	153.5	152	199.5	198
Mar	135.5	143	149.2	149	157.5	156	203.2	202
Apr	156.4	143	169.2	149	180.7	158	224.7	204
May	127.5	143	141.3	149	152.8	159	198.9	204
Jun	90.9	142	99.0	147	112.9	158	161.9	203
Jul	143.8	140*	154.3	146	152.1	157	198.2	203
Aug	158.7	141*	170.4	147	182.1	158	226.0	203
Sep	167.3	143*	174.5	146	177.7	158	221.9	204
Oct	162.4	141(+ 3)*	157.0	144	178.6	156	222.8	---
Nov	137.5	138(+ 7)*	138.8	141	157.6	152	203.3	---
Dec	150.1	134(+ 7)*	145.0	136	155.5	148	201.4	---
Jan 82	110.7†	129(+10)*	110.4	132	124.2	142	173.4	---
Feb	162.6†	125(+11)*	161.0	127	163.6	138	208.9	---
Mar	153.7†	122(+11)*	---	124	163.0	134	208.3	---
Apr	---	119(+11)*	---	121	---	131	---	---
May	---	116(+10)*	---	118	---	128	---	---
Jun	---	112(+11)*	---	114	---	123	---	---
Jul	---	108(+11)*	---	110	---	118	---	---
Aug	---	103(+ 9)*	---	104	---	112	---	---
Sep	---	98(+ 9)*	---	99	---	106	---	---

*An asterisk denotes either a value of the observed 12-month running mean or the predicted 12-month average that is based on preliminary observations of the Zurich and International relative sunspot numbers (Rz and RI). Parentheses enclose the 90% confidence limits. Shaded boxes enclose the most recent smoothed values; boxes not shaded enclose predicted values. Ra is the new symbol for RA'. All tabulated entries of Ra are final values.

†RI replaces Rz as of January 1981.

SMOOTHED OBSERVED AND PREDICTED SUNSPOT NUMBERS
CYCLE 21


MONTH	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1976	15	13	12	13	13	12	13	14	14	13	14	15
1977	17	18	20	22	24	26	29	33	39	46	52	57
1978	61	65	70	77	83	89	97	104	108	111	113	118
1979	124	131	137	141	147	153	155	155	156	158	162	165*
1980	164	163	161	159	156	155	153	150	150	150	148	143
1981	140	142	143	143	143	142	140	141	143	[141 (3)	138 (5)	134 (7)
1982	129 (10)	125 (11)	122 (11)	119 (11)	116 (10)	112 (11)	108 (11)	103 (9)	98 (9)	92 (8)	87 (9)	84 (9)
1983	80 (9)	77 (9)	76 (10)	74 (12)	71 (14)	68 (17)	66 (18)	65 (20)	64 (22)	64 (23)	63 (24)	63 (24)
1984	61 (25)	58 (25)	55 (25)	51 (27)	49 (28)	49 (29)	47 (29)	46 (29)	44 (29)	42 (28)	40 (27)	38 (26)
1985	37 (26)	36 (25)	36 (24)	36 (24)	35 (24)	33 (23)	32 (22)	31 (21)	30 (20)	29 (21)	28 (22)	28 (22)
1986	27 (23)	26 (23)	25 (22)	23 (22)	22 (21)	20 (20)	18 (20)	17 (19)	16 (17)	16 (16)	15 (15)	15 (13)
1987	15 (12)	14 (12)	15 (12)	15 (13)	16 (14)	17 (15)	19 (15)					

The table gives observed smoothed sunspot numbers for Cycle 21 up to the one calculated from the latest observed data, marked by a left-hand bracket. They are based on final Zürich numbers through 1980, final International numbers for 1981, and provisional International numbers thereafter. Some of these data after the June 1976 value will change slightly when final data for 1982 are included. The numbers after the bracket are predictions by the McNish-Lincoln method (see Explanation of Data Reports, February 1982). Shown in parentheses are the corresponding absolute values of the 90% confidence interval, an indication of the uncertainty above and below the predicted number.


The McNish-Lincoln prediction method is recommended for predictions up to only one year ahead. From that point, the predictions regress rapidly toward the mean value. Furthermore, the method is very sensitive to the identification of a minimum epoch. In SGD issues 390-401, the Cycle 21 predictions were based on March 1976 as the minimum epoch. Later studies, including one published by Waldmeier, show that June 1976 is the more appropriate epoch of minimum. Thus, we adopted a June 1976 minimum.

*MAXIMUM OF SUNSPOT CYCLE 21. The maximum smoothed sunspot number occurred in December 1979.

OBSERVED AND ONE-YEAR-AHEAD PREDICTED SMOOTHED SUNSPOT NUMBERS



SUPERPOSITION OF CYCLES 18, 19, AND 20



H α SOLAR FLARES

MARCH 1982

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM POR- TANCE	OBS.		MEASUREMENTS			REMARKS
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	HALE PLAGE REGION	CMP. DAY			COND.	TYPE	TIME UT	MEAS. AREA Mill. of Disk	CORR. AREA Sq. Deg.	
					LAT.	MER. DIST.											
LEAR	01	0003	0008U	0017	N12	E15	.412		2.1	14	SN	2	C		96		H
MANI	01	0005E	0006	0010D	N12	E15	.412		2.1	5D	SF	1	V		60	.7	
HOLL	01	0015	0017	0031D	S22	E53	.800		5.0	16D	SN	3	C		35		F
LEAR	01	0016	0017	0050	S22	E54	.809		5.1	34	SN	3	C		48		F
YUNN	01	0203	0212	0247	N17	E16	.484		2.3	44	SN	C		96	1.1		
YUNN	01	0203	0239U	0247	N16	E15	.463		2.2	44	SN	P	C	0239	64	.7	FK
LEAR	01	0204	0215	0257	N14	E16	.437		2.2	53	SN	3	C		79		K
LEAR	01	0204	0240	0257	N14	E15	.437		2.2	53	SB	3	C		144		E
PURP	01	0242	0243	0243D	N15	E15	.450		2.2	1D	SF	P	C	0243	106	1.2	K
LEAR	01	0536	0538	0557	S24	E51	.783		5.1	21	SF	3	C		52		F
CATA	01	0825E	0825	0900	N17	E10	.441		2.1	35	1	2	P	0825	281	3.2	
LEAR	01	0826	0832	0852	N16	E12	.440		2.3	26	SB	3	C		124		F
YUNN	01	0827	0835	0851	N18	E12	.467		2.3	24	SB	C		113	1.3	F	
LEAR	01	0924	0926	0932	N17	E04	.415		1.7	8	SF	3	C		24		F
CATA	01	0925	0925	0935	N17	E03	.413		1.6	10	S	2	C	0925	140	1.6	
CATA	01	1145	1150	1200	N21	E03	.475		1.7	15	S	1	C	1150	84	1.0	
HOLL	01	1552	1554	1721D	N16	E08	.415		2.3	89D	SN	3	C		173		
PURP	02	0037	0038	0047	S24	E34	.597		4.6	10	SN		C	0038	86	1.1	D
YUNN	02	0041	0043	0047	S22	E33	.574		4.5	6	SB		C		80	1.0	D
LEAR	02	0044	0044	0052	S22	E32	.562		4.4	8	SN	3	C		55		
MANI	02	0046E	0046U	0056D	S23	E41	.674		5.1	10D	SN	1	V		50	.7	
YUNN	02	0048	0053	0057	S14	E41	.654		5.1	9	SN	C		64	.9		
LEAR	02	0052	0053	0056	S14	E41	.654		5.1	4	SN	3	C		35		
LEAR	02	0116	0117	0126	N08	W78	.982		24.2	10	SF	3	C				
LEAR	02	0129	0132	0149	N12	W01	.330		2.0	20	SN	3	C				F
YUNN	02	0131E	0131U	0136	N12	W01	.330		2.0	5	SB		P	0131	129	1.4	D
LEAR	02	0335	0338	0344	N12	W02	.331		2.0	9	SF	3	C		88		F
YUNN	02	0652	0744U	0752	S14	E38	.614		5.1	60	SN	P	C	0744	16	.2	D
YUNN	02	0652	0657	0703	S13	E37	.600		5.1	11	SB		C		32	.4	D
LEAR	02	0658	0658	0704	S14	E37	.601		5.1	6	SN	3	C		43		F
LEAR	02	0742	0744	0753	S14	E37	.601		5.1	11	SN	3	C		31		
YUNN	02	0804	0816	0821D	N14	E11	.405		3.2	17D	SF		P		161	1.8	E
LEAR	02	0806	0810	0843	N13	E10	.383		3.1	37	SN	3	C		58		K
LEAR	02	0806	0825	0843	N13	E10	.383		3.1	37	SN	3	C		74		F
CATA	02	0810	0815	0905D	N14	E08	.385		2.9	55D	1	2	P	0815	225	2.5	K
LEAR	02	0823	0842	0854	S14	E36	.588		5.0	31	SN	3	C		39		
YUNN	02	0836E	0836U	0845	N19	E12	.481		3.3	9	SN	P	C	0836	32	.4	
YUNN	02	0924	0929	0944	S19	E37	.613		5.2	20	SN	C		16	.2	E	
YUNN	02	0932	0936	0944	S15	E36	.589		5.1	12	SB		C		64	.8	
LEAR	02	0933	0934	1022D	S15	E35	.576		5.0	49D	SN	3	C		49		
YUNN	03	0044	0053	0100	N14	W02	.364		2.9	16	SN		C		16	.2	
LEAR	03	0258	0301	0312	N11	W13	.380		2.1	14	SN	3	C		41		F
PURP	03	0259	0300	0309	N11	W13	.380		2.1	10	SN	C	C	0300	53	.6	E
LEAR	03	0330	0357	0436	S23	E26	.493		5.1	66	1N	3	C		250		F
PURP	03	0336	0344	0423	S23	E27	.505		5.2	47	1B		C	0344	224	2.6	
YUNN	03	0350	0402	0430	S21	E24	.454		5.0	40	SF		C		161	1.9	
LEAR	03	0357	0402	0421	N16	E01	.395		3.2	24	SF	3	C		45		F
LEAR	03	0421	0421	0441	S17	E26	.457		5.1	20	SN	3	C		65		F
YUNN	03	0628	0633	0641	N12	W17	.432		2.0	13	SF		C		16	.2	
LEAR	03	0631	0633	0633D	N11	W15	.400		2.1	2D	SF	3	C		33		F
LEAR	03	0728	0729	0737	N17	E01	.411		3.4	9	SN	3	C		48		
LEAR	03	0754	0757	0800	S21	E24	.454		5.1	6	SF	3	C		32		F
LEAR	03	0917	0918	0927	S17	W46	.718		27.9	10	SF	3	C		22		
LEAR	03	0922	0925	0936	S21	E23	.441		5.1	14	SF	3	C		51		F
CATA	03	1130E	1145	1230D	S20	E22	.420		5.1	60D	1	2	P	1145	253	2.9	
RAMY	03	1639	1641	1648	S23	E26	.493		5.6	9	SB	3	C		122		
HOLL	03	1641	1641	1648	S27	E26	.524		5.6	7	SB	2	C		31		
HOLL	03	1753	1756	1811	N15	W09	.406		3.1	18	SF	2	C		22		
HOLL	03	1756	1803	1807	S13	E18	.319		5.1	11	SF	2	C		54		
HOLL	03	1839	1853	1954	S15	E19	.345		5.2	75	SN	3	C		81		F
HOLL	03	2311	2313	2325	N20	W10	.484		3.2	14	SF	2	C		39		F
MANI	04	0057E	0100	0104	S22	E21	.423		5.6	7	SB	1	V		110	1.2	
YUNN	04	0557	0611	0622D	S18	E11	.262		5.1	25D	SF		P		161	1.7	E
LEAR	04	0600	0603	0633	S20	E12	.297		5.1	33	SN	3	C		79		F
CATA	04	1005	1025	1030D	N20	W22	.571		2.8	25D	S	2	P	1025	140	1.8	
RAMY	04	1425	1426	1431	S07	W29	.481		2.4	6	SF	3	C		40		
RAMY	04	1458	1500	1533	S25	E03	.309		4.8	35	SN	3	C		57		
RAMY	04	1556	1559	1610	S06	W30	.497		2.4	14	SN	3	C		66		
RAMY	04	1559	1559	1610	S25	E03	.309		4.9	11	SF	3	C		24		

H α SOLAR FLARES

MARCH 1982

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IMPOR- TANCE	OBS.		MEASUREMENTS			REMARKS
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	HALE PLAGE REGION	CMP. DAY			COND.	TYPE	TIME UT	MEAS. AREA Mill. of Disk	CORR. AREA Sq. Deg.	
					LAT.	MER. DIST.											
[RAMY	04	1648	1649	1715	S22	E07	.280		5.2	27	SN	3	C		59		
HOLL	04	1649	1649	1700	S23	E07	.295		5.2	11	SF	3	C		37		F
HOLL	04	1717	1721	1728	N14	W22	.507		3.1	11	SF	3	C		28		
HOLL	04	1944	1945	1953	S06	W33	.542		2.3	9	SF	3	C		30		F
PALE	04	2219E	2227U	2243	S19	E05	.220		5.3	24	SF	2	C		88		F
YUNN	05	0044	0056	0130	S12	E01	.085		5.1	46	SN		C	0048	64	.7	
PALE	05	0138	0142	0149	S17	W04	.182		4.8	11	SF	3	C		113		
PALE	05	0142	0143	0157	S18	E01	.187		5.1	15	SF	3	C		34		F
YUNN	05	0204E	0204U	0220	N21	W30	.654		2.8	16	SN		P	0204	113	1.5	FW
[LEAR	05	0230	0248	0351	S24	E01	.289		5.2	81	2B	3	C		733		UF
[PALE	05	0235	0249	0336	S22	E01	.255		5.2	61	1B	3	C		490		UF
YUNN	05	0240	0247	0317	S24	E02	.290		5.3	37	1B		C		257	2.8	F
[LEAR	05	0410	0421	0430	S16	W03	.160		4.9	20	SF	3	C		81		F
YUNN	05	0414	0416	0424	S17	W02	.173		5.0	10	SF		C		16	.2	E
YUNN	05	0524	0528	0532	S13	W02	.106		5.1	8	SF		C		48	.5	E
ISTA	05	0641		0644	N21	W32	.672		2.9	3	SN			0642			D
[LEAR	05	0642E	0642U	0653	N20	W30	.645		3.0	11	SN	2	C		54		F
YUNN	05	0644	0645	0653	N22	W32	.681		2.9	9	SF		C		32	.5	D
YUNN	05	0828	0840	0904	N15	W32	.626		3.0	36	SN		C		80	1.1	E
[CATA	05	0830	0835	0900	N14	W32	.619		3.0	30	1	2	C	0835	225	3.0	
[CATA	05	0840	0840	0915D	S17	W05	.189		5.0	35D	1	2	P	0840	364	3.8	
[YUNN	05	0845E	0845	0913	S18	W04	.198		5.1	28	SN		P		193	2.0	FW
[MANI	05	0855E	0856	0907	S14	W02	.122		5.2	12	1N	1	V		250	3.1	F
HOLL	05	1619	1644	1723D	S13	W08	.169		5.1	64D	1N	2	C		300		F
HOLL	05	1636	1701	1708	S23	W14	.354		4.6	32	SF	2	C		92		F
HOLL	05	1641	1706	1707	S05	W42	.667		2.5	26	SF	2	C		65		F
HOLL	05	1709	1721	1722	S21	W10	.289		5.0	13	SF	2	C		41		F
HOLL	05	1821	1830	1906	S21	W11	.299		4.9	45	1B	3	C		274		FE
HOLL	05	1825E	1825U	1914D	S12	W09	.175		5.1	49D	SN	2	C		100		F
PALE	05	1901E	1906	1921	S14	W12	.235		4.9	20	SF	3	C		78		F
[PALE	05	1938	1942	2011	S13	W10	.198		5.1	33	SN	3	C		140		F
[HOLL	05	1946	1946	1955	S13	W11	.212		5.0	9	SN	2	C		47		F
PALE	05	2053	2054	2057D	S22	W11	.312		5.0	4D	SN	3	C		75		F
PALE	05	2055	2056U	2144D	S13	W11	.212		5.0	49D	SN	3	C		80		F
[PALE	06	0027	0032	0037	S23	W13	.344		5.0	10	SF	3	C		21		
YUNN	06	0039E	0045	0110	S23	W15	.364		4.9	31	SF		P		16	.2	
[PALE	06	0138	0154	0214	S13	W15	.273		4.9	36	SF	3	C		63		K
[PALE	06	0138	0142	0214	S13	W15	.273		4.9	36	SF	3	C		25		K
YUNN	06	0159E	0159U	0217	S12	W16	.283		4.9	18	SF		P	0159	32	.3	E
PALE	06	0223	0223	0228	S13	W14	.258		5.0	5	SF	3	C		46		
YUNN	06	0322	0326	0337	S13	W14	.258		5.1	15	SF		C		16	.2	F
YUNN	06	0514E	0514U	0522	S12	W15	.268		5.1	8	SN		P	0514	32	.3	D
[MANI	06	0646E	0646U	0654D	S11	W17	.296		5.0	8D	SN	1	V		80	.9	F
CATA	06	0650	0655	0730	S13	W16	.288		5.1	40	1	2	P	0655	253	2.7	
CATA	06	0720	0730	0730	S23	W13	.344		5.3	10	S	2	P	0730	169	1.8	
CATA	06	0745E	0745	0815	S23	W13	.344		5.3	30	1	2	P	0745	197	2.2	
CATA	06	0805	0805	0815	S25	W17	.408		5.1	10	1	2	P	0805	253	2.8	
YUNN	06	0945	0947	1005	S12	W18	.315		5.1	20	SB		C		129	1.4	
[YUNN	07	0249	0319	0418	N19	W53	.852		3.1	89	2N		C		498	10.0	K
YUNN	07	0249	0314	0418	N18	W50	.823		3.4	89	3B		C		1286	23.4	FUIH
[PALE	07	0308E	0321U	0325D	N17	W53	.845		3.2	17D	2B	2	C		448		ZUK
[PALE	07	0308E	0308	0325D	N17	W53	.845		3.2	17D	1B	2	C		340		K
[MANI	07	0309E	0309U	0326D	N18	W54	.857		3.1	17D	2B	1	V		400	7.5	FZ
YUNN	07	0358	0408	0418D	N19	W56	.375		3.0	20D	1N		P		161	3.5	E
CATA	07	0830E	0830	0845	N09	E53	.822		11.3	15	1		P	0830	112	2.0	I
HOLL	07	1420E	1420U	1440	N17	W59	.892		3.2	20	SN	3	C		52		
HOLL	07	1524	1544	1608	S06	E08	.140		8.2	44	SF	3	C		85		
HOLL	07	1959	2018	2025	N08	E47	.758		11.4	26	SN	3	C		49		
YUNN	08	0123	0128	0140	N09	E41	.694		11.1	17	SN		C		16	.2	
YUNN	08	0136	0140	0210	S07	E02	.035		8.2	34	SN		C		96	1.0	
YUNN	08	0429	0436	0456	S17	W50	.763		4.4	27	SF		C		16	.3	D
LEAR	08	0515	0519	0522	N16	W66	.936		3.3	7	SF	3	C		18		
WEND	08	1146	1147	1157	S12	E48	.737		12.1	11	SN		C	1147	31	.5	
WEND	08	1305	1308	1323	N17	W68	.948		3.4	18	SN		C	1308	50		
WEND	08	1357	1400	1414	N11	E44	.737		11.9	17	SF		C	1400	50	.7	
[LEAR	09	0306	0311	0336	S07	W12	.206		8.2	30	1N	3	C		211		FH
[MANI	09	0308E	0308U	0320D	S05	W12	.210		8.2	12D	SN	1	V		120	1.3	FH

H α SOLAR FLARES

MARCH 1982

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM POR-TANCE	OBS.		MEASUREMENTS			REMARKS	
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	HALE PLAGE REGION	CMP. DAY			COND.	TYPE	TIME UT	MEAS. AREA Mill. of Disk	CORR. AREA Sq. Deg.		
					LAT.	MER. DIST.												
PURP	09	0310E	0310	0326D	S07	W10	.172		8.4	16D	1N	P	0310	231	2.4			
YUNN	09	0328E	0328U	0330D	S05	W14	.244		8.1	2D	SF	P	0328	32	.3	E		
YUNN	09	0354E	0354U	0402	S07	W12	.206		8.3	8	SF	P	0354	16	.2	D		
LEAR	09	0403	0404	0407	N16	W78	.987		3.3	4	SF	3	C					
YUNN	09	0510	0518	0530	S05	W16	.277		8.0	20	SF	C		16	.2	D		
LEAR	09	0727	0728	0756	S07	W13	.223		8.3	29	SF	3	C	36		F		
LEAR	09	0939	0941	1006	N21	W87	1.000		2.9	27	SF	3	C					
LEAR	09	0948	0948	1000	S14	W61	.868		4.8	12	SN	3	C	16		F		
CATA	09	1210E	1210	1225	S06	W20	.340		8.0	15	S	2	P	1210	56	.6		
HOLL	09	1433	1434	1512	S14	W68	.920		4.5	39	SN	3	C	75		F		
RAMY	09	2005	2008	2018	N02	E20	.374		11.3	13	SN	3	C	104		F		
[HOLL	09	2006E	2006U	2043D	N02	E22	.404		11.5	37D	SN	3	C	60		F		
LEAR	10	0259	0316	0439	S02	E80	.984		16.1	100	1B	3	C			F		
MANI	10	0308E	0311U	0315	N01	E85	.996		16.5	7	SN	1	V			FE		
PURP	10	0336E	0344	0353D	N01	E83	.993		16.4	17D	1N	C	0344	112				
LEAR	10	0515	0533	0606	S05	E78	.976		16.1	51	SF	3	C			F		
LEAR	10	0804	0805	0813	S07	W28	.466		8.2	9	SF	3	C	35				
[WEND	10	1207	1231	1306	S05	W31	.514		8.2	59	1N	C	1231	206	2.5			
RAMY	10	1213	1236	1308	S06	W32	.527		8.1	55	1B	3	C	220				
RAMY	10	1707	1709	1720	S23	W71	.938		5.4	13	SF	3	C	22				
[RAMY	10	1845	1846	1908	S06	W34	.556		8.2	23	2B	3	C	479				
[HOLL	10	1847E	1847U	1850D	S06	W34	.556		8.2	3D	1B	3	C	225		UE		
LEAR	11	0255	0256	0308	S02	E65	.906		16.0	13	SF	3	C	34		F		
[LEAR	11	0318	0322U	0332D	S19	E24	.440		12.9	14D	SF	3	C	102		F		
[YUNN	11	0318E	0326	0330D	S19	E23	.427		12.9	12D	SN	P		129	1.5	F		
PURP	11	0322	0326	0356	S16	E26	.452		13.1	34	1N	C	0326	264	3.0			
LEAR	11	0428	0428	0437	N10	E60	.884		15.7	9	SF	3	C	23				
LEAR	11	0607	0632	0639	S01	E65	.907		16.1	32	SF	3	C	59		F		
LEAR	11	0831	0833	0842	S07	W41	.652		8.3	11	SF	3	C	60		F		
RAMY	11	1606	1606	1622	N03	E75	.968		17.3	16	SN	3	C					
RAMY	11	1641	1713	1745	N04	E76	.973		17.4	64	SN	3	C					
LEAR	12	0025	0026	0045	S19	E15	.321		13.1	20	SF	3	C	27		F		
LEAR	12	0200	0201	0207	S06	W53	.795		8.1	7	SN	3	C	24				
YUNN	12	0314E	0318	0322	S05	W53	.796		8.2	8	SF	P		32	.5	D		
LEAR	12	0711	0714	0716	N01	W05	.167		11.9	5	SF	3	C	21				
[LEAR	12	0735	0740	0747	N01	W06	.177		11.9	12	SN	3	C	91		F		
[YUNN	12	0738E	0738U	0738D	N01	W08	.199		11.7		SF	P	0738	48	.5	D		
WEND	12	0840E		0853	S18	E11	.262		13.2	13	SF	C	0840	56	.6			
[LEAR	12	0950	0951	1010D	N00	W08	.187		11.8	20D	SN	3	C	45			K	
[LEAR	12	0950	1004	1010D	N00	W08	.187		11.8	20D	SB	3	C	123		FEK		
[WEND	12	0957	1001	1009	N02	W06	.191		12.0	12	SF	C	1001	50	.5			
YUNN	13	0202	0206	0218	N03	E43	.696		16.3	16	SF	C		64	.9			
YUNN	13	0230	0238	0246	N01	W18	.338		11.8	16	SF	C		32	.4			
LEAR	13	0408	0408	0413	N22	W14	.534		12.1	5	SF	3	C	22				
YUNN	13	0446	0450	0506	N04	E43	.699		16.4	20	SF	C		32	.5	D		
CATA	13	1255E	1255	1300D	N03	W31	.538		11.2	5D	S	2	P	1255	84	1.0		
CATA	13	1255E	1255	1300D	N01	W23	.413		11.8	5D	S	2	P	1255	169	1.9		
LEAR	13	2312E	2312U	2319	N01	W28	.487		11.9	7	SF	3	C	30				
LEAR	13	2322	2323	2329	N05	W35	.602		11.3	7	SF	3	C	24				
LEAR	14	0004	0005	0012	N02	W32	.548		11.6	8	SF	3	C	23		F		
LEAR	14	0106	0106	0116	N06	E50	.784		17.8	10	SF	3	C	28		F		
LEAR	14	0119	0122	0133	N01	W30	.515		11.8	14	SF	3	C	32				
LEAR	14	0232	0241	0345	N03	E50	.776		17.9	73	SN	3	C	69				
LEAR	14	0233	0235	0250	N05	W34	.589		11.6	17	SN	3	C	51		F		
CATA	14	0745	0745	0750D	S01	W33	.552		11.8	5D	S	2	P	0745	112	1.4		
LEAR	14	0759	0807U	0829	N06	E47	.751		17.9	30	SB	3	C	82				
LEAR	14	0933	0937	0952	N06	E46	.740		17.8	19	SN	3	C	31				
LEAR	14	0939	0946	0954	N01	W35	.586		11.8	15	SN	3	C	23		F		
RAMY	14	1640E	1653	1804	N07	E43	.709		17.9	84	SF	3	C	22				
RAMY	14	1647	1653	1700	N01	W39	.640		11.8	13	SF	3	C	23				
RAMY	14	1758	1759	1805	S06	E36	.585		17.4	7	SF	3	C	21				
[RAMY	14	1806	1852	1918	N08	E39	.666		17.7	72	SN	3	C	126		K		
[RAMY	14	1806	1837	1918	N08	E39	.666		17.7	72	SN	3	C	28		K		
RAMY	14	1824	1824	1837	S08	E37	.597		17.5	13	SF	3	C	31				
RAMY	14	1920	1925	1927	N01	W39	.640		11.9	7	SF	3	C	23				
LEAR	14	2311E	2311U	2331	S16	W56	.823		10.8	20	SF	3	C	38				
LEAR	14	2323	2323	2337	N08	W45	.736		11.6	14	SF	3	C	21		F		

H α SOLAR FLARES

MARCH 1982

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IMPOR- TANCE	OBS.		MEASUREMENTS			REMARKS	
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	HALE PLAGE REGION	CMP. DAY			COND.	TYPE	TIME UT	MEAS. AREA Mil. of Disk	CORR. AREA Sq. Deg.		
					LAT.	MER. DIST.												
[LEAR	15	0032	0033	0040	N05	W43	.702		11.8	8	SN	3	C		26			
YUNN	15	0032	0034	0035	N07	E38	.649		17.9	3	SF	3	C		80	1.1		D
[LEAR	15	0253	0255	0320	N07	W45	.732		11.7	27	SN	3	C		132			F
YUNN	15	0253E	0256	0303	N08	W46	.747		11.7	10	SF	3	P		32	.5		E
LEAR	15	0345	0350	0404	N06	W47	.751		11.6	19	SF	3	C		47			F
LEAR	15	0434	0436	0440	N06	W51	.794		11.4	6	SF	3	C		60			F
LEAR	15	0649	0653	0711	N03	W51	.787		11.5	22	SN	3	C		77			F
LEAR	15	0725	0726	0731	N08	E30	.552		17.6	6	SF	3	C		122			H
CATA	15	0740	0755	0755D	N04	E34	.584		17.9	15D	S	2	P	0755	56	.7		
YUNN	15	0745	0748	0810	N03	E34	.580		17.9	25	SF	3	C		48	.6		E
[WEND	15	0847	0854	0901	N03	W46	.732		11.9	14	SN	3	C	0854	30	.4		E
LEAR	15	0849	0850	0904	N02	W49	.763		11.7	15	SF	3	C		23			F
[CATA	15	0955E	1000	1010	N11	E28	.549		17.5	15	S	2	P	1000	112	1.4		
[WEND	15	0955	0957	1003	N09	E29	.546		17.6	8	SN	3	C	0957	62	.7		H
WEND	15	1012	1016	1027	N08	W50	.789		11.7	15	SN	3	C	1016	25	.4		D
[WEND	15	1104		1109D	N08	E31	.565		17.8	5D	SF	3	C	1109	100	1.2		
[CATA	15	1105	1105	1140D	N09	E29	.546		17.6	35D	S	2	P	1105	112	1.4		
RAMY	15	1306E	1326	1425	N14	E42	.728		18.7	79	SF	3	C		76			
RAMY	15	1335	1440	1440	N07	E25	.480		17.4	65	SF	3	C		36			F
HOLL	15	1440	1440	1508	N08	W60	.881		11.1	28	SN	2	C		85			
RAMY	15	1559	1559	1614	S08	E23	.388		17.4	15	SF	3	C		52			
LEAR	15	2324E	2326U	0008	S08	E18	.307		17.3	44	SN	3	C		95			F
[MANI	15	2334E	2341	0025D	N09	E17	.397		17.3	51D	1B	1	V		420	4.7		
LEAR	15	2337	2340	0136	N09	E18	.409		17.3	119	1B	3	C		453			FE
YUNN	16	0045E	0055U	0134	N08	E16	.375		17.2	49	1B	3	P	0055	402	4.5		B
LEAR	16	0057	0101	0109	N06	W58	.860		11.7	12	SN	3	C		35			
PURP	16	0104E	0104	0139D	N12	E15	.411		17.2	35D	1F	3	V	0104	343	3.9		
LEAR	16	0123	0132	0213	S09	E16	.275		17.3	50	SB	3	C		170			F
[YUNN	16	0125	0127	0134	N03	E01	.177		16.1	9	SN	3	C		161	1.7		E
[LEAR	16	0128	0128	0138	N02	E02	.163		16.2	10	SN	3	C		24			
LEAR	16	0129	0133	0141	N13	E36	.657		18.8	12	SN	3	C		26			
YUNN	16	0134E	0140	0200	S07	E16	.274		17.3	26	SN	3	P		129	1.4		
YUNN	16	0204	0207	0233	N14	E36	.663		18.8	29	SF	3	C		48	.7		D
LEAR	16	0310	0310	0328	S06	E19	.324		17.6	18	SN	3	C		44			
LEAR	16	0320	0322	0337	N06	W59	.869		11.7	17	SF	3	C		29			F
YUNN	16	0404	0407	0411	N08	E23	.462		17.9	7	SF	3	C		48	.6		
LEAR	16	0524	0525	0531	N14	E34	.640		18.8	7	SB	3	C		38			E
[MANI	16	0525E	0525U	0529D	N15	E35	.658		18.9	4D	SN	1	V		50	.7		
[LEAR	16	0610	0639	0653	N13	E35	.645		18.9	43	SN	3	C		62			K
[LEAR	16	0610	0613	0653	N13	E35	.645		18.9	43	SN	3	C		25			F K
WEND	16	0810	0812	0816	S08	E15	.257		17.5	6	SF	3	C	0812	62	.7		
[MONT	16	1004	1008	1019	S07	E23	.388		18.1	15	SN	3	C	1008	100			
[CATA	16	1015E	1020	1045D	S07	E22	.372		18.1	30D	S	2	P	1020	84	.9		
[MONT	16	1046	1051	1102	N05	W04	.221		16.1	16	SF	3	C	1051	50			E
[WEND	16	1050E		1112	N03	W03	.184		16.2	22	SB	3	C	1051	50	.5		
RAMY	16	1146E	1210	1220	S08	E10	.173		17.2	34	SN	3	C		60			F
RAMY	16	1248	1248	1256	N04	W06	.219		16.1	8	SF	3	C		26			
WEND	16	1308	1309	1316	N15	W07	.394		16.0	8	SN	3	C	1309	65	.7		
RAMY	16	1339	1350	1403	S08	E11	.190		17.4	24	SF	3	C		25			
RAMY	16	1943	1944	1947	N06	E15	.341		17.9	4	SN	3	C		30			
RAMY	16	1955	1957	2002	N04	W06	.219		16.4	7	SF	3	C		45			
YUNN	17	0128	0136	0148	N14	E27	.561		19.1	20	SF	3	C		48	.6		E
[LEAR	17	0153E	0156	0202	N12	E27	.544		19.1	9	SB	3	C		46			E
YUNN	17	0153	0155	0206	N12	E26	.532		19.0	13	SN	3	C		32	.4		D
LEAR	17	0242	0246	0309	S05	E06	.110		17.6	27	1B	3	C		225			UF
LEAR	17	0243	0243	0258	N12	E27	.544		19.1	15	SN	3	C		61			
YUNN	17	0542	0544	0549	S09	W01	.037		17.2	7	SF	3	C		64	.7		
LEAR	17	0614	0616	0627	S08	E01	.023		17.3	13	SF	3	C		23			F
LEAR	17	0736	0736	0750	N04	W15	.320		16.2	14	SF	3	C		24			
[LEAR	17	0957	0959	1003D	N12	E23	.497		19.1	6D	SN	3	C		47			
[WEND	17	0958E		1003	N12	E25	.521		19.3	5	SN	3	C	0958	38	.4		
CATA	17	1000	1000	1015	N12	E23	.497		19.1	15	S	2	C	1000	56	.7		
CATA	17	1115	1115	1200D	S10	E02	.061		17.6	45D	S	2	P	1115	169	1.7		
CATA	17	1115	1115	1200D	S08	W04	.071		17.2	45D	S	2	P	1115	169	1.7		
CATA	17	1150	1150	1200	N19	E01	.441		17.6	10	S	2	P	1150	56	.6		
CATA	17	1240	1240	1250	S04	W07	.133		17.0	10	S	2	C	1240	140	1.5		
RAMY	17	1340	1340	1358	S07	W02	.035		17.4	18	SF	3	C		21			
RAMY	17	1424	1435	1457	N04	W18	.361		16.2	33	SF	3	C		59			
[HOLL	17	1425	1427U	1443	N14	E17	.455		18.9	18	SB	2	C		79			F
[RAMY	17	1425	1425	1438	N14	E17	.455		18.9	13	SB	3	C		97			

H α SOLAR FLARES

MARCH 1982

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM POR- TANCE	OBS.		MEASUREMENTS			REMARKS	
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	HALE PLAGE REGION	CMP. DAY			COND.	TYPE	TIME UT	MEAS. AREA Mill. of Disk	CORR. AREA Sq. Deg.		
					LAT.	MER. DIST.												
HOLL	17	1444	1444	1448	N04	W18	.361		16.3	4	SF	2	C		32			
HOLL	17	1558E	1558U	1602D	N03	W09	.234		17.0	40	SB	3	C		155			F
RAMY	17	1600	1601	1617	S07	W04	.069		17.4	17	SN	3	C		42			F
RAMY	17	1603	1608	1616	N14	E17	.455		18.9	13	SF	3	C		21			F
RAMY	17	1640	1657	1711	N07	E01	.245		17.8	31	SF	3	C		27			
RAMY	17	1641	1647	1649	S10	W08	.146		17.1	8	SN	3	C		48			H
RAMY	17	1655	1659	1747	N04	W22	.417		16.1	52	SN	3	C		146			F
HOLL	17	1658E	1658U	1722	N03	W19	.366		16.3	24	SB	3	C		156			F
RAMY	17	1838	1846	1859	S10	W09	.162		17.1	21	SF	3	C		28			
RAMY	17	1904	1913	1915	S08	W06	.105		17.3	11	SF	3	C		23			
RAMY	17	2022	2023	2033	N18	E58	.887		22.2	11	SN	3	C		92			F
LEAR	18	0020	0025	0042	N13	E12	.397		18.9	22	SF	3	C		33			F
LEAR	18	0036	0048	0056	S11	W13	.232		17.0	20	SN	3	C		44			F
LEAR	18	0215	0229	0236	N03	E74	.964		23.6	21	SF	3	C					
LEAR	18	0224	0228	0245	N04	W27	.487		16.1	21	SN	3	C		101			F
LEAR	18	0233	0237	0245	S11	W14	.248		17.1	12	SN	3	C		37			F
LEAR	18	0403	0414	0417D	S14	W17	.310		16.9	14D	1B	3	C		350			FE
LEAR	18	0403	0411	0411D	S11	W14	.248		17.1	8D	1B	3	C		317			FE
YUNN	18	0405	0415	0430	S10	W14	.244		17.1	25	1B		C		321		3.4	F
MANI	18	0411E	0411U	0411D	S09	W13	.225		17.2		SN	1	V		130		1.4	F
YUNN	18	0415E	0415U	0433	S17	W20	.373		16.7	18	SN		P	0415	161		1.8	DG
YUNN	18	0441	0445	0458	N06	W27	.499		16.2	17	SF		C		48		.6	D
LEAR	18	0443	0449	0501	N05	W27	.493		16.2	18	SN	3	C		35			F
LEAR	18	0521	0524	0553	N13	E07	.363		18.7	32	SB	3	C		118			FE
YUNN	18	0525E	0528	0533	N12	E07	.348		18.8	8	1N		P		193		2.1	D
LEAR	18	0527	0529	0544	N17	E53	.845		22.2	17	SB	3	C		87			FE
YUNN	18	0528E	0531	0533D	N19	E54	.859		22.3	5D	SB		P		64		1.3	
LEAR	18	0537	0539	0617	N08	W09	.302		17.6	40	SB	3	C		59			FE
LEAR	18	0630	0632	0648	N08	W09	.302		17.6	18	SN	3	C		50			
LEAR	18	0641	0643	0645	N11	E08	.338		18.9	4	SB	3	C		39			E
MANI	18	0642E	0645U	0648D	N14	E11	.403		19.1	6D	SF	1	V		50		.6	
LEAR	18	0712	0712	0723	N13	E10	.382		19.0	11	SB	3	C		37			FE
LEAR	18	0738	0740	0751	N01	W10	.223		17.6	13	SF	3	C		44			F
LEAR	18	0817E	0817U	0828	S08	W13	.224		17.4	11	SN	3	C		84			
LEAR	18	0845	0859U	0907D	N12	E07	.348		18.9	22D	SN	3	C		63			F
YUNN	18	0847	0853	0924	N14	E08	.384		19.0	37	SN		C		32		.4	
RAMY	18	1209	1209	1215	N05	E64	.906		23.3	6	SN	3	C		30			
CATA	18	1230E	1230	1230D	S03	W14	.251		17.5		S	2	P	1230	112		1.2	
RAMY	18	1333E	1355	1435	S10	W20	.342		17.1	62	1B	3	C		204			
RAMY	18	1553	1555	1612	N05	W35	.601		16.0	19	SN	3	C		51			
RAMY	18	1559	1602	1745	N12	E01	.328		18.7	106	SN	3	C		150			Z
RAMY	18	1613	1613	1620	S04	W14	.247		17.6	7	SN	3	C		33			F
RAMY	18	1742	1744	1748	S08	W18	.307		17.4	6	SF	3	C		23			
PALE	18	2204	2204U	2215D	S06	W23	.389		17.2	11D	SF	2	C		33			
LEAR	19	0154	0157	0200	N01	E63	.894		23.8	6	SF	3	C		35			
LEAR	19	0252	0252	0257	N13	W03	.347		18.9	5	SF	3	C		23			
LEAR	19	0318	0331	0353	S07	W26	.435		17.2	35	SN	3	C		74			F
LEAR	19	0405	0421	0633	S06	W26	.436		17.2	148	SN	0	C		112			K
LEAR	19	0405	0503	0633	S06	W26	.436		17.2	148	2B	0	C		798			FEK
YUNN	19	0437E	0501U	0530	S06	W25	.420		17.3	53	2B		P	0501	964		11.0	F
LEAR	19	0506	0508	0512	N01	E62	.886		23.9	6	SN	3	C		18			
ISTA	19	0720		0724	S07	W23	.388		17.6	4	SF							E
ISTA	19	0734		0738	S04	W23	.392		17.6	4	SF							D
LEAR	19	0744	0745	0752	N08	W21	.435		17.7	8	SF	3	C		35			F
YUNN	19	0756E	0757	0807	N19	E39	.725		22.3	11	SN		P		32		.5	D
ISTA	19	0756		0803	N18	E40	.729		22.3	7	SF							E
LEAR	19	0756	0759	0806	N18	E38	.709		22.2	10	SF	3	C		20			F
LEAR	19	0806	0806	0817	N13	W06	.357		18.9	11	SN	3	C		34			
LEAR	19	0807	0807	0819	N03	E61	.881		23.9	12	SF	3	C		22			
LEAR	19	0848	0849	0859	N01	E60	.869		23.9	11	SN	3	C		49			F
LEAR	19	0856	0858	0902	N00	W42	.675		16.2	6	SN	3	C		24			F
LEAR	19	0917	0926U	0955	S06	W26	.436		17.4	38	SN	3	C		173			F
LEAR	19	0918	0921	0933	N13	W06	.357		18.9	15	SN	3	C		27			F
RAMY	19	1224	1225	1236	S08	W30	.496		17.3	12	SN	3	C		37			
RAMY	19	1253	1303	1419	S08	W27	.451		17.5	86	SN	3	C		99			
RAMY	19	1307	1314	1347	N02	E58	.853		23.9	40	SN	3	C		111			F
RAMY	19	1359	1359	1406	N03	E58	.855		23.9	7	SF	3	C		17			
RAMY	19	1420	1421	1427	S07	W26	.435		17.6	7	SF	3	C		46			
RAMY	19	1424	1425	1454	N02	E57	.844		23.9	30	SN	3	C		72			F
RAMY	19	1435	1442	1452	S06	W31	.512		17.3	17	SN	3	C		75			F

H α SOLAR FLARES

MARCH 1982

OBSERVATORY	OBSERVED UT				LOCATION					DURATION — MIN.	IM POR-TANCE	OBS.		MEASUREMENTS			REMARKS	
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	HALE PLAGE REGION	CMP. DAY			COND.	TYPE	TIME — UT	MEAS. AREA MIL. of Disk	CORR. AREA Sq. Deg.		
					LAT.	MER. DIST.												
RAMY	19	1530	1538	1748	S10	W29	.482		17.5	138	1B	3	C		295			FE
[RAMY	19	2057	2100	2102D	S10	W36	.584		17.2	5D	SB	3	C		176			FE
HOLL	19	2058	2100	2145D	S10	W36	.584		17.2	47D	SB	2	C		135			E
RAMY	19	2116	2116	2126	N15	W12	.424		19.0	10	SN	3	C		70			
RAMY	19	2129	2131	2148	S07	W35	.570		17.3	19	SN	3	C		29			
MANI	19	2306	2308	2314	S14	E69	.927		25.1	8	SB	1	V		70	1.5		F
YUNN	20	0105	0109	0121	N14	W51	.817		16.2	16	SN		C		32	.6		
YUNN	20	0105	0109	0116	N01	W31	.529		17.7	11	SN		C		80	1.0		G
LEAR	20	0110	0110	0120	N14	W14	.426		19.0	10	SF	3	C		22			
[YUNN	20	0130	0136	0145	N14	W16	.444		18.9	15	SN		C		129	1.5		
LEAR	20	0138	0140	0145	N14	W16	.444		18.9	7	SN	3	C		59			
YUNN	20	0154	0209U	0213	N13	W17	.442		18.8	19	SN		P	0209	32	.4		
[YUNN	20	0154	0209U	0216	S07	W40	.639		17.1	22	1N		P	0209	161	2.1		
LEAR	20	0207	0207	0215	S09	W39	.625		17.2	8	SN	3	C		26			
LEAR	20	0250	0250	0255	N14	W16	.444		18.9	5	SN	3	C		46			
LEAR	20	0437	0438	0445	N01	E49	.761		23.9	8	SF	3	C		35			
[LEAR	20	0530	0531	0543	N13	W18	.452		18.9	13	SF	3	C		44			
YUNN	20	0530E	0530	0538D	N14	W19	.473		18.8	8D	SN		P		48	.6		
LEAR	20	0607	0615	0642	N13	W18	.452		18.9	35	SN	3	C		116			F
LEAR	20	0658	0702	0747	S10	W41	.651		17.2	49	SN	3	C		137			F
[CATA	20	0730	0735	0750	S11	W37	.598		17.5	20	S	2	P	0735	68	.9		
YUNN	20	0734E	0734U	0740D	S08	W40	.638		17.3	6D	SF		P	0734	96	1.3		E
LEAR	20	0946	0946	0951	N14	E62	.906		25.1	5	SF	2	C		23			
RAMY	20	1317E	1317U	1336	N04	E51	.789		24.4	19	SF	3	C		46			
RAMY	20	1318	1325	1338	S10	W45	.702		17.2	20	SF	3	C		34			
RAMY	20	1356	1410	1436	S08	W44	.690		17.3	40	SN	3	C		59			
[RAMY	20	1523	1605	1635	N15	W22	.515		19.0	72	SF	3	C		80			
HOLL	20	1525	1526	1535	N16	W21	.516		19.1	10	SF	3	C		21			F
RAMY	20	1533	1536	1539	N04	E40	.662		23.6	6	SF	3	C		30			
HOLL	20	1558	1600	1627	N15	W22	.515		19.0	29	SF	3	C		37			F
[HOLL	20	1646	1650	1700	N02	E41	.668		23.8	14	SF	3	C		41			
RAMY	20	1646	1650	1703	N04	E41	.674		23.8	17	SF	3	C		41			
HOLL	20	1829	1831	1837	S06	W49	.751		17.1	8	SF	3	C		26			
HOLL	20	1835	1841	1844	N13	W25	.529		18.9	9	SF	3	C		23			F
RAMY	20	1907	1907	2039D	S10	W44	.689		17.5	92D	SN	3	C		31			
HOLL	20	2048	2053	2059	S13	W19	.336		19.4	11	SF	3	C		21			
HOLL	20	2111	2113	2124	S13	W19	.336		19.5	13	SF	3	C		27			
HOLL	20	2149	2159	2222	S13	W20	.351		19.4	33	SF	3	C		46			F
HOLL	20	2300	2301	2305	S08	W47	.726		17.4	5	SF	3	C		32			
LEAR	20	2329E	2330	2343	S13	W19	.336		19.6	14	SF	3	C		31			
YUNN	21	0106	0107	0135	S05	W54	.806		17.0	29	SN		C		32	.6		E
LEAR	21	0516	0517	0520	S05	W53	.796		17.2	4	SF	3	C		35			
LEAR	21	0621	0622	0629	N04	E32	.556		23.7	8	SF	3	C		63			
LEAR	21	0746	0746	0751	S06	W55	.815		17.2	5	SN	3	C		46			F
LEAR	21	0801	0801	0805	N03	E33	.565		23.8	4	SF	3	C		33			
[YUNN	21	0820	0825	0830	N14	W35	.651		18.7	10	SN		C		64	.9		
LEAR	21	0821	0826	0830	N13	W34	.633		18.8	9	SF	3	C		65			
RAMY	21	1144E	1217	1228	S09	W56	.824		17.3	44	SF	3	C		76			
RAMY	21	1337	1356	1410	S09	W59	.852		17.1	33	SN	3	C		28			
[RAMY	21	1415	1509	1547	S08	W57	.834		17.3	92	SN	3	C		49			K
RAMY	21	1415	1541	1547	S08	W57	.834		17.3	92	SN	3	C		66			K
RAMY	21	1423	1425	1431	N03	W74	.964		16.0	8	SF	3	C					
RAMY	21	1424	1426	1446	S14	W29	.490		19.4	22	SF	3	C		36			
HOLL	21	1510	1510	1517	S08	W59	.852		17.2	7	SF	3	C		18			
RAMY	21	1536	1536	1546	N04	W73	.960		16.2	10	SF	3	C					
HOLL	21	1618	1627	1634	S06	W60	.862		17.2	16	SF	3	C		22			
HOLL	21	1738	1742	1758	N11	W57	.862		17.5	20	SF	3	C		58			
RAMY	21	1755	1757	1830	N18	E08	.442		22.3	35	SB	3	C		188			
[HOLL	21	1755	1757	1828	N17	E07	.423		22.3	33	SB	3	C		165			
HOLL	21	1859	1905	1933	S04	W62	.881		17.1	34	1B	3	C		265			E
[RAMY	21	1900	1900	1901D	S08	W59	.852		17.4	1D	SB	3	C		56			FE
PALE	21	1900	1903	1921	S06	W61	.871		17.2	21	SN	3	C		108			F
[HOLL	21	2013	2015	2025	N07	W63	.902		17.1	12	SN	3	C		88			H
RAMY	21	2013	2015	2025	N06	W62	.893		17.2	12	SB	3	C		87			
RAMY	21	2020	2022	2030	S10	W61	.869		17.3	10	SB	3	C		68			
[HOLL	21	2021	2022	2028	S09	W62	.878		17.2	7	SB	3	C		54			H
HOLL	21	2108	2110	2116	N13	E45	.754		25.3	8	SF	3	C		41			
HOLL	21	2127	2129	2138	S08	W63	.886		17.2	11	SN	3	C		49			
HOLL	21	2148	2150	2155	S10	W36	.584		19.2	7	SN	3	C		56			F
HOLL	21	2152	2159	2203	S08	W63	.886		17.2	11	SF	3	C		15			

H α SOLAR FLARES

MARCH 1982

OBSERVATORY	OBSERVED UT				LOCATION				DURATION MIN.	IM-POR-TANCE	OBS.		MEASUREMENTS			REMARKS	
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	HALE PLAGE REGION			CMP. DAY	COND.	TYPE	TIME UT	MEAS. AREA Mill. of Disk		CORR. AREA Sq. Deg.
					LAT.	MER. DIST.											
HOLL	21	2213	2218	2228	S08	W64	.894		17.1	15	SN	3	C		39		
HOLL	21	2259	2259	2305	N16	W38	.696		19.1	6	SN	3	C		24		
HOLL	21	2321	2321	2325	N00	E22	.391		23.6	4	SF	2	C		33		
HOLL	21	2342	2353	0001	S08	W64	.894		17.2	19	SN	3	C		41		
LEAR	21	2343E	2343U	0045	S06	W61	.871		17.4	62	SF	3	C		73		F
HOLL	22	0006	0016	0021	S08	W65	.902		17.1	15	SF	3	C		20		
YUNN	22	0044	0058	0105	S12	W35	.572		19.4	21	SN		C		161	2.0	E
YUNN	22	0058	0101	0109	S08	W66	.909		17.1	11	1N		C		80		
YUNN	22	0121	0125	0133	N19	E07	.452		22.6	12	SF		C		48	.6	
YUNN	22	0133	0136	0149	S08	W65	.902		17.2	16	SN		C		64	1.5	
YUNN	22	0133	0141	0153	S12	W35	.572		19.4	20	SN		C		113	1.4	E
YUNN	22	0154	0200	0213	N20	E06	.464		22.5	19	SF		C		64	.7	E
YUNN	22	0336E	0336U	0344	S08	W65	.902		17.3	8	1N	P	0336	129	3.1	E	
PURP	22	0514	0518	0521	N17	W42	.743		19.1	7	SN	C	0518	26	.4	D	
LEAR	22	0515	0516	0520D	N15	W41	.722		19.1	5D	SF	3	C		31		
YUNN	22	0555	0600	0624	N18	E00	.422		22.2	29	1N	C		418	4.8		
LEAR	22	0555	0600	0630	N16	E01	.391		22.3	35	1B	3	C		214		FE
PURP	22	0559E	0600	0628	N18	E03	.425		22.5	29	SB	C	0600	112	1.3		
MANI	22	0603E	0605	0622D	N19	E01	.439		22.3	19D	SB	1	V	140	1.6	F	
LEAR	22	0608	0610	0625	N15	W42	.732		19.1	17	SN	3	C		145		F
YUNN	22	0609E	0610	0613	N16	W41	.727		19.2	4	SF	P		64	1.0		
MANI	22	0610E	0610U	0618D	N14	W41	.717		19.2	8D	SN	1	V	50	.8		
PURP	22	0611	0612	0617	N16	W43	.748		19.0	6	SF	C	0612	40	.6		
MANI	22	0651E	0653	0701	N14	W42	.727		19.1	10	SN	1	V	65	1.0		
LEAR	22	0652	0653	0720	N15	W46	.773		18.8	28	SF	3	C		40		F
PURP	22	0653E	0654	0700	N16	W43	.748		19.1	7	SN	C	0654	40	.6	E	
YUNN	22	0704	0705	0709	S11	W43	.677		19.1	5	SN	C		64	.9		
LEAR	22	0705	0706	0710	S12	W42	.665		19.1	5	SN	3	C		62		
PURP	22	0706	0707	0709	S11	W39	.625		19.4	3	SN	P	0707	46	.6	H	
YUNN	22	0825	0832	0836	S08	W67	.916		17.3	11	SN	C		16			
LEAR	22	0827	0827	0833D	S07	W67	.917		17.3	6D	SN	3	C		18		F
LEAR	22	0830	0832	0833D	N19	E00	.438		22.4	3D	SN	3	C		60		F
YUNN	22	0832E	0832U	0836	N20	E00	.454		22.4	4	SN	P	0832	145	1.7		
YUNN	22	0908	0911	0914	S12	W41	.652		19.3	6	SN	C		48	.7		
LEAR	22	0909	0910	0916	S13	W40	.640		19.4	7	SN	3	C		48		F
YUNN	22	0920	0928	0936	S07	W68	.923		17.3	16	SN	C		32			
RAMY	22	1159	1204	1221	N19	W02	.439		22.3	22	SN	3	C		46		
RAMY	22	1349	1353	1357	N12	E84	.997		28.9	8	SN	3	C				
RAMY	22	1356	1419	1452	N18	W04	.427		22.3	56	SN	3	C		166		F
HOLL	22	1511	1516	1544	S12	W43	.678		19.4	33	SF	3	C		38		
RAMY	22	1531	1602	1609	S11	W43	.677		19.4	38	SF	3	C		45		
HOLL	22	1625	1626	1629	N11	E84	.997		29.0	4	SF	3	C				
RAMY	22	1656	1656	1703	N20	W05	.461		22.3	7	SF	3	C		37		
HOLL	22	1708	1708	1712D	N10	E82	.993		28.9	4D	SF	3	C				
HOLL	22	1725	1726	1729	N17	W51	.827		18.9	4	SF	3	C				F
RAMY	22	1746	1836	2015D	S13	W45	.703		19.4	149D	1B	3	C		356		K
HOLL	22	1749	1749	1755	S11	W44	.690		19.4	6	SF	3	C		19		
HOLL	22	1833	1839U	1907	S12	W44	.690		19.5	34	1N	3	C		194		F
HOLL	22	1901	1901	1907	N19	W49	.817		19.1	6	SF	3	C		19		F
RAMY	22	1927	1931	1946	N18	W51	.831		19.0	19	SF	3	C		18		
RAMY	22	1930	1932	1936	N20	W07	.467		22.3	6	SF	3	C		39		
YUNN	23	0140E	0145	0155	N18	W54	.856		19.0	15	1N		P		193	3.8	
LEAR	23	0152E	0152U	0157	N18	W53	.848		19.1	5	SF	2	C		37		
YUNN	23	0210	0215	0218	N09	W81	.991		17.0	8	SF		C		32		
LEAR	23	0210	0212	0225	N08	W79	.985		17.2	15	SF	3	C				
YUNN	23	0320	0324	0328	N08	W82	.993		17.0	8	SF		C		32		D
LEAR	23	0331	0339	0421	N20	W07	.467		22.6	50	SF	3	C		90		F
YUNN	23	0332	0340	0348	N21	W08	.485		22.5	16	SF		C		32	.4	E
LEAR	23	0518	0522	0536	N10	E77	.980		29.0	18	SB	3	C				FE
YUNN	23	0520	0526	0536	N11	E82	.994		29.4	16	1N		C		48		
LEAR	23	0724	0724	0735	N18	W57	.879		19.0	11	SN	3	C		35		
YUNN	23	0724E	0724U	0729	N18	W57	.879		19.0	5	SF	P	0724	16	.3		
LEAR	23	0741	0749	0820	N11	E76	.977		29.0	39	SN	3	C				
RAMY	23	1259	1259	1323	N08	E66	.924		28.5	24	SN	3	C		14		
RAMY	23	1428	1436	1452	N07	E67	.929		28.6	24	SF	3	C		34		
HOLL	23	1926	1928	1935	S13	W60	.860		19.3	9	SF	3	C		16		F
HOLL	23	2123	2131	2135	N05	E63	.899		28.6	12	SN	3	C		41		F
HOLL	23	2145	2148	2211	S13	W61	.868		19.3	26	SN	3	C		111		F
HOLL	23	2240	2242	2245	S12	E57	.833		28.2	5	SF	3	C		20		

H α SOLAR FLARES

MARCH 1982

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM- POR- TANCE	OBS.		MEASUREMENTS			REMARKS	
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	HALE PLAGE REGION	CMP. DAY			COND.	TYPE	TIME UT	MEAS. AREA Mill. of Disk	CORR. AREA Sq. Deg.		
					LAT.	MER. DIST.												
YUNN	24	0036E	0040	0056	N13	E71	.958		29.3	20	SF	P		48				
YUNN	24	0100E	0100U	0104	N19	W67	.945		19.0	4	SF	P	0100	48				D
YUNN	24	0500	0504	0508	N11	E65	.921		29.1	8	SN	C		32				D
YUNN	24	0851E	0856U	0911	N12	E62	.902		29.0	20	SN	P	0856	48	1.1			E
YUNN	24	0928	0931	0940	N12	E64	.916		29.2	12	SN	C		32				D
CATA	24	1040E	1040	1040D	N11	E55	.844		28.6		S	2	P	1040	68	1.3		
WEND	24	1347	1351	1355	N16	E80	.991		30.6	8	SF	C	1351	44				
WEND	24	1626	1629	1633	N11	E59	.878		29.1	7	SF	C	1629	31	.6			
YUNN	25	0042E	0050U	0117	N11	E51	.807		28.9	35	SN	P	0050	96	1.7			
MANI	25	0138E	0139U	0141D	N12	E58	.872		29.4	30	SN	1	V	80	1.5			
YUNN	25	0143E	0145U	0203	N12	E60	.888		29.6	20	1N	P	0145	113	2.5			F
YUNN	25	0207	0210	0221D	N13	E57	.866		29.4	140	SN	P		32	.7			D
WEND	25	1227E	1230	1253D	S15	E32	.536		27.9	26D	SF	C	1230	87	1.1			S
WEND	25	1229	1230	1234	N11	E45	.746		28.9	5	SF	C	1230	44	.7			
MANI	26	0209E	0210U	0216D	N09	E28	.531		28.2	7D	SB	1	V	140	1.7			F
MANI	26	0350E	0353	0355D	N14	E45	.758		29.5	5D	SN	1	V	60	1.0			
MANI	26	0554E	0554U	0559D	S20	E71	.939		31.6	5D	SB	1	V	30	.7			
MANI	26	0706E	0707	0718	N09	E30	.557		28.5	12	1B	1	V	200	2.5			FE
WEND	26	0730E	0732	0742	N09	E30	.557		28.6	12	SN	C	0732	25	.3			E
WEND	26	1134	1141	1147	N16	E56	.866		30.7	13	SN	C	1141	38	.7			
WEND	26	1437	1443	1449	N19	W56	.874		22.4	12	SN	C	1443	44	.9			
WEND	26	1447	1449	1504	N14	E40	.705		29.6	17	SN	C	1449	50	.7			
LEAR	27	0212	0213	0346	N13	E28	.561		29.2	94	SB	3	C	91				FE
LEAR	27	0407	0412	0438	S23	E58	.848		31.5	31	SN	3	C	70				
LEAR	27	0409	0411	0428	S10	E11	.197		28.0	19	1B	3	C	221				FH
LEAR	27	0439	0442	0506	S14	E11	.225		28.0	27	SF	3	C	27				F
LEAR	27	0451	0458	0516	N07	E18	.385		28.6	25	SB	3	C	88				FE
LEAR	27	0648	0655	0711	S17	E32	.543		29.7	23	SF	3	C	45				F
BUCA	27	0745		0850	N18	E23	.554		29.0	65	SF	C	0750	107	1.3			E
LEAR	27	0758	0800	0803	S14	W27	.462		25.3	5	SF	3	C	25				
LEAR	27	0913	0915	0948	N11	E22	.473		29.0	35	SB	3	C	111				FE
MONT	27	0913	0918	0941	N14	E22	.502		29.0	28	SF	C	0918	50				E
WEND	27	0915	0915	0936	N11	E22	.473		29.0	21	SN	C	0915	47	.5			E
MONT	27	1009	1014	1031	N09	E16	.382		28.6	22	1B	C	1014	300				
WEND	27	1010	1014	1031	N08	E17	.383		28.7	21	SB	C	1014	88	1.0			
MONT	27	1028	1030	1037D	S10	E15	.262		28.6	9D	SN	C	1030	110				
WEND	27	1031	1031	1045	S09	E15	.259		28.6	14	SN	C	1031	41	.4			
WEND	27	1125	1127	1135	S08	E14	.241		28.5	10	SF	C	1127	9	.1			
HOLL	27	1409	1415	1544	N11	E19	.438		29.0	95	1B	3	C	473				FE
RAMY	27	1410	1520	1547	N11	E18	.427		28.9	97	1B	3	C	212				K
RAMY	27	1410	1418	1547	N11	E18	.427		28.9	97	2B	3	C	587				FEK
WEND	27	1421E	1423	1527	N11	E19	.438		29.0	66	1B	C	1423	138	1.5			
RAMY	27	1547	1548	1557	S10	E11	.197		28.5	10	SF	3	C	71				
HOLL	27	1547	1549	1558	S10	E12	.213		28.6	11	SF	3	C	65				
WEND	27	1548	1550	1558	S09	E09	.160		28.3	10	SF	C	1550	28	.3			
HOLL	27	1745	1750	1755	S23	E52	.793		31.6	10	SF	3	C	18				
HOLL	27	1821	1843	1909	N11	E17	.416		29.0	48	SN	3	C	114				F
HOLL	27	1948	2020	2057	N11	E15	.394		28.9	69	SN	3	C	88				F
HOLL	27	2128	2128	2148	N08	W29	.537		25.7	20	SF	3	C	47				F
HOLL	27	2143	2143	2148	N06	E09	.270		28.6	5	SF	3	C	26				
HOLL	27	2202	2206	2233	N10	E16	.393		29.1	31	SN	3	C	78				F
HOLL	27	2304	2304	2315	S23	E51	.783		31.8	11	SF	3	C	39				F
LEAR	28	0205	0205	0216	S11	E06	.127		28.5	11	SF	3	C	31				
LEAR	28	0220	0226	0233	N06	E06	.243		28.5	13	SN	3	C	32				F
LEAR	28	0304	0307	0321	S11	E05	.113		28.5	17	1B	3	C	319				FE
LEAR	28	0432	0440	0457	S27	E46	.744		31.6	25	SB	3	C	76				FEK
LEAR	28	0432	0434	0457	S27	E46	.744		31.6	25	SB	3	C	100				K
LEAR	28	0547	0559	0623	N10	E11	.342		29.1	36	SB	3	C	130				FE
LEAR	28	0611	0621	0628	S11	E03	.090		28.5	17	SF	3	C	30				
LEAR	28	0625	0653	0844	N13	E15	.419		29.4	139	1B	3	C	261				ZU
BUCA	28	0653E	0655	0825	N12	E16	.416		29.5	92	2N	C	0655	644	7.3			U
ISTA	28	0700E		0745	N13	E15	.419		29.4	45	1B	C						FZ
LEAR	28	0718	0721	0730	S13	E03	.120		28.5	12	SN	3	C	35				
ISTA	28	0720		0723	S13	E04	.129		28.6	3	SF	C						D
LEAR	28	0811	0815	0828	S15	W20	.363		26.8	17	SF	3	C	57				F
YUNN	28	0816E	0817U	0817D	S15	W21	.378		26.8	10	SF	P	0817	32	.4			E
LEAR	28	0903	0909	0945D	N10	E06	.305		28.8	42D	1B	3	C	215				K
LEAR	28	0903	0928	0945D	N10	E06	.305		28.8	42D	1B	3	C	261				FEK

H α SOLAR FLARES

MARCH 1982

OBSERVATORY	OBSERVED UT				LOCATION			DURATION MIN.	IM-POR-TANCE	OBS. COND. TYPE	MEASUREMENTS			REMARKS		
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE				HALE PLAGE REGION	CMP. DAY	TIME UT		MEAS. AREA MIL of Disk	CORR. AREA Sq. Deg.
					LAT.	MER. DIST.										
[YUNN	28	0909E	0911	0917	N07	E01	.238	28.5	8	SN	P		80	.9	E	
[CATA	28	0910E	0910	0920D	N07	E01	.238	28.5	10D	S	2 P	0910	56	.6		
YUNN	28	0916	0920	0924	N11	E06	.321	28.8	8	SN	C		177	1.9		
YUNN	28	0926	0927	0943	N11	E08	.333	29.0	17	1N	C		257	2.8		
YUNN	28	1005	1006	1014D	S20	E38	.631	31.3	9D	1N	P		161	2.1		
RAMY	28	1156E	1159	1222	N14	W43	.737	25.3	26	SN	3 C		69		UF	
RAMY	28	1307	1308	1434	S20	E41	.668	31.6	87	SN	3 C		26		K	
[RAMY	28	1307	1322	1434	S20	E41	.668	31.6	87	1N	3 C		300		FEK	
RAMY	28	1337	1339	1408	N10	E07	.311	29.1	31	SB	3 C		139			
RAMY	28	1408	1409	1415	S12	W02	.098	28.4	7	SF	3 C		35			
[HOLL	28	1557	1614	1631	S16	E44	.695	1.0	34	SF	3 C		65		F	
[RAMY	28	1558	1641	1713	S15	E43	.681	31.9	75	SN	3 C		124			
HOLL	28	1614	1614	1620	N11	W01	.305	28.6	6	SF	3 C		28			
[HOLL	28	1636	1644	1658	S16	E44	.695	1.0	22	SN	3 C		57		F	
HOLL	28	1658	1709	1710	N12	E06	.337	29.2	12	SF	3 C		26			
HOLL	28	1714	1714	1715	N11	W01	.305	28.6	1	SF	3 C		53			
HOLL	28	1732	1734	1739	N12	E00	.321	28.7	7	SN	3 C		76			
HOLL	28	1936	1942	1947	N13	E08	.363	29.4	11	SF	3 C		36		F	
HOLL	28	1948	1948	1954	N11	E02	.307	29.0	6	SF	3 C		51		F	
HOLL	28	1958	2001	2010	N12	E06	.337	29.3	12	SN	3 C		153		F	
HOLL	28	2125	2134	2144	S22	E38	.639	31.7	19	SF	3 C		155		F	
[LEAR	28	2334E	2359	0044	N09	W01	.272	28.9	70	SN	3 C		111		F	
[HOLL	28	2358	2358	0001D	N12	W00	.321	29.0	3D	SF	3 C		25		F	
YUNN	29	0034	0038	0046	S15	W26	.451	27.1	12	SN	C		129	1.5		
YUNN	29	0114	0117	0134	S16	E11	.246	29.9	20	SN	C		80	.9	D	
YUNN	29	0140	0146	0154	N09	W08	.303	28.5	14	SN	C		64	.7	D	
YUNN	29	0146	0154	0159	S15	W27	.466	27.0	13	SN	C		64	.7		
YUNN	29	0318	0322	0332	N08	W02	.256	29.0	14	SN	C		80	.9		
YUNN	29	0343	0359	0417	N08	W02	.256	29.0	34	SN	C		161	1.7	KI	
YUNN	29	0355	0406	0415	S20	E35	.594	31.8	20	1B	C		209	2.7	GHK I	
YUNN	29	0406	0412	0415	S15	W28	.480	27.1	9	SN	C		96	1.1	EK	
YUNN	29	0416E	0417	0422	S13	W09	.189	28.5	6	SN	P		193	2.0	C	
YUNN	29	0418	0432	0440	S15	W28	.480	27.1	22	SN	C		113	1.3		
YUNN	29	0428	0430	0434	S29	E45	.742	1.6	6	SF	C		64	1.0	G	
YUNN	29	0434	0440	0503	N14	E04	.360	29.5	29	SN	C		96	1.1	K	
YUNN	29	0641E	0646U	0646D	N18	E18	.506	30.6	5D	SF	P	0646	32	.4	D	
[BUCA	29	0804		0809D	S14	W09	.199	28.7	5D	SN	C	0805	107	1.1	D	
YUNN	29	0806E	0806	0811	S14	W09	.199	28.7	5	SF	C		161	1.7		
YUNN	29	0908E	0910	0922	N09	W07	.295	28.9	14	2N	P		595	6.4	FT	
YUNN	29	0918	0921	0930	S16	W31	.526	27.1	12	SN	C		161	1.9	T	
YUNN	29	0942	0948	0950D	N11	W08	.332	28.8	8D	SN	P		129	1.4	FT	
RAMY	29	1757	1818	1827D	N13	W12	.391	28.8	30D	SN	3 C		102			
RAMY	29	1809	1817	1827D	S15	W36	.591	27.1	18D	1B	3 C		218		FE	
[LEAR	29	2318	2342	0015	N16	E32	.629	1.4	57	SN	3 C		134		F	
[MANI	29	2333E	2334	2340D	N19	E35	.682	1.6	7D	SN	1 V		40	.6		
LEAR	30	0027	0035	0042	N16	E32	.629	1.4	15	SF	3 C		29		F	
YUNN	30	0125	0135	0145	N09	W16	.380	28.9	20	SN	C		96	1.1	ET	
YUNN	30	0153	0155	0200	N09	W15	.369	29.0	7	SF	C		48	.5	DT	
YUNN	30	0221E	0221U	0225	N09	W22	.453	28.4	4	SN	P	0221	80	.9	DT	
YUNN	30	0231	0233	0240	N09	W23	.466	28.4	9	SN	C		96	1.1	T	
LEAR	30	0233	0233	0244	N09	W23	.466	28.4	11	SN	3 C		36		FH	
YUNN	30	0235	0239	0255	N16	E30	.607	1.4	20	1B	C		161	2.1		
[LEAR	30	0236	0240	0314	N16	E30	.607	1.4	38	1B	3 C		182		FE	
[LEAR	30	0238	0240	0251	S20	E16	.350	31.3	13	SN	3 C		49		F	
[PURP	30	0239E	0239	0246	S21	E16	.360	31.3	7	SB	P	0239	66	.7	E	
[YUNN	30	0239E	0239	0247	S20	E15	.338	31.2	8	SN	C		64	.7	D	
PURP	30	0239E	0239	0257	N17	E30	.615	1.4	18	SB	C	0239	139	1.8		
LEAR	30	0313	0313	0321	N19	W17	.510	28.9	8	SF	3 C		25			
YUNN	30	0425E	0425	0437	N09	W19	.416	28.8	12	SN	C		113	1.3	ET	
YUNN	30	0521	0543	0708D	N12	W12	.377	29.3	107D	3B	P		1286	14.3	FKIW	
[LEAR	30	0522	0524	0826D	N13	W11	.383	29.4	184D	SB	3 C		151		K	
[LEAR	30	0522	0549U	0826D	N13	W11	.383	29.4	184D	3B	3 C		1202		ZUK	
[PURP	30	0524	0535	0734	N15	W09	.398	29.5	130	2B	C	0535	884	9.9	ZWI	
[LEAR	30	0524	0541	0617	N11	E01	.304	30.3	53	1B	3 C		503		F	
YUNN	30	0524	0529	0545	N10	W01	.287	30.2	21	1B	C		402	4.3	FKW	
YUNN	30	0557	0601	0626	N09	W26	.504	28.3	29	2B	C		450	5.4	FT	
YUNN	30	0607	0609	0632	N26	E04	.543	30.6	25	SF	C		64	.8	G	
ISTA	30	0625E		0725	N11	W15	.393	29.1	60	1N	C				E	
[MANI	30	0656E	0656U	0710D	N10	W14	.370	29.2	14D	SN	1 V		80	.9		
[YUNN	30	0701	0708	0732	N09	W19	.416	28.9	31	SN	C		113	1.3	ET	

H α SOLAR FLARES

MARCH 1982

OBSERVATORY	OBSERVED UT				LOCATION				DURATION MIN.	IM POR- TANCE	OBS.		MEASUREMENTS			REMARKS	
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	HALE PLAGE REGION			CMP. DAY	COND.	TYPE	TIME UT	MEAS. AREA Mill. of Disk		CORR. AREA Sq. Deg.
					LAT.	MER. DIST.											
LEAR	30	0711	0716	0743	N17	E27	.583	1.3	32	SB	3	C		161		FE	
MANI	30	0713E	0716	0717D	N18	E28	.602	1.4	4D	SB	1	V		100	1.3	F	
YUNN	30	0720E	0724	0732D	N17	E27	.583	1.3	12D	SN		P		96	1.2	E	
LEAR	30	0804	0809	0821	S20	E13	.315	31.3	17	SN	3	C		42		F	
RAMY	30	1152	1222	1248	S22	E19	.405	31.9	56	1N	3	C		309			
RAMY	30	1326	1329	1341	S15	W47	.729	27.0	15	SN	3	C		50			
RAMY	30	1418	1426	1504	N07	W23	.449	28.9	46	1B	3	C		231		FE	
HOLL	30	1418E	1424U	1425D	N11	W20	.448	29.1	7D	1B	2	C		350		FE	
HOLL	30	1506	1510	1518	S09	W35	.570	28.0	12	SF	2	C		24			
HOLL	30	1545	1601	1638D	N09	W26	.504	28.7	53D	SN	2	C		140		F	
RAMY	30	1545	1647	1732	N07	W25	.476	28.8	107	SN	3	C		99		F K	
RAMY	30	1545	1604	1732	N07	W25	.476	28.8	107	SN	3	C		91		K	
HOLL	30	1600	1604	1618	S15	W51	.774	26.8	18	SF	2	C		23		F	
RAMY	30	1602	1625	1643	S14	W49	.751	27.0	41	SF	3	C		26			
RAMY	30	1644	1648	1811	N17	E22	.532	1.3	87	SN	3	C		116			
RAMY	30	1817	1821	1823D	S20	E07	.258	31.3	6D	SN	3	C		42			
MANI	30	2340E	2341	2347D	N12	W28	.552	28.9	7D	1B	1	V		230	2.9	FE	
MANI	31	0042E	0046U	0048D	N12	W26	.528	29.1	6D	SF	1	V		60	.7	F	
LEAR	31	0042	0042U	0052D	N11	W25	.507	29.2	10D	1N	3	C		223		F	
YUNN	31	0124	0130	0143	N09	W34	.606	28.5	19	SN		C		80	1.0	ET	
LEAR	31	0126E	0136U	0158	N10	W32	.587	28.7	32	SB	2	C		122		FE	
LEAR	31	0156	0209	0233	S22	E08	.296	31.7	37	1N	3	C		203		F	
PURP	31	0203	0204	0208	N09	W37	.643	28.3	5	SN		C	0204	106	1.4	E	
LEAR	31	0203E	0205	0212	N08	W36	.626	28.4	9	SN	3	C		141		F	
YUNN	31	0203E	0205	0210	N09	W38	.656	28.2	7	1N		P		354	4.8	FT	
YUNN	31	0206	0207	0210D	S21	E08	.281	31.7	4D	SN		P		32	.3	E	
PURP	31	0206	0208	0218	S22	E09	.304	31.8	12	SB		C	0208	33	.4	E	
YUNN	31	0225	0300	0311	N18	E16	.488	1.3	46	SF		C		64	.8		
YUNN	31	0227	0231	0247	N08	W32	.575	28.7	20	1N		C		241	3.0	T	
LEAR	31	0228E	0229U	0301	N08	W30	.549	28.9	33	1B	2	C		262		FE	
LEAR	31	0302	0302	0308	S16	W16	.313	29.9	6	SF	3	C		51			
YUNN	31	0313E	0313U	0315	N08	W32	.575	28.7	2	1N		P	0313	386	4.9	T	
LEAR	31	0320	0322	0332	N17	E16	.476	1.3	12	SF	3	C		55			
YUNN	31	0407	0412	0433	N08	W36	.626	28.5	26	2N		C		418	5.6	T	
LEAR	31	0410	0414	0436	N08	W35	.613	28.5	26	SB	3	C		158		FEK	
LEAR	31	0410	0423	0436	N08	W35	.613	28.5	26	SB	3	C		37		K	
LEAR	31	0533	0533	0652	N11	W33	.606	28.8	79	SB	3	C		76		K	
LEAR	31	0533	0620	0652	N11	W33	.606	28.8	79	SB	3	C		133		FEK	
YUNN	31	0538E	0540	0542D	N08	W35	.613	28.6	4D	2N		P		482	6.3	FT	
YUNN	31	0612E	0618	0631D	N08	W36	.626	28.6	19D	2N		P		579	7.7	BFT	
YUNN	31	0744	0751	0755	N08	W38	.651	28.5	11	SN		C		80	1.1	ET	
YUNN	31	0744	0751	0755	S17	W18	.349	30.0	11	SF		C		64	.7	E	
BUCA	31	0830	0836	0856	N09	W37	.643	28.6	26	2B		C	0836	430	5.8	U	
LEAR	31	0831	0837	0858	N08	W39	.663	28.4	27	SB	3	C		181		UF	
RAMY	31	1229E	1232	1237	N18	E14	.473	1.6	8	SF	3	C		22			
RAMY	31	1229E	1229U	1240	N05	W39	.651	28.6	11	SN	3	C		87			
RAMY	31	1243	1244	1251	N08	W41	.687	28.5	8	SF	3	C		22			
RAMY	31	1253	1311	1442	S21	W02	.251	31.4	109	SN	3	C		162			
RAMY	31	1442	1450	1510	N07	W39	.659	28.7	28	SN	3	C		52			
RAMY	31	1511	1516	1529	N08	W41	.687	28.6	18	SB	3	C		74		FE	
RAMY	31	1511	1512	1521	N17	E10	.432	1.4	10	SF	3	C		29			
RAMY	31	1533	1551	1553D	N08	W42	.699	28.5	20D	SB	3	C		81		K	
RAMY	31	1533	1534	1553D	N08	W42	.699	28.5	20D	SN	3	C		57		K	
HOLL	31	1533	1551	1606	N09	W43	.715	28.4	33	SB	3	C		56		E	
RAMY	31	1541	1541	1550	S21	W04	.257	31.4	9	SN	3	C		37			
RAMY	31	1551	1603	1658	S15	W62	.877	27.0	67	SN	3	C		43			
RAMY	31	1554	1554	1614	S21	W05	.262	31.3	20	SB	3	C		83			
HOLL	31	1556	1556	1605	S22	W05	.278	31.3	9	SF	3	C		39		F	

26
Mar 82

H α SOLAR FLARES

MARCH 1982


OBSERVATORY	OBSERVED UT				LOCATION				DURATION MIN.	IM POR- TANCE	OBS.		MEASUREMENTS			REMARKS	
	DAY	START	MAX. PHASE	END	APPROX.		CENTRAL DISTANCE	HALE PLAGE REGION			CMP. DAY	COND.	TYPE	TIME UT	MEAS. AREA Mil. of Disk		CORR. AREA Sq. Deg.
					LAT.	MER. DIST.											
[RAMY	31	1628	1631	1633	S14	W43	.680		28.5	5	SF	3	C		21		
[HOLL	31	1628	1629	1633	S13	W44	.692		28.4	5	SF	2	C		22		
HOLL	31	1641	1642	1644	N20	W48	.811		28.1	3	SF	3	C		19		
[RAMY	31	1714	1715	1725	S21	W04	.257		31.4	11	SB	3	C		144		E
[HOLL	31	1716	1717	1724	S20	W05	.246		31.3	8	SN	3	C		66		
HOLL	31	1727	1729	1735	S12	W44	.691		28.4	8	SF	3	C		37		
HOLL	31	1812	1820	1832	N09	W44	.726		28.5	20	SF	3	C		20		F
HOLL	31	2120	2124	2135	N08	W43	.711		28.7	15	SN	3	C		60		

"REMARKS":

- | | |
|--|--|
| <p>A = Eruptive prominence whose base is less than 90° from central meridian.
 B = Probably the end of a more important flare.
 C = Invisible 10 minutes before.
 D = Brilliant point.
 E = Two or more brilliant points.
 F = Several eruptive centers.
 G = No visible spots in the neighborhood.
 H = Flare accompanied by high-speed dark filament.
 I = Active region very extended.
 J = Distinct variations of plage intensity before or after the flare.
 K = Several intensity maxima.
 L = Existing filaments show signs of sudden activity.
 M = White-light flare.
 N = Continuous spectrum shows effects of polarization.</p> | <p>O = Observations have been made in the H and K lines of CaII.
 P = Flare shows helium D3 in emission.
 Q = Flare shows Balmer continuum in emission.
 R = Marked asymmetry in H-alpha line suggests ejection of high-velocity material.
 S = Brightness follows disappearance of filament in same position.
 T = Region active all day.
 U = Two bright branches, parallel or converging.
 V = Occurrence of an explosive phase: important, expansion within roughly 1 minute that often includes a significant intensity increase.
 W = Great increase in area after time of maximum intensity.
 X = Unusually wide H-alpha line.
 Y = System of loop-type prominences.
 Z = Major sunspot umbra covered by flare.</p> |
|--|--|

INTERVALS OF NO FLARE PATROL OBSERVATION FOR PRECEDING SOLAR FLARE TABLE

MARCH 1982



Observatories included in total patrol:

Bucharest	Holloman	Learmonth	Palehua	Ramey
Catania	Istanbul	Manila	Peking	Wendelstein
		Monte Mario	Purple Mt.	Yunnan


Times of no flare patrol are shown by the shaded area for each day divided into times of no cinematographic patrol (bottom half of day) and times of neither visual nor cinematographic patrol (top half of day).

SOLAR RADIO EMISSION INTERFEROMETRIC OBSERVATION

MARCH 1982

Nangay

169 MHz




EAST-WEST SOLAR SCANS

MARCH 1982

TOYOKAWA, JAPAN


3 CM
FAN BEAM WITH 1.1 MINUTES OF ARC



EAST-WEST SOLAR SCANS MARCH 1982

ALGONQUIN RADIO OBSERVATORY
CANADA

10.7 cm
Fan Beam with 1.5 minutes of arc
E-W Resolution




EAST-WEST SOLAR SCANS

MARCH 1982

Fleurs, Australia

21 cm
Fan-Beam with 2 minutes of arc
E-W Resolution




EAST-WEST SOLAR SCANS

MARCH 1982

Fleurs, Australia

ESTIMATED QUIET SUN LEVEL
COLD SKY LEVEL

43 cm
Fan-Beam with 4 minutes of arc
E-W Resolution



SOLAR RADIO EMISSION
SELECTED FIXED FREQUENCY EVENTS

MARCH 1982

Day of Month	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density (10 ⁻²² W/m ² Hz)		Int	Remarks
							Peak	Mean		
01	2695	PENT	1 S	0007.2	0007.5	1.0	6.8			
	2695	PALE	47 GB	0238.5	0239.1	3.0	90.0			QL=6 ST=2 TYP=5
	8800	PALE	4 S/F	0238.5	0239.1	3.0	30.0			QL=6 ST=2 TYP=3
	2695	LEAR	47 GB	0238.6	0239.1	2.0	110.0			QL=6 ST=2 TYP=5
	8800	LEAR	8 S	0238.8	0239.1	1.0	48.0			QL=6 ST=2 TYP=3
	2695	MANI	3 S	0238.9	0239.5	3.1	105.3	35.1		
	8800	MANI	3 S	0239.0	0239.5	1.2	35.7	11.9		
	8800	LEAR	8 S	0536.6	0536.8	1.0	11.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0830.3	0830.3	1.0	11.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0923.6	0923.6	1.0	13.0			QL=6 ST=2 TYP=3
	2800	OTTA	20 GRF	1347.0	1351.0	100.0	4.8	2.4		
	2800	OTTA	240AR	1549.0	1555.0	6.0	3.8	2.0		
	2800	OTTA	8 S	1552.9	1553.2	.8	3.8	2.4		
	2800	OTTA	3 S	1559.0	1602.0	6.0	16.6	7.6		
	2800	OTTA	29 PBI	1605.0	1605.0	15.0	7.0	3.4		
	02	8800	LEAR	20 GRF	0805.0	0811.3	15.0	11.0		
8800		LEAR	20 GRF	0929.5	0930.1	7.0	17.0			QL=6 ST=2 TYP=2
2800		OTTA	23 GRF	1240.0	1255.0	245.00	13.4			
2800		OTTA	3A S	1558.0	1605.0	13.0	14.0	7.0		
2695		SGMR	4 S/F	1558.8	1600.3	4.0	33.0			QL=6 ST=3 TYP=3
2800		OTTA	1 S	1559.0	1600.5	3.0	5.6	2.8		
2800		OTTA	240 R	1710.0	1815.0	65.0	4.8	2.4		
2800		OTTA	4 S/F	1845.0	1846.3	4.0	82.0	22.0		
2695		SGMR	47 GB	1845.6	1846.1	2.0	74.0			QL=6 ST=2 TYP=5
8800		SGMR	47 GB	1845.8	1845.8	1.0	61.0			QL=6 ST=2 TYP=5
2800		OTTA	29 PBI	1849.0	1849.0	11.0	3.8	1.7		
2800		OTTA	21 GRF	1905.0	2055.0	195.0	8.4	4.2		
2800	OTTA	20 GRF	2129.0	2131.0	15.0	5.8	2.0			
03	2695	MANI	3 S	0256.7	0258.0	2.5	13.3	4.4		
	2695	LEAR	8 S	0257.5	0257.8	2.0	17.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0258.0	0258.5	1.0	13.0			QL=6 ST=2 TYP=3
	2800	OTTA	20 GRF	1255.0	1320.0	115.0	6.6	3.3		
	2800	OTTA	21 GRF	1505.0	1620.0	105.0	4.2	2.4		
	2800	OTTA	1 S	1639.5	1640.3	5.0	4.6	1.6		
	2800	OTTA	20 GRF	1705.0	1720.0	55.0	2.8	1.4		
	04	2695	MANI	4 S/F	0055.5	0056.8	3.0	27.6	9.2	
8800		LEAR	4 S/F	0055.8	0056.3	4.0	18.0			QL=6 ST=2 TYP=3
2695		LEAR	4 S/F	0055.8	0056.8	3.0	15.0			QL=6 ST=2 TYP=3
2695		MANI	22 GRF	0139.0	0147.4	18.0	25.4	8.5		
8800		MANI	3 S	0146.0	0147.5	3.0	33.5	11.2		
8800		LEAR	8 S	0146.1	0147.6	2.0	19.0			QL=6 ST=2 TYP=3
2695		LEAR	8 S	0146.1	0147.6	2.0	18.0			QL=6 ST=2 TYP=3
8800		PALE	8 S	0146.8	0147.1	1.0	22.0			QL=6 ST=2 TYP=3
2695		PALE	4 S/F	0147.1	0147.3	30.0	16.0			QL=6 ST=2 TYP=3
8800		LEAR	8 S	0920.8	0921.6	2.0	13.0			QL=6 ST=2 TYP=3
2800		OTTA	22 GRF	1310.0	1350.0	90.0	6.2			
2800		OTTA	21 GRF	1455.0	1610.0	220.0	10.4	5.2		
2800		OTTA	1 S	1648.0	1649.0	6.0	4.6	2.3		
2800		OTTA	240 R	2035.0	2055.0	20.0	4.2	2.6		
8800		SGMR	8 S	2059.1	2059.5	1.0	20.0			QL=6 ST=3 TYP=3
2800		OTTA	21 GRF	2105.0	2205.0	115.0	11.0	5.5		
2800	OTTA	2 S/F	2114.2	2114.8	2.5	7.0	3.0			
2800	OTTA	4 S/F	2214.0	2215.0	2.0	10.2	5.1			
2695	PENT	29 PBI	2216.0	2216.0	25.0	6.2	3.1			
05	2695	MANI	4 S/F	0202.0	0204.5	7.0	50.4	16.8		
	8800	PALE	4 S/F	0202.3	0204.1	5.0	38.0			QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	0202.3	0204.1	5.0	43.0			QL=6 ST=2 TYP=3
	8800	MANI	4 S/F	0202.5	0204.2	4.5	52.0	17.3		
	2695	LEAR	4 S/F	0202.6	0204.1	7.0	47.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0202.6	0204.1	5.0	29.0			QL=6 ST=2 TYP=3
	2695	MANI	4 S/F	0237.5	0244.4	12.0	73.1	24.4		
	8800	MANI	4 S/F	0238.0	0244.4	12.7	108.0	36.0		
	2695	PALE	47 GB	0242.8	0243.8	4.0	70.0			QL=6 ST=2 TYP=5
	8800	PALE	47 GB	0243.0	0243.8	28.0	80.0			QL=6 ST=2 TYP=5
	8400	BERN	3 S	0640.7	0641.8	3.5	46.0			
	2695	ATHN	8 S	0640.8	0641.8	2.0	27.0			QL=2 ST=2 TYP=3
	8800	LEAR	8 S	0641.0	0641.8	2.0	48.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0641.0	0641.8	1.0	32.0			QL=6 ST=2 TYP=3
	8800	ATHN	8 S	0641.1	0641.8	2.0	31.0			QL=2 ST=2 TYP=3
	2695	MANI	3 S	0642.0	0643.0	3.0	34.0	11.3		
	8800	MANI	3 S	0642.2	0643.2	2.0	80.0	26.7		
	2800	OTTA	21 GRF	1345.0		140.0	3.8			
	2800	OTTA	1 S	1447.0	1447.8	2.0	5.2	2.6		
	2800	OTTA	22 GRF	1610.0	1620.0	90.0	3.8			
	2800	OTTA	23 GRF	1745.0	1830.0	125.0	13.6	6.0		
	8800	PALE	47 GB	1941.5	1941.8	1.0	160.0			QL=6 ST=2 TYP=5
2800	OTTA	1 S	1941.8	1942.0	1.0	2.8	1.4			
2800	OTTA	21 GRF	2025.0	2145.0	175.0	7.2	3.6			
8800	PALE	4 S/F	2053.1	2054.1	6.0	34.0			QL=6 ST=3 TYP=3	
2800	OTTA	4 S/F	2150.5	2153.0	9.0	20.0	7.0			
2695	PALE	4 S/F	2151.3	2153.1	3.0	21.0			QL=6 ST=2 TYP=3	

SOLAR RADIO EMISSION SELECTED FIXED FREQUENCY EVENTS

MARCH 1982

Day of Month	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density (10 ⁻²² W/m ² Hz)		Int	Remarks	
							Peak	Mean			
06	8800	MANI	3 S	0134.4	0135.0	1.3	65.9	22.0			
	[8800	ATHN	47 GB	0642.3	0643.6	3.0	52.0			
		8400	BERN	3 S	0642.3	0643.7	4.0	43.0		QL=5 ST=2 TYP=5	
		2695	MANI	3 S	0644.5	0645.8	3.0	10.5	3.5		
		8800	MANI	3 S	0645.0	0645.7	3.0	72.5	24.2		
		8400	BERN	4 S/F	0803.3	0803.8	3.0	168.0			
		[8800	ATHN	47 GB	0803.6	0803.8	1.0	150.0		QL=5 ST=2 TYP=5
			2695	ATHN	47 GB	0803.6	0803.8	1.0	139.0		QL=5 ST=2 TYP=5
			8800	MANI	8 S	0805.5	0805.7	.9	125.6	41.9	
			2695	MANI	8 S	0805.5	0805.7	.8	136.5	45.5	
			2800	OTTA	23 GRF	1550.0	1750.0	495.0	11.4		
			2800	OTTA	1 S	1946.0	1947.5	4.0	2.8	1.4	
07	[2695	MANI	47 GB	0246.4	0309.3	261.6	2080.0	760.0		
		8800	MANI	47 GB	0247.0	0308.5	249.0	5600.0	2334.0		
		8800	PALE	47 GB	0247.1	0247.8	2.0	91.0		QL=6 ST=2 TYP=5	
		[2695	PALE	8 S	0247.8	0247.8	1.0	16.0		QL=6 ST=2 TYP=3
			2695	PALE	4 S/F	0346.5	0346.8	3.0	31.0		QL=6 ST=2 TYP=3
			2695	PALE	47 GB	0412.3	0412.8	14.0	64.0		QL=6 ST=2 TYP=5
			2695	PALE	47 GB	0426.1	0426.8	5.0	370.0		QL=6 ST=2 TYP=5
			2695	ATHN	49 GB	0449.0E	0455.3	35.00	1100.0		QL=4 ST=3 TYP=6
			8800	ATHN	49 GB	0449.0E	0455.3	33.00	920.0		QL=4 ST=3 TYP=6
			2800	OTTA	21 GRF	1325.0	1425.0	100.0	5.2		
			8400	BERN	46 C	1351.8	1353.1	7.5	104.0		
			2695	ATHN	47 GB	1351.8	1353.3	3.0	100.0		QL=5 ST=2 TYP=5
			8800	ATHN	4 S/F	1351.8	1353.3	3.0	46.0		QL=5 ST=2 TYP=3
			2800	OTTA	3 S	1351.9	1353.2	5.0	93.0	23.0	
			2695	SGMR	47 GB	1352.1	1353.3	2.0	100.0		QL=6 ST=2 TYP=5
			8800	SGMR	47 GB	1352.3	1353.1	1.0	51.0		QL=6 ST=2 TYP=5
			2800	OTTA	20 GRF	1548.0	1551.0	12.0	3.2	1.6	
			2800	OTTA	1 S	1958.0	1959.0	2.0	6.6	3.3	
			2695	SGMR	8 S	1958.6	1959.1	1.0	41.0		QL=6 ST=2 TYP=3
		2695	PENT	2 S/F	2010.9	2012.0	3.0	6.6	2.2		
08	8800	PALE	8 S	0016.6	0016.8	1.0	18.0			QL=6 ST=2 TYP=3	
	8800	LEAR	20 GRF	0511.5	0514.3	11.0	11.0			QL=6 ST=2 TYP=2	
	2800	OTTA	21 GRF	1230.0	1420.0	320.0	16.6	8.6			
	[8400	BERN	45 C	1303.5	1305.2	16.0	29.0			
		2800	OTTA	1 S	1304.0	1307.0	6.0	7.0	3.5		
		[8800	SGMR	4 S/F	1304.6	1306.6	3.0	31.0		QL=6 ST=3 TYP=3
			2695	SGMR	4 S/F	1304.6	1306.6	5.0	18.0		QL=6 ST=2 TYP=3
			2800	OTTA	21 GRF	1820.0	2100.0	360.0	23.0	11.5	
			2800	OTTA	4 S/F	1941.0	1947.8	10.0	17.2	7.6	
			8800	PALE	47 GB	1943.3	1944.3	5.0	30.0		QL=6 ST=2 TYP=5
			2695	PALE	4 S/F	1943.3	1944.3	7.0	23.0		QL=6 ST=2 TYP=3
			2800	OTTA	45 C	2007.0	2013.0	25.0	138.0	29.0	
			2695	SGMR	47 GB	2011.3	2013.1	11.0	68.0		QL=6 ST=2 TYP=5
			8800	SGMR	47 GB	2011.5	2013.1	18.0	119.0		QL=6 ST=3 TYP=5
	09	2800	OTTA	20 GRF	1400.0	1435.0	80.0	2.8	1.4		
		2800	OTTA	20 GRF	1710.0	1740.0	60.0	2.4	1.2		
		2800	OTTA	20 GRF	2110.0	2115.0	40.0	2.0	1.0		
		2695	PENT	1 S	2313.0	2314.0	2.5	6.2	3.1		
10		[2695	LEAR	47 GB	0256.0	0259.3	21.0	110.0		QL=6 ST=3 TYP=5
		2695	MANI	46 C	0256.5	0300.0	19.0	120.0	40.0		
		[8800	LEAR	47 GB	0256.8	0300.0	24.0	40.0		QL=6 ST=3 TYP=5
			2695	LEAR	47 GB	0258.3	0259.3	10.0	110.0		QL=6 ST=2 TYP=5
			8800	MANI	22 GRF	0258.5	0304.7	9.2	57.6	19.2	
			8800	PALE	4 S/F	0259.6	0259.8	6.0	27.0		QL=6 ST=2 TYP=3
			2695	PALE	8 S	0311.1	0311.1	1.0	27.0		QL=6 ST=2 TYP=3
			2800	OTTA	21 GRF	1655.0	1708.0	175.0	8.4	3.0	
			2800	OTTA	4 S/F	1844.5	1845.4	2.5	93.0	40.0	
			2695	PALE	47 GB	1844.8	1845.6	3.0	139.0		QL=6 ST=2 TYP=5
			2695	SGMR	47 GB	1845.0	1845.6	1.0	130.0		QL=6 ST=2 TYP=5
			8800	PALE	8 S	1845.1	1845.8	2.0	40.0		QL=6 ST=2 TYP=3
			8800	SGMR	4 S/F	1845.5	1845.6	180.0	30.0		QL=6 ST=2 TYP=3
			2800	OTTA	29 PBI	1847.0	1847.0	13.0	3.8	1.9	
	11	2695	LEAR	8 S	0613.8	0614.1	1.0	38.0			QL=6 ST=2 TYP=3
8800		ATHN	4 S/F	0635.6	0637.8	3.0	46.0			QL=2 ST=2 TYP=3	
12	2800	OTTA	20 GRF	1810.0	1905.0	150.0	3.6	1.8			
13	[2695	LEAR	8 S	0951.8	0951.8	1.0	31.0		QL=5 ST=2 TYP=3	
		8800	LEAR	8 S	0951.8	0951.8	1.0	30.0		QL=5 ST=2 TYP=3	
		2800	OTTA	240AR	1252.0	1302.0	10.0	5.4			
			2800	OTTA	45 C	1252.5	1254.8	8.5	22.0	5.5	
			8800	SGMR	4 S/F	1252.6	1254.6	5.0	22.0		QL=6 ST=2 TYP=3
			2695	SGMR	8 S	1253.3	1254.6	2.0	27.0		QL=6 ST=2 TYP=3
14	[8800	LEAR	8 S	0755.6	0755.8	1.0	11.0		QL=6 ST=2 TYP=3	
		2695	LEAR	8 S	0755.6	0755.8	1.0	5.0		QL=6 ST=2 TYP=3	
		2800	OTTA	20 GRF	1355.0	1440.0	135.0	3.6	2.2		
		2800	OTTA	27A RF	1740.0		172.0	2.8	2.4		

SOLAR RADIO EMISSION
SELECTED FIXED FREQUENCY EVENTS

MARCH 1982

Day of Month	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density (10 ⁻²² W/m ² Hz)		Int	Remarks
							Peak	Mean		
14	2800	OTTA	24 R	1740.0	1800.0	20.0	2.8	1.4		
	2800	OTTA	24P R	1800.0		120.0	2.8			
	2800	OTTA	1 S	1849.5	1850.0	4.0	2.4	1.2		
	2800	OTTA	26 FAL	2000.0	2032.0	32.0	2.8	1.4		
	2800	OTTA	21 GRF	2035.0	2130.0	260.00	14.2			
	2800	OTTA	3 S	2115.0	2115.2	1.5	14.8	5.0		
	2695	PALE	4 S/F	2115.0	2115.1	30.0	23.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	2115.0	2115.1	20.0	36.0			QL=6 ST=2 TYP=3
15	8800	LEAR	4 S/F	0649.1	0650.6	3.0	11.0			QL=6 ST=2 TYP=3
	2800	OTTA	22 GRF	1325.0	1525.0	155.0	9.0			
	2800	OTTA	20 GRF	1635.0	1710.0	85.0	3.6			
	2800	OTTA	240 R	1940.0	2230.0	170.0	11.6	4.0		
	2695	PENT	21 GRF	2320.0	2400.0	110.00	38.0			
	2695	PENT	40 F	2337.0	2340.3	10.0	27.0			
	8800	MANI	4 S/F	2339.4	2342.0	2.60	42.1	14.0		
	2695	PALE	4 S/F	2339.5	2340.3	13.0	44.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	2339.8	2340.3	17.0	42.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	2339.8	2340.5	17.0	30.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	2340.3	2341.8	12.0	28.0			QL=6 ST=3 TYP=3
16	8800	LEAR	4 S/F	0156.1	0156.6	3.0	28.0			QL=6 ST=2 TYP=3
	2800	OTTA	20 GRF	1235.0	1250.0	40.0	4.0	2.2		
17	8800	LEAR	4 S/F	0153.3	0155.6	3.0	11.0			QL=6 ST=2 TYP=3
	2695	MANI	3 S	0221.2	0221.5	.6	35.1	11.7		
	8800	LEAR	4 S/F	0241.3	0241.3	4.0	20.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0241.3	0241.5	2.0	29.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1106.6	1108.5	9.0	11.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1107.6	1108.5	5.0	32.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1112.8	1117.3	13.0	37.0			QL=6 ST=2 TYP=3
	2800	OTTA	21 GRF	1235.0	1450.0	235.0	11.4	5.6		
	2800	OTTA	2 S/F	1239.5	1241.5	6.5	9.0	4.4		
	2800	OTTA	1 S	1306.5	1306.7	1.0	4.6	2.2		
	2800	OTTA	1 S	1335.0	1335.8	2.0	3.2	1.6		
	8800	ATHN	4 S/F	1423.5	1423.8	4.0	27.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1423.5	1423.8	4.0	42.0			QL=6 ST=2 TYP=3
	8400	BERN	3 S	1424.00	1425.00	3.00	26.0			ONLY PAPER REC
	2800	OTTA	3 S	1424.5	1425.0	3.0	34.0	9.0		
	8800	SGMR	8 S	1424.6	1424.8	1.0	42.0			QL=6 ST=2 TYP=3
	2695	SGMR	47 GB	1424.6	1425.0	1.0	58.0			QL=6 ST=2 TYP=5
2800	OTTA	1 S	1656.5	1657.0	1.5	2.8	1.4			
2800	OTTA	20 GRF	1940.0	1955.0	40.0	2.6	1.3			
2800	OTTA	23 GRF	2110.0	2145.0	110.0	6.8	3.4			
2800	OTTA	8 S	2202.9	2203.0	.5	9.6				
18	2695	LEAR	47 GB	0409.8	0410.8	3.0	110.0			QL=6 ST=3 TYP=5
	8800	LEAR	4 S/F	0409.8	0411.0	3.0	33.0			QL=6 ST=3 TYP=3
	2695	MANI	3 S	0410.7	0410.9	1.2	97.9	32.7		
	8800	MANI	3 S	0410.7	0411.2	1.5	29.3	9.8		
	2695	ATHN	4 S/F	0815.0	0817.0	5.0	16.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0815.8	0817.1	5.0	11.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0817.1	0817.3	20.0	7.0			QL=6 ST=2 TYP=3
	2800	OTTA	1 S	1208.0	1208.5	1.0	9.0	4.0		
	2800	OTTA	4 S/F	1231.0	1231.7	3.0	18.2	9.0		
	2695	SGMR	8 S	1231.1	1231.6	1.0	26.0			QL=6 ST=2 TYP=3
	2800	OTTA	29 PBI	1234.0	1234.0	8.0	4.6	2.6		
	8800	ATHN	8 S	1236.3	1237.1	2.0	13.0			QL=6 ST=2 TYP=3
	2695	ATHN	8 S	1236.3	1237.1	2.0	22.0			QL=6 ST=2 TYP=3
	2800	OTTA	20 GRF	1330.0	1336.0	18.0	4.6	2.3		
	2800	OTTA	21 GRF	1353.0		50.0	8.0			
	8800	ATHN	4 S/F	1353.6	1355.6	7.0	31.0			QL=6 ST=2 TYP=3
	2800	OTTA	2 S/F	1353.7	1357.2	3.50	9.0	5.0		
	2695	SGMR	8 S	1353.8	1355.3	2.0	19.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1353.8	1355.6	3.0	47.0			QL=6 ST=2 TYP=3
	2800	OTTA	20 GRF	1555.0	1615.0	45.0	3.8	1.9		
	2800	OTTA		1755.0		115.0	3.8			
	2800	OTTA	1 S	2040.8	2041.0	1.2	10.0	5.0		
	2800	OTTA	29 PBI	2042.0	2042.0	30.0	3.6	2.8		
	2800	OTTA	21 GRF	2118.0		120.0	17.8	9.0		
	8800	PALE	47 GB	2135.6	2137.8	8.0	169.0			QL=6 ST=2 TYP=5
	2800	OTTA	4 S/F	2136.0	2138.0	9.0	150.0	40.0		
8800	SGMR	47 GB	2136.3	2137.8	5.0	139.0			QL=6 ST=2 TYP=5	
2695	SGMR	47 GB	2136.5	2138.0	6.0	139.0			QL=6 ST=2 TYP=5	
2695	PALE	47 GB	2136.6	2138.0	6.0	169.0			QL=6 ST=2 TYP=5	
2695	PENT	21 GRF	2340.0	2400.0	80.00	3.8				
2695	PENT	1 S	2341.5	2342.1	1.0	4.0	2.0			
19	2695	LEAR	4 S/F	0418.6	0420.8	4.0	11.0			QL=6 ST=2 TYP=3
	8800	LEAR	20 GRF	0435.0	0439.3	8.0	24.0			QL=6 ST=2 TYP=2
	2695	LEAR	20 GRF	0435.8	0439.3	8.0	10.0			QL=6 ST=2 TYP=2
	8800	LEAR	4 S/F	0458.1	0459.1	9.0	80.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0458.1	0459.1	3.0	30.0			QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION SELECTED FIXED FREQUENCY EVENTS

MARCH 1982

Day of Month	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density (10 ⁻²² W/m ² Hz)		Int	Remarks	
							Peak	Mean			
19	8800	MANI	3 S	0458.5	0459.6	1.9	96.3	32.1			
	2695	MANI	3 S	0458.6	0459.6	1.9	84.9	28.3			
	8800	MANI	3 S	0708.0	0708.8	1.5	86.7	28.9			
	8800	LEAR	47 GB	0708.1	0708.3	1.0	60.0			QL=6 ST=2 TYP=5	
	8800	ATHN	8 S	0708.1	0708.3	1.0	42.0			QL=5 ST=2 TYP=3	
	2800	OTTA	22 GRF	1255.0	1335.0	105.0	12.2				
	2800	OTTA	21 GRF	1510.0	1555.0	210.0	18.0	5.0			
	2695	ATHN	20 GRF	1531.6	1534.8	13.0	53.0			QL=6 ST=2 TYP=2	
	2800	OTTA	4 S/F	1532.0	1534.7	10.0	78.0	26.0			
	8400	BERN	4 S/F	1532.00	1537.00	11.00	29.0			ONLY PAPER REC	
	8800	ATHN	20 GRF	1532.5	1537.1	8.0	35.0			QL=6 ST=2 TYP=2	
	2695	SGMR	47 GB	1532.8	1534.8	12.0	93.0			QL=6 ST=2 TYP=5	
	8800	SGMR	4 S/F	1534.3	1535.3	5.0	38.0			QL=6 ST=2 TYP=3	
	2800	OTTA	20 GRF	1705.0	1710.0	15.0	5.6	2.8			
	2695	PENT	8 S	2002.3	2002.6	.8	4.2	2.1			
	8800	SGMR	8 S	2003.6	2004.3	2.0	35.0			QL=6 ST=2 TYP=3	
	8800	PALE	4 S/F	2004.0	2004.3	80.0	44.0			QL=6 ST=2 TYP=3	
	2800	OTTA	20 GRF	2055.0	2100.0	50.0	3.8				
	8800	PALE	8 S	2057.3	2058.6	2.0	21.0			QL=6 ST=2 TYP=3	
	2695	PALE	4 S/F	2106.3	2106.6	7.0	23.0			QL=6 ST=2 TYP=3	
	2695	PENT	27 RF	2200.0		110.0	3.0	2.8			
	2695	PENT	24 R	2200.0	2205.0	5.0	3.0	1.5			
	2695	PENT	24P R	2205.0		95.0	3.0				
	2695	PENT	26 FAL	2340.0	2350.0	10.0	3.0	1.5			
	20	2800	OTTA	20 GRF	1815.0	1855.0	120.0	4.4	2.2		
	21	8800	LEAR	4 S/F	0102.8	0103.8	3.00	20.0			QL=6 ST=2 TYP=3
8800		PALE	4 S/F	0103.6	0103.8	20.0	21.0			QL=6 ST=2 TYP=3	
8400		BERN	3 S	0744.00	0745.00	5.00	40.0			ONLY PAPER REC	
8800		LEAR	47 GB	0744.8	0745.1	1.0	51.0			QL=6 ST=2 TYP=5	
8800		ATHN	4 S/F	0745.0	0745.1	80.0	16.0			QL=5 ST=2 TYP=3	
8800		ATHN	8 S	1114.3	1115.1	2.0	13.0			QL=6 ST=2 TYP=3	
8800		ATHN	8 S	1124.0	1125.1	2.0	13.0			QL=6 ST=2 TYP=3	
2695		SGMR	4 S/F	1452.8	1453.1	3.0	13.0			QL=6 ST=2 TYP=3	
2800		OTTA	1 S	1453.0	1453.1	1.5	4.4	2.2			
8800		SGMR	8 S	1453.0	1453.1	1.0	17.0			QL=6 ST=2 TYP=3	
2800		OTTA	8 S	1539.0	1539.1	.2	2.2	1.1			
2800		OTTA	4 S/F	1754.2	1756.0	6.0	120.0	20.0			
2695		SGMR	47 GB	1755.3	1756.1	1.0	99.0			QL=6 ST=2 TYP=5	
2695		PALE	47 GB	1755.3	1756.1	1.0	99.0			QL=6 ST=2 TYP=5	
8800		SGMR	47 GB	1755.6	1756.1	3.0	100.0			QL=6 ST=2 TYP=5	
8800		PALE	47 GB	1755.8	1756.1	2.0	110.0			QL=6 ST=2 TYP=5	
2800		OTTA	3 S	1815.9	1816.1	1.0	15.0	7.5			
2800		OTTA	1 S	1859.0	1900.0	1.5	3.0	1.5			
2800		OTTA	21 GRF	1859.0	1920.0	60.0	4.0	1.8			
8800		PALE	47 GB	1859.3	1859.8	2.0	64.0			QL=6 ST=2 TYP=5	
8800		SGMR	8 S	1859.5	1859.8	1.0	48.0			QL=6 ST=2 TYP=3	
22		2695	LEAR	47 GB	0555.5	0557.1	9.0	100.0			QL=6 ST=2 TYP=5
		2695	ATHN	47 GB	0555.5	0600.3	8.0	160.0			QL=5 ST=2 TYP=5
		8800	ATHN	47 GB	0555.5	0600.5	8.0	139.0			QL=5 ST=2 TYP=5
		2695	MANI	45 C	0556.0	0600.8	6.8	136.8	45.6		
		8800	LEAR	47 GB	0556.1	0557.1	8.0	26.0			QL=6 ST=2 TYP=5
	8800	MANI	45 C	0556.5	0600.9	7.5	232.1	77.4			
	2800	OTTA	20 GRF	1400.0	1417.0	85.00	6.4				
	2695	SGMR	4 S/F	1416.6	1416.8	10.0	17.0			QL=6 ST=2 TYP=3	
	2800	OTTA	21 GRF	1620.0	1630.0	30.0	3.6	2.0			
	2695	SGMR	4 S/F	1624.6	1626.1	100.0	19.0			QL=6 ST=2 TYP=3	
	2800	OTTA	8 S	1626.1	1626.1	.1	6.8				
	2800	OTTA	2 S/F	1654.2	1655.0	2.0	6.8	3.4			
	2800	OTTA	21 GRF	1820.0	1824.0	50.0	3.4				
	2800	OTTA	3 S	1834.0	1834.8	3.0	27.4	9.0			
	2695	SGMR	8 S	1834.8	1835.1	1.0	36.0			QL=6 ST=2 TYP=3	
	2695	PALE	4 S/F	1835.0	1835.1	10.0	30.0			QL=6 ST=3 TYP=3	
	8800	SGMR	4 S/F	1835.1	1835.1	10.0	17.0			QL=6 ST=2 TYP=3	
	2800	OTTA	1 S	1857.0	1858.0	2.0	2.6	1.3			
	2800	OTTA	20 GRF	2010.0	2025.0	35.0	3.2	1.8			
	23	8800	LEAR	47 GB	0516.8	0519.6	12.0	83.0			QL=6 ST=2 TYP=5
		2695	LEAR	4 S/F	0517.3	0519.0	11.0	29.0			QL=6 ST=2 TYP=3
		2695	MANI	22 GRF	0517.7	0520.2	11.3	35.8	11.9		
		8800	MANI	22 GRF	0518.0	0520.2	9.0	76.8	25.6		
		8400	BERN	45 C	0851.8	0856.0	20.0	37.0			
		8800	LEAR	4 S/F	0855.1	0856.0	4.0	30.0			QL=6 ST=2 TYP=3
		8400	BERN	4 S/F	1406.3	1407.4	4.0	35.0			
8800		SGMR	8 S	1407.1	1407.5	1.0	41.0			QL=6 ST=2 TYP=3	
2800		OTTA	1 S	1542.0	1542.1	1.2	3.6	1.8			
2800		OTTA	4 S/F	1846.8	1848.0	5.0	13.2	3.8			
2695		PENT	8 S	2356.0	2356.4	.6	8.6				
24		2695	MANI	3 S	0033.8	0035.3	2.7	42.6	14.2		
		2695	PENT	3 S	0034.0	0035.1	2.0	15.0	7.2		
	8400	BERN	3 S	1249.3	1249.7	3.0	30.0				
	2800	OTTA	21 GRF	1340.0		80.0	4.0				

SOLAR RADIO EMISSION
SELECTED FIXED FREQUENCY EVENTS

MARCH 1982

Day of Month	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density (10 ⁻²² W/m ² Hz)		Int	Remarks	
							Peak	Mean			
24	8400	BERN	46 C	1357.7	1358.2	12.5	50.0				
	2800	OTTA		1401.0		1.0D	4.8				
	8400	BERN	4 S/F	1513.4	1514.0	3.0	24.0				
	2800	OTTA	20 GRF	1600.0	1605.0	40.0	2.0	1.0			
	8400	BERN	22 GRF	1623.0	1625.2	20.0	38.0				
	2800	OTTA	20 GRF	1700.0	1707.0	20.0	3.2	1.6			
	2800	OTTA	20 GRF	2000.0	2017.0	55.0	4.2	2.0			
	2800	OTTA	21 GRF	2140.0	2201.0	90.0	8.6	4.3			
	2800	OTTA	1 S	2144.5	2145.0	1.0	2.0				
	2800	OTTA	4 S/F	2146.8	2147.4	3.0	21.0	9.8			
25	2695	PENT	3 S	0032.0	0032.8	3.0	11.0	2.8			
	8400	BERN	4 S/F	0638.5	0640.2	5.0	27.0				
	2800	OTTA	4 S/F	1225.0	1225.3	3.0	83.0	20.0			
	8400	BERN	22 GRF	1412.6	1422.7	20.0U	38.0				
	2800	OTTA	4 S/F	1625.0	1628.0	5.0	127.0	42.0			
	8400	BERN	45 C	1625.0	1628.4	19.0U	124.0				
	2800	OTTA	30 PBI	1630.0	1630.0	20.0	10.2	3.4			
	2800	OTTA	3 S	1632.3	1633.0	4.0	42.0	21.0			
	2695	PENT	46F C	2309.0	2318.5	18.0	48.0	11.8			
26	8800	MANI	3 S	0335.0	0335.8	5.0	114.0	38.0			
	2695	MANI	3 S	0422.4	0422.5	.6	15.2	5.1			
	8800	MANI	3 S	0422.4	0423.0	2.0	42.8	14.3			
	2695	MANI	4 S/F	0547.0	0549.5	3.5	60.8	20.3			
	8800	MANI	4 S/F	0547.0	0549.8	7.4	390.5	130.2			
	8400	BERN	45 C	0547.4	0549.1	6.0U	367.0				
	2800	OTTA	4 S/F	1456.8	1457.1	10.0	36.0	6.4			
	2800	OTTA	1 S	1629.7	1630.2	1.5	2.0	1.0			
	2800	OTTA	20 GRF	1640.0	1720.0	80.0	3.2				
	2800	OTTA	1 S	1915.0	1915.2	1.0	2.8	1.2			
	2800	OTTA	21 GRF	1940.0		70.0	2.4				
	2800	OTTA	1 S	1948.5	1949.5	2.0	2.4	1.4			
	2800	OTTA	21 GRF	2120.0	2145.0	35.0	4.0	2.0			
	2800	OTTA	3 S	2137.5	2138.0	2.0	14.8	5.0			
	2800	OTTA	22 GRF	2225.0	2226.0	11.0	5.0				
	27	2695	PENT	1 S	0031.0	0031.5	1.0	7.2	3.6		
		8800	MANI	4 S/F	0211.0	0215.3	7.5	135.6	45.2		
2695		MANI	4 S/F	0211.5	0214.3	7.5	81.8	27.3			
2695		LEAR	8 S	0302.1	0302.6	1.0	6.0			QL=6 ST=2 TYP=3	
8800		ATHN	4 S/F	0912.5	0914.6	6.0	25.0			QL=6 ST=2 TYP=3	
2695		ATHN	4 S/F	0912.6	0914.6	6.0	27.0			QL=6 ST=2 TYP=3	
8400		BERN	3 S	0912.7	0914.2	7.0	32.0				
2695		LEAR	4 S/F	0913.1	0914.3	3.0	22.0			QL=6 ST=2 TYP=3	
8800		LEAR	4 S/F	0913.3	0914.5	3.0	31.0			QL=6 ST=2 TYP=3	
2695		ATHN	47 GB	1009.3	1011.0	9.0	56.0			QL=6 ST=2 TYP=5	
8800		ATHN	4 S/F	1009.3	1011.5	17.0	13.0			QL=6 ST=2 TYP=3	
2800		OTTA	20 GRF	1225.0	1250.0	80.0	4.0	2.0			
2800		OTTA		1402.0	1417.7	15.7D	112.0				
8400		BERN	45 C	1406.8	1415.8	120.0D	483.0				
2695		SGMR	47 GB	1408.6	1411.6	34.0	200.0			QL=6 ST=2 TYP=5	
8800		SGMR	47 GB	1409.5	1411.6	44.0	280.0			QL=6 ST=2 TYP=5	
2800		OTTA	29 PBI	1430.0	1430.0	180.0	15.4	5.2			
2800	OTTA	1 S	2020.5	2023.0	4.5	3.0	1.5				
28	8800	LEAR	8 S	0142.1	0142.6	2.0	10.0			QL=6 ST=2 TYP=3	
	8800	LEAR	47 GB	0148.0	0150.8	8.0	100.0			QL=6 ST=2 TYP=5	
	2695	LEAR	4 S/F	0148.1	0150.6	5.0	40.0			QL=6 ST=2 TYP=3	
	2695	MANI	3 S	0150.0	0151.0	3.0	71.1	23.7			
	2695	PALE	8 S	0150.1	0150.6	1.0	39.0			QL=6 ST=2 TYP=3	
	8800	PALE	47 GB	0150.1	0150.8	2.0	96.0			QL=6 ST=2 TYP=5	
	8800	MANI	3 S	0150.3	0151.4	3.3	83.5	27.8			
	2695	LEAR	8 S	0305.3	0306.3	2.0	34.0			QL=6 ST=2 TYP=3	
	2695	MANI	3 S	0306.0	0306.7	1.4	44.9	15.0			
	8800	LEAR	8 S	0306.1	0306.6	2.0	40.0			QL=6 ST=2 TYP=3	
	2695	PALE	4 S/F	0306.3	0306.6	10.0	32.0			QL=6 ST=2 TYP=3	
	8800	MANI	3 S	0306.3	0306.7	1.0	48.2	16.1			
	8800	LEAR	8 S	0309.1	0309.1	1.0	34.0			QL=6 ST=2 TYP=3	
	8800	LEAR	47 GB	0431.8	0433.8	17.0	219.0			QL=6 ST=3 TYP=5	
	8800	MANI	3 S	0432.0	0434.1	4.0	171.6	57.2			
	2695	LEAR	4 S/F	0432.1	0433.6	15.0	48.0			QL=6 ST=2 TYP=3	
	2695	MANI	3 S	0432.2	0433.9	3.8	32.9	11.0			
	2695	ATHN	4 S/F	0437.0E	0437.6	5.0D	8.0			QL=2 ST=2 TYP=3	
	8800	ATHN	47 GB	0437.3E	0437.8	5.0D	100.0			QL=2 ST=2 TYP=5	
	8800	LEAR	20 GRF	0627.6	0631.6	11.0	24.0			QL=6 ST=2 TYP=2	
	2695	LEAR	20 GRF	0628.0	0634.1	9.0	13.0			QL=6 ST=2 TYP=2	
	2695	ATHN	8 S	0630.0	0630.3	1.0	11.0			QL=6 ST=2 TYP=3	
	8800	LEAR	4 S/F	0700.1	0700.3	110.0	22.0			QL=6 ST=2 TYP=3	
	2695	LEAR	4 S/F	0700.1	0700.5	90.0	16.0			QL=6 ST=2 TYP=3	
	8400	BERN	47 GB	1004.0	1004.9	9.5	770.0				
	8800	LEAR	49 GB	1004.5	1004.8	4.0	710.0			QL=5 ST=3 TYP=6	
	2695	LEAR	47 GB	1004.5	1005.3	1.0	160.0			QL=5 ST=3 TYP=5	
8800	ATHN	49 GB	1004.6	1005.3	11.0	1000.0			QL=6 ST=2 TYP=6		
2695	ATHN	47 GB	1004.6	1005.3	11.0	139.0			QL=6 ST=2 TYP=5		

SOLAR RADIO EMISSION SELECTED FIXED FREQUENCY EVENTS

MARCH 1982

Day of Month	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density (10 ⁻²² W/m ² Hz)		Int	Remarks
							Peak	Mean		
28	2800	OTTA	2 S/F	1306.0	1307.0	3.0	4.8	2.2		
	2800	OTTA	21 GRF	1315.0	1340.0	165.0	10.2	5.1		
	2800	OTTA	2 S/F	1316.5	1317.5	10.0	6.4	3.0		
	2695	SGMR	8 S	1317.1	1319.1	2.0	18.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1338.8	1339.1	1.0	17.0			QL=6 ST=2 TYP=3
	2800	OTTA	1 S	1452.0	1452.6	1.3	4.0	2.0		
	2800	OTTA	21 GRF	1945.0	2035.0	95.0	4.8			
	2800	OTTA	1 S	2000.8	2001.0	1.0	2.4			
	2800	OTTA	3 S	2022.7	2023.1	1.5	16.0	4.0		
	2800	OTTA	1 S	2106.0	2106.7	1.5	2.4	1.2		
	2695	LEAR	4 S/F	2353.3	2355.0	6.0	10.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	2353.8	2357.8	6.0	24.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	2357.6	2358.3	2.0	19.0			QL=6 ST=2 TYP=3
29	2695	MANI	3 S	0141.0	0141.3	.5	59.4	19.8		
	8800	MANI	3 S	0141.0	0141.3	2.0	206.4	68.8		
	2695	MANI	3 S	0805.6	0806.0	1.6	13.8	4.6		
	8800	MANI	3 S	0805.6	0806.2	1.2	40.6	13.5		
	8400	BERN	45 C	0906.0U	0907.0U	17.0U	109.0			ONLY PAPER REC
	8800	MANI	4 S/F	0906.5	0907.8	1.5	115.4	38.5		
	2695	LEAR	8 S	0930.8	0930.8	1.0	18.0			QL=6 ST=3 TYP=3
	8800	LEAR	8 S	0930.8	0931.0	1.0	10.0			QL=6 ST=3 TYP=3
	2800	OTTA	27A RF	1250.0		270.0	4.0	3.6		
	2800	OTTA	24 R	1250.0	1310.0	20.0	4.0	2.0		
	2800	OTTA	24P R	1310.0		210.0	4.0			
	2800	OTTA	20 GRF	1530.0	1535.0	30.0	2.8	1.8		
	2800	OTTA	26 FAL	1640.0	1720.0	40.0	4.0	2.0		
	2800	OTTA	2 S/F	1653.0	1656.5	6.0	4.8			
	2800	OTTA	22 GRF	1720.0	1836.0	115.0	6.2	2.8		
	2800	OTTA	21 GRF	1940.0	2022.0	170.0	10.2	5.4		
	2695	PENT	1 S	2012.0	2012.3	3.0	2.0	1.5		
	2800	OTTA	1 S	2110.8	2111.2	4.0	4.8	2.4		
	8800	SGMR	4 S/F	2111.1	2111.1	10.0	18.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	2300.3	2300.6	20.0	23.0			QL=6 ST=2 TYP=3
30	8800	LEAR	47 GB	0231.8	0233.8	12.0	10.0			QL=6 ST=3 TYP=5
	8800	PALE	47 GB	0232.8	0234.1	8.0	37.0			QL=6 ST=2 TYP=5
	8800	MANI	3 S	0237.0	0239.3	3.0	95.7	31.9		
	2695	LEAR	4 S/F	0237.6	0238.8	4.0	30.0			QL=6 ST=3 TYP=3
	2695	MANI	3 S	0237.7	0239.0	2.3	29.8	9.9		
	2695	PALE	8 S	0238.1	0238.6	1.0	34.0			QL=6 ST=2 TYP=3
	8800	MANI	47 GB	0519.0	0537.2	112.0	1650.0	604.0		
	8800	LEAR	49 GB	0522.0	0522.6	16.0	80.0			QL=6 ST=2 TYP=7
	2695	MANI	47 GB	0522.0	0600.5	115.0	3900.0	1630.0		
	8800	ATHN	49 GB	0522.3	0523.3	101.0	100.0			QL=6 ST=2 TYP=6
	2695	ATHN	49 GB	0523.5	0534.0	100.0	230.0			QL=6 ST=2 TYP=6
	2695	LEAR	49 GB	0527.6	0530.8	11.0	74.0			QL=6 ST=2 TYP=7
	8800	LEAR	49 GB	0538.3	0540.8	12.0	2000.0			QL=6 ST=2 TYP=7
	2695	LEAR	49 GB	0538.3	0540.8	12.0	860.0			QL=6 ST=2 TYP=7
	8800	LEAR	47 GB	0555.0	0555.1	11.0	130.0			QL=6 ST=2 TYP=5
	2695	LEAR	49 GB	0555.0	0555.6	11.0	880.0			QL=6 ST=2 TYP=6
	8800	LEAR	47 GB	0609.1	0609.6	12.0	90.0			QL=6 ST=2 TYP=5
	2695	LEAR	47 GB	0609.1	0610.3	12.0	169.0			QL=6 ST=2 TYP=5
	8800	LEAR	4 S/F	0623.8	0624.3	13.0	46.0			QL=6 ST=2 TYP=3
	2695	LEAR	47 GB	0623.8	0625.8	13.0	139.0			QL=6 ST=2 TYP=5
	2695	LEAR	47 GB	0636.6	0637.8	10.0	71.0			QL=6 ST=2 TYP=5
	8800	LEAR	4 S/F	0637.8	0637.8	10.0	16.0			QL=6 ST=2 TYP=3
	8400	BERN	4 S/F	0704.8	0706.2	5.0	113.0			
	8800	ATHN	47 GB	0705.0	0706.6	31.0	130.0			QL=6 ST=2 TYP=5
	8800	SGMR	8 S	1143.1	1144.0	1.0	45.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1143.1	1144.0	1.0	15.0			QL=6 ST=2 TYP=3
	2800	OTTA	4 S/F	1143.5	1144.0	1.5	29.0	14.0		
	2695	ATHN	8 S	1143.8	1144.6	2.0	33.0			QL=6 ST=2 TYP=3
	8800	ATHN	47 GB	1144.0	1144.6	1.0	61.0			QL=6 ST=2 TYP=5
	2800	OTTA	21 GRF	1417.0	1424.0	70.0	13.2	6.4		
	8800	SGMR	8 S	1419.6	1421.1	2.0	28.0			QL=6 ST=2 TYP=3
	2800	OTTA	3 S	1420.8	1422.0	3.0	16.8	8.4		
	2695	SGMR	4 S/F	1421.0	1422.1	3.0	29.0			QL=6 ST=2 TYP=3
	2800	OTTA	4 S/F	1505.0	1505.5	2.5	12.0	4.6		
	2800	OTTA	21 GRF	1600.0	1605.0	30.0	2.8	2.0		
	2800	OTTA	1 S	1601.9	1602.0	1.0	2.4	1.2		
	2800	OTTA	21 GRF	1640.0	1652.0	40.0	3.2	1.6		
	8800	SGMR	8 S	1642.8	1643.1	1.0	29.0			QL=6 ST=2 TYP=3
	2800	OTTA	1 S	1643.0	1643.3	1.2	2.0	1.0		
	2800	OTTA	8 S	1736.8	1736.9	.5	4.0			
	2800	OTTA	2 S/F	1747.2	1748.1	1.5	6.0	2.6		
	2800	OTTA	1 S	1756.8	1757.3	1.5	2.4	1.0		
	2800	OTTA	4 S/F	2022.0	2023.0	1.7	12.8	2.2		
	2800	OTTA	1A S	2056.5	2057.0	10.0	3.2	1.6		
	8800	PALE	47 GB	2057.8	2058.8	4.0	139.0			QL=6 ST=2 TYP=5
	8800	SGMR	47 GB	2058.6	2058.8	1.0	90.0			QL=6 ST=2 TYP=5
	2800	OTTA	3 S	2058.7	2059.4	3.0	13.6	6.0		
	2695	SGMR	8 S	2058.8	2059.1	1.0	18.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	2058.8	2059.1	1.0	20.0			QL=6 ST=2 TYP=3
	8800	MANI	3 S	2335.0	2338.7	8.0	62.1	20.7		

SOLAR RADIO EMISSION SELECTED FIXED FREQUENCY EVENTS


MARCH 1982

Day of Month	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density (10 ⁻²² W/m ² Hz)		Int	Remarks
							Peak	Mean		
30	2695	PENT	1 S	2335.5	2337.0	3.0	7.0	3.5		
	2695	MANI	3 S	2336.3	2338.0	4.2	21.4	7.1		
	8800	PALE	8 S	2337.0	2337.1	1.0	30.0			QL=6 ST=2 TYP=3
	8800	LEAR	47 GB	2337.0	2338.0	3.0	50.0			QL=6 ST=2 TYP=5
31	8800	LEAR	47 GB	0041.3	0042.1	4.0	490.0			QL=6 ST=2 TYP=5
	2695	PENT	3 S	0041.5	0042.0	2.5	15.2	6.0		
	2695	MANI	3 S	0041.5	0042.2	1.8	42.7	14.2		
	8800	PALE	47 GB	0041.6	0042.0	2.0	440.0			QL=6 ST=2 TYP=5
	8800	MANI	47 GB	0041.6	0042.4	4.4	562.6	187.5		
	2695	PENT	3 S	0133.0	0133.8	1.6	10.4	5.2		
	2695	MANI	3 S	0227.2	0228.6	4.8	64.0	21.0		
	8800	MANI	3 S	0227.4	0229.0	4.6	36.4	12.1		
	2695	PALE	47 GB	0227.6	0228.5	2.0	67.0			QL=6 ST=2 TYP=5
	8800	PALE	4 S/F	0227.8	0228.6	3.0	40.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0312.3	0312.5	40.0	37.0			QL=6 ST=2 TYP=3
	8800	LEAR	47 GB	0409.8	0410.3	4.0	54.0			QL=6 ST=2 TYP=5
	8800	ATHN	47 GB	0531.6	0533.1	11.0	210.0			QL=6 ST=2 TYP=5
	8800	LEAR	47 GB	0531.8	0533.3	4.0	270.0			QL=6 ST=2 TYP=5
	2695	MANI	3 S	0532.3	0533.0	1.7	23.7	7.9		
	2695	ATHN	4 S/F	0532.3	0533.1	10.0	19.0			QL=6 ST=2 TYP=3
	8800	MANI	3 S	0532.7	0533.3	2.3	271.4	90.5		
	2695	LEAR	4 S/F	0533.0	0533.3	4.0	21.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0612.3	0616.0	4.0	31.0			QL=6 ST=2 TYP=3
	8800	LEAR	47 GB	0613.6	0616.1	11.0	60.0			QL=6 ST=2 TYP=5
	8800	ATHN	8 S	0833.3	0834.5	2.0	27.0			QL=6 ST=2 TYP=3
	8400	BERN	4 S/F	0833.4	0834.4	5.5	36.0			
	8800	LEAR	8 S	0833.6	0834.5	2.0	42.0			QL=6 ST=2 TYP=3
	2800	OTTA	21 GRF	1230.0	1350.0	110.0	6.4			
	2800	OTTA	1 S	1306.0	1306.5	1.0	2.8	1.4		
	2800	OTTA	40 F	1320.0	1320.8	2.0	5.2			
	2800	OTTA	1 S	1353.0	1354.5	3.5	3.5	1.6		
	2800	OTTA	1 S	1357.5	1357.9	1.0	4.0	1.9		
	2800	OTTA	21 GRF	1435.0	1500.0	65.0	4.8	2.4		
	2800	OTTA	1 S	1453.5	1454.0	1.0	2.0	1.0		
	2800	OTTA	8 S	1553.7	1553.9	1.6	2.0	1.0		
2800	OTTA	1 S	1714.0	1714.3	1.0	4.8	1.8			
2800	OTTA	3 S	2223.0	2225.1	6.0	90.0	22.0			
2695	SGMR	47 GB	2223.0	2225.1	6.0	93.0			QL=4 ST=2 TYP=5	
8800	SGMR	47 GB	2223.0	2225.1	6.0	210.0			QL=4 ST=2 TYP=5	
2695	MANI	4 S/F	2225.2	2225.3	1.3	63.7	21.2			
8800	MANI	4 S/F	2225.2	2225.5	1.3	214.0	71.3			
8800	LEAR	8 S	2316.6	2316.8	1.0	22.0			QL=6 ST=2 TYP=3	
8800	PALE	4 S/F	2316.6	2316.8	30.0	23.0			QL=6 ST=2 TYP=3	


SELECTED SOLAR NOISE BURSTS

MARCH 26-28, 1982

INSTITUTE OF APPLIED PHYSICS, UNIVERSITY OF BERNE, SWITZERLAND
111.8, F=11.8 GHz, BW=250.0 MHz, T=1.0 SEC



INSTITUTE OF APPLIED PHYSICS, UNIVERSITY OF BERNE, SWITZERLAND
10.4, F=0.4 GHz, BW=6.0 MHz, T=1.0 SEC



INFERRED IP MAGNETIC FIELD

BARTELS ROTATION	DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	
2012	OCT 6							*		TA	TA		AT/A*		A*							TA							
2013	NOV 2	AT				TA		TA				AT/A*										TA							
2014	NOV 29													TA	TA	TA	TA	AT								TA			
2015	DEC 26														-TA	-TA							AT						
2016	1981 JAN 22	TA									AT/TA				TA								AT					TA	
2017	FEB 18			AT	TA								TA		TA		*							AT		TA		TA	
2018	MAR 17							AT																		TA		AT	
2019	APR 13	TA													TA				*AT						-AT				
2020	MAY 10				-TA	AT	TA			TA			TA									*							
2021	JUN 6																												
2022	JUL 3																												
2023	JUL 30																			TA	TA								
2024	AUG 26																												
2025	SEP 22																												
2026	OCT 19	AT	TA	TA								TA																	
2027	NOV 15																												
2028	DEC 12	TA																											
2029	1982 JAN 8																												
2030	FEB 4																												
2031	MAR 3																												
2032	MAR 30																												

☐ = definitely towards the sun

□ = definitely away from the sun

A = away from the sun

* = effect doubtful or not discernible

- = missing data

The table shows daily inferences of the polarity of the interplanetary magnetic field. The first half of the day is based principally on magnetograms produced by the magnetometer at the Vostok Antarctic Station of the USSR. The magnetometer of the U.S. Air Weather Service now operated at Thule by the Danish Meteorological Institute is used for the second half of the day. The Thule magnetometer ceased operating in August 1981.

STANFORD MEAN SOLAR MAGNETIC FIELD

BARTELS ROTATION	DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	
2017	FEB 13																												
2018	MAR 12																												
2019	APR 8																												
2020	MAY 5																												
2021	JUN 1																												
2022	JUN 28																												
2023	JUL 25																												
2024	AUG 21																												
2025	SEP 17																												
2026	OCT 14																												
2027	NOV 10																												
2028	DEC 7																												
2029	JAN 3																												
2030	JAN 30																												
2031	FEB 26																												
2032	MAR 25																												

POLARITY OF THE MEAN SOLAR MAGNETIC FIELD: = FIELD >2μT, = -2μT ≤FIELD ≤2μT, = FIELD <-2μT
 No box visible indicates no data available for that day.

NOTE: Data are taken daily at 2000 UT. Dates given are not Bartels Rotation dates. These earlier dates correspond to the occurrence of phenomena on the Sun that affect the Earth during the given Bartels Rotation.

STANFORD MEAN SOLAR MAGNETIC FIELD (MICROTESLA)

1982

1981

day	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MARCH
01	75	2	16	53	-49	-134	-27	94	41	15	-20	-19
02	82	-51	21	49	.	-87	11	82	34	-6	-44	-9
03	31	-66	17	41	-72	-56	70	55	49	-17	-29	-20
04	-23	-56	6	14	-80	-21	104	-1	-3	.	-3	-39
05	-67	-24	28	-17	-67	-7	115	-19	.	-10	9	-44
06	-85	23	33	-62	-48	11	104	-36	-12	-5	19	-21
07	-97	25	3	.	-33	26	28	-29	.	-4	43	.
08	-76	36	-27	-93	-26	30	25	-23	.	25	64	-2
09	-40	45	.	-56	-19	33	-7	-16	.	23	.	.
10	-28	49	-96	-43	-7	32	.	11	.	36	15	16
11	-7	35	-75	.	16	4	8	34	.	45	24	34
12	0	.	-58	-9	58	-29	32	.	.	35	33	35
13	13	-76	.	-7	68	-47	43	.	.	16	.	.
14	-6	-147	.	-7	81	-37	64	105	.	-7	.	.
15	-29	-131	.	9	68	-24	103	.	57	-6	.	.
16	-61	-94	-3	0	49	-32	115	.	17	-12	14	21
17	-73	-50	.	38	49	-24	167	48	-5	-1	16	4
18	.	-47	50	59	42	-8	218	3	.	-3	5	20
19	.	-53	.	66	16	11	193	-28	-37	33	15	31
20	-85	-41	.	.	12	85	115	-45	.	.	27	.
21	-79	13	.	108	31	135	65	.	-39	.	38	25
22	-86	.	.	107	38	124	9	-65	-11	.	48	22
23	-51	72	59	73	52	60	-62	.	-2	9	41	14
24	5	61	.	34	67	6	-107	-43	35	25	28	-2
25	43	.	29	29	92	-79	-128	-20	4	35	10	-26
26	70	126	18	34	64	-115	.	58	39	42	-3	.
27	67	109	4	28	15	-138	-61	83	17	36	-34	-61
28	84	50	44	33	-12	-144	-60	96	29	.	.	-56
29	122	24	62	43	-64	-121	-19	59	.	15	.	-53
30	61	-9	50	38	-84	-75	67	55	24	0	.	.
31	.	-4	50	1	-143	.	87	.	.	-10	.	.

DOT SYMBOL INDICATES NO DATA AVAILABLE FOR THE DAY.

PIONEER XII
MARCH 1982

DATE	TIME	ESV	U_{H^+}	N_{H^+}	T_{H^+}
Mar '82	(UT)	(°)	(km/s)	(H^+ /cc)	($\times 10^6$ K)
1	0511	024.	577.	29.2	0.517
2	0515		409.	11.6	.068
3	0502		365.	15.3	.048
4	0515		412.	53.1	.054
5	0519		350.	27.4	.088
6	0600		359.	17.7	.055
7	0542		328.	28.3	.041
8	0356		535.	8.8	.106
9	1521		549.	5.5	.474
10	0421		612.	3.6	.231
11	0527		465.	5.1	.093
12	0324		418.	17.9	.119
13	0612		481.	13.7	.043
14	0442		505.	13.2	.125
15	0412	032.	377.	15.9	.091
16	0416		392.	36.8	.056
17	0410		341.	29.2	.216
18	0502		433.	10.5	.135
19	0522		539.	19.2	.275
20	0446		586.	8.1	.212
21	0551		579.	9.6	.166
22	0429		401.	11.6	.078
23	0323		432.	12.8	.058
24	0512		326.	27.3	.017
25	0613		500.	12.7	.291
26	1631		507.	12.4	.198
27	0432		594.	8.8	.129
28	0436		532.	8.5	.052
29	0506		460.	10.7	.156
30	0415		314.	7.7	.094
31	0613		437.	36.6	.094

BOULDER GEOMAGNETIC SUBSTORM LOG

MARCH 1982

DATE	ONSET TIME	DIR	COMMENTS	DATE	ONSET TIME	DIR	COMMENTS
03/01	0450 0610	East	Localized SS vicinity Inuvik.	03/18			Field intermittently un-settled.
	0635 1138	East SSC	Weak SS Magstorm follows.		0710 0840 1025		Weak SS Weak SS Localized SS College to Anchorage.
03/02			Magstorm continues through 2100 UT.	03/19			Field intermittently un-settled.
03/03			Field intermittently un-settled.		1105		Weak SS
	0425 0755	East West	Variable spatial injections with recovery near 1130 UT.	03/20			Field unsettled after 0500 UT.
	1335		Localized SS vicinity College.		0650 0850 0955		Weak SS Weak SS Localized SS College to Ft. Yukon.
03/04	1030	West	Moderate SS		1345	West	Slow onset, several injections with recovery near 1700 UT.
03/05	0530 0845	East	Weak onset, several weak injections with recovery near 1130 UT.	03/21			Field active after 0500 UT with spatial and temporal variations in substorm injection processes.
03/06			Quiet day.	03/22			Field very active through 1900 UT.
03/07			Quiet day.		0155		Moderate Bay D-component Boulder-Tucson.
03/08			Field intermittently un-settled with no significant SS activity.		0525 0925 1155	= center West	Localized SS vicinity College.
03/09	0810		Weak positive impulse H-component all mid/low latitude stations.	03/23	0910		Slow onset, slow expansion westward along oval stations.
	0940 1030		Slow onset, weak SS. Localized SS vicinity College.		1230		Weak SS
	1540	West	Slow onset at College with slow expansion northward and eastward. Several minor injections with recovery near 1830 UT.	03/24			Field unsettled after 1400 UT with no distinctive SS activity.
03/10	0720	= center	Moderate SS, several injections with recovery near 1000 UT.	03/25			Field intermittently un-settled.
03/11	0525 1240	West	Moderate SS Weak SS vicinity College.		0950 1215	West	Initial onset at College, secondary injection at 1240 UT.
03/12	0700		Weak SS, several minor injections with recovery near 0900 UT.	03/26			Field intermittently un-settled.
	1535	West	Slow onset at College with slow expansion northward and eastward. Field un-settled balance of day.		1035		Weak SS
03/13			Field intermittently un-settled.	03/27			Field intermittently un-settled through 1300 UT.
	0210	East	Boulder in partial ring current sector.		1125		Slow onset at College.
	0720	East	Weak SS	03/28	0725		Weak SS, several minor injections.
03/14			Field intermittently un-settled.	03/29			Field intermittently un-settled.
	1115 1635		Weak SS Localized SS Norman Wells to Inuvik.		0510 0700	East West	Weak SS Moderate secondary injection localized College at 0735 UT.
03/15	0625	= center	Weak SS	03/30	0400 1110	West West	Initial onset at College; several injections with recovery near 1430 UT.
03/16			Field slightly unsettled.	03/31			Field unsettled.
03/17			Field unsettled after 0930 UT with no distinctive SS activity.		0345 1135 1710	East	Initial onset at College, several injections with recovery near 1430 UT.


SGD 452 Part I (Prompt)

FEBRUARY 1982 DATA

Contents

	Page
<u>Daily Solar Activity Centers</u>	
H-alpha, Solar Magnetic Field, and Helium 10830A Synoptic Charts	46-49
Magnetograms, Calcium Plages, H-alpha Filtergrams, Sunspots, and Corona	50-105
Regions of Solar Activity	106-118
Daily Calcium Plage Index	118
<u>Sudden Ionospheric Disturbances</u>	119-122
<u>Spacecraft Observations</u>	
Pioneer XII Magnetic Field Magnitudes	123
<u>Solar Radio Emission</u>	
Spectral Observations	124-147
<u>Cosmic Rays</u>	
Chart of Variations	148-150
Neutron Monitors Daily Values	151
<u>Geomagnetic Indices</u>	
Geomagnetic Activity Indices (Kp, Ap, Cp, Km, Am, aa, Kn, An, Ks, As)	152
Daily Average Indices Ap	153
Chart of Kp by Bartels 27-day Rotation	154
Chart of Dst by Bartels 27-day Rotation (See page 164.)	
Hourly Equatorial Dst Values (Provisional) (Data not available at time of publication.)	
Principal Magnetic Storms	155-156
Sudden Commencements and Solar Flare Effects	157
<u>Radio Propagation Indices</u>	
Transmission Frequency Ranges - North Atlantic Path	158-159
Quality Indices on Paths to Germany	160


H α SYNOPTIC CHART CARRINGTON ROTATION 1718 (PRELIMINARY)




SOLAR MAGNETIC FIELD SYNOPTIC CHART
 CARRINGTON ROTATION 1718

Stanford Solar Observatory

0, ±100, 200, 500... μT
 -100





CARRINGTON ROTATION 1718 FLUX




KPNO SOLAR MAGNETIC FIELD SYNOPSIS CHART

CARRINGTON ROTATION 1718 POLARITY



HELIUM 10830Å SYNOPTIC MAPS CARRINGTON ROTATION 1718

KITT PEAK NATIONAL OBSERVATORY



FEBRUARY 1, 1982 (P=-12.08, B₀=-6.03, L₀=328.69)

SACRAMENTO PEAK Np CORONA
5303 Å

NO DATA FEBRUARY 1, 2, 4, 5, 6, 7, 8, 9, 10, 11, 12, 14,
18, 22, 24, 25, 26, 27



E W

1.15 R₀
1.35 R₀
1.55 R₀

KITT PEAK Np
MAGNETOGRAM
Bright-Plus
Dark - Minus

MT. WILSON Sp Np
MAGNETOGRAM
Solid-Plus
Dotted-Minus




DELTA TAY = 12.7
DELTA TAX = 9.6




1658 UT

18:65-19:59 UT

01



FAIR	WM
69-	1900-2.5
71-	0800-2.5
72-	2000-3.0
73-	2700-2.5
75-	2700-4.0
76-	5600-4.0
80-	2500-3.5
82-	0700-2.5
84-	2700-3.0
86-	1500-2.5
87-	1600-3.5
88-	1300-3.5
89-	5000-3.0
90-	2800-3.0
91-	0200-2.5
92-	1500-3.0



Levels



0	μT
± 50	
± 100	
± 200	
•••	

FEBRUARY 2, 1982 (P = -12.49, B₀ = -6.10, L₀ = 315.53)

SACRAMENTO PEAK Np CORONA
5303 Å

E NO DATA W


1.15 R₀
1.35 R₀
1.55 R₀



02

SACRAMENTO PEAK

Np



E


1454 UT

Sp

H α

BIG BEAR

Np



BOULDER PROMINENCES


1626 UT

Sp

BIG BEAR

BIG BEAR

Np



1714 UT


Sp

POOR	MM
69-	1500-2.5
71-	0500-2.5
72-	1800-2.5
73-	2700-2.5
75-	2700-3.5
76-	5500-3.5
80-	2700-3.5
82-	1300-2.5
84-	2200-2.5
86-	1700-2.5
87-	1700-3.0
88-	1700-3.0
89-	4700-3.5
90-	2300-3.5
92-	1200-2.5
96-	0500-2.5
98-	2800-2.5

MAGNETOGRAM
Solid - Plus; zero level
Dashed - Minus

STANFORD

Np




1914 UT

Sp



Levels
0 μ T
+ 50
+ 100
+ 200
• •

FEBRUARY 3, 1982 (P=-12.89, B₀=-6.17, L₀=302.36)

SACRAMENTO PEAK NP CORONA
5303 Å




1.15 R₀ 2202 UT
1.35 R₀
1.55 R₀



03

SACRAMENTO PEAK



Np

Sp

H α

W

E

1759 UT

BIG BEAR

Np

Sp

SUNSPOTS

W

E

1840 UT

BOULDER PROMINENCES
NO DATA

ACTIVE REGIONS

Np

Sp

BIG BEAR


W

E

1703 UT

FAIR	MM
71-	0300-2.5
73-	2700-2.5
75-	2300-3.0
76-	7000-3.5
80-	2400-3.0
82-	1300-2.5
84-	1700-2.5
87-	1900-2.5
88-	1800-2.5
89-	6200-3.5
90-	2300-2.5
91-	0400-3.0
96-	0500-3.5
98-	2200-2.5
00-	0100-2.5
01-	2500-4.0

MAGNETOGRAM
Solid - Plus; zero level
Dashed - Minus



Np

Sp

STANFORD

2057 UT

Levels μT

0	μT
+	50
+	100
+	200
•	•
•	•

FEBRUARY 4, 1982 (P=-13.29, B₀=-6.23, L₀=289.19)

SACRAMENTO PEAK

Np

CORONA
5303 Å

E

NO DATA

W

1.15 R₀
1.35 R₀
1.55 R₀

Sp

Np

KITT PEAK

Np

MAGNETOGRAM
Bright-Plus
Dark - Minus

MT. WILSON

MAGNETOGRAM
Solid-Plus
Dotted-Minus

DELTA Y =
DELTA X =

E

NO DATA FEBRUARY 4, 5, 8, 10, 11, 12, 18, 23, 24, 25

W

E

NO DATA FEBRUARY 4, 5, 7, 8, 9, 10, 11, 12, 13, 14,
15, 16, 24, 25, 26, 28

W

Levels
+ 5
+ 10
+ 20
+ 40
+ 80


Sp

Sp

04

SACRAMENTO PEAK

Np



E


1446 UT

Sp

H α

BIG BEAR

Np



1735 UT

Sp

BOULDER PROMINENCES

NO DATA

BIG BEAR

Np

ACTIVE REGIONS

NO DATA FEBRUARY 4, 5, 6, 8, 10, 11, 12, 18, 23, 24, 25


W

Sp

STANFORD

Np

MAGNETOGRAM
Solid - Plus; zero level
Dashed - Minus



Levels
0 μ T
+ 50
+ 100
+ 200
•
•

1817 UT

Sp

FEBRUARY 5, 1982 (P=-13.68, B₀=-6.30, L₀=276.03)

SACRAMENTO PEAK

CORONA
5303 Å

Np

W

NO DATA

E

1.15 R₀
1.35 R₀
1.55 R₀

Sp

Np

KITT PEAK

MAGNETOGRAM
Bright-Plus
Dark - Minus

Np

MT. WILSON

DELTA =
DELTA =

MAGNETOGRAM
Solid-Plus
Dotted-Minus

W

NO DATA

E

W

NO DATA

E

Levels
+ 5
+ 10
+ 20
+ 40
+ 80


Sp

Sp

05

SACRAMENTO PEAK

Np



E

2044 UT

Sp

H α


BIG BEAR

Np

SUNSPOTS

BIG BEAR

ACTIVE REGIONS



BOULDER PROMINENCES

1653 UT

Sp

NO DATA

W


Sp

STANFORD

Np

MAGNETOGRAM

Solid - Plus; zero level
Dashed - Minus



Levels
0 μT
+ 50
+ 100
+ 200
•••

1759 UT

Sp

FEBRUARY 6, 1982 (P = -14.07, B₀ = -6.36, L₀ = 262.86)

SACRAMENTO PEAK
CORONA
5303 Å

Np

NO DATA

E

W

Sp

Np

E

W



Sp



Np

E

W

1.15 R₀
1.35 R₀
1.55 R₀





FEBRUARY 7, 1982 (P=-14.45, B₀=-6.42, L₀=249.69)

SACRAMENTO PEAK

Np

CORONA
5303 Å

E

NO DATA

W

1.15 R_⊙
1.35 R_⊙
1.55 R_⊙

KITT PEAK

Np

MAGNETOGRAM
Bright - Plus
Dark - Minus

MT. WILSON

DELTA Y =
DELTA X =


Sp
Np

MAGNETOGRAM
Solid-Plus
Dotted-Minus

E

NO DATA

W



1717 UT


Sp

Levels
+ 5
+ 10
+ 20
+ 40
+ 80

07

SACRAMENTO PEAK

Np



E

1513 UT

H α

BIG BEAR

Np

W E

NO DATA

SUNSPOTS

BIG BEAR

W E

BOULDER PROMINENCES

Sp

STANFORD

Np

MAGNETOGRAM

Solid - Plus; zero level
Dashed - Minus


Levels
0 μ T
+ 50
+ 100
+ 200
•••

1955 UT

Sp

ACTIVE REGIONS

Np



1717 UT

Sp

76-	2000-3.0
84-	1500-2.5
89-	5700-3.5
90-	1400-2.5
91-	0400-2.5
96-	1500-3.5
98-	1000-2.5
99-	2400-3.5
01-	6000-3.5
03-	0200-2.5
04-	0800-4.0
05-	0600-3.5
06-	0200-2.5
07-	0600-2.5
10-	1300-2.5
11-	0600-2.5

FEBRUARY 8, 1982 (P=-14.83, B₀=-6.48, L₀=236.53)

SACRAMENTO PEAK

Np

CORONA
5303 Å

W

NO DATA

E

1.15 R₀
1.35 R₀
1.55 R₀

Sp

Np

KITT PEAK

Np

MAGNETOGRAM
Bright-Plus
Dark - Minus

MT. WILSON

DELTA Y =
DELTA X =

MAGNETOGRAM
Solid-Plus
Dotted-Minus

E

NO DATA

W

E

NO DATA


W

Levels
± 5
± 10
± 20
± 40
± 80

Sp

Sp

08 SACRAMENTO PEAK Np ACTIVE REGIONS



STANFORD Np



MAGNETOGRAM
Solid - Plus; zero level
Dashed - Minus

Levels
0 μT
+ 50
+ 100
+ 200
•
•

Sp

FEBRUARY 9, 1982 (P=-15.20, B₀=-6.53, L₀=223.36)

CORONA
5303 Å

Np

SACRAMENTO PEAK

W

NO DATA

E

1.15 R₀
1.35 R₀
1.55 R₀

Sp

Np

KITT PEAK

Np


MAGNETOGRAM
Bright-Plus
Dark-Minus

MT. WILSON

DELTA Y =
DELTA X =

MAGNETOGRAM
Solid-Plus
Dotted-Minus

E



W

E


NO DATA

W

1735 UT

Sp

Levels
5
+ 10
+ 20
+ 40
+ 80



STANFORD Np
E W
NO DATA

Levels
0 μ T
± 50
± 100
± 200
•••

Sp

FEBRUARY 10, 1982 (P=-15.57, B₀=-6.59, L₀=210.19)

SACRAMENTO PEAK

Np

CORONA
5303 Å

E

NO DATA

W

1.15 R₀
1.35 R₀
1.55 R₀

Sp

Np

KITT PEAK

Np

MAGNETOGRAM
Bright- Plus
Dark - Minus

MT. WILSON

DELTA =
DELTA =

MAGNETOGRAM
Solid-Plus
Dotted-Minus

E

NO DATA

W

E



NO DATA

W

Levels
5
+ 10
+ 20
+ 40
+ 80

Sp

Sp



FEBRUARY 11, 1982 (P=-15.93, B₀=-6.64, L₀=197.02)

SACRAMENTO PEAK
CORONA
5303 Å

Np

E

NO DATA

W

1.15 R₀
1.35 R₀
1.55 R₀

Sp

Np

KITT PEAK

Np

MAGNETOGRAM
Bright-Plus
Dark - Minus

MT. WILSON

DELTA =
DELTA =

MAGNETOGRAM
Solid-Plus
Dotted-Minus

E

NO DATA

W

E



NO DATA

W

Levels
+ 5
+ 10
+ 20
+ 40
+ 80

Sp

Sp



FEBRUARY 12, 1982 (P = -16.29, B_o = -6.69, L_o = 183.86)

SACRAMENTO PEAK

Np

CORONA
5303 Å

E

NO DATA

W

1.15 R_o
1.35 R_o
1.55 R_o

Sp

Np

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus

MT. WILSON

DELTA =
DELTA =

MAGNETOGRAM
Solid-Plus
Dotted-Minus

Np

E

NO DATA

W

E


NO DATA

W

Levels
+ 5
+ 10
+ 20
+ 40
+ 80

Sp

Sp



MAGNETOGRAM
Solid - Plus; zero level
Dashed - Minus

NO DATA


Levels
0 μ T
+ 50
+ 100
+ 200
•
•
•

Sp

FEBRUARY 13, 1982 (P = -16.64, B₀ = -6.74, L₀ = 170.69)

SACRAMENTO PEAK
CORONA
5303 Å

Np



1.15 R₀ 2158 UT
1.35 R₀ 2206 UT
1.55 R₀ 2216 UT

Sp

Np

MT. WILSON

DELTA Y =
DELTA X =

MAGNETOGRAM
Solid-Plus
Dotted-Minus

NO DATA

E


W

Levels
+ 5
+ 10
+ 20
+ 40
+ 80

KITT PEAK

Np

MAGNETOGRAM
Bright-Plus
Dark-Minus



1727 UT




E

W

Sp

Sp

13



STANFORD

Np

MAGNETOGRAM
Solid - Plus; zero level
Dashed - Minus

Sp

E

NO DATA

W

Levels
0 μ T
± 50
± 100
± 200
•••

Sp

FEBRUARY 14, 1982 (P = -16.99, B₀ = -6.79, L₀ = 157.52)

SACRAMENTO PEAK

Np

CORONA
5303 Å

E

NO DATA

W

1.15 R_☉
1.35 R_☉
1.55 R_☉

Sp

Np

KITT PEAK

MAGNETOGRAM

Bright - Plus
Dark - Minus

MT. WILSON

MAGNETOGRAM
Solid-Plus
Dotted-Minus


DELTA Y =
DELTA X =

W

E

NO DATA

W




Levels
+ 5
+ 10
+ 20
+ 40
+ 80

Sp

14

SACRAMENTO PEAK


Np



H α

BIG BEAR

Np



BOULDER PROMINENCES

NO DATA

1715 UT

Np

STANFORD

Np

MAGNETOGRAM
Solid - Plus; zero level
Dashed - Minus

E

NO DATA


W

Levels
0 μ T
± 50
± 100
± 200
•••

Sp

ACTIVE REGIONS

Np



NO DATA


2018 UT

POOR MM
01- 6500-3.5
04- 0800-3.0
05- 0800-2.5
06- 1100-3.5
10- 2800-3.5
11- 1500-3.0
16- 4300-3.0
17- 2700-2.5

FEBRUARY 15, 1982 (P=-17.33, B₀=-6.83, L₀=144.35)

SACRAMENTO PEAK
CORONA
5303 Å

Np




1.15 R_⊙ 1540 UT
1.35 R_⊙ 1549 UT
1.55 R_⊙ 1600 UT

Sp

MT. WILSON

DELTA Y =
DELTA X =

Np



KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus

1458 UT

Np

MAGNETOGRAM
Solid-Plus
Dotted-Minus

NO DATA





E

W

Levels
+ 5
+ 10
+ 20
+ 40
+ 80

Sp

15
BOULDER



- FAIR MM
- 01- 6900-3.5
 - 10- 9500-3.5
 - 11- 1200-3.5
 - 15- 3800-3.5
 - 17- 2700-2.0
 - 20- 1500-3.5

STANFORD

Np

MAGNETOGRAM
Solid - Plus; zero level
Dashed - Minus

E

NO DATA

W

- Levels
- 0 μ T
 - \pm 50
 - \pm 100
 - \pm 200
 -
 -


Sp

FEBRUARY 16, 1982 (P=-17.66, B₀=-6.87, L₀=131.19)

SACRAMENTO PEAK

Np

CORONA
5303 Å



1.15 R₀ 2249 UT
1.35 R₀ 1540 UT
1.55 R₀ 1550 UT

Sp

Np


MT. WILSON

DELTA Y =
DELTA X =

KITT PEAK

Np

MAGNETOGRAM
Bright-Plus
Dark-Minus



1532 UT

E

E

NO DATA





W

Sp

Levels
+ 5
+ 10
+ 20
+ 40
+ 80

16

SACRAMENTO PEAK



GOOD | WM

01- 2200-2.5
10- 2500-2.6
11- 2700-2.6
14- 3000-2.5
17- 3300-2.0
19- 3500-2.5
20- 2300-3.5

STANFORD

BOULDER PROMINENCES

MAGNETOGRAM
Solid - Plus; zero level
Dashed - Minus

E


NO DATA

W



Levels
0 μ T
+ 50
+ 100
+ 200
•
•

Sp

FEBRUARY 17, 1982 (P = -17.99, B₀ = -6.91, L₀ = 118.02)



1.15 R_⊙ 1608 UT
1.35 R_⊙ 1547 UT
1.55 R_⊙ 1558 UT



17

SACRAMENTO PEAK

Np

H α

BIG BEAR




Np

SUNSPOTS

BIG BEAR

Np

ACTIVE REGIONS



FAIR	MM
10-	2700-3.0
11-	1000-2.5
16-	3000-3.5
17-	1300-2.5
20-	2800-4.0
21-	1100-2.5

1501 UT

2120 UT

1535 UT

1721 UT

BOULDER PROMINENCES

STANFORD

Np

MAGNETOGRAM

Solid - Plus; zero level
Dashed - Minus

E

NO DATA

W

Levels
0 μ T
+ 50
 \pm 100
 \pm 200
•
•

Sp

FEBRUARY 18, 1982 (P=-18.32, B₀=-6.95, L₀=104.85)

SACRAMENTO PEAK
CORONA
5303 Å

Np

NO DATA

E

W

NO DATA

E

W

1.15 R₀
1.35 R₀
1.55 R₀

KITT PEAK

Np

MAGNETOGRAM
Bright- Plus
Dark - Minus

NO DATA

E

W

MT. WILSON

DELTA TAY = 12.7
DELTA TAX = 9.6

Sp

Np

MAGNETOGRAM
Solid- Plus
Dotted- Minus

E



W

Levels
+ 5
+ 10
+ 20
+ 40
+ 80

17.29-18.43 UT

Sp

18




FEBRUARY 19, 1982 (P = -18.64, B₀ = -6.99, L₀ = 91.68)

SACRAMENTO PEAK

CORONA
5303 Å

Np




1.15 R₀ 2303 UT
1.35 R₀ 2242 UT
1.55 R₀ 2252 UT

KITT PEAK

Np

MAGNETOGRAM
Bright - Plus
Dark - Minus




MT. WILSON

DELTA TAY = 12.7
DELTA TAX = 9.6

Np

MAGNETOGRAM
Solid - Plus
Dotted - Minus

Sp



Levels
+ 5
+ 10
+ 20
+ 40
+ 80

19

SACRAMENTO PEAK

Np

NO DATA

Sp

H α

BIG BEAR


Np

SUNSPOTS

BIG BEAR

Np

ACTIVE REGIONS



1739 UT

BOULDER PROMINENCES


1634 UT

STANFORD

Np

MAGNETOGRAM

Solid - Plus; zero level
Dashed - Minus



1820 UT

Levels

0 μ T

\pm 50


\pm 100

\pm 200



•••

FEBRUARY 20, 1982 (P = -18.95, B₀ = -7.02, L₀ = 78.51)

SACRAMENTO PEAK
CORONA
5303 Å






1.15 R_⊙ 1536 UT
1.35 R_⊙
1.55 R_⊙ 1525 UT




DELTA Y = 12.7
DELTA X = 9.6

20



FAIR	WM
16-	3800-3.5
17-	1300-2.5
20-	3400-3.5
24-	1800-2.5
25-	2500-3.0
27-	1400-2.5

BOULDER PROMINENCES
NO DATA




MAGNETOGRAM
Solid - Plus; zero level
Dashed - Minus



Levels
0 μ T
+ 50
+100
+200
•••

FEBRUARY 21, 1982 (P = -19.25, B₀ = -7.05, L₀ = 65.34)

SACRAMENTO PEAK
CORONA
5303 Å




1.15 R_⊙ 1537 UT
1.35 R_⊙ 1517 UT
1.55 R_⊙ 1526 UT



21

SACRAMENTO PEAK





H α

BIG BEAR

SUNSPOTS


BIG BEAR

ACTIVE REGIONS



FAIR	WM
16- 3800-3.5	
17- 1400-2.5	
20- 3500-3.5	
21- 0500-3.5	
24- 1800-2.5	
25- 1800-2.5	
26- 1500-2.5	
27- 1300-2.5	

BOULDER PROMINENCES



MAGNETOGRAM

Solid - Plus; zero level
Dashed - Minus



Levels
0 μ T
+ 50
+ 100
+ 200
•
•

FEBRUARY 22, 1982 (P = -19.55, B₀ = -7.08, L₀ = 52.17)

SACRAMENTO PEAK Np CORONA
5303 Å

E NO DATA W

1.15 R₀
1.35 R₀
1.55 R₀



22
SACRAMENTO PEAK

Np

H α

BIG BEAR

Np

SUNSPOTS

BIG BEAR



Np

ACTIVE REGIONS

E

NO DATA

Sp




STANFORD

Np


MAGNETOGRAM

Solid - Plus; zero level
Dashed - Minus



FEBRUARY 23, 1982 (P = -19.85, B₀ = -7.10, L₀ = 39.00)

SACRAMENTO PEAK
CORONA
5303 Å



1.15 R₀ 1615 UT
1.35 R₀ 1555 UT
1.55 R₀ 1604 UT

KITT PEAK

Np

MAGNETOGRAM
Bright-Plus
Dark - Minus


MT. WILSON

DELTA TAY = 12.6
DELTA TAX = 9.6

Sp

Np

MAGNETOGRAM
Solid-Plus
Dotted-Minus



Levels
5
+ + + + +
10
+ + + + +
20
+ + + + +
40
+ + + + +
80

NO DATA

W

E



Np

W

Sp

Sp

20.16-21.27 UT



FEBRUARY 24, 1982 (P = -20.14, B₀ = -7.13, L₀ = 25.83)

CORONA
5303 Å

Np

SACRAMENTO PEAK

W

NO DATA

E

1.15 R₀
1.35 R₀
1.55 R₀

Sp

Np

MT. WILSON

DELTA =
DELTA =

MAGNETOGRAM
Bright- Plus
Dark - Minus

Np

KITT PEAK

W

NO DATA

E

MAGNETOGRAM
Solid-Plus
Dotted-Minus

NO DATA

W

Levels
+ 5
+ 10
+ 20
+ 40
+ 80


Sp

Sp

24

SACRAMENTO PEAK

Np




E

1505 UT

H α

BOULDER

Np



1520 UT

SUNSPOTS

BIG BEAR

Np

NO DATA

W

ACTIVE REGIONS

BOULDER PROMINENCES


1522 UT

Sp

STANFORD

Np

MAGNETOGRAM
Solid - Plus; zero level
Dashed - Minus



1843 UT

Levels
0 μ T
+ 50
+ 100
+ 200
• • •

FEBRUARY 25, 1982 (P=-20.42, B₀=-7.15, L₀=12.66)

CORONA
5303 Å

Np

SACRAMENTO PEAK

W

NO DATA

E

1.15 R₀
1.35 R₀
1.55 R₀

Sp

Np

MAGNETOGRAM
Solid-Plus
Dotted-Minus

MT. WILSON


DELTA Y =
DELTA X =

W



NO DATA

E

Levels
+ 5
+ 10
+ 20
+ 40
+ 80



Sp



FEBRUARY 26, 1982 (P= -20.70, B₀ = -7.17, L₀ = 359.49)

CORONA
5303 Å

Np

SACRAMENTO PEAK

W

NO DATA

E

1.15 R₀
1.35 R₀
1.55 R₀

Sp

Np

KITT PEAK

Np

MAGNETOGRAM
Bright-Plus
Dark - Minus

MT. WILSON

DELTA =
DELTA =


MAGNETOGRAM
Solid-Plus
Dotted-Minus

W

NO DATA

E

W



1549 UT


Sp

Levels
+ 5
+ 10
+ 20
+ 40
+ 80

26

Np

BOULDER



Sp

1604 UT


E

H α

BIG BEAR

Np

SUNSPOTS



STANFORD

Np

BOULDER
PROMINENCES


1604 UT

E

BIG BEAR

Np

ACTIVE REGIONS



FAIR	HW
20-3800-3.0	
24-1800-3.5	
25-0700-2.5	
26-1500-2.5	
27-1700-3.0	
29-4800-3.0	
35-0300-1.5	
36-1400-3.0	
37-1500-2.5	
38-0700-1.5	
40-4700-3.5	
49-0600-3.0	
50-1800-2.5	

MAGNETOGRAM

Solid - Plus; zero level
Dashed - Minus

E

NO DATA

W

Levels
0 μ T
+ 50
+ 100
+ 200
•
•



Sp

FEBRUARY 27, 1982 (P=-20.97, B₀=-7.19, L₀=346.32)

SACRAMENTO PEAK Np CORONA
5303 Å


E NO DATA W

1.15 R_⊙
1.35 R_⊙
1.55 R_⊙



27

SACRAMENTO PEAK



NP

Sp

H α

BIG BEAR


NP

SUNSPOTS

BIG BEAR

NP

ACTIVE REGIONS



W

E

1806 UT

BOULDER PROMINENCES

NO DATA

STANFORD

NP

MAGNETOGRAM

Solid - Plus; zero level
Dashed - Minus

1920 UT

1806 UT

E

NO DATA

W


Levels
0 μ T
+ 50
+ 100
+ 200
•
•
•

Sp

FEBRUARY 28, 1982 (P = -21.23, B₀ = -7.20, L₀ = 333.15)

SACRAMENTO PEAK

CORONA
5303 Å




1.15 R_⊙ 2335 UT
1.35 R_⊙ 2343 UT
1.55 R_⊙ 2353 UT

KITT PEAK

Np

MAGNETOGRAM
Bright - Plus
Dark - Minus



1512 UT

MT. WILSON

DELTA Y =
DELTA X =

MAGNETOGRAM
Solid-Plus
Dotted-Minus

Sp Np

E




NO DATA

W

Levels
5
+ 10
+ 20
+ 40
+ 80

Sp

28
BOULDER



FAIR	MM
24-	0500-2.5
29-	4000-3.0
36-	2300-2.5
37-	1400-3.0
40-	5000-3.5
41-	4200-3.0
42-	1000-2.5
44-	0300-2.5
45-	0500-2.5

STANFORD

Np

MAGNETOGRAM

Solid - Plus; zero level
Dashed - Minus

E

NO DATA

W

Levels
0 μ T
+ 50
+ 100
+ 200
•
•

Sp

REGIONS OF SOLAR ACTIVITY

FEBRUARY 1982

HALE REGION 18181

CMP DATE 1.2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	01	26	18181	S07 E74	325	300	2.0		S12 E78				H	380	6	ESI
82	01	27	18181	S07 E60	326	300	2.5		S09 E58				M	20	3	BX0
82	01	30	18181	S07 E20	326	300	1.5									

HALE REGION 18187

CMP DATE 1.2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	01	30	18187	N12 E20	326	800	3.5									
82	01	31	18187	N12 E06	327	1400	3.5									
82	02	1	18187	N13 W07	327	1600	3.5									
82	02	2	18187	N13 W20	326	1700	3.0		N10 W24				H	590	34	FKI
82	02	3	18187	N13 W34	327	1900	2.5		N11 W38				H	380	18	EKO
82	02	4	18187						N12 W48				H	210	12	EKO

HALE REGION 18188

CMP DATE 1.2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	01	30	18188	N08 E20	326	800	3.5									
82	01	31	18188	N08 E06	327	1300	3.5									
82	02	1	18188	N08 W07	327	1300	3.5									
82	02	2	18188	N08 W21	327	1700	3.0									
82	02	3	18188	N08 W34	327	1800	2.5									

HALE REGION 18176

CMP DATE 1.4

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	01	25	18176	S15 E85	327	300	1.5									
82	01	26	18176	S15 E76	323	2800	2.0	22952	S13 E78	321	(AP)	4	H	380	6	ESI
82	01	27	18176	S14 E62	324	2600	3.5	22952	S14 E63	323	(AP)	4	H	590	11	EAI
82	01	29	18176					22952	S14 E36	323	(D)	5				
82	01	30	18176	S14 E22	324	4800	3.5	22952	S14 E24	321	(D)	5				
82	01	31	18176	S14 E10	323	5500	3.5	22952	S14 E10	323	(D)	5				
82	02	1	18176	S14 W04	324	5600	4.0	22952	S13 W03	323	(D)	5				
82	02	1	18176	S14 W04	324	5600	4.0	22966	S16 E11	309	(AF)	2				
82	02	2	18176	S14 W17	323	5500	3.5	22952	S13 W17	324	(D)	5	H	1330	52	FKC
82	02	3	18176	S14 W30	323	7000	3.5	22952	S13 W30	323	(D)	5	H	1090	46	FKC
82	02	4	18176						S13 W42				H	940	28	FKI
82	02	5	18176					22952	S13 W59	325	(B)	4	B	730	19	FKI
82	02	6	18176					22952	S13 W70	323	(B)	3	B	450	7	FA0
82	02	7	18176	S15 W82	322	2000	3.0	22952	S15 W79	318	B	3	H	180	4	EA0

HALE REGION 18184

CMP DATE 2.5

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	01	27	18184	N14 E84	302	600	2.0	22953	N11 E71	315	(AP)	3	H	20	3	BX0
82	01	29	18184					22953	N10 E48	311	(B)	4				
82	01	30	18184	N12 E38	308	2700	3.0	22953	N10 E33	312	(D)	4				
82	01	31	18184	N11 E24	309	2900	3.0	22953	N10 E22	311	(B)	4				
82	02	1	18184	N12 E11	309	2700	3.0	22953	N09 E06	314	(D)	5				
82	02	2	18184	N12 W03	309	2200	2.5	22953	N09 W07	314	(BP)	5	H	230	11	DS0
82	02	3	18184	N11 W16	309	1700	2.5	22953	N09 W20	313	(BP)	5	H	130	4	HAX
82	02	4	18184						N08 W30				H	140	9	CS0
82	02	5	18184					22972	N12 W41	307	(AF)	2	B	90	3	CS0

CONT

REGIONS OF SOLAR ACTIVITY

FEBRUARY 1982

HALE REGION 18184 (CONT) CMP DATE 2.5

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	5	18184					22953	N08 W47	313	(BP)	4	B	90	3	CSO
82	02	6	18184					22953	N08 W62	315	(BP)	3	B	140	2	CAO
82	02	7	18184	N10 W70	310	1500	2.5	22953	N08 W79	318	AP	3	H	80	1	HAX
82	02	8	18184						N09 W81				M	250	1	HSX

HALE REGION 18183 CMP DATE 2.6 RETURN OF REGION 18117 ROTATION 4

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	01	27	18183	S16 E80	306	1000	1.5		S14 E74				M	380	3	EAO
82	01	30	18183	S17 E38	308	500	1.5									
82	01	31	18183	S17 E25	308	500	2.0									

HALE REGION 18190 CMP DATE 3.5

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	01	29	18190					22955	N14 E58	301	(B)	5				
82	01	30	18190					22958	N16 E52	293	(B)	3				
82	01	30	18190	N17 E47	299	3000	3.5	22955	N14 E43	302	(B)	5				
82	01	31	18190	N17 E34	299	2800	3.0	22955	N15 E30	303	(B)	4				
82	01	31	18190	N17 E34	299	2800	3.0	22958	N15 E40	293	(AP)	3				
82	02	1	18190	N17 E22	298	2800	3.0	22958	N16 E25	295	(B)	2				
82	02	1	18190	N17 E22	298	2800	3.0	22955	N14 E16	304	(B)	5				
82	02	2	18190	N17 E10	296	2300	3.0	22958	N17 E12	295	(AF)	3	H	120	7	DSO
82	02	2	18190	N17 E10	296	2300	3.0	22955	N14 E03	304	(B)	4	H	120	7	DSO
82	02	3	18190	N16 W03	296	2300	2.5	22955	N15 W09	302	(BP)	5	H	130	10	CSO
82	02	4	18190						N15 W20				H	90	4	DSO
82	02	5	18190					22955	N15 W34	300	(BY)	4	B	140	15	DAO
82	02	6	18190					22955	N14 W53	306	(AP)	4	B	40	1	HSX
82	02	7	18190	N16 W57	297	1400	2.5	22955	N15 W67	306	AP	3	H	30	1	HSX
82	02	8	18190						N15 W70				M	110	1	HSX

HALE REGION 18199 CMP DATE 3.7

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	3	18199	S07 W00	293	100	2.0	22969	S06 E02	291	(AP)	2				
82	02	4	18199						S06 W11				H	10	2	BXO
82	02	5	18199					22969	S06 W27	293	(BP)	2	B	10	6	BXO
82	02	6	18199					22969	S06 W41	294	(B)	3	R	160	18	DKO
82	02	7	18199	S07 W54	294	2400	3.5	22969	S05 W56	295	B	5	H	130	15	DSO
82	02	9	18199	S07 W80	294	1200	3.0		S05 W85				R	160	4	CAO

HALE REGION 18189 CMP DATE 3.9 RETURN OF REGIONS 18121 AND 18128 ROTATION 2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	01	29	18189					22956	S15 E69	290	(B)	4				
82	01	30	18189	S16 E58	288	3800	2.5	22956	S18 E51	294	(B)	4				
82	01	30	18189	S16 E58	288	3800	2.5	22959	S16 E62	283	(BF)	4				
82	01	31	18189	S16 E45	288	4200	3.5	22962	S19 E42	291	(B)	4				
82	01	31	18189	S16 E45	288	4200	3.5	22956	S16 E36	297	(BP)	3				
82	01	31	18189	S16 E45	288	4200	3.5	22959	S14 E50	283	(B)	3				
82	02	1	18189	S17 E31	289	5000	3.0	22959	S15 E36	284	(B)	4				
82	02	1	18189	S17 E31	289	5000	3.0	22956	S16 E23	297	(AP)	3				
82	02	1	18189	S17 E31	289	5000	3.0	22962	S19 E30	290	(BY)	5				

CONT

REGIONS OF SOLAR ACTIVITY

FEBRUARY 1982

HALE REGION 18189 (CONT) CMP DATE 3.9 RETURN OF REGIONS 18121 AND 18128 ROTATION 2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	2	18189	S17 E16	290	4700	3.5	22959	S14 E22	285	(B)	3	H	150	21	EAI
82	02	2	18189	S17 E16	290	4700	3.5	22956	S14 E08	299	(AP)	2	H	150	21	EAI
82	02	2	18189	S17 E16	290	4700	3.5	22962	S19 E16	291	(BY)	4	H	150	21	EAI
82	02	3	18189	S17 E03	290	6200	3.5	22959	S12 E07	286	(BP)	3	H	40	9	BX0
82	02	3	18189	S17 E03	290	6200	3.5	22962	S19 E04	289	(BY)	4	H	150	26	ESI
82	02	4	18189						S18 E09				H	10	2	BX0
82	02	5	18189					22962	S19 W21	287	(BY)	3	B	140	15	EKO
82	02	5	18189					22959	S14 W20	286	(B)	2	B	140	15	EKO
82	02	6	18189					22962	S19 W35	288	(BY)	3	B	110	10	DAI
82	02	6	18189					22959	S16 W28	281	AF	1	B	10	2	BX0
82	02	7	18189	S18 W50	290	5700	3.5	22962	S19 W48	287	B	4	H	150	10	DSO
82	02	9	18189	S18 W76	290	3200	2.5		S20 W75				H	30	1	HSX
82	02	10	18189						S18 W88				R	60	1	HKX

HALE REGION 18196 CMP DATE 4.1

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	2	18196	N15 E18	288	500	3.5	22967	N14 E20	287	(B)	4	B	10	7	CS0
82	02	3	18196	N15 E05	288	500	3.5	22967	N15 E06	287	(B)	4	R	90	8	DRO
82	02	4	18196						N16 E02				L	90	6	DAI
82	02	5	18196					22967	N15 W23	289	(B)	3	B	80	9	CS0
82	02	6	18196					22967	N15 W36	289	(BY)	4	B	170	7	DAI
82	02	7	18196	N14 W47	287	1500	3.5	22967	N15 W50	289	B	5	H	130	14	DA0
82	02	8	18196						N15 W55				M	400	18	DA0
82	02	9	18196	N14 W74	288	2500	3.5		N13 W78				H	100	6	DA0
82	02	10	18196						N14 W83				M	190	3	DSO

HALE REGION 18200 CMP DATE 4.9

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	3	18200	N38 E10	283	100	2.5									

HALE REGION 18191 CMP DATE 5.3

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	01	30	18191	S18 E78	268	500	1.0	22960	S22 E78	267	(AF)	3				
82	01	31	18191	S18 E65	268	400	1.0	22960	S20 E61	272	(AF)	3				
82	02	1	18191	S18 E48	272	200	2.5	22960	S19 E47	273	(AF)	4				
82	02	2	18191	S18 E35	271	400	2.0	22960	S19 E35	272	(BP)	3	B	10	1	HSX
82	02	3	18191	S18 E22	271	400	3.0	22960	S19 E22	271	(B)	4	H	20	4	AXX
82	02	4	18191						S18 E09				H	10	2	BX0
82	02	5	18191					22960	S19 W05	271	(B)	3	B	30	4	CA0
82	02	6	18191					22960	S19 W20	273	AF	3	B	10	2	BX0
82	02	7	18191	S18 W31	271	400	2.5	22960	S19 W32	271	B	2	H	10	4	BX0
82	02	8	18191						S19 W51				M	220	15	DSO

HALE REGION 18194 CMP DATE 5.9 RETURN OF REGION 18123 ROTATION 4

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	01	30	18194					22961	S18 E80	265	(AP)	3				
82	01	31	18194					22961	S16 E65	268	(AP)	3				
82	02	1	18194	S16 E57	263	500	2.0	22961	S15 E52	268	(AP)	4				
82	02	2	18194	S16 E43	263	500	2.0	22961	S15 E39	268	(AP)	3	B	10	1	HSX
82	02	3	18194	S16 E28	265	500	2.0	22961	S15 E27	266	(AP)	4	H	1	1	AXX
82	02	4	18194						S15 E15				H	20	1	HSX

CONT

REGIONS OF SOLAR ACTIVITY

FEBRUARY 1982

HALE REGION 18194 (CONT) CMP DATE 5.9 RETURN OF REGION 18123 ROTATION 4

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	5	18194	---	---	---	---	22961	S15 E01	265	(AP)	3	B	10	1	AXX
82	02	6	18194	---	---	---	---	22961	S16 W13	266	AP	2	B	10	2	BXO
82	02	7	18194	S17 W24	264	200	1.5									
82	02	8	18194	---	---	---	---		S20 W35				M	10	3	BXO
82	02	9	18194	S17 W50	264	100	1.5									

HALE REGION 18193 CMP DATE 6.0 RETURN OF REGION 18123 ROTATION 4

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	1	18193	S23 E59	261	500	2.0									
82	02	2	18193	S23 E44	262	500	2.0		S19 E44				M	20	2	HAX
82	02	3	18193	S23 E30	263	700	2.0									
82	02	7	18193	S24 W22	262	500	1.5									
82	02	9	18193	S24 W48	262	500	2.5		S22 W56				H		1	AXX
82	02	10	18193	---	---	---	---		S20 W61				M	10	1	AXX

HALE REGION 18192 CMP DATE 6.2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	01	31	18192	S05 E78	255	700	2.0	22963	S05 E81	252	B	2				
82	02	1	18192	S05 E67	253	1500	3.0	22963	S06 E66	254	(B)	3				
82	02	2	18192	S05 E51	255	1200	2.5	22963	S06 E50	257	(B)	3	B	20	3	CSO
82	02	3	18192	S06 E37	256	1500	2.0	22963	S06 E37	256	(B)	4	H	70	15	BXI
82	02	4	18192	---	---	---	---		S05 E22				H	70	11	EA0
82	02	5	18192	---	---	---	---	22963	S05 E05	261	(BP)	2	B	20	5	CSO
82	02	6	18192	---	---	---	---	22963	S05 W10	263	(AP)	3	R	20	5	CSO
82	02	7	18192	S06 W20	260	1100	2.0	22963	S05 W25	264	AP	3	H	20	6	BXO
82	02	9	18192	S06 W46	260	1000	1.5		S05 W51				H	10	1	AXX
82	02	10	18192	---	---	---	---		S05 W55				M	10	3	BXO

HALE REGION 18195 CMP DATE 7.3 RETURN OF TRAILING POLARITY OF 18122 ROTATION 2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	1	18195	S35 E71	249	400	1.5									
82	02	2	18195	S36 E58	248	400	1.0									
82	02	3	18195	S36 E46	247	500	1.5									
82	02	7	18195	S36 W06	246	400	2.0									
82	02	9	18195	S36 W30	244	400	1.5									

HALE REGION 18202 CMP DATE 7.3

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	7	18202	S10 W06	246	100	1.0	22978	S10 W07	246	X	2	H		1	AXX

REGIONS OF SOLAR ACTIVITY

FEBRUARY 1982

HALE REGION 18197

CMP DATE 7.5

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	2	18197	N21 E64	242	100	1.5									
82	02	3	18197	N21 E50	243	200	1.0	22970	N21 E51	242	(AF)	2	L		1	AXX
82	02	5	18197					22970	N20 E23	243	(AP)	3	B	30	1	HSX
82	02	6	18197					22970	N21 E10	243	AP	2	R	10	3	BX0

HALE REGION 18203

CMP DATE 7.5

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	7	18203	N22 W03	243	200	2.5									
82	02	9	18203	N20 W28	242	200	2.0									

HALE REGION 18198

CMP DATE 8.9

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	2	18198	S17 E82	224	2800	2.5	22968	S16 E80	227	(AP)	2				
82	02	3	18198	S17 E70	223	2200	2.5	22968	S16 E66	227	(AP)	3	H		1	AXX
82	02	5	18198					22968	S18 E39	227	(AP)	3	L	10	2	AXX
82	02	6	18198					22968	S18 E26	227	(AP)	3				
82	02	7	18198	S17 E17	223	1000	2.5	22968	S17 E12	227	AP	3	H	10	4	BX0
82	02	7	18198	S17 E17	223	1000	2.5	22979	S18 E18	221		2	H	10	4	BX0
82	02	9	18198	S18 W10	224	1100	2.5				X	2	H			
82	02	13	18198	S19 W64	225	700	1.5									
82	02	14	18198	S18 W78	224	700	1.5									

HALE REGION 18204

CMP DATE 9.6

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	7	18204	S13 E25	215	800	4.0									
82	02	8	18204						S17 E10				M	20	4	BX0
82	02	9	18204	S13 W02	216	1200	3.5									
82	02	10	18204						S11 W11				H	1740	79	FKC
82	02	11	18204					22982	S12 W32	219	(BP)	4	H	1990	68	FKC
82	02	12	18204					22982	S11 W48	219	BP	4				
82	02	13	18204	S13 W57	218	900	3.0	22982	S11 W58	219	(AP)	4	B	1520	55	FKC
82	02	14	18204	S13 W72	218	800	3.0	22982	S12 W70	219	(AP)	3	H	1770	45	FKC
82	02	15	18204					22982	S11 W85	220	AP	2	H	1780	19	FKC

HALE REGION 18206

CMP DATE 9.8

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	7	18206	N22 E28	212	200	2.5	22980	N23 E27	212	B	2	P	20	3	BX0
82	02	9	18206	N22 E01	213	400	2.5		N23 E02				H	40	2	DS0
82	02	11	18206					22980	N23 W28	215	(B)	3	H	10	1	AXX
82	02	12	18206					22980	N23 W42	213	B	3	R	20	1	AXX
82	02	13	18206	N23 W53	214	1200	3.5	22980	N23 W51	212	(B)	4	B	90	6	CS0
82	02	14	18206	N23 W66	212	1100	3.5	22980	N23 W62	211	(B)	3	H	20	3	BX0
82	02	15	18206	N23 W79	215	900	1.5	22980	N23 W78	213	(AP)	2	H		1	AXX

REGIONS OF SOLAR ACTIVITY

FEBRUARY 1982

HALE REGION 18205

CMP DATE 9.9

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	6	18205					22975	S19 E42	211	(B)	2	R	20	2	CAO
82	02	7	18205	S19 E28	212	600	3.5	22975	S19 E28	211	B	3	H	20	7	BXO
82	02	9	18205	S20 E03	211	700	3.0		S20 E02				H	60	6	DAO
82	02	11	18205					22975	S20 W26	213	(B)	2	R	10	3	BXO
82	02	12	18205					22975	S20 W37	208	AP	3				
82	02	13	18205	S21 W50	211	700	2.5	22975	S19 W46	207	(AP)	3				
82	02	14	18205	S20 W64	210	800	2.5	22975	S19 W56	205	AP	1				
82	02	15	18205	S20 W76	212	700	2.0									

HALE REGION 18201

CMP DATE 10.7

RETURN OF REGION 18142 ROTATION 2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	3	18201	S10 E85	208	2500	4.0	22971	S10 E85	208	(AP)	3	H	660	2	EHO
82	02	4	18201						S09 E73				H	1500	18	EKI
82	02	5	18201					22971	S09 E61	205	(D)	5	B	2540	30	FKC
82	02	6	18201					22971	S09 E49	204	(D)	5	B	2600	36	FKC
82	02	7	18201	S09 E37	203	6000	3.5	22971	S09 E34	205	D	6	H	1590	68	FK1
82	02	8	18201						S09 E34				M	2480	82	FKC
82	02	9	18201	S10 E13	201	7600	3.5		S10 E05				H	1750	62	FKC
82	02	10	18201						S08 E06				H	450	32	CKC
82	02	11	18201					22971	S10 W13	200	(D)	5	B	170	4	CKI
82	02	12	18201					22971	S10 W30	201	D	5	H	1580	44	FKI
82	02	13	18201	S10 W42	203	6500	3.5	22971	S10 W38	199	(D)	5	B	280	19	DKI
82	02	14	18201	S10 W55	201	6500	3.5	22971	S10 W52	201	(D)	5	H	1770	45	FKC
82	02	15	18201	S10 W68	204	6800	3.5	22971	S10 W61	196	(B)	4	H	160	5	CAO
82	02	16	18201	S10 W81	203	2200	2.5	22971	S09 W78	198	(B)	3	H	490	3	DKC
82	02	17	18201	S09 W90	198	500	2.0	22971	S09 W90		(AF)	3	B	60	1	HSX

HALE REGION 18223

CMP DATE 10.9

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	16	18223	S18 W76	198	300	1.5									

HALE REGION 18207

CMP DATE 11.9

RETURN OF REGION 18143 ROTATION 2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	5	18207					22973	S13 E79	187	(AP)	3	M	280	2	DAO
82	02	6	18207					22973	S14 E65	188	(AP)	3	R	20	2	CAO
82	02	7	18207	S14 E56	184	600	2.5	22973	S13 E52	187	AP	4	H	50	4	CSO
82	02	8	18207						S12 E49				M	40	3	CSO
82	02	9	18207	S14 E31	183	400	2.5		S13 E27				H		1	AXX
82	02	10	18207						S13 E12				H		1	AXX
82	02	11	18207					22973	S14 E04	183	(AF)	3	H	10	2	AXX
82	02	13	18207	S15 W23	184	300	1.5		S10 W28				R	280	23	DKO

HALE REGION 18212

CMP DATE 12.2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	9	18212	N15 E32	182	200	2.0							80	2	BXO
82	02	10	18212						N17 E32				H			
82	02	13	18212	N15 W23	184	200	1.0		N16 E18				H		1	AXX
82	02	14	18212	N15 W37	183	100	1.0									
82	02	15	18212	N15 W49	185	100	1.0									

CONT

REGIONS OF SOLAR ACTIVITY

FEBRUARY 1982

HALE REGION 18212 (CONT) CMP DATE 12.2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	16	18212	N12 W60	182	100	1.0									
82	02	17	18212	N10 W74	182	100	1.0									

HALE REGION 18209 CMP DATE 12.5 RETURN OF REGION 18136 ROTATION 2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	5	18209					22974	N02 E81	185	AP	2				
82	02	6	18209					22974	N01 E68	185	(AP)	3	R	60	2	CKO
82	02	7	18209	N04 E63	177	1500	2.0	22974	N01 E56	183	AP	4	H	70	2	HAX
82	02	8	18209						N02 E54				M	170	2	HSX
82	02	9	18209	N02 E36	178	700	2.0									
82	02	10	18209						N01 E26				H	80	1	HSX
82	02	11	18209					22974	N01 E03	184	(AP)	4	H	80	2	HSX
82	02	12	18209					22974	N01 W12	183	AP	4	H	90	2	HSX
82	02	13	18209	N01 W16	177	600	2.0	22974	N01 W21	182	(AP)	4	B	100	1	HSX
82	02	14	18209	N01 W30	176	500	2.0	22974	N01 W35	184	(AP)	4	H	100	1	HSX
82	02	15	18209	N01 W41	177	600	1.5	22974	N01 W54	189	(AP)	4	H	90	1	HSX
82	02	16	18209	N01 W54	176	400	1.0	22974	N01 W64	184	(AP)	4	H	30	1	HAX
82	02	17	18209	N01 W69	177	300	1.0	22974	N01 W75	184	(AP)	3	H	30	1	HSX

HALE REGION 18213 CMP DATE 12.5

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	9	18213	N06 E37	177	700	2.0									
82	02	13	18213	N07 W16	177	500	1.5		N07 E36				H		1	AXX
82	02	14	18213	N07 W31	177	500	1.5									
82	02	15	18213	N07 W43	179	400	1.0									
82	02	16	18213	N05 W55	177	300	1.0									
82	02	17	18213	N04 W68	176	300	1.0		N03 W75				B	60	1	HSX

HALE REGION 18208 CMP DATE 12.6 RETURN OF LEADING POLARITY OF 18137 ROTATION 2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	6	18208					22976	S08 E79	174	(AF)	3				
82	02	7	18208	S07 E64	176	500	2.0	22976	S07 E65	174	AF	2	H		1	AXX
82	02	8	18208						S12 E49				M	40	3	CSO
82	02	9	18208	S08 E39	175	700	2.0		S07 E38				H	20	4	BXO
82	02	10	18208						S08 E22				H	10	2	AXX
82	02	11	18208					22976	S09 E09	178	(AP)	3	H	10	3	AXX
82	02	12	18208					22976	S09 W06	177	AP	3	H	20	5	BXO
82	02	13	18208	S09 W15	176	1100	2.5	22976	S09 W15	176	(B)	2	B	10	5	BXO
82	02	14	18208	S09 W32	178	1000	2.0		S09 W30				H		2	BXO
82	02	15	18208	S09 W44	180	800	2.0	22976	S09 W44	179	(B)	3	H	10	4	BXO
82	02	16	18208	S09 W57	179	1000	2.0		S06 W63				B	30	1	HSX
82	02	17	18208	S09 W72	180	700	1.5	22976	S10 W70	179	(AF)	2	B	60	1	HSX

REGIONS OF SOLAR ACTIVITY

FEBRUARY 1982

HALE REGION 18219

CMP DATE 17.6

CALCIUM				PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	15	18219	N11 E27	109	200	2.0	22987	N11 E27	108	(B)	3	H		2	BXO
82	02	16	18219	N12 E14	108	300	2.5	22987	N12 E11	109	(B)	2	H	20	4	BXO
82	02	17	18219	N13 W01	109	300	1.0	22987	N11 W00	109	(BF)	3	H	20	7	BXO
82	02	19	18219	N13 W26	108	400	1.5		N12 W19				L		3	BXO
82	02	20	18219	N13 W38	107	300	1.5		N12 W32				L	10	4	BXO
82	02	21	18219	N13 W51	107	300	1.0									

HALE REGION 18216

CMP DATE 18.0

RETURN OF REGION 18151 ROTATION 2

CALCIUM				PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	11	18216					22984	N02 E80	107	(AP)	3	H	390	2	HHX
82	02	12	18216					22984	N04 E69	102	B	5	H	770	6	EKI
82	02	13	18216	N04 E57	104	3800	3.0	22984	N04 E54	107	(B)	5	B	630	6	DKC
82	02	14	18216	N04 E43	103	4300	3.0	22984	N03 E41	108	(B)	5	H	770	6	DKO
82	02	15	18216	N04 E30	106	3800	3.0	22984	N03 E28	107	(BY)	5	H	710	8	DKI
82	02	16	18216	N04 E17	105	3900	3.5	22984	N03 E12	108	(D)	5	H	680	14	DKI
82	02	17	18216	N04 E04	104	3000	3.5	22984	N03 E01	108	(BY)	5	H	630	23	DKI
82	02	18	18216					22984	N03 W13	109	(BP)	5	H	680	31	DKI
82	02	19	18216	N04 W24	106	4000	4.0	22984	N03 W27	109	(D)	5	H	800	33	DKC
82	02	20	18216	N04 W38	107	3800	3.5	22984	N03 W41	110	(D)	5	H	960	44	DKI
82	02	21	18216	N04 W52	108	3800	3.5	22984	N03 W55	111	(D)	4	H	660	35	DAI
82	02	22	18216	N03 W66	108	3500	3.0	22984	N02 W69	112	(AP)	4	H	370	10	DKC
82	02	23	18216					22984	N01 W85	113	AP	3	H	360	3	DKI

HALE REGION 18222

CMP DATE 18.8

RETURN OF REGION 18148 ROTATION 3

CALCIUM				PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	18	18222					22991	S22 E02	94	(AP)	4	H	10	3	BXO
82	02	19	18222	S23 W12	94	100	1.0	22991	S23 W12	94	(B)	3	H	10	2	BXO
82	02	20	18222	S23 W25	94	100	1.0	22991	S22 W27	96	(AP)	3	B	10	1	AXX
82	02	21	18222	S23 W37	93	200	1.0		S23 W32				L		1	AXX

HALE REGION 18217

CMP DATE 18.9

CALCIUM				PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	13	18217	N05 E70	91	2500	2.5	22986	N05 E68	93	(BP)	4	B	110	4	CSO
82	02	14	18217	N05 E55	91	2700	2.5	22986	N05 E55	94	(BP)	5	H	100	10	CSO
82	02	15	18217	N04 E43	93	2700	2.5	22986	N05 E41	94	(BP)	5	H	180	4	CSO
82	02	16	18217	N04 E30	92	1900	3.0	22986	N05 E24	96	(AP)	5	H	160	3	CSO
82	02	17	18217	N04 E16	92	1300	2.5	22986	N05 E13	96	(BY)	5	H	170	5	CSO
82	02	18	18217					22986	N05 W00	96	(AP)	5	H	170	1	HSX
82	02	19	18217	N04 W11	93	1300	2.5	22993	N02 W06	88	(AF)	3	H	110	1	HSX
82	02	19	18217	N04 W11	93	1300	2.5	22986	N05 W15	97	(BP)	5	H	110	1	HSX
82	02	20	18217	N04 W24	93	1300	2.5	22986	N06 W27	96	(BP)	5	H	170	2	CSO
82	02	21	18217	N04 W37	93	1400	2.5	22986	N06 W42	98	(AP)	5	H	160	1	HSX
82	02	22	18217	N04 W50	92	1300	2.5	22986	N05 W56	99	(AP)	4	H	130	1	HSX
82	02	23	18217					22986	N04 W71	99	(AP)	4	H	100	1	HSX
82	02	24	18217						N08 W86				R	40	1	HSX

REGIONS OF SOLAR ACTIVITY

FEBRUARY 1982

HALE REGION 18218 CMP DATE 19.1 RETURN OF LEADING POLARITY OF 18160 ROTATION 5

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	14	18218	S10 E58	88	400	2.0									
82	02	15	18218	S10 E45	91	400	2.0	22988	S11 E51	84	(AP)	2				
82	02	16	18218	S11 E33	89	300	2.0									
82	02	17	18218	S10 E18	90	700	1.5									
82	02	19	18218	S10 W08	90	500	1.5	22992	S10 W10	92	(AP)	3	R	10	1	AXX
82	02	20	18218	S11 W22	91	400	1.5									
82	02	21	18218	S10 W35	91	500	2.0									
82	02	22	18218	S10 W49	91	500	2.5									

HALE REGION 18235 CMP DATE 20.8

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	26	18235	S12 W77	67	300	2.5									

HALE REGION 18220 CMP DATE 21.0

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	15	18220	N13 E73	63	1500	3.5	22989	N11 E72	63	(B)	3	H	20	3	C O
82	02	16	18220	N13 E60	62	2300	3.5	22989	N11 E58	62	(B)	4	H	220	6	DAO
82	02	17	18220	N13 E46	62	2800	4.0	22989	N12 E45	64	(D)	5	H	300	21	DAO
82	02	18	18220					22989	N12 E32	64	(B)	5	H	500	29	EKI
82	02	19	18220	N13 E18	64	3500	3.5	22989	N12 E18	64	(B)	4	H	330	19	EKI
82	02	20	18220	N13 E05	64	3400	3.5	22989	N12 E06	63	(B)	4	H	220	24	DAO
82	02	21	18220	N13 W08	64	3500	3.5	22989	N13 W07	63	(B)	4	H	160	25	EAI
82	02	22	18220	N14 W22	64	3500	3.5	22989	N12 W21	64	(B)	4	H	110	11	EAO
82	02	23	18220					22989	N11 W36	64	(BP)	4	H	50	7	CSO
82	02	24	18220						N14 W47				R	20	7	BXO
82	02	26	18220	N15 W74	64	3800	3.0									

HALE REGION 18230 CMP DATE 22.2

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	22	18230	S34 W07	49	200	1.0	23001	S35 W07	50	(B)	3	H	10	2	BXO

HALE REGION 18221 CMP DATE 22.4 NEW, IN LOCATION OF REGION 18168

				CALCIUM PLAGE DATA				SUNSPOT DATA								
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	17	18221	N16 E65	43	1100	2.5									
82	02	19	18221	N17 E37	45	200	2.0									
82	02	20	18221	N17 E24	45	300	2.0	22996	N17 E22	47	(B)	3	H	10	3	BXO
82	02	21	18221	N17 E10	46	500	2.5	22996	N16 E06	50	(AP)	3	H	10	5	BXO
82	02	22	18221	N17 W04	46	400	2.0									
82	02	24	18221						N18 W25				R	10	3	BXO

REGIONS OF SOLAR ACTIVITY

FEBRUARY 1982

HALE REGION 18233				CMP DATE 28.5		RETURN OF REGION 18173		ROTATION 7								
CALCIUM PLAGE DATA				SUNSPOT DATA												
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	22	18233	N25 E73	329	200	1.0									
82	02	26	18233	N21 E24	326	600	1.5									
82	02	27	18233	N22 E10	325	500	1.5		N19 E04				L	10	2	AXX
82	02	28	18233	N22 W02	326	400	1.5									
82	03	3	18233	N23 W40	324	500	1.5									

HALE REGION 18229				CMP DATE 28.6		RETURN OF REGION 18176		ROTATION 2								
CALCIUM PLAGE DATA				SUNSPOT DATA												
YR	MO	DA	HL NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
82	02	21	18229	S13 E85	331	800	1.5	23000	S12 E83	333	(AP)	4	H	160	1	HSX
82	02	22	18229	S13 E73	329	4800	2.5	23000	S13 E71	332	(AP)	4	H	100	2	HSX
82	02	23	18229					23000	S10 E55	333	(AP)	4	H	250	3	DSO
82	02	23	18229					23005	S12 E62	326	(AP)	4	H	250	3	DSO
82	02	24	18229						S13 E50				B	40	1	HAX
82	02	25	18229					23000	S12 E29	334	(AP)	4	B	70	3	CSO
82	02	25	18229					23005	S13 E37	326	(AP)	4	B	50	1	HSX
82	02	26	18229	S14 E24	326	4800	3.0	23000	S12 E15	335	(BP)	4	B	60	1	HSX
82	02	26	18229	S14 E24	326	4800	3.0	23005	S13 E24	326	(BP)	4	B	60	7	DA0
82	02	27	18229	S14 E10	325	4000	3.0	23005	S13 E11	326	(BP)	4	H	130	20	CA0
82	02	27	18229	S14 E10	325	4000	3.0	23000	S12 E03	334	(BP)	4	H	120	4	CSO
82	02	28	18229	S14 W01	325	4000	3.0	23000	S12 W11	334	(BP)	4	H	130	1	HAX
82	02	28	18229	S14 W01	325	4000	3.0	23005	S13 W02	325	BP	3	H	80	5	CA0
82	03	2	18229						S10 W27				B	40	5	CSO
82	03	3	18229	S15 W41	325	4200	3.0	23000	S14 W52	334	AP	4	H	70	1	HSX
82	03	3	18229	S15 W41	325	4200	3.0	23005	S13 W44	326	AP	3	H	20	1	HSX
82	03	4	18229	S15 W55	327	4300	3.0	23000	S13 W65	336	(AP)	4	H	100	1	HSX
82	03	5	18229	S15 W70	328	3700	2.5	23000	S13 W79	335	AP	3	H	100	1	HSX

NOTE: No solar magnetograms were made at Kitt Peak National Observatory on February 4-6, 8, 10-12, 18, and 23-25, 1982.
On these dates calcium spectroheliograms from Sacramento Peak Observatory were used: None.
No Mt. Wilson sunspot data were available for February 4, 8-10, and 24, 1982.

CONTIGUOUS PLAGES FOR FEBRUARY 1982: 18172/18173/18182/18187/18188
18201/18204
18216/18217

DAILY CALCIUM PLAGE INDEX

YR	MO	DAY	INDEX	YR	MO	DAY	INDEX	YR	MO	DAY	INDEX
82	2	1	97.4	82	2	11	*	82	2	21	33.6
82	2	2	88.3	82	2	12	*	82	2	22	36.6
82	2	3	84.8	82	2	13	49.1	82	2	23	*
82	2	4	*	82	2	14	46.6	82	2	24	*
82	2	5	*	82	2	15	39.8	82	2	25	*
82	2	6	*	82	2	16	33.6	82	2	26	53.1
82	2	7	55.4	82	2	17	29.0	82	2	27	52.0
82	2	8	*	82	2	18	*	82	2	28	55.6
82	2	9	52.9	82	2	19	34.4				
82	2	10	*	82	2	20	32.6				

* NO OBSERVATIONS

SUDDEN IONOSPHERIC DISTURBANCES

FEBRUARY 1982

119
Feb 82

DAY	UNIVERSAL TIME				WIDE SPREAD INDEX	NUMBER OF STATION REPORTS BY TYPE							KNOWN FLARE	HALE REGION
	START	END	MAX	IMP		SWF	SCNA	SEA	SPA	LF-SPA	SES	SFD		
01	0032E	0250	0042	2+	5	2			1			4		
01	0340	0418D	0350	1-	3				1			1	0035	18188
01	0518	0624	0525	1	3				1			4	0340E	18184
01	0727	0805	0737	1-	3				1			1	0517	18189
01	0832	0934	0842	1	3				1			1	0727	18184
01	0918	0945	0925	1	3				1			5	0829	18176
01	1402	1538	1412	1-	5			1				1	0915	18191
01	1534	1645	1543	1+	3	2		3	1			12	1353	18188
01	1936	2015	1945	2	3							11	1528	18176
01	2110	2200	2109	1-	3	1						8	1937	18176
01	2306	0010	2318	1-	1	1			1			5	*	
									1				NF	
02	0026	0144	0038	1-	1				1				0034E	18176
02	0824	0856	0833	1-	3				1			2	0824	18173
02	0933	1016	0946	1-	3				1			1	0931	18188
02	1036	1145	1046	1-	5				2			1	1029	18175
02	1205	1315	1214	1-	5	1			2			2	1204	18188
02	1400	1434	1413	1-	5	2			1			2	*	
02	1645	1715	1654	1	3				1			3	1642	18188
02	1802	1818	1808	1-	3				1			8	1759	18176
02	1844	1930	1857	1	3				1			9	NF	
02	2031	2108	2049	1-	3	1			1			6	NF	
02	2156	2248	2206	1-	3				1			4	2030	18180
02	2217	2246	2230	1-	3				1			3	*	
02	2256	2350	2312	1	3				1			4	2219	18189
02	2350	0038	0005	1-	1				1				NF	
													NF	
03	0057	0521	0120	3	1				1				NF	
03	0103	0245D	0125	3+	3				1			4	0105E	18175
03	0245E	0315D	0257	1	1	1			1				NF	
03	0315E	0417D	0323	2+	3				1			4	NF	
03	0418	0440	0427	1-	1				1				0416	18188
03	0626E	0802	0636	2	5				1			5	0629E	18176
03	0819	0909	0830	1	5				1			6	0817E	18187
03	0909	1000	0915	1+	5				1			6	0909	18184
03	1150	1302	1200	1+	5	1			1			2	*	
03	1318	1400	1326	1-	5	1			1			6	1319	18186
03	1524	1609	1534	1-	5				1			12	*	
03	1653	1730	1704	2+	3				1			16	1649	18176
03	1735	1748	1744	1+	3							12	1731	18192
03	1749	1830	1753	1+	3	1						8	1746	18201
03	2023	2045	2030	2+	5	1			1			15	2011	18184
03	2334	2358	2341	1-	1				1				2346F	18189
04	0006	0041D	0016	1-	1				1				NF	
04	0041E	0155	0047	1	3				1			3	0038	18201
04	0603E	0727	0618	2+	3				1			2	0602	No data
04	0754	0830	0805	1-	3				1			2	NF	
04	0829	0902	0841	1-	3				1			2	0829	No data
04	1330	1439	1341	1-	5	1			3	1		7	1326	No data
04	1542	1600	1545	1-	3							7	1540	No data
04	1717	1740	1724	1-	3							11	*	
04	1753	1815	1759	1-	3							5	*	
04	1823	1845	1829	1-	3	1						12	NF	
04	1900	2000	1909	2+	5	1			1			13	1850	No data
04	2040	2207	2046	1	5	1						13	2038	No data
05	0129	0215D	0134	1	3				2				0130	No data
05	0313E	0403	0321	1+	1				1				0315E	No data
05	0753E	0903	0809	1	3				1			1	*	
05	0904	1038	0915	3+	5	2			4			6	0904	No data
05	1154	1218	1200	1-	3				1			1	1153	No data
05	1457	1519	1503	1	3				1				1454	No data
05	1538	1615	1553	1	3				2				*	
05	1632	1715	1642	2	3							5	*	
05	1752	1831	1805	1	3	1						9	NF	
05	1832	1900	1847	1	3							10	1751	No data
05	2251	2343	2308	1-	3							4	NF	
05	2349	0041	2356	1-	1				1			1	*	
									1				NF	
06	0259	0317D	0307	1-	1				1				NF	
06	0553	0736	0613	2+	3				1			3	NF	
06	0750	0856	0804	1	5		1		2				NF	
06	1107	1143	1112	1-	5				1			4	NF	
06	1224	1257	1230	1-	3				3			1	*	
									1			3	*	

SUDDEN IONOSPHERIC DISTURBANCES
FEBRUARY 1982

DAY	UNIVERSAL TIME				WIDE SPREAD INDEX	NUMBER OF STATION REPORTS BY TYPE							KNOWN FLARE	HALE REGION
	START	END	MAX	IMP		SWF	SCNA	SEA	SPA	LF-SPA	SES	SFD		
06	1333	1414	1338	1-	5			3	1			8	*	
06	1425	1433	1426	1	3			1				3	*	
06	1534	1555	1542	1	5			2				12	NF	
06	1730	1800	1736	2+	3	1						13	1720	No data
06	1755	1807	1759	1-	3							10	1753	No data
06	1817	1840	1823	1-	3							11	1817	No data
06	2052	2252	2106	2+	5	2			1			14	2051	No data
06	2353	0202D	0004	3+	5	1			1			3	NF	
07	0202E	0314	0227	1-	1				1				0207	18189
07	0326	0444	0340	1	3				2			3	0323	18176
07	0502	0544D	0514	1-	3				2			2	0500	18189
07	0544E	0642	0548	1-	1				1				0545E	18189
07	0802	0830	0815	1-	3			1				3	0803E	18204
07	1042	1109	1049	1-	3				1	1		1	1038	18204
07	1252	1443	1300	1	5	3		4	1			5	1251	18176
07	1655	1720	1706	1	3							4	NF	
07	2049	2234	2108	2+	5	2			1			14	NF	
08	0147	0238	0155	1	3	1			1				0147E	No data
08	0241	0343	0248	2	3	1			1				0240	No data
08	0805	0927	0811	1	5			1	1			4	0808E	No data
08	1012	1130	1027	1	3				1			3	*	
08	1248	1427	1257	1	5	3		3	1			7	*	
08	1406	1434	1410	1-	5	2		3				4	*	
08	1900	1930	1906	1+	3	1						14	*	
08	2019	2046	2028	1-	5	1			1			10	NF	
09	0045	0057	0053	1	3				2			2	0043	18201
09	0141	0250	0149	1+	3			1	1			3	0140	18201
09	0336	0405D	0346	3+	3				1			4	0336E	18201
09	0405E	0652	0413	3+	3	1			1			4	0410E	18199
09	0437E	0450	0443	1	3	1						4	NF	
09	0712	0810	0723	1	5				2			5	0712	18201
09	0921	1040	0930	3+	5	2		3	1			5	*	
09	1107	1216	1117	1	5	2		2	1			2	1106E	18204
09	1355	1510	1414	2	5	3		3				5	1355	18201
09	1706	1745	1715	2	3							6	*	
09	1954	2046	2014	1-	3				1			5	*	
09	2240	2322	2257	1-	3				1			3	*	
10	0054	0228D	0106	2+	5	2		1	2			4	0056E	No data
10	0228E	0309D	0238	1-	3	1			1				0228	No data
10	0309	0343D	0316	2	3	1			1			2	0308	No data
10	0344	0415	0353	1+	3				1			1	*	
10	0623	0740	0641	1	3			1	2			2	*	
10	0847	0910	0852	1-	3			1	1				0846	No data
10	0945	1022	0950	1-	3			1	1				0943	No data
10	1413	1430	1416	1	3							3	1413	No data
10	1600	1630	1607	1-	3							5	1600	No data
10	1848	1945	1857	3	3	1						13	1847	No data
10	2000	2015	2007	1+	3	1						13	2000	No data
10	2215	2250	2221	1-	3				1			3	2214	No data
11	0057	0125	0107	1-	3				2			1	0056E	No data
11	0834	0908	0844	1-	3				1			1	NF	
11	1210	1256	1215	1-	5	1		3	1			1	1209	No data
11	1342	1353	1405	1	5	1		3	1			6	1337	No data
11	1430	1545	1440	1	3				1			2	1426E	No data
11	1613	1635	1615	1-	3				1			7	1610E	No data
11	1823	1935	1843	1-	3				1			8	*	
11	1920	1940	1923	1-	3							6	*	
11	2033	2051	2038	1-	3							10	2031	No data
11	2352	0040	2356	1-	3				2				2351	No data
12	0549	0630	0555	1-	3				2			3	0545	No data
12	1705	1830	1717	2	3				1			9	*	
12	2126	2327	2146	2+	5	2			2			11	*	
13	0434	0510	0443	1-	1				1				0436E	18210
13	1932	2000	1938	1-	3							11	1927	18201
13	2030	2125	2036	2	3							3	*	
13	2053	2154	2101	1	5	1			2			11	2053	18216
13	2152	2230	2208	2	3							3	NF	

SUDDEN IONOSPHERIC DISTURBANCES

FEBRUARY 1982

DAY	UNIVERSAL TIME				WIDE SPREAD INDEX	NUMBER OF STATION REPORTS BY TYPE							KNOWN FLARE	HALE REGION
	START	END	MAX	IMP		SWF	SCNA	SEA	SPA	LF-SPA	SES	SFD		
14	0140	0314	0150	2	5	1		1	2			4	0140	18217
14	0342	0517	0349	2	5	1		1	1			4	0341	18201
14	0813	0910	0817	1-	3				2			4	*	
14	0940	1040	0944	2+	5	2			2			4	0940	18201
14	1148	1214	1151	1-	3				1			2	*	
14	1730	1745	1735	1-	3							11	1731	18216
14	2001	2100	2015	2+	3							5	2008	18204
14	2015	2145	2037	1	3				1			12	2016	18205
14	2022	2153	2054	1	3	1			1				NF	
15	0323	0448	0336	2	3	1			1				0325E	18216
15	0720	0836	0730	1	3				1			1	0719	18210
15	1145	1155	1147	1-	1							1	NF	
16	0426	0514	0444	1-	1				1				0427E	18220
16	0755	0835	0759	1-	3				1			1	0751	18216
16	1638	1750	1646	1-	1				1			1	1636E	18216
16	1858	1936	1907	2	3				1			9	NF	
17	0746	0844	0759	1-	3				1			1	0747	18220
17	0958	1102	1006	1	5	3		4	1			2	*	
17	1945	2015	1949	1-	3				2			1	1943	18220
17	2133	2215	2148	2+	3							7	*	
17	2142	2235	2150	1-	3	1						1	2151E	18216
17	2326	0011	2337	1-	3	1			2			3	2326	18220
18	0033	0100	0040	1	3	1			2			4	0034E	No data
18	0446	0608	0504	2	3	1		1	2			4	0448E	No data
18	0902	1010	0910	2+	5	2		1	1			3	0904E	No data
18	1305	1500	1330	2+	5	2		4	2			5	1305	No data
18	2303	2322	2309	1-	3	1			1			2	2301	No data
18	2331	0122	2342	1	3	2			1			3	2331	No data
19	0235	0256	0240	1-	1				1				0237	18216
19	0429	0446	0438	1-	1				1				*	
19	0450	0547	0459	1	3	1			1			2	0452E	18216
19	0555	0648	0602	1-	3				1			1	0558	18216
19	1325	1530	1352	2+	5	1		3	2			4	1325	18216
19	1531	1605	1535	1-	3			1	1				1523	18216
19	1902	2005	1917	1-	3				1			2	1903	18216
20	0351	0419	0358	1-	1				1				0353	18221
20	0723	0802	0732	1-	3				1			3	0728E	18216
20	0920	1208	0939	3	5	2		3	1			5	0915	18216
20	1300	1345	1315	1-	3			1	1				1303	18224
20	1724	1740	1730	1-	3				1			10	NF	
20	1800	1945	1815	1-	3	1			1			11	1757	18226
20	2158	2257	2210	1-	3	1			1				2156	18216
21	0122	0252	0144	1	3	1			2			3	0124	18216
21	0844	0910	0855	1	3			2					NF	
21	1420	1500	1431	1-	3			2	1				NF	
21	1854	1915	1900	1-	3							5	1852	18216
21	2104	2200	2112	1-	3				1			5	NF	
22	0911	0950	0917	1-	3				1			1	0911	18216
22	1135	1200	1140	1-	3				1			2	*	
22	1210	1325	1230	1-	3	1		2	1				*	
23	0313	0442	0323	2	3	1			2			3	0311	No data
23	0512	0537D	0520	1	3				2			4	NF	
23	0537E	0840	0600	2	1				1				NF	
23	0923	1024	0937	1+	3	1		2	1			2	NF	
24	0635	0915	0702	3+	5	1		1	2			5	*	
24	1133	1230	1152	1-	5			1	1			2	*	
24	1423	1517	1443	2+	3							3	*	
24	1451	1540	1458	1-	5			1	1			6	NF	
24	1553	1615	1557	1-	5				1			10	1552	No data
24	1610	1632	1622	1-	3				1			1	NF	
24	1634	1730	1640	1-	3				1			3	1633	No data
24	1817	1835	1823	1-	3							4	NF	

SUDDEN IONOSPHERIC DISTURBANCES

FEBRUARY 1982

DAY	UNIVERSAL TIME				WIDE SPREAD INDEX	NUMBER OF STATION REPORTS BY TYPE						KNOWN FLARE	HALE REGION	
	START	END	MAX	IMP		SWF	SCNA	SEA	SPA	LF-SPA	SES			SFD
25	0200	0240	0206	1-	1				1				NF	
25	0339	0430	0354	1	1				1				0339	No data
25	0722	0824	0730	1-	3				1				0720	No data
25	1234	1315	1239	1-	3			1	1		2		1230	No data
25	1608	1635	1610	1-	3				1		4		1606	No data
25	1853	1908	1900	1-	3	1			1		6		1855	No data
26	0304	0506	0330	3	3			1	1				0302	18240
26	0835	0915	0842	1-	3				1		2		NF	
26	1518	1540	1523	1-	3						5		1517	18236
26	1735	1805	1738	1-	3				1		4		1736	18235
26	2045	2248	2115	3+	3						4		*	
26	2215	2245	2225	1	3						4		*	
27	0203	0244	0214	1-	1				1				NF	
27	0835	0916	0840	1-	3				1		1		0834	18241
27	1137	1210	1139	1-	3				1		1		1136	18241
27	1929	2030	1938	1-	3				1		11		1929	18241
27	2140	2210	2151	1	3						3		*	
28	0103	0136	0113	1-	3				2				NF	
28	0440	0551D	0502	2+	3			1	2		2		0440	18250
28	0553E	0625D	0556	1-	1				1				0551	18250
28	0625	0723	0632	1	3				1		4		0625	18250
28	0837	0911	0844	1-	3				1		1		0848E	18226
28	2040	2120	2052	1-	3				1		5		2039	18229

DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31			
REGION																																		
18173		1																																
18175		1	1																															
18176	3	2	2				2																											
18180		1																																
18184	2		2																															
18186		1																																
18187		1																																
18188	2	3	1																															
18189	1	1	1				3																											
18191	1																																	
18192		1																																
18199									1																									
18201		1	1						5			1	2																					
18204									1																									
18205							2		1																									
18210												1	1	1					6	3	2	1												
18216												1	1	1	2	1																		
18217												1																						
18220															1	3																		
18221																					1													
18224																					1													
18226																					1												1	
18229																																		1
18235																																		1
18236																																		1
18240																																		1
18241																																		3
18250																																		3
NO FLARE	1	3	3	3	3	5	2	1	1		1	1	1	1	1					1	3		3	3	1	1	1	1	1	1				
NO FLARE PATROL	1	2	2	2	3	4		4	4	2	2	2	1	2		2		1			2		3		2	1								
NO DATA			6	6	4		3		10	7	1					6							1	2	5									
EVENT TOTALS	11	14	16	12	12	13	9	8	12	12	10	3	5	9	3	4	6	6	7	7	5	3	4	8	6	6	5	6						

OBSERVATORIES REPORTING FOR FEBRUARY 1982:

Ayrshire, Scotland (AY)	SES	Maui, Hawaii, USA (MI)	SWF
Darmstadt, GFR (DA)	SWF	Mayfield Village, Ohio, USA (A28)	SES
Durham, North Carolina, USA (A54)	SES	Missoula, Montana, USA (A31)	SES, SWF
Edenvale, South Africa (A52)	SES	Panska Ves, Czechoslovakia (PU)	SEA, SWF
Eugene, Oregon, USA (A57)	SES	Portage, Michigan, USA (A51)	SES
Eureka, Montana, USA (A55)	SES	Sao Paulo, Brasil (UM)	SES, SPA
Frenchtown, Montana, USA (A56)	SES	Sofia, Bulgaria (SF)	SES
Glenorchy, Tasmania, Australia (GN)	SEA	Somerton, United Kingdom (SO)	SWF
Hiraiso, Japan (HI)	SWF	St. Cloud, Minnesota, USA (SC)	SES
Hobart, Tasmania, Australia (A43)	SES	Tavares, Florida, USA (A49)	SES
Hobart, Tasmania, Australia (TA)	SEA	Thornwood, New York, USA (A48)	SES
Houston, Texas, USA (A50)	SES	Trenton, New Jersey, USA (NJ)	SES
Inubo, Japan (IN)	SPA	Tucson, Arizona, USA (A9)	SES
Kasugai, Japan (KA)	SPA	Upice, Czechoslovakia (UI)	SEA
Lake Hiawatha, New Jersey, USA (A32)	SES	Valley Cottage, New York, USA (A1)	SES
Latrobe, Pennsylvania, USA (A19)	SES	Vsetin, Czechoslovakia (VS)	SEA
Louisville, Kentucky, USA (A26)	SES	Zilina, Czechoslovakia (ZL)	SEA

* No Flare Patrol
 NF No Flare reported
 Observations are not necessarily continuous for each reporting station.

PIONEER XII (VENUS ORBITER)
Interplanetary Magnetic Field Magnitudes

MAGNETIC FIELD MAGNITUDES

FEBRUARY 1982

DAY	TIME	BMAG
1	13:42:20	34.47
2	13:41:00	27.50
3	13:41:10	11.83
4	13:40:50	12.70
5	13:41:10	17.08
6	13:41:20	8.83
7	13:41:30	21.33
8	13:41:20	14.20
9	13:40:40	21.19
10	13:41:00	17.19
11	13:40:40	17.05
12	13:40:40	14.27
13	13:39:40	12.59
14	13:40:50	12.12
15	13:41:10	10.92
16	13:41:00	9.21
17	13:39:30	32.66
18	13:40:00	12.72
19	13:39:20	9.47
20	13:39:10	7.59
21	13:39:40	12.77
22	13:39:20	18.04
23	13:39:40	12.44
24	13:39:10	10.69
25	13:39:20	9.70
26	13:39:00	14.67
27	13:39:20	12.84
28	13:39:30	14.10

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

FEBRUARY 1982

DAY	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE					
	START UT	END UT		DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND								
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT						
05			BLEN	1449.6	1449.8	2	1449.6	1449.8	2								III,U	
			BLEN	1505.1	1506.3	2											DCIM	
			HARV				1533	2317	2								IIIN	
			BLEN	1537.7	1538.4	1											IIIG	
			HARV	1538	1539	1											IIIG	
	1543	1547	WEIS															
			HARV	1659	1700	1	1659	1700	3									IIIG,U
			HARV				1725	1726	2	1725	1726	1						IIIG
			HARV	1752	1758	2												IIIGG
	2046	2400	CULG	2046	2400	1	2046	2400	1									IS
			CULG				2108.5	2109	1	2108.5	2109	1						IN
			HARV	2201	2347	1												IIIG
			CULG				2211	2344.5										IN
			CULG				2234	2316.5	1									IIIN,W
			CULG	2236	2236.5	1												IIIN
			HARV	2236		1	2234	2237	2									DCIM
			HARV				2251	2255	2									IIIGG,U
			HARV				2257	2306	3									IIIGG
			CULG				2257	2259	2									IIIGG
			CULG				2259.5	2303	1									IIIGG
		HARV	2357		2												IIIG	
06	0000	0746	CULG				0000	0746									IN,W	
			CULG	0000	0746	1											IN	
			CULG				0014	0739.5										IIIN,W
			CULG				0023.5	0549	1									DC,N
			CULG				0303.5		2	0303.5								IIIB
			CULG				0427	0444.5	1									IIIN
			CULG				0432.5		2	0432.5								IIIB
			CULG				0626	0632.5	1									IIIN
			CULG	0631	0631.5	1												DCIM
			CULG				0639.5		2									IIIB
	0723	1550	WEIS				0728	1550	2									IN
	0750	1540	WEIS				0738	1544	2									IIIN
			BLEN				0750 E	1540 D	1									I
			BLEN	0816.9	0816.9	2												III
			BLEN	0929.2	0929.3	2												U
			BLEN	0939.8	0943.7	2												IIIG
			BLEN	1030.7	1033.6	2	1030.7	1033.6	2									III,RS
			BLEN	1107.4	1108.5	2												DCIM
			BLEN	1223.8	1225.4	3	1223.8	1225.6	3									IIIGG
			WEIS				1224.0	1225.6	3									IIIGG,RSU
	1408	2400	BLEN				1340.7	1342.5	1									IIIG
			HARV				1408	2400	2									I
			BLEN				1412.7	1415.3	2									III
			HARV	1419	2333	1												INW
			WEIS				1423.1	1426.2	3									IIIGGDCIM
			HARV	1424	1425	3	1422	1425	3									IIIGG,V
			BLEN	1424.3	1426.5	2	1423.0	1426.2	3									IIIGG,V
			HARV				1441	1450	2									IIIGG
			BLEN				1441.3	1450.5	2									IIIG
			HARV				1503	1506	3									I,DC
			HARV				1527	2203	2									IIIN
			HARV	1532	1534	2	1532	1534	2									IIIGG
			BLEN	1532.0	1540.0	2	1527.5	1539.5										IIIGG
			WEIS				1532.7	1535.4	3									IIIGG
			SGMR				1552.0	1552.8	1									IIIGGDCIM
			HARV	1622	1624	2	1622	1624	2									III
			HARV	1638		1	1634	1638	2									IIIGG
			HARV				1646	1647	2	1646	1647	2						IIIG
			HARV	1702	1703	2	1702	1703	3									IIIG
			HARV	1728	1729	2	1728	1729	3									IIIGG
		HARV	1752	1759		1756	1758	2									IIIGG	
		HARV				1807	1811	2	1807	1811	2						IIIG	
		HARV				1816	1822	3									IIIGG	
		HARV	1948	1949	3	1948	1950	3	1948	1950	2						IIIGG,V	
		PALE				1948.5	1949.6	2									V	
		SGMR				1948.6	1949.3	2									V	
		HARV				1959	2003	2	2002	2003	2						IIIGG	

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

FEBRUARY 1982

DAY	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE				
				DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND							
	START UT	END UT		INT	START UT	END UT	INT	START UT	END UT	INT							
06	2046	2400	CULG				2046	2400	1						IS		
			CULG				2056	2357							IIIN,W		
			HARV	2056	2058	2	2056	2106	2	2056	2106	2				IIIGG,V	
			CULG				2056	2057.5	2							IIIB,V	
			PALE				2056.0	2104.3	2							G	
			CULG				2058	2233	2	2058.5	2356.5	2					IIIN
			HARV	2059	2104	2											IV
			CULG				2106	2229	1	2058	2232	1					IIIN
			HARV	2112	2115	3	2115		2								IIIG
			CULG	2120		1	0120		1								IIIB
			HARV	2154	2155	1	2154	2156	2	2154	2156	1					IIIG
			CULG				2154.5	2157	2	2154.5	2157	2					IIIG,V
			PALE				2154.5	2202.9	2								G
			HARV	2204	2205	2	2204	2205	2								IIIG
			HARV				2229	2232	2	2229	2232	1					IIIGG
			HARV				2254	2255	2								IIIG
			LEAR				2315.6	1050.0	1								CONT
			CULG				2345	2348	2	2345.5	2349.5	3					IIIG,V
			LEAR				2345.0	2348.3	2								III
			HARV	2355	2259	1	2355	2259	1								IV,DCIM
LEAR				2355.1	0020.2	2								II			
CULG							2358	2400	1					SWF			
07	0000	0745	CULG				0000	0745	1						IS,DC		
			CULG							0000	0006	1			SWF		
			CULG				0007	0017	2							POSSII	
			CULG				0009	0738.5	1	0009	0351.5	1				IIIN	
			CULG				0019.5	0742.5									IIIN,W
			CULG				0033	0617	2	0033	0617	2					IIIN
			CULG	0157.5	0745	1											IN
			CULG	0544.5	0545	3	0544.5	0545.5	3								IIIG,U,V
			CULG				0600.5	0604	2	0601	0604	3					IIIG,V
			CULG				0701.5	0702	3	0701.5	0702	1					IIIG
							0728	1552	2								IIIN
			0725	1552	WEIS		0730	1552	3								IS,DC
			0750	1540	WEIS		0750 E	1540 D	1								I
					BLEN	0842.3	0842.6	2									III,U
					BLEN	0849.7	0852.8	2									DCIM
					BLEN				0923.7	0925.7	2						IIIGG
					BLEN	0923.7	0927.5	2									DCIM
					WEIS	0923.7	0927.3	2									DCIM
					WEIS				0924.3	0925.6	2						IIIG
					BLEN	0933.3	0944.8	1	0933.3	0944.8	1						IIIG
					BLEN				1013.2	1018.8	2						IIIG
					WEIS				1013.4	1013.8	2						U
					WEIS				1013.5	1015.7	2						IIIG
					BLEN	1101.8	1102.0	1	1101.8	1102.0	2						IIIG
					BLEN				1218.8	1219.0	2						IIIG
					BLEN				1230.8	1235.9	3						IIIB
					WEIS				1235.7	1236.0	2						IIIB
					WEIS				1251.2	1257.6	2						IIIGG
					BLEN	1251.2	1253.2	3									IV
					BLEN	1251.2	1253.8	2	1249.3	1253.2	3						IIIGG
		WEIS	1252.0	1257.0	2									IV			
		WEIS				1253.7	1258.3	2						II			
		BLEN	1253.8	1255.0	3	1254.3	1258.6	3						II			
		BLEN				1335.4	1344.8	2						IIIG			
		BLEN				1340.8	1344.7	1						DCIM			
		WEIS				1358.3	1359.3	2						IIIG			
		BLEN				1358.4	1358.7	2						IIIG			
		BLEN	1408	2400	1	1408	2400	2						I			
		HARV				1431	2258	2	1701	2219	2			IIIN			
		HARV				1547	1548	3	1547	1548	2			IIIGG			
		HARV				1547.2	1548.7	2									
		WEIS				1609		2						IIIG			
		HARV				1749		3	1749		2			IIIG			
		HARV				1845		2						IIIG			
		HARV				1930	1933	2	1930	1934	2			IIIGG			
		HARV				1947	1948	2						IIIG,U			
		HARV	2054	2058	1	2054	2105	2	2055		1			IIIGG			

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

FEBRUARY 1982

DAY	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE	
				DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND				
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT		
07	2113	2400	HARV				2102	2107	3				II IS,DC IIIN IIIN,W IIIB IIIB IIIGG IIIGG III CONT IIIG	
			CULG	2113	2400	1	2113	2400	1					
			CULG				2113.5	2258.5	1					
			CULG				2123	2227						
			CULG				2123.5		2					
			CULG				2219		2					
			HARV				2252	2256	3	2252	2256	2		
			CULG				2252.5	2256	3	2252.5	2257	2		
			LEAR				2252.7	2256.1	2					
			LEAR				2305.6	0752.5	1					
			HARV	2351					2					
08	0000	0746	CULG	0000	0035	1							IS III DCIM IIIB IIIN,W IN,DC IIIG,V GG III IIIG,V DCIM IIIN IIIG III III III IIIGG IIIG III IIIB III III IIIG,N III III CONT III/V III DCIM IIIG,U IIIGG DCIM DCIM IIIG DCIM IIIG IIIG III/V CONT IIIG IV V G V II II HARM III/V III/V IIIG,U IIIG I,N IIIG V I IIIN	
			LEAR				0006.1	0006.8	2					
			CULG	0011	0011.5	1								
			CULG				0011.5		2	0011.5		1		
			CULG				0027	0745		0103	0334			
			CULG	0035	0545	1	0000	0745	1					
			CULG				0036	0037	3	0036	0037	3		
			PALE				0043.9	0056.3	2					
			LEAR				0129.8	0133.1	2					
			CULG				0130	0131	1	0130	0132	1		
			CULG	0147.5	0152.5	1								
			CULG				0214	0716	1	0336	0338.5	1		
			CULG				0233	0234	2	0233	0234	1		
			LEAR				0233.2	0233.9	2					
			LEAR				0241.0	0246.0	3					
			CULG	0241.5	0245	2	0241	0245.5	3	0241	0245	3		
			CULG	0327		1	0327	0327.5	2	0327	0327.5	2		
			LEAR				0327.0	0327.8	2					
			CULG				0427		2	0427		2		
			LEAR				0630.0	0630.6	2					
			LEAR				0647.9	0657.9	3					
			CULG	0651	0714.5	2	0650.5	0715	3	0650.5	0711	2		
			LEAR				0710.5	0712.6	3					
			LEAR				0712.9	0716.3	2					
				0723	0922	WEIS				0722	1553	3		
				0926	1356	WEIS				0734	1547	2		
						LEAR				0752.6	1050.0	2		
				1408	1553	WEIS				0803.7	0807.5	3		
						LEAR				0803.8	0809.9	3		
						BLN	0804.2	0806.0	2					
						BLN	0807.2	0820.3	2	0804.2	0820.3	3		
						WEIS				0807.6	0815.6	3		
						BLN	0836.6	0838.8	3					
						BLN	0909.3	0909.4	2					
						BLN				0936.2	0941.2	2		
						BLN	1006.2	1007.5	1					
						BLN				1036.2	1036.8	1		
						BLN	1143.8	1150.4	2	1136.8	1150.4	2		
						WEIS				1221.5	1224.3	3		
						BLN	1222.8	1223.4	2	1222.8	1223.4	2		
						WEIS				1246.7	1254.3	3		
						WEIS	1247.6	1256.3	3					
						BLN	1247.6	1249.2	3	1247.6	1249.2	3		
			BLN	1248.5	1255.5	2	1248.5	1255.5	2					
			SGMR				1248.8	1250.2	1					
			SGMR				1248.8	1305.2	1					
			BLN				1249.9	1250.1	3					
			BLN				1250.4	1257.8	3					
			WEIS				1250.5	1315.0	3					
			WEIS				1256.3	1258.2						
			WEIS				1256.3	1258.2	2					
			BLN	1303.3	1304.8	3	1303.3	1308.3	3					
			WEIS				1304.6	1305.6	2					
			BLN				1330	1540.0						
			BLN				1359.3	1407.3	2					
			SGMR				1400.0	1407.5	1					
	1408	2400	HARV				1408	2400	2					
			HARV				1453	1802	2	1729	1802	2		

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

FEBRUARY 1982

DAY	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE			
	START UT	END UT		DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND						
				START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	INT				
08			BLEN				1504.3	1505.5	2							IIIG
			WEIS				1504.4	1507.9	3							IIIG
			HARV	1505			1500	1508	3							IIIGG
			HARV				1602	1607	3							IIIGG
			HARV				1716	1717	2	1716	1717	2				IIIG
			PALE				1742.0	0409.0	1							CONT
			HARV				1744	1749	2	1745	1749	2				IIIGG
			HARV	1755	2353	1				1810	1815	2				IN
			HARV				1810	1815	3							IIIGG
			HARV				1831	1834	3							II
			HARV	1850	1857	1	1848	1857	2	1848	1852	2				IIIGG
			HARV				1901		2	1901		2				IIIG
			HARV	1952	1953	2	1953		2							IIIG
			HARV	2012	2013	2	2012	2014	2	2014		2				IIIG
		2046	2400	CULG	2056	2400	1	2050	2400	1						IS
				HARV	2121	2128	2	2121	2126	2						IIIGG
				HARV				2130		2						IIIG
				CULG				2131.5	2352.5		2307	2319				IIIN,W
				CULG				2152.5	2319.5	1						IIIN
				PALE				2306.8	2310.6	2						G
				CULG				2308	2319	2	2308.5	2319.5	1			IIIN
				LEAR				2309.9	2310.3	2						III
				LEAR				2309.9	2322.0	2						G
				CULG	2310	2310.5	2	2310	2310.5	3	2310	2310.5	2			IIIG
				HARV	2310		1	2305	2310	3						IIIGG
				HARV	2316	2317	2									IIIG
			HARV				2318	2319	2						IIIG	
09	0000	0746	CULG				0000	0110	1						IS	
			CULG	0000	0737	1									IN	
			CULG				0007.5	0053	1	0007.5	0045	1			IIIN	
			CULG				0044.5	0752.5	2	0046	0053	2			IIIN	
			CULG				0052	0741							IIIN,W	
			CULG				0056		3	0056		2			IIIB	
			CULG				0110	0405							IN,W	
			CULG				0257.5	0312	1						IS	
			CULG				0338.5	0340	1						UNCLF	
			CULG	0406.5	0413	2									UNCLF	
			CULG				0406.5	0409.5	3	0406.5	0407.5	3			IIIG,V	
			CULG							0408.5	0426	2			SWF	
			CULG				0410	0411.5	1						POSSII	
			CULG				0411.5	0530	1						IS,DC	
			CULG	0441.5	0451.5	1	0436.5	0459	2	0439	0453.5	1			IIIG,V,N	
			CULG				0523	0737	1						IIIN	
			CULG				0528.5	0741							IIIN,W	
			CULG				0701	0345	2						IIIN	
			CULG	0711	0713	2	0711	0714.5	2						IIIG,V,Z	
			WEIS				0721.3	0725.3	3						IIIGG	
			WEIS				0729.5	0736.7	2						IIIGG	
			WEIS				0746	1553	2						IN	
		0721	1554	WEIS			0833	1550	2						IIIN	
		0745	1540	BLEN			0917.9	0923.5	1						IIIGG,U	
				BLEN			0923.8	0930.1	2							II
				BLEN	1042.8	1046.8	2	1042.8	1046.8	2						IIIG
				BLEN	1125.0	1125.6	2	1126.4	1127.8	1						IIIG
				BLEN	1331.3	1339.8	2	1331.3	1339.8	2						IIIG
				WEIS				1359.6	1403.6	2						IIIG
				BLEN	1401.5	1407.8	1	1401.5	1047.8	2						IIIG
			WEIS				1404.7	1408.4	2						DCIM,RS	
	1408	2355	HARV				1408	1908	1						IN	
	1408	2400	HARV				1408	2220	3						IC	
			WEIS				1408.3	1414.0	2						II	
			HARV				1410	1414	3						UNCL	
			BLEN				1453.8	1454.3	2						III	
			HARV				1454		1						IIIG	
			BLEN				1520	1540	D	1					I	
			HARV				1609	2335	2	1637	2109	2			IIIN	
			HARV				1825	1826	2	1825	1826	2			IIIG	
			HARV	1900	2339	1									IN	
			HARV				1908	2355	2						I	

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

FEBRUARY 1982

DAY	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE		
				DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND					
	START UT	END UT		INT	START UT	END UT	INT	START UT	END UT	INT					
09	2046	2400	HARV	2003	2005	3	2003	2005	3	2003	2005	2	IIIGG		
			HARV	2005	2007	3	2005	2008	3				II		
			CULG				2046	2400						IIIS,W	
			CULG				2046	2400	1					IS,DC	
			CULG				2047.5	2350.5	1					IIIN	
			CULG				2048	2349	1					RSDP,N	
			CULG	2049	2351.5	1								IN	
			HARV				2236	2238	2						IIIGG
			HARV				2350	2355	3						IIIGG
			CULG				2351.5	2355	2	2352	2355	1			IIIGG
10	0000	0746	CULG				0000	0746					IS,DC		
			CULG				0001	0135					IIIN,W		
			LEAR				0043.8	0044.9	2					III	
			CULG				0044	0045	2	0044	0045	1		IIIG,V	
			CULG	0054	0135	2								CONT	
			CULG				0054.5	0059.5	3	0055	0059.5	3		IIIGG,V	
			LEAR				0054.5	0122.0	3					IV	
			CULG				0055	0440	1					IV	
			CULG				0059	0125	3	0103	0124.5	3		II	
			LEAR				0059.9	0109.2	3					II	
			PALE				0121.0	0245.0	1					CONT	
			LEAR				0122.1	0713.9	2					CONT	
			CULG				0135	0420							IIIS,,W
			CULG	0136.5	0143	1									DCIM,N
			CULG				0137	0742	1						IIIN
			CULG	0217.5	0219	1									DC
			CULG				0247		2	0247			1		IIIG
			CULG				0420	0725							IIIN,W
			CULG	0430		2									IIIG
			CULG				0520.5		2						IIIB
			LEAR				0713.9	0840.5	1						CONT
			WEIS	0719	0750		0719	1557	3						IS
			WEIS	1217	1557		0719	1557	2						CONT
			WEIS	0740	1542		0753.8	0754.0	1						DCIM
			BLEN							0756.7	0756.9	2			III
			LEAR							0816.7	0817.2	2			III
			LEAR							0826.9	0827.3	1			III
			BLEN							0840.5	1049.0	2			CONT
			LEAR							0903	1553	2			IIIN
			WEIS	0858	1213					0903.6	0908.4	3			IIIGG
			WEIS							0905.4	0905.8	3			III
			LEAR							0905.4	0908.4	3			IIIGG
			BLEN	0907.8	0908.4	2									III
			BLEN	0919.1	0919.3	1									DCIM
			BLEN	0931.0	0936.2	2									IIIGG
			WEIS							0942.2	0946.7	3			III
			LEAR							0944.2	0946.7	3			III
			BLEN	0944.4	0946.4	2				0942.3	0946.4	3			IIIGG
			LEAR							0947.7	0954.0	2			II
			WEIS							0949.0	0956.8	2			II
BLEN	1004.4	1005.6	1				1004.4	1005.6	1			IIIG			
BLEN	1200.4	1200.7	2				1200.4	1200.7	2			IIIG			
BLEN	1311.2	1326.3	2				1311.2	1326.3	3			IIIGG			
WEIS							1324.3	1326.5	3			IIIGG			
WEIS							1331.9	1334.3	3			IIIGG			
SGMR							1415.7	1417.3	1			V			
HARV	1420	2300	2				1430	2257	2	1552	2209	2	IIIN		
BLEN	1420.2	1428.2	2										IIIG		
SGMR							1435.2	1435.4	1				III		
HARV							1445	1447	2	1446	1447	1	IIIGG		
BLEN	1454.3	1454.5	2										IIIG		
HARV							1506	1507	2				IIIGG		
HARV							1523	1529	2				IIIGG		
BLEN	1525.4	1525.8	1				1525.4	1525.8	1				III		
SGMR							1600.2	1603.3	2				V		
HARV	1601	1604	2				1601	1604	3	1601	1604	2	IIIGG,V		
HARV	1608		1				1608	1636	3	1611	1631	2	IIIGG		
SGMR							1716.3	1717.5	1				V		
HARV							1717	1733	3	1717	1733	2	IIIGG,V		
PALE							1717.1	1718.3	1				V		

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

FEBRUARY 1982

DAY	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE	
				DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND				
	START UT	END UT			START UT	END UT	INT	START UT	END UT	INT	START UT	END UT		INT
12			WEIS				1332.1	1334.9	3				IIIGG	
			WEIS				1340.7	1342.3	3				IIIGG	
			BLEN	1340.7	1341.5	3	1332.7	1344.9	3				IIIGG	
			WEIS				1407.7	1409.6	3				IIIGG	
			BLEN				1408.4	1415.8	2				IIIGG	
			WEIS				1410.6	1415.3	2				IIIG/V,U	
			BLEN				1412.1	1412.5	2				DCIM	
	1415	2400	HARV				1415	1423	2				IIIGG	
			HARV				1426	1820	2				I	
			HARV	1430	2400	1							IN	
			BLEN				1435.4	1435.4	1				IIIB	
			HARV				1436	2103	2	1753	1919	2	IIIN	
			BLEN				1444.8	1444.9	1				DCIM	
			HARV				1446		2				IIIG	
			HARV				1506	1507	2				IIIG	
			HARV				1616	1624	3				IIIGG	
			HARV				1820	2046	2				IN	
			HARV	1841	1859	2	1839	1901	2	1839	1854	2	IIIGG	
			HARV	1946	1947	1	1946	1947	3	1946	1947	2	IIIG	
			HARV	2006	2016	1	2004	2018	2	2008	2017	2	IIIGG	
			HARV				2024	2037	2	2024	2034	2	IIIGG	
			HARV				2025	2029	2				IV,DCIM	
			HARV				2046	2400	2				I	
			HARV				2050		3	2050		3	IIIG	
	2053	2400	CULG	2053	2400	1							IS	
			CULG				2055.5	2400					IIIN,W	
			HARV	2056		1	2055	2106	3	2055	2100	2	IIIG	
			CULG	2056	2356	1	2056	2353	1	2056	2356	1	IIIN	
			HARV				2132	2139	2				IIIGG	
			CULG	2133	2138	1							DCIM	
			HARV	2133	2137	2	2132	2142	1				DCIM	
			CULG				2149	2206	3	2136	2147		SWF,W	
			HARV				2156	2205	3	2154	2206	2	IIIGG,V	
			CULG	2156	2205	3	2156	2204	3	2156	2204	3	IV	
			CULG	2156	2204.5	3	2156	2204	3	2156	2204	3	IIIGG,V,Z	
			HARV				2205.5	2206	2				IIIG	
			CULG				2207	2214	3				II	
			CULG				2207	2213	1				II	
			HARV				2224	2232	2					
			CULG				2241	2356	2				IIIGG	
			HARV	2242	2247	1	2237	2304	3	2242	2251	1	IIIN	
			LEAR				2251.0	2251.3	1				III	
			CULG				2255	2400	1				IS,DC	
			LEAR				2302.9	2303.1	1				III	
			HARV				2316	2333	3				IIIGG	
		LEAR				2316.6	2325.6	2				III		
		LEAR				2330.5	1047.0	1				CONT		
		HARV				2344	2356	3				IIIGG		
		LEAR				2349.5	2349.8	2				III		
13	0000	0746	CULG	0000	0746	1	0000	0035	1				IS	
			CULG				0000	0727.5					IIIN,W	
			CULG	0004	0702	1	0004	0704.5	1	0008	0502	1	IIIN	
			CULG				0043	0737	2	0043.5	0347.5	2	IIIG,N	
			CULG	0051.5	0052	1	0051.5	0052.5	3	0052	0053	3	IIIG	
			PALE				0149.9	0203.1	1					GG
			LEAR				0202.8	0203.4	2					III
			LEAR				0253.6	0258.6	2					III
			LEAR				0323.2	0337.2	2					GG
			CULG				0330.5	0332	3	0330	0330.5	1	IIIG,Z	
			LEAR				0347.2	0347.6	2					III
			CULG				0347.5		3	0347.5		3	IIIG	
	LEAR				0416.6	0424.1	2					III		
	LEAR				0500.9	0501.8	2					III		
	WEIS				0715.8	0717.6	2					IIIG		
	LEAR				0716.8	0717.2	2					III		
	0710	1603	WEIS				0719	1603	2				IS,DC	
	0735	1350	BLEN				0735 E	1350 D	3				I,DC	
			LEAR				0736.4	0744.5	2				III	
			WEIS				0736.4	0736.7	3				IIIB	

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

FEBRUARY 1982

DAY	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE		
				DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND					
	START UT	END UT			START UT	END UT	INT	START UT	END UT	INT	START UT	END UT		INT	
13			WEIS				0743.9	0744.6	3						IIIG
			CULG				0744	0744.5	3						IIIG
			WEIS				0748	1549	2						IIIS
			LEAR				0802.3	0802.5	2						III
			WEIS				0802.3	0802.6	2						IIIG
			WEIS				0805.7	0806.6	3						IIIG
			BLEN				0805.7	0806.3	3						IIIG
			LEAR				0806.8	0807.5	3						III
			BLEN	0832.3	0835.3	3	0832.3	0832.5	3						IIIGG
			BLEN				0848.3	0848.9	2						IIIG
			BLEN				0954.5	1015.3	3						IIIG
			LEAR				0954.5	0954.7	2						III
			WEIS				0954.6	0954.8	2						IIIG
			WEIS				1007.6	1009.2	3						IIIG
			LEAR				1008.7	1009.3	2						III
			LEAR				1030.2	1036.4	2						III
			WEIS				1034.7	1039.2	3						IIIG
			BLEN				1036.2	1043.1	3						IIIGG
			WEIS				1041.6	1042.9	3						IIIG
			BLEN				1103.2	1105.8	3						IIIGG
			WEIS				1103.3	1106.9	3						IIIGG
			WEIS				1112.9	1117.2	2						IIIGG
			WEIS				1119.2	1128.7	3						IIIGG
			WEIS				1133.3	1136.3	3						IIIGG
			BLEN	1134.3	1135.5	2	1133.8	1138.0	3						IIIGG
			BLEN	1148.6	1151.1	2	1149.3	1204.8	3						IIIG
			WEIS				1149.2	1150.8	3						IIIGG
			BLEN	1254.3	1255.3	3									IIIG
			WEIS				1401.8	1402.3	3						IIIG
			WEIS				1410.7	1412.8	3						IIIG
	1415	2350	HARV				1415	2350	2						I
			HARV				1415	1424	2						IIIG
			HARV	1416	2327	1									IN
			HARV				1455	2259	2	1827	2024	2			IIIN
			HARV	1512	1515	2	1512	1513	2						IIIGG
			HARV				1542	1549	2						IIIGG
			HARV	1555		1	1555	1601	3	1555	1601	1			IIIGG
			WEIS				1555.5	1556.5	3						IIIG
			WEIS				1559.2	1601.4	3						IIIGG
			HARV				1701	1704	2	1702		1			IIIG
			PALE				1722.8	1725.2	2						G
			HARV				1723	1724	3	1723	1724	2			IIIGG,V
			SGMR				1724.9	1725.3	1						III
			HARV				1742		3	1742		2			IIIG
			PALE				1748.2	1748.9	3						III
			HARV	1810	1811	1	1810	1811	2						IIIG,U
			HARV				1841	1843	3	1841	1845	2			IIIGG,V
			SGMR				1842.8	1843.5	2						V
			PALE				1904.8	1909.6	2						G
			SGMR				1904.8	1920.7	1						GG
			HARV				1905	1911	3	1905	1911	2			IIIGG
			HARV				1915	1921	3	1915	1921	2			IIIGG,V
			PALE				1918.9	1922.2	2						V
			HARV	1937	2011	2	1938	2014	3	1938	2010	2			IIIGG
			PALE				1938.0	2007.0	2						GG
			SGMR				1958.1	1958.3	1						III
			PALE				2043.0	2137.3	2						GG
			HARV				2044	2056	3	2044	2054	2			IIIGG
	2046	2400	CULG	2046	2400	1									IS
			CULG				2053.5	2400							IIIN,W
			CULG				2054	2254	2	2101	2254	2			IIIN
			HARV	2101	2121	1	2101	2140	3	2102	2137	2			IIIGG,U,V
			CULG				2113	2114.5	3	2114	2114.5	1			IIIG,V,U
			CULG	2114.5	2218	1	2101.5	2400	1	2107.5	2400	1			IIIN
			CULG				2135	2202							IN,W
			HARV	2147		1	2147	2205	3	2147	2202	2			IIIGG
			PALE				2147.0	2234.2	2						GG
			CULG				2157.5	2200	3	2158	2200	2			IIIG
			HARV	2212	2226	2	2210	2226	3	2213	2226	2			IIIGG,U
			CULG	2213	2214	2	2213	2214	2						IIIG,U

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

FEBRUARY 1982

DAY	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE
				DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
	START UT	END UT			START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	
13			HARV				2231	2243	3	2234		2	IIIGG
			CULG				2234	2234.5	3	2234	2234.5	3	IIIG
			LEAR				2234.1	2234.3	1				III
			LEAR				2250.6	2252.7	2				III
			HARV	2251	2252	1	2247	2254	3	2252		2	IIIGG
			PALE				2251.6	2338.7	2				GG
			CULG				2252	2252.5	3	2252	2252.5	3	IIIG
			HARV	2309		1	2309	2325	2				IIIGG
			LEAR				2330.8	2333.3	2				III
			CULG				2332	2333.5	3	2332	2333.5	3	IIIG
			HARV	2332	2333	3	2332	2333	3				IIIGG
			HARV				2337	2338	3				IIIGG
			CULG	2337	2338	2	2337	2339	3	2337.5	2339.5	3	IIIG,V
			LEAR				2337.3	2345.0	2				III
			LEAR				2346.8	2355.3	3				III
			PALE				2346.9	2354.4	3				IV
			CULG				2347	2350.5	3	2347	2351	3	IIIGG
			HARV	2347	2348	1	2346	2350	3	2347	2350	2	IIIGG
			LEAR				2350.6	2352.7	2				III
			CULG	2351.5	2354	3	2351.5	2354	3	2351.5	2354.5	3	IIIGG
		LEAR				2356.9	0014.5	2				G	
		CULG				2357	2357.5	3	2357.5	2358	3	IIIG	
14	0000 0746		CULG				0000	0742	1	0000	0632.5	1	IIIN
			CULG	0000	0252.5								IS,W
			CULG				0001	0746					IIIN,W
			LEAR				0025.4	0040.2	1				G
			LEAR				0041.8	0045.4	2				III
			CULG				0043	0045	1				POSSII
			CULG				0043.5	0737	2	0146.5	0648.5	2	IIIN
			LEAR				0045.5	1047.0	1				CONT
			PALE				0108.7	0206.9	2				GG
			LEAR				0110.2	0110.5	2				III
			LEAR				0119.0	0123.3	2				III
			CULG	0119.5	0122	2	0119.5	0122	2	0119.5	0122	2	IIIG,V,U
			LEAR				0133.9	0135.5	3				III
			CULG	0134	0134.5	2	0134	0134.5	3	0134	0134.5	3	IIIG
			CULG							0143	0152		SWF,W
			LEAR				0146.0	0148.8	2				III
			LEAR				0206.4	0207.3	2				III
			LEAR				0256.4	0256.7	2				III
			CULG				0259.5	2101.5	3	2100	2101	2	IIIG,V
			LEAR				0406.9	0411.3	2				III
		CULG				0407	0409.5	3	0407	0409.5	2	IIIGG	
		CULG				0438.5	0441	3	0438.5	0441	3	IIIGG,V	
		LEAR				0438.7	0442.1	3				III	
		LEAR				0456.0	0456.5	2				III	
		LEAR				0508.2	0508.5	2				III	
		LEAR				0536.1	0537.3	2				III	
		LEAR				0537.9	0541.3	3				III	
		CULG				0538	0540.5	3	0538	0540.5	3	IIIGG,V	
		LEAR				0552.2	0600.3	2				III	
		LEAR				0623.5	0628.2	2				III	
		LEAR				0640.8	0652.3	2				G	
		CULG				0648	0648.5	3	0648	0648.5	3	IIIB	
		WEIS				0715	1557	3				IS,DC	
	0710 1604		WEIS			0718	1602	2					IIIS
			WEIS			0737.0	0742.2	3					IIIG
			LEAR			0737.0	0739.3	2					III
			CULG				0739		3				IIIB
			WEIS			0808.7	0816.7	3					IIIGG/V
			LEAR			0808.8	0811.3	2					III
			LEAR			0812.1	0823.3	3					G
		WEIS			0817.2	0822.3	3					IIIG/V	
		WEIS			0835.3	0838.6	3					IIIG	
		LEAR			0837.3	0842.0	2					III	
		WEIS			0841.4	0842.3	3					IIIG	
		WEIS			0926.7	0828.2	2					IIIG	
		WEIS			0933.6	0935.7	3					IIIGG	
		LEAR			0933.7	0935.0	3					III	

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

FEBRUARY 1982

DAY	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE
				DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
	START UT	END UT			START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	
15			CULG				0216.5	0218	3	0216.5	0218	2	IIIGG
			LEAR				0327.4	0332.2	3				III
			PALE				0327.4	0331.8	2				G
			CULG	0327.5	0330	2	0327.5	0330	3	0327.5	0330.5	3	IIIGG,V
			CULG							0330	0337		SWF,W
			CULG				0331.5		3	0331.5		2	IIIB
			LEAR				0332.9	0339.1	2				III
			CULG				0337.5	0338	2	0337.5	0338	2	IIIG
			LEAR				0441.9	0442.5	2				III
			CULG				0442	0442.5	2	0442	0442.5	1	IIIB,V
			CULG	0612	0612.5	2	0612	0612.5	2	0612	0612.5	1	IIIG
			LEAR				0612.3	0612.7	2				III
			LEAR				0643.7	0645.4	3				III
			CULG	0644	0645	2	0644	0645.5	3	0644	0645	2	IIIG
	0709 0759		WEIS				0712	1604	2				IS,DC
	0807 0911		WEIS				0712	1419	3				IIIN
			LEAR				0819.7	0820.2	2				III
			LEAR				0822.7	0823.7	2				III
			LEAR				0830.7	0835.4	2				III
	0919 1604		WEIS				0831.4	0835.2	3				IIIGG
			WEIS				0928.3	0932.5	3				IIIGG
			LEAR				0931.5	0932.4	2				III
			WEIS				1141.7	1146.6	3				IIIGG
			WEIS				1147.9	1149.2	2				IIIGG
			WEIS				1155.9	1156.7	2				IIIG
			WEIS				1213.2	1214.9	3				IIIGG
			WEIS				1317.7	1323.8	3				IIIGG,DCIM
			SGMR				1401.8	1402.4	1				III
	1415 2355		HARV				1415	2355	2				I
			HARV				1416	2351	2	1709	2050	2	IIIN
			HARV	1446	2355	1							IN
			HARV				1629	1631	2				IIIG
			HARV	1720	1728	3	1720	1733	3	1720	1732	2	IIIGG
			SGMR				1728.2	1729.8	1				V
			HARV				1746	1759	2	1750	1759	2	IIIGG
			HARV	1803	1805	1	1803	1817	3	1803	1817	2	IIIGG
			SGMR				1803.5	1804.0	2				V
			HARV				1910	1915	3	1910	1915	2	IIIG
			HARV	1924	1927	1	1924	1931	3	1924	1931	2	IIIGG
			SGMR				1930.3	1940.1	2				G
		PALE				1930.3	1940.5	2				GG	
		HARV				1938	1940	3	1939	1940	2	IIIGG,V	
		SGMR				2007.7	2013.0	1				GG	
		HARV	2013		1	2008	2013	2	2008	2013	2	IIIG	
		HARV				2018	2028	3	2018	2028	2	UNCL	
		HARV				2028	2030	2				IIIGG	
2046 2400		CULG	2046	2400	1							IS	
		CULG				2050.5	2355					IIIN,W	
		CULG	2205.5		1							IIIB,U	
		HARV	2232	2234	2	2232	2236	2				IIIGG,V	
		CULG				2233	2234	2	2233	2234	2	IIIG	
		CULG				2235.5		1	2235.5		1	IIIB	
		LEAR				2332.4	0540.2	1				CONT	
16	0000 0746	CULG	0000	0545									IN,W
		CULG				0023	0745						IIIN,W
		CULG				0039	0746	1	0039	0517.5	1		IIIN
		LEAR				0101.9	0109.9	2					III
		CULG	0102	0108.5	2	0102	0108.5	2	0102	0108.5	2		IIIGG
		CULG	0108	0140	1								IS
		LEAR				0135.3	0136.1	2					III
		CULG				0135.5	0136	2	0135.5	0136	2		IIIG
		LEAR				0140.9	0149.1	2					III
		CULG				0142	0149	1	0142	0149	1		IIIS
		LEAR				0540.2	1045.0	2					CONT
		CULG	0545	0746	1								IS
	0706 0800	WEIS				0708	0800	2					I
		WEIS				0745.3	0745.9	2					IIIG
	WEIS				0752.2	0753.9	3					IIIGG	
0840 0900	WEIS				0848.7	0856.9	2					IIIGG	

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS
FEBRUARY 1982

DAY	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE
				DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
	START UT	END UT			START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	
16	0920	1016	WEIS				0953.2	0953.3	2				IIIB
			WEIS				0954.7	1000.7	2				IIIGG
			WEIS				1002.2	1007.3	3				IIIGG
	1415	2355	HARV				1415	1838	2				I
			HARV	1513	1539	2	1512	1539	2				IV
			HARV	1514	2355	1							IN
			WEIS				1524	1545	1				IIIN
			HARV				1558	1600	2				IIIG
			HARV	1630	1639	2	1625	1639	2	1631	1638	1	IIIGG
			HARV	1640	1648	1	1640	1649	1				IIIGG
			HARV				1726		2				IIIG
			PALE				1731.0	0401.0	1				CONT
			HARV				1747		2	1747			1
	2046	2400	HARV	1858	1901	2	1838	2355	1				IN
			HARV	1858	1901	2	1858	1901	2				IIIG
			CULG	2046	2400	1							IS
			HARV				2047	2109	2				DC
			HARV				2223	2226	2				IIIGG
			HARV				2240	2248	2				IIIGG,V
			HARV	2328		1	2328		2				IIIG
													IIIG
17	0000	0740	CULG	0000	0740	1							IS
			CULG				0056.5	0733.5	1	0254	0504	1	IIIN
			CULG	0056.5	0059	1							DCIM
			CULG				0056.5	0729.5					IIIN,W
			CULG	0119.5	0120.5	2	0119.5	0120.5	2	0119.5	0121	2	IIIG
			CULG				0326	0326.5	2				IIIB,U
			CULG	0426.5	0427.5	2	0426.5	0427.5	1	0427	0427.5	1	IIIG
			CULG	0521	0521.5	3				0521	0522	2	IIIG
			CULG				0632.5	0633	2	0632.5	0633	2	IIIB
			CULG				0708	1558	2				IS,DC
	1025	1437	WEIS				0718	1608	2			IIIN	
	0705	1019	WEIS				0746.5	0749.3	3			IIIGDCIM/V	
	1453	1608	WEIS				0750.0	0754.6	2			IIIGDCIMR	
			WEIS				0959.2	1000.9	2			IIIGDCIM	
	1400	2355	HARV				1400	2355	2				I
			HARV				1412	1413	2				IIIG
			HARV	1418	1419	1	1417	1419	2				IIIGG,V
			HARV				1434	1848	2				IIIN
			HARV	1442	1443	1	1440	1443	2				IIIGG
			HARV	1526	2237	1							
			HARV				1603	1607	3	1603	1607	1	IIIGG
			HARV				1633	1643	2	1635	1642	1	IIIGG
			HARV				1713	1716	2	1713	1716	2	IIIG
			HARV				1732	1733	3	1732	1733	2	IIIGG
	2049	2400	HARV				1745	1748	2	1745	1748	2	IIIG
			HARV				1809	1810	2	1809	1810	2	IIIG
			HARV	1824	1826	1	1824	1826	2	1824	1826	2	IIIGG
			HARV	1832	1842	1	1832	1842	3	1833	1838	2	IIIGG,V
			HARV	1902	1903	1	1902	1903	2				IIIG
			HARV	1914		1	1912	1916	2	1912	1916	2	IIIGG
			HARV	1939	1916	2	1934	1947	2	1940	1947	2	IIIGG,V,U
			HARV	1955	2010	2	1955	2012	3	1955	2011	2	IIIGG,V
			HARV	2017		2	2017	2040	3	2017	2040	2	IIIG
			HARV				2047	2107	2	2047	2107	2	IIIGG
			CULG				2049	2400	1				IIIS
CULG			2049	2400	1	2105	2400	1				IS	
CULG						2106	2306	2	2106	2306	1	IIIN	
CULG			2117.5	2118	2	2117.5	2118.5	3	2117.5	2118	1	IIIG,Z	
HARV			2118		1	2116	2121	3	2116	2121	2	IIIGG,V	
CULG	2120.5	2121	1	2120	2121	3	2120.5	2121	1	IIIG			
HARV	2134	2149	2	2134	2150	2				IV			
CULG	2143	2400	2							DCIM,N			
CULG				2143	2313	3				IIIN			
CULG				2306	2347	2	2306	2347	2	IIIS			
HARV	2326	2355	3	2137	2355	3	2137	2323	2	IIIS			
18			CULG				0000	0705					IIIN,W
			CULG				0000	0256	1				IS,C
			CULG							0000	0500	1	IIIN

140
Feb 82

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

FEBRUARY 1982

DAY	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE	
				DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND				
	START UT	END UT		INT	START UT	END UT	INT	START UT	END UT	INT				
18	0000	0746	CULG	0000	0746								IN,W	
			CULG				0011	0724.5	2	0035	0454.5	2	IIIN	
			CULG	0108.5	0109	1	0108	0109	3	0108	0109	2	IIIG	
	CULG	0130.5	0131	1	0130.5	0131	3	0130.5	0131.5	3	IIIG			
	CULG	0211.5	0212	1	0211.5	0213	3	0211.5	0213	3	IIIG,V			
	CULG	0228.5	0229	3	0228.5	0229	2				IIIG			
	CULG	0228.5	0729	1							IIIN			
	CULG				0256	0746					IN,W			
	CULG	0446	0448	2	0446	0447.5	3	0446	0447.5	3	IIIGG			
	CULG				0500.5	0504	3	0500.5	0504	3	IIIGG			
	0708	1130	WEIS				0704	1611	2				IS,DC	
	CULG					0705	0746	1				IIIS		
	1156	1611	WEIS				0722	1509	2				IIIN	
	WEIS					0722.6	0729.5	3				IIIGDCIM		
	WEIS					0811.5	0823.7	3				IIIGDCIM		
	WEIS					0902.2	0909.2	3				IIIGDCIM/		
	1400	2400	WEIS				1301.5	1330.0	3				IIIGG/V	
	HARV					1412	2109	2				I		
	HARV		1518	1523	1	1518	1522	2				IIIGG		
	HARV		1717	2400	1	1634	1815	2	1645	1816	2	IIIN		
	HARV					1816	2203	2	1816	2203	2	IIIS		
	HARV		1829	1832	2	1829	1832	3	1829	1832	2	IIIGG		
	PALE					1942.5	0400.0	2				CONT		
	HARV		2040	2044	1	2037	2047	2	2038	2047	2	IIIGG		
	2046		2400	CULG	2046	2400		2046	2336.5	1				IS,C
	CULG						2046	2400	1				IIIS	
	HARV					2110	2400	3				IS,C,DC		
	CULG					2124	2334	2	2128	2336.5	1	IC		
	LEAR					2232.0	2307.0	1				IIIN		
	LEAR					2307.0	0006.0	2				CONT		
HARV	2333	2		2343	2	2	2337	2351	2	2337	2341	1	IIIGG	
CULG					2336.5	2400	3	2336.5	2400	3		IIIS		
LEAR					2336.8	2338.8	3					III		
19				CULG			0000	0746	2				IS,C	
0000	0746	CULG				0000	0021	3	0000	0031	2	IIIS		
CULG		0000	0746									IN,C		
CULG		0005.5	0055	2								IIIN		
LEAR					0006.0	0138.0	3					CONT		
CULG					0021	0746	1	0031	0120	1		IIIS		
CULG					0024	0746	2					IIIN		
CULG								0120	0643	1		IIIN		
LEAR					0138.0	1043.0	2					CONT		
CULG					0545	0725	1					DC,N		
0709		1209	WEIS				0709	1612	3				CONT	
CULG						0735	0746	1				SCINT		
1537	1612	WEIS				1039	1155	1				IIIN		
SGMR						1136.9	1138.1	1				III		
1041	1550	BLEN	1137.2	1142.7	2	1137.2	1142.7	3				III,RS		
BLEN						1202	1550	D	3			I,DC		
SGMR						1203.1	1203.5	1				III		
SGMR						1314.9	1317.6	1				V		
BLEN		1316.2	1316.4	1	1316.2	1316.4	1					III		
SGMR						1326.3	1359.3	2				GG		
1252	1417	WEIS				1327	1400	1				IN		
SGMR						1336.4	1810.0	2				CONT		
1400	2355	HARV				1400	1900	3				IC		
BLEN		1500.8	1501.0	2	1500.8	1501.0	2				III			
HARV		1501		2	1459	1501	2				IIIG			
BLEN		1512.6	1512.7	1								U		
HARV		1523	1538	2								IC,IIIN		
BLEN		1523.2	1523.6	2	1523.2	1523.6	2					III		
HARV		1556	1558	2	1556	1558	2					IIIG		
HARV		1619	1622	2	1619	1622	2	1619	1622	2		IIIG		
SGMR								1619.7	1622.2	2		V		
SGMR								1744.9	1751.1	1		V		
HARV							1745	1749	2	1745	1749	2	IIIGG	
HARV							1758	2355	2	1758	2124	2	IIIN	

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS
FEBRUARY 1982

DAY	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE	
				DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND				
	START UT	END UT			START UT	END UT	INT	START UT	END UT	INT	START UT	END UT		INT
19			SGMR				1834.6	1835.7	1				V	
			HARV	1835		1	1834	1836	3	1834	1836	2	IIIG,V	
			SGMR				1858.4	1858.5	1				III	
			HARV				1900	2353	2				I	
			SGMR				1903.3	1908.2	3				V	
			PALE				1903.5	1910.3	3				G	
			HARV	1904	1908	1	1903	1909	3	1903	1909	2	IIIG,V	
			HARV				2012	2013		2012	2013	2	IIIG,V	
			PALE				2012.4	2014.6	2				V	
			CULG				2046	2400	1				IIIS	
		2046	2400	CULG	2046	2400	1	2046	2400	2			IS,C	
				CULG				2103	2103.5	3			IIIB,V	
				CULG				2106.5		3			IIIG	
				CULG	2144.5	2350.5	2	2145	2349	2	2151	2351	1	IIIN
				HARV	2145	2151	2	2145	2151	2	2145	2151	2	IIIGG
				LEAR				2232.0	2317.0	1				CONT
				LEAR				2253.0	2300.0	2				UNCLF
				HARV	2302		1	2258	2310	2	2258	2303	1	IIIGG
				LEAR				2317.0	1043.0	2				CONT
				CULG				2330.5	2332	2	2330.5	2333	2	IIIG,V
				HARV				2331	2332	2	2331	2332	1	IIIGG
				CULG				2339.5	2341.5	3	2340	2342.5	3	IIIG,V,Z
			LEAR				2339.6	2341.2	2				III	
			HARV				2340		3				IIIG	
20			CULG				0000	0530	2				IS,C,DC	
		0000	0746	CULG	0000	0630	1						IN,C	
				CULG				0000	0400				IIIS,W	
				CULG				0003	0738	1	0009	0639.5	1	IIIN
				CULG				0019	0405	2				IIIN
				CULG				0400	0746					IIIN,W
				CULG				0530	0635	2				IS,DC
				CULG	0630	0746	2							IS,DC
				CULG				0634.5	0654	2				IIIN
				CULG				0634.5	0635	2	0634.5	0635	1	IIIG
				CULG				0635	0746	1				IN
				CULG	0655.5	0656	2	0655.5		2				IIIB
		0659	1613	WEIS				0702	1609	2				IS
		0720	1555	BLN				0720 E	1555 D	2				I,DC
				WEIS				0731	1553	2				III
				WEIS				0853	1100	2				CONT
				LEAR				0923.4	0929.1	3				III
				BLN	0923.7	0925.8	3	0923.7	0926.3	3				IIIGG
				WEIS				1100	1630	2				CONT
				BLN	1158.6	1225.7	2	1156.6	1225.9	2				IIIGG
				BLN	1238.0	1238.2	1	1238.0	1238.2	2				III
				HARV				1400	1900	3				IC
		1400	2400	HARV	1413	2400	1							INW
				HARV				1536	2228	2	1536	1730	2	IIIN
				SGMR				1546.0	1900.0	1				CONT
				HARV				1551	1558	2	1554	1558	2	IIIGG
				WEIS				1554.1	1554.6	3				IIIG
				WEIS				1557.6	1558.2	3				IIIG
				PALE				1731.0	0411.0	1				CONT
				HARV	1758	1901	1							IV
				HARV				1803	1813	3	1803	1813	2	II
			HARV				1849		2	1849		2	IIIG	
			PALE				1849.1	1849.3	1				III	
			SGMR				1849.1	1849.3	1				III	
			HARV				1900	2400	2				IC	
			HARV				1907	1908	2	1907	1908	2	IIIG	
			SGMR				1907.5	1907.6	1				III	
			CULG	2046	2400	1	2046	2207	1				IS	
			CULG				2047.5	2315					IIIN,W	
			CULG				2140.5	2326	1	2157	2304	1	IIIN	
			CULG				2158.5	2202	2	2158.5	2202	1	IIIGG	
			PALE				2158.9	2202.5	1				G	
			HARV	2200		1	2159	2204	2	2159	2201	2	IIIGGG	
			CULG				2207	2400					IN,W	
			HARV				2254	2326	2				IIIGG	

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

FEBRUARY 1982

DAY	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE
				DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
	START UT	END UT			START UT	END UT	INT	START UT	END UT	INT	START UT	END UT	
20			LEAR				2303.5	2303.9	1				III
			PALE				2303.5	2303.8	1				III
			LEAR				2308.3	1042.0	1				CONT
			LEAR				2325.9	2326.3	1				III
			LEAR				2339.6	2341.2	2				III
21	0000	0746	CULG	0000	0746	1							IS,C
			CULG				0000	0145	1				IN
			CULG	0010	0033		0000	0740					IIIN,W
			CULG							0042.5		1	IIIB
			LEAR				0126.5	0132.1	2				III
			PALE				0127.3	0131.5	1				G
			CULG				0127.5	0131.5	2	0127.5	0131.5	3	IIIGG
			LEAR				0138.3	0142.2	3				III
			CULG				0138.5	0142	3	0138.5	0141.5	3	IIIGG
			PALE				0138.9	0141.7	2				V
			PALE				0141.7	0405.0	1				CONT
			CULG				0145	0400	1				IS,C
			CULG				0248	0250	2	0248	0249.5	1	IIIG
			LEAR				0248.2	0249.3	2				III
			CULG				0400	0746					IN,W
	0659	1404	WEIS				0659	1404	2				IS,DC
			WEIS				0705	1357	2				IIIS
	0720	1545	BLEN				0720 E	1545 D	2				I,DC
			CULG				0723		1				IIIB
			WEIS				0848.2	0954.8	3				IIIGG
			LEAR				0853.1	0855.0	2				III
			BLEN				1001.8	1008.6	2				IIIG
			WEIS				1001.8	1003.9	3				IIIGG
			BLEN	1034.3	1034.4	2	1334.3	1034.4	2				III
			BLEN				1224.3	1224.6	2				IIIG
			SGMR				1224.3	1224.6	1				V
			WEIS				1318.4	1333.6	3				IIIGG
			SGMR				1329.0	1332.3	1				V
	1400	2355	HARV				1400	1700	2				I
			HARV	1418	2256	1							INW
			BLEN				1426.6	1426.8	1				III
			SGMR				1453.9	1455.1	1				V
			HARV				1501	1508	2				IIIGG
			HARV				1535	2333	2	1819	2057	2	IIIN
			SGMR				1551.9	1552.2	1				V
			HARV				1552		2				IIIG
			HARV				1605	1606	2				IIIG
			HARV				1700	2335	1				IN
			HARV	1805	1806	2	1805	1806	2	1805		2	IIIGG
			HARV	1836		1	1836		2				IIIG
			HARV	1851	1857	1	1845	1856	2	1845	1857	2	IIIGG
			PALE				1851.1	1856.5	1				G
			HARV				1905	1907	2	1905	1907	2	IIIGG,V
			PALE				1905.3	1906.3	2				V
			SGMR				1905.5	1905.8	1				V
			CULG				2046	2400					IIIN,W
	2046	2400	CULG	2046	2400	1							IN
			LEAR				2330.5	1041.0	1				CONT
22	0000	0745	CULG										IS
			CULG	0000	0745	1							IIIN,W
			PALE				0132	0546					III
			LEAR				0207.3	0208.1	1				III
			LEAR				0207.3	0208.1	1				III
			CULG				0207.5	0208	1	0207.5	0208.5	1	IIIB,U
			CULG	0207.5	0208	2							IIIG
			CULG				0215		1				IIIB
			CULG				0409	0409.5	1	0409.5	0410	1	IIIG
			LEAR				0409.2	0409.5	1				III
			LEAR				0458.3	0500.0	2				III
			CULG				0458.5		1	0458.5		1	IIIB
	1408	1617	WEIS				0658	1616	2				IN,DC
	0725	1545	BLEN				0725 E	1410.0	2				I,N
	0658	1344	WEIS				0727	1617	2				IIIN

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

FEBRUARY 1982

DAY	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE				
				DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND							
	START UT	END UT			START UT	END UT	INT	START UT	END UT	INT	START UT	END UT		INT			
22	1400	2400	WEIS				0814.5	0816.3	2	0814.5	0816.3	2				IIIGG	
			BLEN				0814.5	0816.3	2							III	
			BLEN				1202.7	1210.5	2								IIIGG
			WEIS							1312.1	1317.4	3					DCIM
			BLEN							1312.1	1317.5	2					IIIGG
			HARV							1400	1649	1					IN
			SGMR							1422.6	1423.5	1					V
			WEIS							1422.7	1425.2	3					IIIGG
			HARV							1423	1424	2					IIIG
	HARV	1552	2400	1											INW		
	HARV							1649	2248	2					I		
	HARV							1706	1707	2					IIIG		
	HARV							1821	1822	2					IIIG		
	HARV	2046	2400	1											IS		
	CULG	2046	2400	1				2046	2255						IN,W		
	CULG				5	I		2205	2255						IS,W		
	LEAR							2234.0	1041.0	1					CONT		
	HARV							2248	2400	2					IC		
CULG							2255	2400	1					IS			
23	0000	0745	CULG	0000	0745	1	0000	0130	1						IS		
			CULG								0021.5	0022	1		IIIB		
			CULG									0035	0038			IIIN,W	
			CULG													IN,W	
			CULG	0314	0315	2										IIIG	
			CULG	0320	0320.5	2										IIIG	
	CULG	0516	0517	3										IIIG			
	CULG						0534	0608	1					IIIS			
	LEAR						0534.0	0536.2	2					III			
	WEIS						0739	1516	1					IIIN			
	WEIS						0917	1607	2					IN,DC			
	BLEN	0918.0	1545 D	2			0918.0	1545 D	2					I			
	BLEN	0921.7	0935.8	2			0921.7	0935.8	2					IIIGG			
	WEIS						0934.7	0937.5	2					DCIM,RS			
	BLEN	0934.8	0937.6	2			0934.8	0938.5	2				II				
	WEIS						0935.5	0944.2	2				II	HARM			
	LEAR						0935.6	0944.3	1				II				
	WEIS						0937.5	0936.0	2					IIIG			
	HARV						1342	1910	1					IN			
	WEIS						1541.8	1542.9	3					IIIG			
	HARV						1542		2	1542			1	IIIG,V			
	HARV						1626	1627	2					IIIG			
	HARV	1632	2356	1										INW			
	HARV						1747	1748	2	1748			2	IIIG,V			
P.ALE						1747.6	1748.0	1					III				
HARV						1805		2					IIIG				
HARV						1904	1905	2					IIIG				
HARV						1910	2000	2					I				
HARV						2000	2400	1					IN				
HARV						2032		2					IIIB				
CULG	2046	2400	1										IN				
24	0000	0745	CULG	0000	0745	1									IN		
			LEAR												III		
			CULG						0059.3	0100.4	1					IIIG,V	
			LEAR						0113	0115.5	3	0113	0115.5	2		IIIG,V	
			LEAR						0113.0	0115.1	2					III	
			LEAR						0121.3	0920.0	1					CONT	
	CULG						0129	0740						IIIN,W			
	LEAR						0133.4	0141.3	1					III			
	LEAR						0158.0	0158.3	1					III			
	CULG	0333.5	0336.5	1										DCIM			
	LEAR						0509.3	0510.7	3					III			
	CULG	0509.5	0510	3			0509.5	0511	3	0509.5	0510.5	2		IIIG,V			
	WEIS						0654	1618	2					IN			
	BLEN	0720 E	1550	1			0720 E	1550	1					I,N,DC			
	CULG						0722	0745						IN,W			
	WEIS	0813	1621				0804.9	0807.8	2					IIIG			
	BLEN	0806.3	0810.7	3			0807.2	0807.3	2					IIIGG			
	WEIS						0819.4	0819.6	1					IIIB			
WEIS						0856.8	0857.1	2					IIIG				

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

FEBRUARY 1982

DAY	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE	
				DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND				
	START UT	END UT		INT	START UT	END UT	INT	START UT	END UT	INT				
24	1343 2400	LEAR			0856.8	0859.3	2						V	
		BLEN	0927.2	0927.4	1								UNCL	
		WEIS				0937.8	0937.9	1					IIIB	
		WEIS				1123.2	1125.2	2					IIIG	
		WEIS				1139.4	1147.8	3					IIIGG	
		WEIS				1218.7	1219.0	1					IIIG	
		HARV	1352	2400	1								INW	
		HARV				1354	1750	1					I	
		HARV	1510		2								IIIG	
		HARV				1551	1554	2	1553			1	IIIG,V	
		WEIS				1551.3	1554.7	3					IIIGG	
		HARV				1630	2155	2					IIIN	
		HARV				1634	1635	2					IIIG,U	
		HARV				1648	1650	2					IIIGG	
		HARV				1750	1932	3					I	
	HARV	1914		1	1913	1914	2	1913	1914	1		IIIG		
	HARV				1917	1920	2	1917	1920	2		IIIGG,V		
	PALE				1917.0	1919.3	2					V		
	HARV				1932	2400	1					I		
	HARV				2022	2032	2	2022	2032	2		IIIGG		
	PALE				2022.8	2032.0	1					G		
	2045 2400	CULG	2045	2400	1								IS	
		CULG				2105	2130						IN,W	
		CULG				2155.5							IIIB,W	
		CULG							2200	2200.5	1		IIIB	
		HARV				2201	2202	2	2201	2202	1		IIIGG	
		CULG				2201.5	2202	1	2201.5	2202	2		IIIG	
		HARV	2304	2305	2	2304	2305	2					IIIG	
		CULG	2304.5	2305	2	2304.5	2305	1					IIIG	
		CULG				2313.5	2314	1					IIIG	
LEAR					2313.9	2314.1	1					III		
HARV					2314		2					IIIG		
25		0000 0745	CULG	0000	0405	1								IN
			LEAR				0053.0	0053.3	1					III
			CULG	0054.5	0055	2								IIIG,U
			LEAR				0056.6	0056.8	1					III
	CULG					0132	0738						IIIN,W	
	LEAR					0132.6	0132.8	1					III	
	LEAR					0137.4	0138.6	1					III	
	CULG					0153		3	0153			2	IIIB	
	LEAR					0153.0	0153.5	2					III	
	CULG					0200.5	0202.5	2					IIIG,V	
	LEAR					0200.7	0204.8	2					III	
	CULG		0204.5	0205	2	0204.5	0205	2					IIIG	
	CULG					0229.5	0230	1					IIIG	
	LEAR					0229.7	0230.2	2					III	
	LEAR					0309.0	0341.8	2					III	
	LEAR				0326.7	0327.1	1					III		
	LEAR				0339.0	0341.8	2					III		
	CULG	0339.5	0341	2	0339	0342	3	0340.5	0341	1		IIIG,V		
	CULG				0349	0352.5	1	0349	0352.5	1		IIIGG		
	LEAR				0349.2	0353.3	1					III		
	CULG	0357	0357.5	1	0357	0358	2					IIIG		
	LEAR				0357.0	0358.2	2					III		
	CULG	0405	0745	1								IS		
	CULG				0420	0608	1					IS,DC		
	LEAR				0421.8	0422.7	1					III		
	CULG				0516	0517	2					IIIB,V		
	LEAR				0516.1	0520.7	3					V		
	CULG	0517.5	0518	1	0517.5	0519.5	3	0517.5	0518	2		IIIG,V		
	CULG				0523	0525	2	0524	0524.5	1		IIIG		
	LEAR				0523.2	0525.4	2					V		
LEAR				0539.1	0542.6	2					III			
CULG	0539.5	0542	2	0539	0542	1					IIIGG			
CULG				0603	0745						IN,W			
CULG				0614	0701	1					IIIN			
LEAR				0646.8	0648.5	1					III			
0649 1622	WEIS				0652	1622	3					IS,DC		
	WEIS				0700	1617	2					IIIN		

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

FEBRUARY 1982

DAY	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE		
				DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND					
	START UT	END UT			START UT	END UT	INT	START UT	END UT	INT	START UT	END UT		INT	
26	0909 1623 0657 0905		LEAR				0514.3	0514.5	1				III		
			LEAR				0557.3	0557.5	1				III		
			LEAR				0605.2	0605.4	1				III		
			LEAR				0615.3	0633.4	2				G		
			CULG	0624.5	0625	2	0624.5	0626	2	0625	0625.5	2		IIIG	
			LEAR				0704.6	0711.4	1					III	
			WEIS				0704.9	0711.2	1					IIIGG	
			WEIS				0706	1501	2					IN,DC	
			WEIS				0805.5	0807.9	1					IIIGG	
			WEIS				0810.7	0810.8	1					IIIB	
			WEIS				0820.6	0821.3	1					IIIB	
			WEIS				0822.7	0824.7	2					IIIG	
	WEIS				0826.5	0826.7	1					IIIG			
	WEIS				0828.3	0828.6	1					IIIG			
	WEIS				0830.4	0831.3	1					IIIG			
	WEIS				0937.1	0937.4	1					IIIG			
	WEIS				1241.7	1242.1	2					IIIG			
	WEIS				1252.8	1252.9	1					IIIB			
	WEIS				1254.9	1255.0	1					IIIB			
	WEIS				1323.1	1323.3	2					IIIG			
	1345 2400			HARV				1351	1447	2			I		
				WEIS				1352.2	1352.3	1			IIIB		
				WEIS				1437.9	1438.2	2			IIIGG		
				HARV	1445	2307	1						INW		
				HARV				1448	2340	1			IN		
				WEIS				1515.9	1521.3	3			IIIGG		
				HARV	1516	1523	2	1516	1523	2			IIIGG		
				WEIS	1523.0	1523.1	1						IIIB		
				HARV	1609	1615	2	1610	1616	3	1612	1614	2	IIIGG,V	
				WEIS				1612.0	1614.9	3				IIIGG	
				SGMR				1612.8	1614.0	2				V	
				HARV				1638	1641	3				IIIGG	
				HARV				1719	2058	2				IIIN	
				HARV				2005		2				IIIG,U	
	2045 2400			HARV				2041	2042	2				IIIG	
				CULG				2045	2400	1				IS,C	
				CULG				2045	2316					IIIN,W	
				HARV	2122	2123	2	2122	2123	2				IIIG	
				CULG	2123	2300	1							DCIM,N	
				CULG	2123.5	2313	2							IIIN	
				HARV	2202	2012	2	2202	2012	2				IIIGG	
				CULG	2202	2203	2	2202.5		1				IIIG	
				CULG	2206	2207.5	2	2206	2207.5	1				IIIGG	
				HARV	2255	2300	2	2255	2300	2				IIIGG	
				HARV	2312	2313	2	2312	2313	2				IIIG	
				LEAR				2352.5	1037.0	1				CONT	
	27	0000 0740		CULG				0000	0740	1				IS	
				CULG				0041	0740					IIIN,W	
CULG				0154	0501.5	2								DCIM,N	
CULG				0206	0309	1	0206	0653	1					IIIN	
CULG							0253	0740	1					DC,N	
CULG							0315	0410	1					CONT	
CULG				0509	0510	3	0509	0510.5	3					IIIGG,U	
LEAR							0509.3	0510.8	2					III	
CULG				0518	0518.5	3								IIIG	
CULG							0525	0545	2						CONT
CULG				0526	0715	2									IN
CULG				0528	0605	3	0545	0740	1						CONT
0646 0900				WEIS				0647	1617	2				IS	
0911 1626				WEIS				0654	1611	2				IIIN	
				WEIS				0702.7	0703.9	2				IIIG	
				CULG				0703	0703.5	2				IIIG	
				CULG	0707		1	0707	0707.5	3				IIIG	
				LEAR				0707.2	0707.6	2				III	
				WEIS				0707.3	0708.3	3				IIIG	
				WEIS				0810.6	0812.6	3				IIIGG	
				WEIS				0835.5	0837.3	3				IIIGG	
				LEAR				0836.2	0837.1	2				III	
				WEIS				1309.4	1311.7	3				IIIGG	


SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

FEBRUARY 1982

DAY	TIMES OF OBSERVATION		STATION	EVENTS									SPECTRAL TYPE	
				DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND				
	START UT	END UT			START UT	END UT	INT	START UT	END UT	INT	START UT	END UT		INT
27	1345	2400	WEIS				1337.9	1339.3	3				IIIG	
			HARV	1355	2400	1								INW
			HARV				1357	1834	1					I
			HARV				1401	2138	2	1835	2138	2		IIIN
			HARV				1407	1432	2					IIIGG
			HARV				1453	1458	2					IIIGG
			WEIS				1453.2	1456.3	3					IIIGG
			HARV	1515		2	1515		2					IIIG
			HARV	1532	1535	2	1532	1535	2					IIIG
			WEIS				1532.1	1532.4	3					IIIG
			HARV	1552	1553	2	1543	1553	2					IIIGG
			WEIS				1552.3	1553.3	3					IIIG
			HARV	1605	1608	2	1605	1608	3					IIIGG
			WEIS				1605.3	1605.7	3					IIIG
			WEIS				1606.4	1608.3	1					IIIG
	HARV	1706	1709	2	1707	1709	2					IIIG		
	HARV				1715		2	1715			1	IIIG		
	HARV				1756		2	1756			2	IIIB		
	HARV				1834	2120	2					IC		
	HARV	1858	1901	2	1858	1901	2					IIIGG		
	PALE				1948.6	1949.0	1					III		
	HARV	2010	2011	2	2010	2011	2					IIIG		
	HARV	2023	2034	2	2023		1					IIIGG		
	CULG				2046	2337						IIIN,W		
	CULG	2046	2400		2046	2400						IS,W,C		
	HARV				2058	2100	2					IIIGG		
	CULG				2058	2058.5	2					DCIM		
	CULG				2059	2400						IN,W		
	CULG							2109	2138	1		IIIN		
	HARV							2120	2400	1		IN		
28	0000	0745	CULG				0000	0430					IS,W,C	
			LEAR				0024.5	1037.0	1				CONT	
			CULG				0025	0740	1				IIIN	
			CULG				0026	0745					IIIN,W	
			CULG	0122.5	0123	2							IN	
			CULG	0327	0328	1							DCIM	
			LEAR				0347.3	0349.5	2				V	
			PALE				0348.0	0348.3	1				III	
			LEAR				0437.0	0438.9	2				III	
			CULG				0503	0509	1				II	
			CULG				0507	0745					IS,W,C	
			CULG				0538.5	0539	2	0538.5	0539	1	IIIB	
			LEAR				0538.6	0539.2	2				III	
			WEIS	1135	1627		0645		1				IN	
			WEIS	0644	0945		0655	1624	2				IIIN	
	CULG				0706	0726	1				IIIS			
	WEIS				0738.3	0740.4	2				IIIG			
	LEAR				0825.4	0825.6	2				III			
	WEIS				0825.5	0825.8	3				IIIG			
	WEIS				0836.2	0838.4	3				IIIGG			
	WEIS				1150	1325	1				CONT			
	HARV	1345	2400		1358	2037	1				IN			
	HARV				1416	2237	2	1635	2009	2	IIIN			
	HARV				1418	2354	1				INW			
	HARV				1528	1529	1	1528	1529	2	IIIG			
	HARV				1635	1637	2	1635	1637	1	IIIG			
	HARV				1809	1812	2	1809	1812	2	IIIG			
	HARV				1916	1921	2	1917	1921	1	IIIG			
	HARV				2002	2009	2	2003	2009	2	IIIG			
	PALE				2006.7	2006.9	2				III			
HARV				2037	2400	2				IC				
CULG				2045	2400					IIIS,W				
CULG	2045	2400		2045	2400					IS,C				
CULG				2222.5	2223	1	2222.5	2223.5	1	IIIG				
CULG							2222.5	2223.5		IIIG,W				
LEAR				2253.0	1036.0	1				CONT				
CULG				2342.5	2343.5	1				IIIG				
HARV				2343		2				IIIG				

THULE NEUTRON MONITOR

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27



105%

100%

95%

JAN 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 1 2 3 FEB 1982

BARTELS ROTATION 2029

COSMIC RAY INDICES
(Neutron Monitors)

FEBRUARY 1982

Feb 1982	THULE Average (cts/h)/100	ALERT Average (cts/h)/100	DEEP RIVER Average (cts/h)/300	KIEL Average (cts/h)/100	CLIMAX Average (cts/h)/100	TOKYO Average (cts/h)/100	HUANCAYO Average (cts/h)/100
1	3875	6357.9	5994.5	5455.5		3477.0	
2	3862	6331.6	5948.1	5417.6		3458.1	
3	3833	6270.8	5926.1	5408.0		3444.2	
4	3869	6350.3	6981.3	5433.0		3468.1	
5	3842	6308.9	5947.5	5414.4		3470.5	
6	3879	6342.2	6020.8	5449.1		3487.0	
7	3967	6500.2	6130.8	5563.6		3522.3	
8	3990	6548.3	6185.4	5614.1		3530.0	
9	4045	6630.2	6214.9	5627.2		3542.2	
10	4036	6612.8	6242.7	5614.4		3597.6	
11	4051	6618.5	6251.8	5650.9		3548.2	
12	3894	6367.3	6016.8	5418.6		3492.6	
13	3921	6408.4	6072.6	5486.6		3501.5	
14	3989	6512.4	6135.4	5566.0		3531.6	
15	3992	6513.4	6123.1	5575.4		3532.1	
16	4022	6580.4	6167.3	5614.4		3527.5	
17	4043	6622.5	6226.5	5647.6		3530.8	
18	4030	6599.3	6208.1	5621.7		3524.3	
19	4023	6598.6	6173.7	5641.3		3526.1	
20	3988	6554.1	6180.1	5627.5		3528.6	
21	4021	6597.9	6192.7	5641.1		3531.2	
22	4010	6564.0	6194.5	5641.1		3538.6	
23	4022	6575.8	6191.1	5660.2		3550.3	
24	4051	6627.8	6254.4	5686.5		3557.4	
25	4064	6678.0	6298.7	5731.1		3565.8	
26	4070	6708.3	6322.2	5729.1		3566.6	
27	4076	6715.5	6329.9	5732.6		3565.3	
28	4098	6743.0	6346.1	5738.9		3565.7	
MEAN	3984	6530.0	6152.8	5586.0		3522.6	

Data not available at time of publication.

Data not available at time of publication.

For less than 24-hour coverage, parentheses enclose the number of hours for which data are available. For Climax and Huancayo, parentheses enclose the number of section hours whenever the sum of both sections falls below 40 hours.

GEOMAGNETIC ACTIVITY INDICES

FEBRUARY 1982

Day	Three-Hourly Indices Kp								Ap	Cp	Three-Hourly Indices Km								Am	aa					
	1	2	3	4	5	6	7	8			Sum	1	2	3	4	5	6	7		8	N	S	M		
1		2	3	2+	5	6	5-	6	5	34	41	1.5	2	2+	2-	5-	6-	4+	6-	5	69	59	62	34	87
2	D1	5	6	7	6	6-	5	3-	3-	40	60	1.7	4+	5	6	6-	5+	4+	3-	3-	86	69	105	121	53
3		4-	5-	5	4+	5-	4+	4	5-	35+	35	1.4	4+	4+	5-	4	4+	4-	4	4	61	48	83	65	67
4	D4	5+	5+	5-	5	5+	4+	5-	6-	40+	49	1.6	5-	4	4-	4+	5	4	5-	5	71	74	72	58	88
5		6	6	3	4-	3	5-	3+	4	34-	37	1.4	5	5-	3	3+	3	5-	4-	4-	55	54	66	66	54
6		3+	4	5	5-	4-	5+	5+	5	36+	39	1.4	3	4-	5-	4	4-	5+	5	5-	67	61	70	61	69
7	Q9A	5+	5	4-	4-	2	3-	3+	4	30-	26	1.2	4+	4-	3	3	2	3-	3	3+	36	44	44	52	37
8	Q6A	4	3+	2+	4-	3-	3-	4	3+	26	18	1.0	3+	3-	2+	4-	3-	3	4+	3	34	27	59	46	41
9	Q4A	4-	4-	3	3	3+	2+	2+	3-	24	15	0.9	3	3	2+	3	3	2	2	3-	24	20	32	33	20
10		3	3	2+	5+	5+	6-	4+	4+	33+	35	1.4	2+	2	2	5-	5+	5+	4	4	56	57	53	31	79
11	D5	4+	5+	4	3	5	6-	4+	6	38-	45	1.5	4-	4+	3+	3-	5-	5	4+	6-	68	69	59	43	85
12		6	4-	2-	4+	5+	3+	5+	5+	35	41	1.5	6-	3+	1+	4-	4	4-	5	5-	62	75	68	61	82
13	D2	5+	4+	5	5-	5	5+	6+	4+	41+	54	1.6	4	4-	4	5-	5-	5+	5	5+	80	73	75	55	93
14		4	6-	6-	4	4+	4	5+	4+	37+	42	1.5	3+	4+	4+	4-	4+	4	5-	4	60	52	51	48	55
15	Q5A	4-	3+	4+	4	4	3	1-	1-	24-	18	1.0	3+	3	3+	3+	4+	3	1	0+	30	24	36	37	24
16		2-	2+	1	2	2+	2-	2-	1-	13+	6	0.3	1+	2-	1	1	3-	2-	2-	0+	11	12	11	10	13 C
17		0+	2+	4	5	5-	5-	5-	5-	30+	30	1.3	0	2+	4	5-	5-	4+	5-	4+	57	50	48	34	64
18		4-	4	5	4-	4+	4-	5-	5+	34+	34	1.3	3	3+	4	3-	4	3	4	5-	46	59	48	47	60
19		4+	6-	5	4-	5-	4	4+	4+	35+	36	1.4	4-	5-	4+	3	4+	4	4	3+	53	57	42	50	50
20	Q0A	3+	3	5	4-	4-	3	4	5-	31-	26	1.2	3	3-	3+	3+	4-	3	4-	4-	37	45	37	36	46
21	Q7A	3	2-	3-	5+	5-	2	3+	3+	26	21	1.1	3-	1+	3-	4	4	2	3+	4-	32	35	35	33	37
22	D3	3+	5-	3-	4	5+	5	7-	6+	38	51	1.6	3+	4-	3-	4-	5	5	6	5+	75	83	66	45	105
23		6	3	2	3+	3	5-	4	4+	30+	29	1.3	5+	2+	2	3-	3	4+	4	4-	46	41	44	37	48
24	Q8A	5	4+	3+	3	4-	3-	2+	5-	29	24	1.2	4-	3+	3	3-	4-	2+	2+	4+	36	36	33	36	33
25		4+	6+	5+	5	5-	4-	4+	3-	36+	42	1.5	4-	5-	5-	4+	4-	3+	4	2+	55	60	56	70	46
26		4+	6-	5	5	3+	3	5	6-	37	43	1.5	4	5-	4+	4	3	3	4+	5-	57	68	44	65	46
27	Q2A	3	3-	2+	4-	3	2	2	2+	21	12	0.7	2+	2	2-	3-	2+	2+	2+	2+	18	24	18	22	19
28	Q3A	2	1-	2-	2	2-	3-	4+	2	17	10	0.6	2-	1	1	2-	2	2+	4-	2	16	21	16	11	26
Mean										33	1.27									49.9	49.9	51.2	50.6		

Day	Three-Hourly Indices Kn								An	Three-Hourly Indices Ks								As
	1	2	3	4	5	6	7	8		1	2	3	4	5	6	7	8	
1	2	2+	2-	4+	5+	4	6-	5-	62	2	2	2-	5	6	5-	6-	5	76
2	4	5-	6	6	6-	5-	3-	2+	86	5-	5+	6	6-	5	4	3-	3-	86
3	4-	4	4	4-	5-	4	4-	4+	55	5	5-	5	5-	4+	3+	4+	4-	67
4	5-	4	4-	4	5-	4	4+	4+	65	5-	4	4-	4	5	4	5	5+	77
5	5	5-	3-	3	3-	5-	4-	4-	52	5+	5-	4-	3+	3	5-	4-	4-	58
6	3	3	4+	4	4-	5	5-	4+	59	3+	4	5	4	4-	6-	5	5	74
7	4+	4-	3	3	2+	3	3	3+	36	5-	4-	3	3	2-	3-	3+	4-	36
8	3	3-	2	3+	3-	3+	4+	3-	33	4-	2+	3-	4-	3-	3	4+	4-	36
9	3-	3	2	3	3-	2	2	3-	21	3	3+	3-	3	3+	2	2	3-	27
10	2+	2-	2-	5-	5	5	4	4-	51	2	2	2	4+	5+	6-	4	4+	60
11	3+	4	3	3-	5-	5	4	5+	59	4	5-	4-	3	5	5	5-	6-	76
12	5	3	1+	4-	4	3+	5+	5-	56	6	3+	1+	4	4+	4	5-	5	69
13	4+	3+	4	4+	5-	5	5	5	73	4-	4	4	5-	5	6-	5	6-	88
14	3+	5-	4+	4	4	4	5-	4-	58	3+	4	4+	4	5-	4-	5-	4+	61
15	3	3-	3+	3+	4+	3+	1+	0+	31	4-	3+	3	4-	4	2+	1-	0+	30
16	1+	2-	1	1	2+	2	2-	0+	11	2-	2-	1	1+	3	2-	2-	0+	12
17	0	2-	4	5-	5	4+	5-	4+	57	0	3-	4	5-	5-	4+	5-	5-	56
18	3	3+	4	3-	4+	3	4	5-	48	3+	4	4-	3-	4-	3-	4	5-	44
19	4-	5-	4-	3	5-	4-	4	3+	51	4	5-	5-	3	4+	4-	4	3+	55
20	3	3	4-	4-	4-	3+	4	4-	41	3	2+	3	3	3	3	3+	4-	33
21	3-	1	3-	4	4+	2	3+	3+	33	3	1+	3-	4-	4-	2	3	4-	30
22	3-	4-	2+	4	5	5-	6	5	69	4-	4-	3	4-	5	5	6	6-	82
23	5	2+	2-	3-	3	4	4	4-	41	6-	2+	2+	2+	3-	5-	4+	4-	50
24	4	4-	3	3-	4	2+	3	4-	37	4-	3+	3	2+	4-	2	2+	5	35
25	3+	5	4+	4	4-	3+	4+	2+	53	4	5-	5	4	4-	3+	4	2+	56
26	4-	5-	5-	4	3	3	4+	5	57	4	5-	4	4	3	3-	5-	5-	57
27	2+	2	2-	3	3-	2+	2+	2+	19	2+	2+	2	3-	2+	2+	2+	2+	18
28	2-	1	1	2	2	3-	4-	2+	18	2-	1	1	1+	2	2-	3+	2	14
Mean									47.6									52.3

ERRATA:

Conversion in 1979 to a new computer with a different word size caused values of indices aa to be truncated if they exceeded 99; the machine read and printed only the two least significant digits. Correct values of the affected indices are listed below. Both half-daily values are given, too, to make clear which of the two entries should be corrected.

Date	N	S	M
21 Feb 1979			66 102
10 Mar			54 101
25 Apr	109		27 148
26 Apr			103 15
13 Aug			53 108
20 Aug			33 100
29 Aug			59 111
18 Sep			100 63
25 Jul 1980			13 100
19 Dec	118	123	63 178
06 Feb 1981			24 116

NOTE:

aa indices are provisional from 1 January 1981 until further notice, in connection with the change of the Southern Hemisphere observatory.

Quiet days (Q) and disturbed days (D), geomagnetic planetary three-hour-range indices (Kp) (integers alone are equivalent to those normally given with a small zero), magnetic character figures (Cp), and average amplitude (Ap) (unit 2 nT) prepared by Geophysikalisches Institut at the University of Göttingen, F.R. of Germany for the International Service of Geomagnetic Indices. Ten most quiet days [Q1-Q0(10)] and five most disturbed days [D1-D5] are ordered from most quiet or disturbed, respectively. A or K means "not really quiet" (A = "Ap>6", K = "Ap≤6 but one Kp>30 or two Kp values>3-"). An asterisk means "not really disturbed" (Ap<20).
Geomagnetic three-hourly indices Km, Kn, Ks, daily mean values Am, An, As (unit 1nT), and indices aa are prepared by M. Menvielle of the Institut de Physique du Globe, Paris, France. For aa indices daily north (N) and south (S) values, and half-daily antipodal mean (M) values are given. Quiet 24-hour and 48-hour intervals centered on 1200 UT are indicated for really quiet as C and for quiet but with some slightly disturbed three-hour intervals as X. The first hundred years series of aa is in IAGA Bulletin No.33, and complementary data are in IAGA Bulletin No.39.


DAILY AVERAGE INDICES Ap

DAY	1982											
	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB
1	28	23	16	7	17	18	5	9	7	6	9	41
2	25	10	7	7	22	15	18	22	5	9	9	60
3	8	14	5	16	9	18	9	36	8	8	20	35
4	12	11	4	5	9	11	11	17	6	10	12	49
5	81	4	4	6	12	15	17	7	11	9	4	37
6	11	10	5	14	19	14	8	6	9	4	10	39
7	20	9	5	50	14	10	5	32	19	3	12	26
8	10	11	11	16	8	4	10	25	27	15	9	18
9	4	8	39	4	6	7	11	21	4	10	4	15
10	8	8	32	4	4	16	9	27	13	9	4	35
11	7	39	61	6	13	15	21	46	31	6	5	45
12	11	96	13	4	20	9	10	12	39	23	2	41
13	28	121	10	5	9	9	12	17	5	12	4	54
14	45	27	18	4	7	8	10	73	27	6	3	42
15	19	8	54	11	4	13	10	20	20	6	12	18
16	14	13	59	21	8	8	7	8	17	4	17	6
17	18	19	13	10	29	25	4	18	32	7	10	30
18	19	14	57	10	10	23	18	6	26	14	13	34
19	10	45	18	10	9	10	38	23	14	10	3	36
20	9	53	43	10	12	8	9	67	13	6	6	26
21	8	41	12	7	6	14	7	33	15	6	14	21
22	4	33	6	5	24	13	13	72	11	3	27	51
23	4	31	19	5	37	56	4	27	20	6	22	29
24	4	22	18	13	13	28	7	18	9	10	21	24
25	36	19	33	15	134	16	13	18	27	8	9	42
26	28	62	8	14	78	8	32	10	9	6	7	43
27	14	43	6	10	24	25	21	10	4	6	13	12
28	12	13	12	9	8	18	6	19	6	12	17	10
29	18	19	6	33	5	18	14	12	4	32	11	
30	16	7	6	14	9	17	15	12	1	30	27	
31	26		8		12	15		4		18	34	
MEAN	18	23	20	12	19	15	12	23	15	10	12	33

1981

1982

GEOMAGNETIC ACTIVITY INDICES



PRINCIPAL MAGNETIC STORMS

FEBRUARY 1982

OBS. 3 letter code	GEOMAG- NETIC LATI- TUDE	COMMENCEMENT		SC - AMPLITUDES			MAXIMUM 3 HOUR - INDEX K		RANGES			UT END	
		hr min	TYPE	D(')	H(γ)	Z(γ)	DAY (3 HOUR PERIOD)	K	D(')	H(γ)	Z(γ)	DAY	HOUR
		DAY (UT)											
SIT	60.0N	01 09--	02(5)	8	--	--	--	07	12	
NEW	55.1N	01 1100	SC	5	9	..	02(3,4)	7	70	1132	560	--	--
WIT	54.2N	01 1101	SC*	- 2	30	0	01(5,7) 02(3,5)	6	30	190	120	02	17
HON	21.1N	01 1100	SC	..	14	5	02(2,3,4)	5	6	194	45	02	20
JAI	17.3N	01 1100	SC	- 0.5	29	- 6		-	6	165	51	05	10
SHL	14.7N	01 1100	SC	0.2	27	4		-	6	180	42	05	10
UJJ	13.5N	01 1100	SC	- 0.2	34	- 8		-	7	163	54	05	10
ABG	09.5N	01 1100	SC	- 0.5	27	5	01(5) 02(3,4,5)	6	5	149	59	05	10
HYB	07.6N	01 1100	SC	- 0.2	31	- 2	01(5,7) 02(3,4,5)	6	5	168	33	02	21
ANN	01.5N	01 1100	SC	- 1.1	35	19		-	8	211	85	05	10
TRD	01.1S	01 1100	SC	0.2	34	45		-	5	273	214	05	10
PMG	18.6S	01 0859	SC	0.4	39	30	02(4)	7	14	200	120	03	00
HER	33.7S	01 1059	SC	5	32	34	01(5,7) 02(4)	6	47	165	201	02	23
GNA	43.2S	01 1059	SC*	- 3.2*	39	-23	02(3,4) 03(1) 04(5)	6	26	190	160	07	12
KGL	56.5S	01 1101	SC	6	58	12	01(5,7,8) 02(4)	7	--	--	--	02	19
NEW	55.1N	03 0131	SC	5	54	3	05(2)	6	42	191	339	--	--
WIT	54.2N	03 01--	05(1)	6	41	155	75	05	06
HON	21.1N	03 0128	SC	1	33	16	03(3) 04(5)	5	9	137	48	05	14
HYB	07.6N	03 0128	SC	- 1.2	29	- 4	03(2,3,5) 04(6,7)	5	6	170	41	05	10
PMG	18.6S	03 0128	SC	0.8	66	55	03(1,2,5,8) 04(5)	5	12	180	120	07	06
HER	33.7S	03 0127	SC	5	23	24	05(6)	5	27	125	89	05	11
KGL	56.5S	03 0128	SC	4	43	-17	03(3) 04(1) 05(1)	8	--	--	--	07	09
NEW	55.1N	05 1611	SC	9	18	6	06(3)	6	37	126	176	10	05
HON	21.1N	05 1616	SC	..	11	5	05(6)	4	5	87	40	07	12
JAI	17.3N	05 1612	SC	- 0.8	23	- 6		-	4	147	34	07	18
SHL	14.7N	05 1612	SC	0.0	21	5		-	4	143	48	07	18
UJJ	13.5N	05 1612	SC	- 0.4	27	- 5		-	4	156	33	07	18
ABG	09.5N	05 1612	SC	- 0.6	21	5	06(5,6,8)	5	5	164	31	07	18
HYB	07.6N	05 1611	SC	- 0.3	23	- 1	06(6)	6	4	188	21	07	06
ANN	01.5N	05 1612	SC	- 1.1	26	16		-	5	220	76	07	18
TRD	01.1S	05 1612	SC	..	25	32		-	--	--	--	07	18
HER	33.7S	05 1612	SC	1	18	10	06(6,7)	5	28	112	117	07	12
KGL	56.5S	05 1612	SC	3	32	17	06(6)	8	--	--	--	07	09
WIT	54.2N	06 16--	06(7)	7	26	215	80	07	06
KGL	56.5S	06 1751	SC	-26	18.0	80	06(6)	8	--	--	--	07	09
HYB	07.6N	08 0800	08(7)	4	3	116	19	09	22
COL	64.6N	10 09--	10(5) 11(6) 12(4)	7	376	1590	110	15	19
SIT	60.0N	10 1106	SC	-17	-37.3	-23.7	13(4,6)	7	--	--	--	15	17
NEW	55.1N	10 09--	11(5)	6	44	200	287	15	20
FRD	49.6N	10 09--	10(5)	6	36	155	98	15	15
HON	21.1N	10 1106	SC	..	11	5	10(5) 14(2)	4	7	84	17	11	12
JAI	17.3N	10 0800	10(5,6) 11(2,5,6)	-	4	251	25	11	00
SHL	14.7N	10 0800		-	4	224	41	11	00
UJJ	13.5N	10 0800		-	3	255	16	11	00
ABG	09.5N	10 0800		-	5	257	34	11	00
HYB	07.6N	10 0700	10(4,5)	6	4	284	34	11	10
ANN	01.5N	10 0800	10(6)	7	2	271	62	11	00
TRD	01.1S	10 0800		-	2	267	117	11	00
PMG	18.6S	10 10--		-	9	130	90	11	00
GNA	43.2S	10 09--	10(4,5,6)	5	32	160	180	15	18
KGL	56.5S	10 1228	SC	8	42	11	12(11) 13(6) 14(5)	6	--	--	--	11	09
WIT	54.2N	11 1313	SC*	- 2	30	* 0	11(8) 12(1)	6	45	205	150	12	03
HON	21.1N	11 1312	SC	..	3	2	11(8) 13(4)	5	9	173	32	15	16
JAI	17.3N	11 1312	SC	- 0.5	20	- 4		-	7	135	35	13	23
SHL	14.7N	11 1312	SC	0.1	18	3		-	7	140	35	13	23
UJJ	13.5N	11 1312	SC	- 0.2	23	- 5		-	5	137	36	13	23
ABG	09.5N	11 1312	SC	- 0.5	18	3	13(6,7)	6	6	130	36	13	23
HYB	07.6N	11 1313	SC	- 0.2	21	- 1	13(6,7)	6	5	149	24	13	23
ANN	01.5N	11 1312	SC	- 0.8	26	12		-	6	178	81	13	23
TRD	01.1S	11 1312	SC	0.2	21	27		-	5	109	122	13	23
PMG	18.6S	11 1312	SC	0.2	22	18		-	14	140	80	15	18
HER	33.7S	11 03--	12(1)	5	49	130	148	15	04
KGL	56.5S	11 1312	SC	30	26	17	11(6,8) 12(1,8)	8	--	--	--	12	05
							13(8) 14(7)						
							11(8) 12(1)						

PRINCIPAL MAGNETIC STORMS

FEBRUARY 1982

OBS. 3 letter code	GEO-MAG- NETIC LATI- TUDE	COMMENCEMENT			SC - AMPLITUDES			MAXIMUM 3 HOUR - INDEX K		RANGES			UT END	
		DAY	hr min (UT)	TYPE	D(')	H(γ)	Z(γ)	DAY (3 HOUR PERIOD)	K	D(')	H(γ)	Z(γ)	DAY	HOURL
WIT	54.2N	12	0940	13(8)	7	51	285	125	14	24
JAI	17.3N	14	0312		-	4	75	13	15	00
SHL	14.7N	14	0312		-	3	88	32	15	00
UJJ	13.5N	14	0312		-	3	78	17	15	00
ABG	09.5N	14	0312	14(7)	5	3	81	24	15	00
HYB	07.6N	14	0300	14(7) 15(5)	5	3	119	26	15	18
ANN	01.5N	14	0312		-	4	121	48	15	00
TRD	01.1S	14	0312		-	3	134	106	15	00
HER	33.7S	17	04--	17(4) 18(8)	5	30	140	105	19	14
FRD	49.6N	17	06--	17(4,5) 18(8) 19(2) 21(4,5) 22(5,7,8) 23(1) 24(1,8)	5	28	180	99	27	XX
NEW	55.1N	17	03--	17(4,5,6) 18(3)	5	40	130	150	21	04
COL	64.6N	17	06--	18(3)	7	204	1270	950	21	03
SIT	60.0N	17	06--	17(4)	7	--	580	400	21	00
WIT	54.2N	17	07--	19(2) 18(7)	6	35	195	80	19	09
HYB	07.6N	17	0300	25(2,3) 26(2,8)	6	4	202	41	20	23
PMG	18.6S	17	03--	17(6) 17(3,4,5) 19(5)	5	12	140	80	20	15
COL	64.6N	21	17--	22(5,7) 25(3)	7	298	1810	190	27	05
NEW	55.1N	21	0727	SC	2	15	..	25(2)	7	59	209	280	28	04
WIT	54.2N	21	2019	SC*	- 1	17	* 0	22(7)	7	50	265	110	23	03
JAI	17.3N	21	0726	SC	- 0.2	12	- 3		-	5	164	33	23	03
SHL	14.7N	21	0726	SC	- 0.1	11	3		-	4	141	35	23	03
UJJ	13.5N	21	0726	SC	- 0.1	15	- 3		-	4	174	32	23	03
ABG	09.5N	21	0726	SC	- 0.1	12	3		6	5	189	32	23	03
HYB	07.6N	21	0727	SC	- 0.1	14	- 2	21(4) 22(5,7)	5	3	137	18	21	22
ANN	01.5N	21	0726	SC	- 0.6	27	7	21(4,5)	-	3	226	70	23	03
TRD	01.1S	21	0726	SC	0.1	32	33		-	2	255	103	23	03
PMG	18.6S	21	0727	..	0.2	14	12	22(6)	5	11	120	60	23	07
SIT	60.0N	22	02--	22(5)	7	--	--	690	27	04
HYB	07.6N	22	0200	22(5,7)	6	3	160	31	23	23
HER	33.7S	22	09--	22(7)	6	28	132	76	23	03
KGL	56.5S	22	0941	SC	3	21	11	22(6,7) 23(1)	8	--	--	--	23	07
JAI	17.3N	24	1000		-	7	109	43	27	02
SHL	14.7N	24	1000		-	6	118	47	27	02
UJJ	13.5N	24	1000		-	5	119	35	27	02
ABG	09.5N	24	1000	25(3) 26(3,4,8)	5	5	111	29	27	02
HYB	07.6N	24	0500	25(3,4)	5	3	126	20	25	22
ANN	01.5N	24	1000		-	6	189	65	27	02
TRD	01.1S	24	1000		-	5	--	124	27	02
HER	33.7S	24	22--	25(4) 26(2,8)	5	40	101	100	26	24
WIT	54.2N	26	01--	26(7,8)	6	38	155	50	27	01
HYB	07.6N	26	0200	26(4)	5	4	125	30	27	11

REPORTS WERE RECEIVED FROM THE FOLLOWING OBSERVATORIES:

ALIBAG	ANNAMALAINAGAR	COLLEGE	FREDERICKSBURG	GNANGARA	GUAM	HERMANUS	HONOLULU	HYDERABAD
JAIPUR	KERGUELEN	NEWPORT	PORT MORESBY	SHILLONG	SITKA	TRIVANDRUM	UJJAIN	WITTEVEEN

SUDDEN COMMENCEMENTS AND SOLAR FLARE EFFECTS

157
Feb 82

FEBRUARY 1982

PRELIMINARY REPORT ON RAPID VARIATIONS



Sudden Commencements (ssc)

Solar Flare Effects (sfe)

1	11 00	A: SOD NUR WNG DOU COI TOL LNP BNG GNA; B: HAD CLF AQU EBR KAK HTY KNY CZT DUM; C: NGK KGL	<u>1 00 32 - 00 55</u>	MMB KAK HTY KNY
			<u>2 10 30 -</u>	WNG
			<u>5 09 06 - 09 35</u>	WNG
3	01 29	A: COI BNG; B: KAK HTY KNY LNP AMS; C: TOL CZT KGL	<u>6 07 36 -</u>	BNG
			<u>6 23 51 - 23 55</u>	LNP
			<u>7 09 38 - 09 58</u>	NGK CLF TOL BNG
5	16 11	A: WNG DOU COI; B: HAD CLF AQU EBR TOL LNP BNG AMS CZT KGL DUM	<u>7 16 56 -</u>	BNG
			<u>8 02 40 - 02 50</u>	KAK LNP
11	13 13	A: BNG; B: WNG AQU TOL AMS; C: HAD CLF EBR CZT KGL	<u>8 10 00 -</u>	BNG
			<u>9 03 37 - 03 52</u>	KAK
			<u>9 04 07 - 04 37</u>	KAK HTY
21	07 27	B: SOD WNG DOU BNG GNA; C: HAD CLF MMB EBR TOL KAK KNY LNP	<u>9 04 37 - 04 58</u>	HTY
			<u>10 00 54 - 01 15</u>	KAK HTY KNY
			10 10 00 -	BNG
			11 00 46 - 00 48	LNP
			14 03 39 - 03 42	LNP
			17 08 24 - 08 26	LNP
			17 08 48 -	BNG
			22 09 19 -	BNG
			23 03 18 - 03 50	HTY
			23 11 02 -	BNG
			24 11 59 -	BNG
			25 10 24 -	BNG
			27 08 38 - 08 40	LNP
			<u>28 04 50 - 05 13</u>	MMB KAK KNY LNP


TRANSMISSION FREQUENCY RANGES -- NORTH ATLANTIC PATH

FEBRUARY 1982



TRANSMISSION FREQUENCY RANGES -- NORTH ATLANTIC PATH

FEBRUARY 1982



Field strengths from five frequencies, 6.4, 8.6, 13.0, 17.0 and 22.5 MHz, observed on a Norddeich-New York circuit are represented above. Heavy solid lines represent field strengths > -12 dB above $1 \mu\text{V/m}$ (transmitter power reduced to 1 kW). Observed field strengths between -12 dB above $1 \mu\text{V/m}$ and -40 dB above $1 \mu\text{V/m}$ are represented by the fine line.

RADIO PROPAGATION QUALITY INDICES

FEBRUARY 1982

DAY	TOKYO	NEW YORK	TEHERAN	OSLO	BRACKNELL
1	6.4	3.8	6.0	6.4	6.9
2	4.3	4.3	5.4	6.7	4.1
3	5.5	4.2	3.7	8.0	7.7
4	5.5	3.7	2.8	6.5	6.6
5	5.8	5.4	4.1	7.6	5.0
6	6.1	4.8	3.8	8.1	6.8
7	6.0	5.5	4.2	8.7	6.7
8	6.3	5.2	5.6	7.6	8.3
9	5.5	5.6	5.9	8.0	5.7
10	6.7	4.7	6.2	7.8	7.9
11	6.2	5.7	6.3	5.7	6.6
12	5.5	5.0	4.6	4.7	3.0
13	4.8	2.4	5.9	3.7	2.5
14	5.1	3.6	5.9	4.7	4.0
15	4.4	5.3	6.7	7.0	6.9
16	5.8	5.9	6.5	7.0	7.8
17	6.4	6.1	9.8	5.9	9.6
18	5.3	4.8	9.0	4.9	4.9
19	4.8	5.5	8.2	5.2	5.4
20	5.3	4.7	5.4	4.2	5.2
21	C	C	C	C	C
22	5.0	4.6	8.7	5.3	5.2
23	6.0	4.5	8.4	3.6	3.2
24	6.0	6.2	8.1	3.3	3.7
25	6.6	4.7	8.3	2.3	0.9
26	6.3	6.8	7.9	6.5	5.1
27	6.9	7.9	5.1	8.1	7.1
28	8.4	7.4	7.8	8.2	8.6
MEAN	5.8	5.1	6.3	6.2	5.8

CALCULATION OF QUALITY INDICES (Q)

From all 24 hourly field strength values and from all frequencies of the same circuit a median field strength value is calculated (FD). This daily value is compared with the average value (FA) of the preceding 27 days (1 sun rotation).

$$Q = 6.0 + 20 \log(FD/FA)/3.0$$

The quality indices vary from 0.0 to 9.9 where 6.0 is normal. Conditions are "normal" (index = 6.0), if they correspond to the average of the preceding 27 days.

Scale for Quality Indices

- 0.0 - 1.0 = very poor
- 1.1 - 3.0 = poor
- 3.1 - 5.0 = fair
- 5.1 - 7.0 = normal
- 7.1 - 9.0 = good
- 9.1 - 9.9 = very good

LATE DATA


Contents

	Page
<u>Solar Radio Emission</u> January 1982	162
169 MHz Solar Interferometric Chart - Nancay	
<u>Spacecraft Observations</u> January 1982	163
Pioneer XII Magnetic Field Magnitudes	
<u>Geomagnetic Indices</u> January 1982	
Chart of Dst by Bartels 27-day Rotation	164
Hourly Equatorial Dst Values (Provisional)	165

162
Late
Jan 82

SOLAR RADIO EMISSION INTERFEROMETRIC OBSERVATION

FEBRUARY 1982



PIONEER XII (VENUS ORBITER)
Interplanetary Magnetic Field Magnitudes
JANUARY 1982


163
Late
Jan 82

DAY	TIME	BMAG
1	13:47:40	10.89
2	13:47:50	9.21
3	13:47:50	11.06
4	13:48:20	10.91
5	13:47:40	9.05
6	13:48:00	11.82
7	13:48:10	5.40
8	13:47:50	7.91
9	13:46:50	11.20
10	13:46:40	8.91
11	13:46:10	6.79
12	13:45:50	10.00
13	13:46:10	12.25
14	13:46:00	13.11
15	13:45:10	10.46
16	13:44:50	12.51
17	13:44:40	11.39
18	13:45:10	5.30
19	13:45:50	7.91
20		---
21	13:44:50	9.79
22	13:44:40	14.83
23	13:44:30	11.15
24	13:44:30	7.89
25	13:45:10	11.63
26	13:44:40	12.10
27	13:45:00	16.05
28	13:44:30	7.76
29	13:44:30	13.98
30	13:44:10	16.54
31	13:44:50	17.33

GEOMAGNETIC ACTIVITY INDICES

Hourly Equatorial Dst

by Bartels Rotation



ROTATION 2029

Note: Both the sensitivity indicator placed on the last day of the month and the zero reference level change from month to month.

HOURLY EQUATORIAL DST VALUES (PROVISIONAL)


NASA/GODDARD SPACE FLIGHT CENTER

JANUARY 1982

(Time-UT)

DAY	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
1	-27	-31	-32	-31	-32	-29	-27	-25	-24	-22	-23	-28	-33	-32	-31	-27	-26	-32	-30	-28	-28	-23	-22	-22
2	-23	-24	-23	-24	-24	-20	-13	-12	-10	-9	-12	-17	-20	-26	-33	-35	-36	-44	-40	-44	-48	-49	-49	-50
3	-50	-51	-46	-40	-40	-41	-36	-32	-28	-23	-27	-32	-34	-33	-30	-24	-22	-23	-16	-23	-29	-35	-41	-39
4	-44	-48	-50	-47	-42	-37	-32	-29	-29	-28	-29	-32	-30	-31	-33	-30	-32	-31	-29	-28	-26	-35	-24	-24
5	-21	-20	-21	-22	-23	-25	-23	-16	-11	-9	-10	-13	-13	-14	-13	-13	-13	-15	-16	-14	-11	-8	-11	-10
6	-3	-3	-4	2	-3	-9	-17	-17	-20	-19	-18	-23	-31	-26	-23	-21	-13	-9	-9	-3	-3	-12	-13	-14
7	-16	-19	-14	-12	-11	-7	-7	-19	-21	-10	-5	-7	-10	-15	-12	-17	-17	-20	-18	-21	-23	-20	-18	-18
8	-19	-20	-22	-22	-18	-15	-18	-22	-19	-13	-11	-17	-17	-16	-17	-17	-15	-18	-21	-24	-20	-17	-18	-16
9	-18	-20	-18	-16	-19	-19	-17	-17	-15	-12	-10	-13	-13	-13	-14	-15	-15	-16	-13	-13	-11	-7	-4	-1
10	1	2	1	-1	-3	-1	1	4	7	8	5	4	3	2	1	3	5	2	4	2	-3	-3	-4	-1
11	4	3	-1	0	-2	-1	0	-2	-1	-2	-4	-6	-5	-2	0	0	-1	-4	-2	-6	-6	-4	-4	-1
12	1	2	1	0	-2	-4	-4	-2	-2	-7	-10	-11	-10	-9	-7	-2	1	1	0	-2	-1	2	1	2
13	5	5	6	9	15	16	17	21	16	17	20	19	19	16	14	9	7	9	9	7	7	5	8	10
14	12	12	13	15	15	15	13	11	14	13	13	19	18	19	20	22	22	24	22	23	25	21	20	17
15	15	14	11	3	1	9	6	-3	-1	1	4	-1	-5	-10	-11	-10	-10	-6	-11	-17	-14	-13	-7	-5
16	-10	-9	-5	-3	-9	-10	-6	-8	-8	-14	-19	-18	-17	-17	-25	-34	-35	-26	-26	-29	-32	-27	-25	-27
17	-29	-26	-20	-19	-18	-16	-14	-13	-12	-17	-25	-33	-29	-26	-30	-25	-25	-26	-23	-20	-16	-17	-22	-20
18	-21	-21	-20	-17	-14	-12	-10	-11	-8	-6	-8	-12	-12	-12	-15	-22	-18	-14	-17	-28	-35	-32	-36	-41
19	-40	-36	-35	-30	-30	-32	-31	-31	-29	-25	-23	-24	-22	-19	-17	-16	-17	-17	-16	-15	-14	-12	-11	-7
20	-13	-12	-12	-10	-13	-13	-6	-3	0	-4	-6	-10	-12	-10	-7	-7	-7	-8	-12	-11	-7	-7	-5	-2
21	-3	-2	3	5	2	5	6	10	3	8	15	14	22	25	15	12	13	4	2	1	5	6	8	14
22	-1	-16	-25	-23	-37	-45	-44	-45	-41	-36	-41	-45	-39	-36	-45	-48	-46	-39	-30	-33	-42	-45	-29	-19
23	-16	-20	-28	-26	-27	-34	-35	-41	-37	-32	-28	-32	-23	-29	-29	-25	-26	-21	-19	-21	-16	-11	-12	-18
24	-14	-14	-17	-20	-24	-20	-16	-19	-26	-29	-27	-26	-29	-19	-29	-29	-25	-15	-11	-12	-12	-21	-23	-20
25	-25	-26	-24	-28	-31	-30	-26	-24	-21	-17	-18	-24	-25	-22	-21	-19	-15	-13	-12	-15	-16	-15	-17	-18
26	-20	-21	-18	-14	-13	-10	-9	-7	-5	-3	-2	-11	-13	-8	-7	-8	-7	-6	-5	-13	-12	-11	-11	-8
27	-9	-11	-9	-8	-11	-17	-8	0	5	3	-4	-10	-13	-6	-9	-14	-20	-20	-14	-15	-16	-16	-14	-3
28	-2	-1	-9	-24	-21	-21	-20	-20	-34	-50	-57	-55	-39	-26	-21	-21	-21	-23	-14	-12	-12	-14	-15	-14
29	-15	-16	-13	-12	-17	-15	-11	-14	-14	-14	-18	-25	-22	-20	-12	-5	11	26	5	4	8	8	7	8
30	5	-7	-22	-33	-35	-37	-40	-44	-44	-44	-54	-43	-38	-40	-40	-40	-41	-43	-39	-35	-31	-27	-24	-27
31	-27	-15	-14	-12	-11	-7	-2	-4	-9	-11	-15	-28	-38	-47	-57	-71	-79	-81	-88	-82	-77	-70	-72	-71

(Units--Gammmas)



UAG SERIES OF REPORTS

Between 4 and 12 UAG Reports are published at irregular intervals each year. Subscriptions may be ordered through the National Geophysical and Solar-Terrestrial Data Center, Environmental Data and Information Service, NOAA, Boulder, CO 80303, USA. The subscription price for the calendar year only is \$40.00 (\$23.00 additional for foreign mailing). Each year the single copy prices total less than \$40.00, the expiration date for all subscriptions will be extended. Back issues may be purchased at the prices shown below plus a \$4.00 handling charge per order; some reports, though, are available only on microfiche. Orders must include check or money order payable in U.S. currency to the Department of Commerce, NOAA/NGSDC.

- UAG-1 "IQSY Night Airglow Data," July 1968, 305 pp, \$1.75.
- UAG-2 "A Reevaluation of Solar Flares, 1964-1966," August 1968, 28 pp, \$0.30.
- UAG-3 "Observations of Jupiter's Sporadic Radio Emission in the Range 7.6-41 MHz, 6 July 1966 through 8 September 1968," October 1968, 35 pp, \$0.55.
- UAG-4 "Abbreviated Calendar Record 1966-1967," January 1969, 170 pp, \$1.25.
- UAG-5 "Data on Solar Event of May 23, 1967 and its Geophysical Effects," February 1969, 120 pp, \$0.65.
- UAG-6 "International Geophysical Calendars 1957-1969," March 1969, 25 pp, \$0.30.
- UAG-7 "Observations of the Solar Electron Corona: February 1964 - January 1968," October 1969, 12 pp, \$0.15.
- UAG-8 "Data on Solar-Geophysical Activity October 24 - November 6, 1968," Parts 1 and 2, March 1970, 312 pp, \$1.75 (includes Parts 1 and 2).
- UAG-9 "Data on Cosmic Ray Event of November 18, 1968 and Associated Phenomena," April 1970, 109 pp, \$0.55.
- UAG-10 "Atlas of Ionograms," May 1970, 243 pp, \$1.50.
- UAG-12 "Solar-Geophysical Activity Associated with the Major Geomagnetic Storm of March 8, 1970," Parts 1, 2 and 3, April 1971, 466 pp, \$3.00 (includes Parts 1-3).
- UAG-13 "Data on the Solar Proton Event of November 2, 1969 through the Geomagnetic Storm of November 8-10, 1969," May 1971, 76 pp, \$0.90.
- UAG-14 "An Experimental, Comprehensive Flare Index and Its Derivation for 'Major' Flares, 1955-1969," July 1971, 25 pp, \$0.30.
- UAG-16 "Temporal Development of the Geophysical Distribution of Auroral Absorption for 30 Substorm Events in each of IQSY (1964-65) and IASY (1960)," September 1971, 131 pp, \$0.70 (microfiche only).
- UAG-17 "Ionospheric Drift Velocity Measurements at Jicamarca, Peru (July 1967 - March 1970)," October 1971, 45 pp, \$0.55 (microfiche only).
- UAG-18 "A Study of Polar Cap and Auroral Zone Magnetic Variations," June 1972, 21 pp, \$0.20.
- UAG-19 "Reevaluation of Solar Flares 1967," June 1972, 15 pp, \$0.15.
- UAG-21 "Preliminary Compilation of Data for Retrospective World Interval July 26 - August 14, 1972," November 1972, 128 pp, \$0.70.
- UAG-22 "Auroral Electrojet Magnetic Activity Indices (AE) for 1970," November 1972, 146 pp, \$0.75.
- UAG-23 "U.R.S.I. Handbook of Ionogram Interpretation and Reduction," Second Edition, November 1972, 324 pp, \$1.75.
- UAG-23A "U.R.S.I. Handbook of Ionogram Interpretation and Reduction," Second Edition, Revision of Chapters 1-4, November 1972, 135 pp, \$2.14.
- UAG-24 "Data on Solar-Geophysical Activity Associated with the Major Ground Level Cosmic Ray Events of 24 January and 1 September 1971," Parts 1 and 2, December 1972, 462 pp, \$2.00 (includes Parts 1 and 2).
- UAG-25 "Observations of Jupiter's Sporadic Radio Emission in the Range 7.6-41 MHz, 9 September 1968 through 9 December 1971," February 1973, 35 pp, \$0.35.
- UAG-26 "Data Compilation for the Magnetospherically Quiet Periods February 19-23 and November 29 - December 3, 1970," May 1973, 129 pp, \$0.70.
- UAG-27 "High Speed Streams in the Solar Wind," June 1973, 16 pp, \$0.15.
- UAG-28 "Collected Data Reports on August 1972 Solar-Terrestrial Events," Parts 1, 2 and 3, July 1973, 932 pp, \$4.50.
- UAG-29 "Auroral Electrojet Magnetic Activity Indices AE(11) for 1968," October 1973, 148 pp, \$0.75.
- UAG-30 "Catalogue of Data on Solar-Terrestrial Physics," October 1973, 317 pp, \$1.50. Supersedes UAG-11, 15, and 20 catalogs.
- UAG-31 "Auroral Electrojet Magnetic Activity Indices AE(11) for 1969," February 1974, 142 pp, \$0.75.
- UAG-32 "Synoptic Radio Maps of the Sun at 3.3 mm for the Years 1967-1969," April 1974, 26 pp, \$0.35.
- UAG-33 "Auroral Electrojet Magnetic Activity Indices AE(10) for 1967," May 1974, 142 pp, \$0.75.

- UAG-34 "Absorption Data for the IGY/IGC and IQSY," June 1974, 381 pp, \$2.00.
- UAG-35 "Catalogue of Digital Geomagnetic Variation Data at World Data Center A for Solar-Terrestrial Physics," July 1974, 20 pp, \$0.20.
- UAG-36 "An Atlas of Extreme Ultraviolet Flashes of Solar Flares Observed via Sudden Frequency Deviations During the ATM-SKYLAB Missions," October 1974, 95 pp, \$0.55.
- UAG-37 "Auroral Electrojet Magnetic Activity Indices AE(10) for 1966," December 1974, 142 pp, \$0.75.
- UAG-38 "Master Station List for Solar-Terrestrial Physics Data at WDC-A for Solar-Terrestrial Physics," December 1974, 110 pp, \$1.60.
- UAG-39 "Auroral Electrojet Magnetic Activity Indices AE(11) for 1971," February 1975, 144 pp, \$2.05.
- UAG-40 "H-Alpha Synoptic Charts of Solar Activity for the Period of Skylab Observations, May 1973 - March 1974," February 1975, 32 pp, \$0.56.
- UAG-41 "H-Alpha Synoptic Charts of Solar Activity During the First Year of Solar Cycle 20 October 1964 - August 1965," March 1975, 25 pp, \$0.48.
- UAG-42 "Observations of Jupiter's Sporadic Radio Emission in the Range 7.6-80 MHz, 10 December 1971 through 21 March 1975," April 1975, 49 pp, \$1.15.
- UAG-43 "Catalog of Observation Times of Ground-Based Skylab-Coordinated Solar Observing Programs," May 1975, 159 pp, \$3.00.
- UAG-44 "Synoptic Maps of Solar 9.1 cm Microwave Emission from June 1962 to August 1973," May 1975, 183 pp, \$2.55.
- UAG-45 "Auroral Electrojet Magnetic Activity Indices AE(11) for 1972," May 1975, 144 pp, \$2.10 (microfiche only).
- UAG-46 "Interplanetary Magnetic Field Data 1963-1964," June 1975, 382 pp, \$1.95.
- UAG-47 "Auroral Electrojet Magnetic Activity Indices AE(11) for 1973," June 1975, 144 pp, \$2.10 (microfiche only).
- UAG-48A "Synoptic Observations of the Solar Corona during Carrington Rotations 1580-1596 (11 October 1971 - 15 January 1973)," [Reissue of UAG-48 with quality images], February 1976, 200 pp, \$4.27.
- UAG-49 "Catalog of Standard Geomagnetic Variation Data," August 1975, 125 pp, \$1.85.
- UAG-50 "High-Latitude Supplement to the URSI Handbook on Ionogram Interpretation and Prediction," October 1975, 294 pp, \$4.00.
- UAG-51 "Synoptic Maps of Solar Coronal Hole Boundaries Derived from He II 304A Spectroheliograms from the Manned Skylab Missions," November 1975, 30 pp, \$0.54.
- UAG-52 "Experimental Comprehensive Solar Flare Indices for Certain Flares, 1970-1974," November 1975, 27 pp, \$0.60.
- UAG-53 "Description and Catalog of Ionospheric F-Region Data, Jicamarca Radio Observatory (November 1966 - April 1969)," April 1976, 10 pp, \$0.33.
- UAG-54 "Catalog of Ionosphere Vertical Soundings Data," April 1976, 130 pp, \$2.10.
- UAG-55 "Equivalent Ionospheric Current Representations by a New Method, Illustrated for 8-9 November 1969 Magnetic Disturbances," April 1976, 91 pp, \$1.60 (microfiche only).
- UAG-56 "Iso-intensity Contours of Ground Magnetic H Perturbations for the December 16-18, 1971, Geomagnetic Storm," April 1976, 37 pp, \$1.39.
- UAG-57 "Manual on Ionospheric Absorption Measurements," June 1976, 302 pp, \$4.27.
- UAG-58 "ATS6 Radio Beacon Electron Content Measurements at Boulder, July 1974 - May 1975," September 1976, 61 pp, \$1.04.
- UAG-59 "Auroral Electrojet Magnetic Activity Indices AE(11) for 1974," December 1976, 144 pp, \$2.16.
- UAG-60 "Geomagnetic Data for January 1976 (AE(7) Indices and Stacked Magnetograms)," July 1977, 57 pp, \$1.07.
- UAG-61 "Collected Data Reports for STIP Interval II 20 March - 5 May 1976," August 1977, 313 pp, \$2.95.
- UAG-62 "Geomagnetic Data for February 1976 (AE(7) Indices and Stacked Magnetograms)," September 1977, 55 pp, \$1.11.
- UAG-63 "Geomagnetic Data for March 1976 (AE(7) Indices and Stacked Magnetograms)," September 1977, 57 pp, \$1.11.
- UAG-64 "Geomagnetic Data for April 1976 (AE(8) Indices and Stacked Magnetograms)," February 1978, 55 pp, \$1.00.
- UAG-65 "The Information Explosion and Its Consequences for Data Acquisition, Documentation, Processing," May 1978, 36 pp, \$0.75.
- UAG-66 "Synoptic Radio Maps of the Sun at 3.3 mm 1970-1973," May 1978, 30 pp, \$0.75.
- UAG-67 "Ionospheric D-Region Profile Data Base, A Collection of Computer-Accessible Experimental Profiles of the D and Lower E Regions," August 1978, 30 pp, \$0.88 (microfiche only).
- UAG-68 "A Comparative Study of Methods of Electron Density Profile Analysis," August 1978, 30 pp, \$0.88 (microfiche only).

- UAG-69 "Selected Disturbed D-Region Electron Density Profiles. Their relation to the undisturbed D region," October 1978, 50 pp, \$1.29 (microfiche only).
- UAG-70 "Annotated Atlas of the H-alpha Synoptic Charts for Solar Cycle 20 (1964-1974) Carrington Solar Rotations 1487-1616," February 1979, 327 pp, \$3.50.
- UAG-71 "Magnetic Potential Plots over the Northern Hemisphere for 26-28 March 1976," April 1979, 118 pp, \$1.50.
- UAG-74 "ATS-6 Radio Beacon Electron Content Measurements at Ootacamund, India, October - July 1976," March 1980, 58 pp, \$2.50.
- UAG-75 "The Alaska IMS Meridian Chain: Magnetic Variations for 9 March - 27 April 1978," June 1980, 107 pp, \$3.00.
- UAG-76 "Auroral Electrojet Magnetic Activity Indices AE(12) for July - December 1975," August 1980, 116 pp, \$2.50.
- UAG-77 "Synoptic Solar Magnetic Field Maps for the Interval Including Carrington Rotations 1601-1680, May 5, 1973 - April 26, 1979," August 1980, 66 pp, \$2.50.
- UAG-78 "The Equatorial Latitude of Auroral Activity During 1972-1977," October 1980, 61 pp, \$3.00.
- UAG-79 "Solar Observations During Skylab, April 1973 - February 1974, I. Coronal X-Ray Structure, II. Solar Flare Activity," December 1980, 43 pp, \$2.50.
- UAG-80 "Experimental Comprehensive Solar Flare Indices for 'Major' and Certain Lesser Flares, 1975-1979," July 1981, 33 pp, \$2.00.
- UAG-81 "Evolutionary Charts of Solar Activity (Calcium Plages) as Functions of Heliographic Longitude and Time, 1964-1979," August 1981, 103 pp, \$4.00.
- UAG-82 "International Reference Ionosphere - IRI 79," edited by J. Virginia Lincoln and Raymond O. Conkright, November 1981, 243 pp, \$4.50.
- UAG-83 "Solar-Geophysical Activity Reports for September 7-24, 1977 and November 22, 1977," Parts 1 and 2, compiled by John A. McKinnon and J. Virginia Lincoln, February 1982, 553 pp, \$10.00



WORLD DATA CENTER A
FOR
SOLAR-TERRESTRIAL PHYSICS



The ICSU Panel on WDCs has recommended that it would be appropriate courtesy to acknowledge in publications that data were obtained from the originating station or investigator through the intermediary of the WDCs. The following statement is suggested:

"Data used in this study were provided by WDC-A for Solar-Terrestrial Physics, NOAA E/GC2, 325 Broadway, Boulder Colorado 80303, USA."