



U.S. DEPARTMENT OF COMMERCE

Malcolm Baldrige, Secretary

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

John V. Byrne, Administrator

ENVIRONMENTAL DATA AND INFORMATION SERVICE

Margaret E. Courain, Acting Director

Solar - Geophysical Data

NO. 455 JULY 1982

Part II (Comprehensive Reports)

DATA FOR
JANUARY 1982

NATIONAL GEOPHYSICAL DATA CENTER

For obtaining bulletins on a data exchange basis, send request to: World Data Center A for Solar-Terrestrial Physics, NOAA/EDIS/NGSNC, 0631, 325 Broadway, Boulder, Colorado 80303.

For sale through the National Geophysical and Solar-Terrestrial Data Center, NOAA/ERIS, 0631, 325 Broadway, Boulder, Colorado 80303. Subscription Price: \$64.00 annually for both part I (Prompt Reports) and part II (Comprehensive Reports) or \$32.00 annually for either part. Annual supplement containing explanation is included. For foreign mailing add \$42.00 for both parts or \$21.00 for either part. Single issue price is \$3.00 for either part and \$2.50 for the extra issue. Make checks and money orders payable to: Department of Commerce, NOAA/NGSNC. Note: \$4.00 handling charge per order.

To standardize referencing these reports in the open literature, the following format is recommended:
Solar-Geophysical Data, 450 Part I (or Part II), pages, February 1982, U.S. Department of Commerce (Boulder, Colorado, U.S.A. 80303).

SOLAR-GEOPHYSICAL DATA

No. 455

Issued in two parts

Helen E. Coffey, Editor

Joe H. Allen, Chief
Solar-Terrestrial Physics Division

CONTENTS

Part I (Prompt Reports)	PAGE
Index for 1981-1982	2
Data for June 1982	3-58
Data for May 1982	59-159
Late Data	161-177
169 MHz Solar Interferometric Chart-Nancay, April 1982	
Spectral Observations--Culgoora March-April 1982	
Pioneer XII Interplanetary Magnetic Field Magnitudes, March-April 1982	
Cosmic Ray Data, Alert and Deep River, April 1982	
 Part II (Comprehensive Reports)	
Index for 1981-1982	2
Data for January 1982	3-32
Miscellaneous Data	33-37
Active Regions 8 November 1981 - 2 January 1982	
Synoptic Solar Maps 8 November - 2 January 1982	

JANUARY 1982 DATA

Contents

	Page
<u>Active Regions</u> (Data not available at time of publication.)	
<u>Synoptic Solar Maps</u> (Data not available at time of publication.)	
<u>Solar Flares</u> (Data not available at time of publication.)	
H-alpha Solar Flares (Standardized Data)	
Daily Flare Indices	
Intervals of No Flare Patrol Observation	
<u>Solar Radio Emission</u>	4-25
Outstanding Occurrences (Fixed Frequencies)	
<u>Energetic Solar Particles and Plasma</u> (Data not available at time of publication.)	
<u>Solar X-ray Radiation</u>	
SMS-GOES	26-31
<u>Mass Ejections from the Sun</u>	32

4
Jan 82

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JANUARY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
01	208	VORO	44 NS	0000.0E		240.0D		11.0		
	221	ABST	44 NS	0600.0E	0615.2	180.0D	12.0			
	260	ONDR	44 NS	0820.0E		340.0D	4.0U			
	127	TORN	43 NS	0944.5		85.0D	40.0	4.0		V1
	3750	TYKW	28 PRE	0028.0	0054.0	26.0	3.0	1.5		
	208	VORO	46 C	0054.0	0056.0	9.0	150.0D			
	2000	TYKW	45 C	0054.0	0056.4	8.0	122.0	35.0		
	9400	TYKW	45 C	0054.0	0057.1	16.0	420.0	95.0		
	3750	TYKW	45 C	0054.0	0057.1	16.0	173.0	45.0		
	245	PALE	49 GB	0054.3	0058.3	19.0	690.0			
	200	HIRA	41 F	0054.4	0056.1	9.0	360.0			0
	1000	TYKW	45 C	0054.5	0056.8	8.0	40.0	9.0		
	8800	PALE	47 GB	0054.5	0057.3	12.0	480.0			
	4995	LEAR	47 GB	0054.6	0057.0	9.9	230.0			
	410	PALE	47 GB	0054.8	0056.1	9.2	189.0			
	1415	PALE	47 GB	0055.0	0056.3	9.0	83.0			
	500	HIRA	45 C	0055.0	0056.6	4.0	26.0	16.0		WL
	4995	PALE	47 GB	0055.0	0057.1	9.6	239.0			
	2695	LEAR	47 GB	0055.0	0057.1	10.6	180.0			
	610	PALE	47 GB	0055.0	0057.3	13.0	50.0			
	2695	MANI	4 S/F	0055.0	0057.8	9.0	118.0	39.3		
	1415	LEAR	47 GB	0055.1	0057.1	9.4	200.0			
	8800	LEAR	47 GB	0055.1	0057.1	12.9	430.0			
	100	HIRA	46 C	0055.3		9.6	980.0D	210.0D		
	100	HIRA		0055.3	0056.5		930.0			
	15400	PALE	47 GB	0055.3	0057.1	10.0	390.0			
	15400	LEAR	49 GB	0055.3	0057.1	15.8	580.0			
	2695	PALE	47 GB	0055.3	0057.3	8.2	160.0			
	1415	MANI	3 S	0055.5	0057.0	4.5	62.7	20.9		
	4995	MANI	4 S/F	0055.5	0057.8	8.5	67.9	22.6		
	35000	NAGO	45 C	0056.0	0057.0	21.0	47.0			
	606	MANI	4 S/F	0056.0	0057.4	3.0	11.6	3.9		
	8800	MANI	4 S/F	0056.0	0057.8	7.0	26.3	8.8		
	2000	TYKW	30 PBI	0102.0		60.0	4.0	1.0		
	9400	TYKW	30 PBI	0110.0		50.0	14.0	4.0		
	3750	TYKW	30 PBI	0110.0		50.0	6.0	2.5		
	3750	TYKW	5 S	0129.0	0132.3	11.0	24.0	10.0		
	2000	TYKW	5 S	0129.0	0132.3	11.0	13.0	6.0		
	2695	LEAR	20 GRF	0129.6	0132.8	5.9	23.0			
	4995	LEAR	20 GRF	0129.8	0132.8	7.3	18.0			
	9400	TYKW	5 S	0130.0	0133.0	9.0	9.0	4.0		
	2695	MANI	3 S	0130.0	0133.0	9.0	18.9	6.3		
	4995	MANI	3 S	0130.0	0133.8	8.0	34.9	11.6		
	8800	MANI	3 S	0130.0	0134.0	8.0	56.4	18.8		
	1415	LEAR	20 GRF	0130.3	0132.5	4.8	09.0			
	2000	TYKW	21 GRF	0313.0	0355.0	180.0	2.0	1.0		
	3750	TYKW	21 GRF	0314.0E	0324.0	175.0D	4.0	2.0D		
	2000	TYKW	5 S	0412.0	0413.3	15.0	3.0	1.0		
	9400	TYKW	5 S	0425.0	0425.6	1.5	5.0	1.5		
	2000	TYKW	20 GRF	0433.0	0437.0	35.0	3.0	1.5		
	3750	TYKW	5 S	0434.0	0435.6	15.0	2.0	1.0		
	2000	TYKW	5 S	0532.0	0534.0	20.0	4.0	1.5		
	3750	TYKW	5 S	0532.0	0534.0	10.0	3.5	1.0		
	2000	TYKW	5 S	0634.5	0635.0	1.5	4.0	1.5		
	9400	TYKW	5 S	0634.5	0635.0	1.5	8.0	2.5		
	1000	TYKW	5 S	0634.5	0635.1	1.5	2.0	.7		
	3750	TYKW	5 S	0634.5	0635.1	1.5	3.0	1.0		
	536	ONDR	8 S	0925.6	0925.7	.3	11.0			
	536	ONDR	8 S	1136.0	1136.1	.2	32.0			
	260	ONDR	8 S	1231.7	1231.8	.2	20.0			
	536	ONDR	8 S	1232.0	1232.0	.1	58.0			
	536	ONDR	8 S	1257.7	1257.8	.1	124.0			
	260	ONDR	8 S	1257.8	1258.1	.5	122.0			
	2800	OTTA		1348.0	1353.0	12.0D	10.8			
	2800	OTTA	1 S	1643.3	1643.8	3.0	2.6	1.3		
	15400	SGMR	4 S/F	1736.8	1742.8	18.3	74.0			
	8800	SGMR	20 GRF	1738.8	1743.1	6.2	30.0			
	2800	OTTA	20 GRF	1925.0	1932.0	30.0	2.8	1.4		
	2800	OTTA	3 S	2105.5	2108.5	9.5	10.8	5.0		
	15400	PALE	4 S/F	2107.8	2109.1	2.8	43.0			

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

5
Jan 82

JANUARY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
01	4995	PALE	47 GB	2108.1	2109.1	2.9	52.0			
	8800	PALE	47 GB	2108.1	2109.1	6.4	76.0			
	2695	PENT	29 PBI	2115.0	2115.0	25.0	3.6	1.8		
	9400	TYKW	5 S	2240.0	2248.5	20.0	9.0	3.0		
	3750	TYKW	21 GRF	2350.0	0055.0	130.0	6.0	3.0		
02	3750	TYKW	5 S	0013.0	0014.0	2.5	2.5	.7		
	9400	TYKW	21 GRF	0030.0	0058.0	70.0	7.0	2.5		
	3750	TYKW	5 S	0042.0	0044.9	11.0	12.0	3.0		
	100	HIRA	46 C	0044.0	0044.3	1.3	960.0	310.0		
	9400	TYKW	5 S	0044.0	0045.0	5.0	27.0	8.0		
	200	HIRA	46 C	0044.3	0044.5	.9	120.0	28.0		0
	8800	PALE	4 S/F	0044.3	0045.0	3.5	37.0			
	4995	PALE	8 S	0044.5	0044.8	1.8	24.0			
	2695	LEAR	8 S	0044.5	0045.0	1.6	08.0			
	4995	LEAR	8 S	0044.5	0045.0	1.6	19.0			
	8800	LEAR	4 S/F	0044.5	0045.0	2.6	30.0			
	15400	LEAR	8 S	0044.6	0045.3	1.2	13.0			
	15400	PALE	8 S	0044.8	0044.8	.2	21.0			
	9400	TYKW	29 PBI	0049.0		5.0	3.0	1.5		
	3750	TYKW	20 GRF	0210.0	0240.0	80.0	2.0	1.0		
	2000	TYKW	5 S	0442.6	0443.0	1.0	2.0	.7		
	3750	TYKW	5 S	0442.6	0443.1	2.0	6.0	1.5		
	2000	TYKW	5 S	0458.0	0459.6	15.0	3.0	1.0		
	3750	TYKW	45 C	0607.0	0611.2	8.0	165.0	33.0		
	6100	KISV	46 C	0607.0U	0611.5U	7.0U	175.0			
	9400	TYKW	47 GB	0608.0	0611.2	7.0	750.0	150.0		
	1415	ATHN	4 S/F	0608.3	0611.3	5.8	26.0			
	4995	ATHN	47 GB	0608.3	0611.3	7.2	180.0			
	2695	MANI	4 S/F	0608.8	0610.2	6.2	117.0	39.0		
	8800	MANI	47 GB	0609.0	0610.1	5.0	928.8	309.6		
	4995	MANI	4 S/F	0609.0	0610.2	6.0	303.0	101.0		
	15000	KISV	46 C	0609.0E	0611.0U	6.0D	530.0D			
	8800	LEAR	49 GB	0609.0	0611.1	14.3	720.0			
	4995	LEAR	47 GB	0609.0	0611.1	14.3	210.0			
	2000	TYKW	5 S	0609.0	0611.2	6.0	89.0	23.0		
	1000	TYKW	5 S	0609.0	0611.3	6.0	17.0	6.0		
	8800	ATHN	49 GB	0609.0	0611.3	5.0	890.0			
	2695	LEAR	47 GB	0609.1	0611.1	14.2	130.0			
	2695	ATHN	47 GB	0609.1	0611.3	5.0	90.0			
	1415	MANI	4 S/F	0609.4	0611.4	5.6	31.1	10.4		
	15400	LEAR	49 GB	0609.5	0611.1	14.1	1300.0			
	100	HIRA	42 SER	0609.6	0611.0	14.0	495.0			
	500	HIRA	45 C	0610.1	0610.4	2.5	14.0	4.0		0
	1415	LEAR	47 GB	0610.1	0611.1	4.5	50.0			
	606	MANI	2 S/F	0610.5	0610.8	2.5	6.3	2.1		
	200	HIRA	46 C	0610.6	0610.9	.3	2000.0	95.0		0
	35000	NAGO	5 S	0611.0	0611.0	3.0	256.0			
	6100	KISV	29 PBI	0613.0	0614.0	40.0	12.0			
	9400	TYKW	30 PBI	0615.0		55.0D	15.0	10.0D		
	2000	TYKW	30 PBI	0615.0		35.0	3.0	1.5		
3750	TYKW	30 PBI	0615.0		50.0	6.0	3.0			
2000	TYKW	5 S	0616.0	0616.6	1.5	4.0	1.5			
3750	TYKW	5 S	0616.0	0618.0	7.0	3.0	1.5			
9400	TYKW	5 S	0616.0	0618.0	20.0	9.0	4.0			
260	ONDR	8 S	1008.0	1008.1	.2	7.0				
260	ONDR	40 F	1050.3	1051.0	4.0	5.0	46.0			
260	ONDR	41 F	1144.2	1147.4	3.5	4.0	21.0			
260	ONDR	8 S	1331.7	1331.8	.2	9.0				
2800	OTTA	20 GRF	1600.0	1630.0	55.0	2.2	1.1			
2800	OTTA	20 GRF	1710.0	1755.0	110.0	2.2	1.1			
245	PALE	47 GB	2254.8	2254.8	.1D	230.0				
1000	TYKW	5 S	2254.8	2255.0	1.0	7.0	1.5			
3750	TYKW	5 S	2254.8	2255.0	1.0	3.5	1.5			
2000	TYKW	5 S	2254.8	2255.2	1.0	2.0	.7			
03	9400	TYKW	21 GRF	0010.0	0030.0	70.0	4.0	2.0		
	2000	TYKW	21 GRF	0010.0	0045.0	80.0	2.0	1.0		
	3750	TYKW	21 GRF	0010.0	0055.0	85.0	3.0	1.5		
	2000	TYKW	45 C	0011.0	0018.5	12.0	183.0	10.0		

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JANUARY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
03	3750	TYKW	45 C	0011.0	0018.5	12.0	20.0	5.0		
	4995	LEAR	4 S/F	0011.6	0014.8	8.4	17.0			
	1415	LEAR	47 GB	0011.8	0018.5	7.5	300.0			
	208	VORO	4 S/F	0012.0	0012.0	4.0	54.0			
	1000	TYKW	28 PRE	0012.0	0014.0	5.5	4.0	2.0		
	2695	LEAR	47 GB	0012.0	0018.5	6.6	63.0			
	8800	LEAR	4 S/F	0012.1	0018.3	7.7	13.0			
	200	HIRA	46 C	0012.3	0013.0	6.4	50.0	6.0		0
	15400	LEAR	8 S	0012.3	0013.1	1.7	11.0			
	100	HIRA	42 SER	0012.3	0022.6	14.6	970.0			
	2695	PALE	47 GB	0017.5	0018.5	1.0D	64.0			
	1415	PALE	47 GB	0017.5	0018.5	1.0D	320.0			
	1000	TYKW	45 C	0017.5	0018.6	4.0	335.0	35.0		
	1415	MANI	4 S/F	0017.5	0019.0	4.5	243.8	81.3		
	2695	MANI	4 S/F	0017.6	0019.0	2.4	26.6	26.6		
	500	HIRA	45 C	0017.7	0018.4	2.0	22.0	7.0		0
	9400	TYKW	45 C	0018.0	0018.4	.7	8.0	1.5		
	610	PALE	4 S/F	0018.1	0018.6	.5D	30.0			
	606	MANI	4 S/F	0018.1	0019.0	2.9	46.8	15.6		
	15400	PALE	4 S/F	0018.5	0018.6	.1D	38.0			
	3750	TYKW	20 GRF	0140.0	0145.0	40.0	1.5	.7		
	1000	TYKW	20 GRF	0140.0	0205.0	50.0	3.0	1.5		
	2000	TYKW	20 GRF	0145.0	0150.0	30.0	2.0	1.0		
	3750	TYKW	20 GRF	0350.0	0430.0	90.0	4.0	2.0		
	2000	TYKW	20 GRF	0400.0	0430.0	80.0	2.0	1.0		
	9400	TYKW	5 S	0443.5	0444.2	1.5	7.0	1.5		
	3750	TYKW	20 GRF	0545.0	0559.0	35.0	2.0	1.0		
	6100	KISV	2 S/F	0642.5	0643.5	3.0	3.0			
	3750	TYKW	5 S	0643.0	0643.3	3.0	4.0	1.5		
	2000	TYKW	5 S	0643.0	0643.4	3.0	6.0	2.0		
	1000	TYKW	5 S	0643.0	0643.4	1.0	1.5	.5		
	930	BORD	45 C	0836.0E	0838.0	30.0D	2730.0U	700.0U		
	260	ONDR	8 S	0957.8	0957.8	.6	12.0			
	260	ONDR	8 S	1004.2	1004.6	.8	6.0			
	260	ONDR	8 S	1219.2	1219.3	.3	7.0			
	536	ONDR	8 S	1254.0	1254.0	.1	40.0			
	260	ONDR	8 S	1254.1	1254.1	.2	24.0			
	260	ONDR	8 S	1333.8	1333.9	.3	61.0U			
	536	ONDR	8 S	1333.9	1333.9	.1	122.0			
	260	ONDR	8 S	1409.0	1409.4	.3	133.0			
536	ONDR	8 S	1409.4	1409.4	.3	117.0				
2800	OTTA	20 GRF	1435.0	1510.0	100.0	3.8	2.7			
2800	OTTA	21 GRF	1448.0	1456.0	50.0	9.6	6.2			
2800	OTTA	40 F	1452.5	1453.6	2.0	16.8				
04	3750	TYKW	20 GRF	0040.0	0047.0	30.0	1.5	.7		
	9400	TYKW	20 GRF	0040.0	0047.0	30.0	3.0	1.5		
	3750	TYKW	5 S	0125.0	0125.5	3.0	2.5	1.0		
	2000	TYKW	5 S	0125.0	0125.6	1.5	2.0	.7		
	3750	TYKW	20 GRF	0320.0	0340.0	110.0	7.0	2.0		
	2000	TYKW	20 GRF	0330.0	0340.0	100.0	2.0	1.0		
	9400	TYKW	20 GRF	0336.0	0339.6	75.0	9.0	2.5		
	2695	LEAR	8 S	0554.1	0554.5	.7	11.0			
	3750	TYKW	5 S	0554.2	0554.6	1.0	7.0	2.0		
	2000	TYKW	5 S	0554.2	0554.6	1.0	7.0	2.5		
	9400	TYKW	5 S	0700.0	0700.7	2.0	15.0	5.0		
	3750	TYKW	5 S	0700.0	0700.7	2.0	5.0	1.5		
	2000	TYKW	5 S	0700.0	0700.7	2.0	6.0	2.0		
	536	ONDR	8 S	0801.0	0801.1	.1	41.0U			
	930	BORD	8 S	1057.6	1057.6	.2	28.0	1.0		
	536	ONDR	41 F	1059.1	1059.8	2.4	6.0	2.0		
	930	BORD	8 S	1059.2	1059.2	.2	51.0	1.0		
	260	ONDR	8 S	1059.4	1059.4	.2	6.0			
	260	ONDR	8 S	1144.3	1144.4	.4	49.0			
	810	KRAK	8 S	1158.8	1159.0	.6	7.0			
	536	ONDR	8 S	1244.2	1244.2	.1	41.0			
	2800	OTTA	20 GRF	1930.0	2010.0	65.0	2.4	1.4		
	2695	PENT	1 S	2140.0	2142.0	8.0	3.0	1.5		
	9400	TYKW	5 S	2351.2	2351.5	.8	12.0	3.0		
245	PALE	47 GB	2359.5	2359.8	.3U	139.0				

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

7
Jan 82

J A N U A R Y 1 9 8 2

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
05	221	ABST	44 NS	0600.0E	0707.0	180.0D	140.0			
	3750	TYKW	5 S	0411.0	0412.1	12.0	2.0	.7		
	3750	TYKW	5 S	0501.0	0502.2	10.0	1.5	.5		
	2000	TYKW	5 S	0501.0	0502.2	10.0	3.0	1.0		
	930	BORD	8 S	1103.0	1103.0	.2	74.0	1.0		
	260	ONDR	8 S	1103.9	1103.9	.1	11.0			
	536	ONDR	8 S	1147.7	1147.8	.1	24.0			
	260	ONDR	8 S	1147.8	1147.9	.3	72.0			
	930	BORD	41 F	1242.4	1242.4	.2	31.0	2.0		
930	BORD	8 S	1421.8	1421.9	.2	20.0	2.0			
06	6100	KISV	4 S/F	0626.7	0629.4	5.0	5.0			
	127	TORN	45 C	0810.7	0811.6	2.5D	1300.0	720.0		
	260	ONDR	40 F	0930.8	0931.0	2.0	4.0	2.0		
	260	ONDR	40 F	0954.9	0956.3	10.0	8.0	2.0		
	930	BORD	8 S	1105.6	1105.7	.4	50.0	2.0		
	930	BORD	41 F	1354.0	1355.6	1.7	37.0	2.0		
	2800	OTTA	21 GRF	1945.0	2035.0	95.0	4.8	2.4		
	2695	PENT	1 S	1959.0	2002.0	5.0	2.8	1.6		
	3750	TYKW	5 S	2318.5	2319.2	3.0	4.0	1.0		
	4995	LEAR	8 S	2318.6	2319.1	1.4	16.0			
	8800	LEAR	8 S	2318.8	2319.1	1.2	08.0			
07	221	ABST	44 NS	0600.0E	0630.0	180.0D	18.0			
	208	VORO	4 S/F	0138.0	0138.0	1.0	100.0D			
	2000	TYKW	20 GRF	0220.0	0234.8	60.0	5.0	2.0		
	3750	TYKW	21 GRF	0220.0	0245.0	60.0	5.0	2.0		
	9400	TYKW	20 GRF	0229.0	0235.0	60.0	6.0	2.5		
	3750	TYKW	5 S	0230.0	0234.8	9.0	8.0	2.5		
	4995	LEAR	4 S/F	0232.3	0234.8	3.7	11.0			
	8800	LEAR	4 S/F	0232.3	0234.8	3.5	07.0			
	2950	GORK	20 GRF	0803.0	0824.0	117.0	6.0	3.0		
	430	KRAK	8 S	0939.0	0939.1	.2	36.0			
	260	ONDR	41 F	0940.6	0941.0	.8	3.0	2.0		
	930	BORD	8 S	1053.4	1053.4	.1	59.0	1.0		
	3200	BERN	3 S	1211.0	1216.9	17.0	16.0			
	5200	BERN	3 S	1211.0	1218.8	17.0	26.0			
	3000	POTS	20 GRF	1213.0	1217.7	39.0	14.0			
	1470	POTS	20 GRF	1213.0	1231.0	28.0	2.4			
	9500	POTS	20 GRF	1214.0	1220.0	36.0	7.0			
	2650	DWIN	1 S	1220.0	1224.0	8.0	10.0	5.0		
	930	BORD	8 S	1334.7	1334.7	.1	25.0	1.0		
	536	ONDR	40 F	1350.0	1351.9	5.0	1.0	1.0		
	4995	SGMR	8 S	1422.8	1423.3	1.0	20.0			
	5200	BERN	3 S	1423.0	1423.6	5.0	19.0			
	930	BORD	8 S	1433.8	1433.8	.1	26.0	1.0		
	4995	SGMR	8 S	1553.5	1553.8	1.0U	17.0			
	2800	OTTA	21 GRF	1615.0	1650.0	120.0	4.6	2.6		
	4995	SGMR	8 S	1656.8	1657.1	.7	24.0			
	8800	SGMR	8 S	1657.0	1657.1	.5	32.0			
2800	OTTA	1 S	1657.0	1657.3	1.5	9.0	3.0			
2800	OTTA	3 S	1937.5	1939.0	2.5	14.2	7.1			
15400	SGMR	4 S/F	1937.6	1938.6	4.4	25.0				
8800	SGMR	47 GB	1937.6	1938.6	4.2	61.0				
4995	SGMR	4 S/F	1937.6	1938.8	3.7	48.0				
2800	OTTA	29 PBI	1940.0	1940.0	8.0	3.4	2.0			
3750	TYKW	5 S	2353.0	2355.6	6.0	3.0	.7			
08	3750	TYKW	20 GRF	0010.0	0028.0	70.0	3.0	1.5		
	3750	TYKW	28 PRE	0130.0	0155.5	31.5	6.0	3.0		
	9400	TYKW	28 PRE	0135.0	0202.0	27.0	4.0	2.0		
	3750	TYKW	5 S	0201.5	0202.8	3.0	95.0	25.0		
	9400	TYKW	5 S	0202.0	0202.7	2.0	170.0	45.0		
	2000	TYKW	21 GRF	0202.0	0230.0	110.0	3.0	1.5		
	8800	PALE	47 GB	0202.1	0202.6	4.2	200.0			
	4995	LEAR	47 GB	0202.1	0202.6	1.9	130.0			
	8800	LEAR	47 GB	0202.1	0202.6	2.4	189.0			
	2000	TYKW	45 C	0202.3	0202.6	1.5	23.0	4.0		
15400	LEAR	47 GB	0202.3	0202.6	1.3	96.0				
15400	PALE	47 GB	0202.3	0202.6	.5	100.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JANUARY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
08	2695	LEAR	8 S	0202.5	0202.6	.3	22.0			
	3750	TYKW	30 FBI	0203.5		65.0	10.0	5.0		
	3750	TYKW	45 C	0203.8	0204.0	3.0	2.0	1.0		
	9400	TYKW	30 FBI	0204.0		65.0	12.0	5.0		
	9400	TYKW	45 C	0204.7	0205.0	3.0	5.0	1.5		
	3750	TYKW	45 C	0209.0	0210.6	10.0	3.0	1.5		
	9400	TYKW	5 S	0210.0	0215.0	15.0	5.0	2.0		
	3750	TYKW	5 S	0328.0	0330.0	7.0	2.0	1.0		
	3750	TYKW	21 GRF	0420.0	0500.0	110.0	4.0	2.0		
	2000	TYKW	20 GRF	0425.0	0437.0	80.0	3.0	1.5		
	3750	TYKW	5 S	0537.0	0539.0	6.0	3.0	1.5		
	9400	TYKW	20 GRF	0537.0	0540.0	40.0	5.0	2.0		
	3750	TYKW	45 C	0619.0	0620.3	5.0	4.0	1.5		
	6100	KISV	1 S	0628.6	0628.9	.5	4.0			
	3750	TYKW	45 C	0636.0	0638.5	5.0	3.0	1.0		
	6100	KISV	45 C	0810.7	0811.1	4.0	4.0			
	6100	KISV		0810.7	0812.6		5.0			
	6100	KISV	4 S/F	0912.3	0912.9	2.0	9.0			
	9100	GORK	1 S	0912.4	0912.9	4.0	11.0			
	6100	KISV	27 RF	0933.0	1000.0	50.0	8.0			
	9100	GORK	22 GRF	0935.8	0944.0	64.6	19.0			
	6100	KISV	45 C	0938.5	0939.5	2.0	8.0			
	9500	POTS	22 GRF	0938.5	0944.0	17.0	13.0			
	3000	POTS	20 GRF	0940.0	1000.0	24.0	7.0			
	2950	GORK	20 GRF	0940.4	1000.0	51.0	5.0	2.5		
	4995	LEAR	8 S	0943.1	0944.6	2.0	13.0			
	8800	LEAR	8 S	0943.3	0943.8	1.8	20.0			
	6100	KISV	45 C	0943.4	0944.0	1.5	8.0			
	6100	KISV		0943.4	0944.5		8.0			
	2695	LEAR	8 S	0943.6	0944.8	1.5	10.0			
	6100	KISV	45 C	0946.3	0946.6	1.0	5.0			
	6100	KISV	1 S	0948.0	0948.7	2.0	4.0			
	810	KRAK	8 S	0955.1	0955.2	.2	57.0			
	6100	KISV	1 S	1018.0	1018.3	1.0	5.0			
	930	BORD	8 S	1100.3	1100.3	.1	22.0	1.0		
	9500	POTS	1 S	1121.5	1121.7	.1	7.0			
	260	ONDR	40 F	1132.3	1133.0	1.2	6.0	2.0		
	5200	BERN	8 S	1301.0	1301.2	1.0	17.0			
	930	BORD	8 S	1321.0	1321.0	.1	56.0	1.0		
	2800	OTTA	21 GRF	1400.0	1445.0	110.0	8.2	4.1		
3200	BERN	3 S	1423.0	1427.9	20.00	31.0				
5200	BERN	3 S	1423.0	1427.9	20.00	44.0				
2800	OTTA	3 S	1426.0	1428.0	5.0	15.4	6.0			
8800	ATHN	4 S/F	1426.6	1428.6	4.0	21.0				
4995	SGMR	4 S/F	1426.8	1427.8	26.2	40.0				
8800	SGMR	4 S/F	1427.0	1428.3	23.0	34.0				
8400	BERN	3 S	1427.4	1428.3	7.00	21.0				
4995	ATHN	4 S/F	1427.6	1428.1	5.5	23.0				
2695	ATHN	4 S/F	1427.6	1428.1	3.4	17.0				
15400	SGMR	4 S/F	1428.1	1429.6	24.9	23.0				
2650	DWIN	1 S	1434.0	1435.0	5.0	15.0	8.0			
9400	TYKW	5 S	2256.0	2256.6	2.0	7.0	3.0			
1000	TYKW	5 S	2256.0	2256.6	2.0	1.5	.5			
3750	TYKW	45 C	2256.0	2256.6	2.0	5.0	2.0			
2000	TYKW	5 S	2256.0	2256.6	2.0	4.0	1.5			
3750	TYKW	20 GRF	2315.0	2321.3	35.0	3.0	1.0			
9400	TYKW	5 S	2319.0	2322.0	25.0	3.0	1.5			
09	260	ONDR	43 NS	1000.0	1239.0U	248.00	16.0U			
	1000	TYKW	45 C	0013.5	0019.3	10.0	17.0	1.5		
	9400	TYKW	20 GRF	0220.0	0230.0	30.0	4.0	2.0		
	9400	TYKW	5 S	0440.0	0444.0	22.0	3.0	1.5		
	2000	TYKW	21 GRF	0508.0	0535.0	105.0U	6.0	3.0		
	3750	TYKW	20 GRF	0510.0	0532.0	105.0	8.0	4.0		
	9400	TYKW	21 GRF	0510.0	0542.0	105.0	10.0	5.0		
	1000	TYKW	45 C	0516.0	0532.6	21.0	48.0	5.0		
	2000	TYKW	45 C	0519.0	0524.3	8.0	7.0	1.5		
	500	HIRA	48 C	0529.0	0608.9	76.0	1300.0	300.0		SR
2000	TYKW	5 S	0529.5	0532.0	5.0	16.0	3.0			
2695	MANI	3 S	0530.0	0532.7	5.0	13.0	4.3			

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

9
Jan 82

J A N U A R Y 1 9 8 2

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
09	1415	MANI	4 S/F	0530.0	0532.8	5.0	36.0	12.0		
	200	HIRA	46 C	0530.0	0533.0	7.0	100.0	7.0	0	
	1415	LEAR	4 S/F	0530.1	0532.3	5.0	40.0			
	606	MANI	4 S/F	0531.2	0533.1	3.8	32.5	10.8		
	1000	TYKW	45 C	0545.0	0547.6	6.0	23.0	2.0		
	606	MANI	47 GB	0545.0	0609.3	51.0	1303.4	434.5		
	9400	TYKW	5 S	0548.5	0548.7	1.5	5.0	1.5		
	1000	TYKW	47 GB	0551.5	0559.4	43.0	2490.0	375.0		
	1000	TYKW		0551.5	0613.2		580.0			
	1000	TYKW		0551.5	0628.1		735.0			
	200	HIRA	46 C	0552.3	0559.2	44.0	56.0	14.0		WR
	200	HIRA		0552.3	0603.6		15.0			MR
	200	HIRA		0552.3	0621.6		20.0			MR
	1415	MANI	47 GB	0556.2	0601.2	32.8	560.0	186.7		
	1415	ATHN	47 GB	0558.8	0600.8	2.8	169.0			
	1415	LEAR	47 GB	0559.1	0600.8	2.2	180.0			
	650	GORK	46 C	0612.0E	0612.7	3.3D	990.0			
	2000	TYKW	5 S	0612.0	0612.7	2.0	4.0	1.5		
	950	GORK	46 C	0612.0E	0614.8	23.7D	367.0			
	950	GORK		0612.0E	0628.7		552.0			
	650	GORK		0612.0E	0630.6		330.0			
	950	GORK		0612.0E	0631.6		623.0			
	650	GORK		0612.0E	0632.5		340.0			
	1415	LEAR	47 GB	0612.3	0612.6	4.7	54.0			
	6100	KISV	1 S	0615.8	0616.0	.8	4.0			
	9100	GORK	20 GRF	0721.8	0734.7	212.0	40.0			
	8800	ATHN	20 GRF	0729.0	0734.6	14.3	44.0			
	2950	GORK	21 GRF	0729.5	0739.0	209.0	14.0			
	6100	KISV	4 S/F	0730.0	0734.5	7.5	27.0			
	2695	MANI	3 S	0730.7	0735.1	7.1	33.1	11.0		
	4995	ATHN	20 GRF	0731.0	0734.5	12.3	37.0			
	4995	MANI	3 S	0731.0	0735.1	6.5	57.3	19.1		
	4995	LEAR	4 S/F	0732.3	0734.6	11.7	37.0			
	8800	MANI	3 S	0732.5	0735.1	5.0	44.8	14.9		
	8800	LEAR	4 S/F	0732.8	0734.6	11.2	30.0			
	2950	GORK	3 S	0732.8	0734.7	4.9	26.0	13.0		
	2695	ATHN	20 GRF	0732.8	0734.8	10.5	32.0			
	3000	IZMI	4 S/F	0733.0	0734.5	3.8	29.0	15.0		
	2695	LEAR	4 S/F	0733.0	0734.6	10.8	40.0			
	1415	MANI	1 S	0733.2	0735.0	3.3	9.3	3.1		
	1415	ATHN	20 GRF	0733.3	0734.8	10.0	11.0			
	430	KRAK	42 SER	0918.7	0930.4	38.0	100.0			
	430	KRAK		0918.7	0950.7		850.0D			
	430	KRAK		0918.7	0955.3		160.0			
	430	KRAK	8 S	1116.7	1116.7	.2	21.0			
9500	POTS	29 PBI	1123.8	1125.3	61.0	27.0				
6100	KISV	4 S/F	1123.8	1125.5	2.5	25.0				
3200	BERN	3 S	1124.0	1125.5	9.0D	15.0				
5200	BERN	3 S	1124.0	1125.5	9.0D	47.0				
8400	BERN	3 S	1124.0	1125.5	3.0U	39.0				
8800	ATHN	4 S/F	1124.0	1125.5	5.1	34.0				
4995	ATHN	4 S/F	1124.1	1125.6	4.5	33.0				
3000	POTS	3 S	1124.5	1125.5	6.5	11.0				
430	KRAK	8 S	1216.9	1216.9	.6	68.0				
810	KRAK	46 C	1343.8	1352.4	16.0D	160.0	26.0D			
810	KRAK		1343.8	1358.9		140.0				
930	BORD	46 C	1345.0	1359.2	40.0	152.0	11.0			
808	ONDR	46 C	1347.0	1352.0U	25.0D	38.0U				
536	ONDR	46 C	1347.0	1359.0U	21.0D	24.0U				
2650	DWIN	GRF	1355.0	1420.0	60.0U	10.0	10.0		SUNSET	
610	SGMR	47 GB	1355.3	1355.8	4.0	50.0				
1415	SGMR	47 GB	1357.8	1358.3	2.3	51.0				
430	KRAK	3 S	1357.9	1359.0	2.1	36.0	8.0			
410	SGMR	8 S	1358.6	1359.1	.7	29.0				
15400	SGMR	4 S/F	1407.5	1411.1	19.5	36.0				
1415	SGMR	47 GB	1408.1	1410.3	18.9	130.0				
3200	BERN	3 S	1410.0	1411.4	3.0	14.0				
4995	SGMR	4 S/F	1410.3	1411.1	16.7	48.0				
8800	SGMR	4 S/F	1410.5	1411.1	16.5	48.0				
8800	ATHN	4 S/F	1410.5	1411.3	2.5	37.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JANUARY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
09	4995	ATHN	8 S	1410.8	1411.3	2.0	33.0			
	8400	BERN	3 S	1410.9	1411.4	3.0	35.0			
	5200	BERN	3 S	1410.9	1411.4	3.0	45.0			
	410	SGMR	4 S/F	1414.0	1415.1	13.0	19.0			
	2800	OTTA	20 GRF	1417.0	1417.0	155.0D	11.8			
	3750	TYKW	21 GRF	2320.0	0005.0	130.0	2.0	1.0		
	3750	TYKW	5 S	2336.0	2336.4	2.0	4.0	1.0		
	200	TYKW	5 S	2336.0	2336.5	1.5	3.0	1.0		
10	260	ONDR	44 NS	0757.0E	0854.0U	57.0D				
	260	ONDR	43 NS	1020.0	1142.0	82.0D				
	245	PALE	43 NS	1745.0	1835.5	50.5D	13.0			
	245	SGMR	43 NS	1804.0	1958.8	180.0D	39.0			
	15400	LEAR	4 S/F	0225.1	0227.5	4.5	18.0			
	9400	TYKW	5 S	0226.0	0226.7	6.0	5.0	2.0		
	3750	TYKW	5 S	0243.0	0244.2	6.0	1.5	.5		
	3750	TYKW	5 S	0433.0	0434.6	4.0	6.0	3.5		
	3750	TYKW	29 PBI	0437.0	0437.0	30.0	3.0	1.5		
	9400	TYKW	21 GRF	0535.0	0600.0	50.0	5.0	2.0		
	9400	TYKW	5 S	0550.0	0550.3	1.5	3.0	1.0		
	430	KRAK	8 S	1025.0	1025.0	.1	9.0			
	430	KRAK	8 S	1309.5	1309.5	.1	12.0			
	2800	OTTA	1 S	2036.0	2037.0	2.0	3.4	1.7		
	2800	OTTA	1 S	2040.1	2040.6	1.0	8.4	4.2		
	2800	OTTA	8 S	2041.7	2042.0	.6	2.0			
	2695	PENT	8 S	2209.3	2209.5	.7	2.4	1.0		
	3750	TYKW	5 S	2308.0	2309.0	3.0	5.0	2.0		
	9400	TYKW	5 S	2308.0	2309.0	3.0	14.0	5.0		
	2000	TYKW	5 S	2308.0	2309.1	3.0	4.0	1.5		
11	208	VORO	44 NS	0000.0E		240.0D		11.0		
	260	ONDR	44 NS	0822.0E		356.0D				
	245	PALE	43 NS	1750.0	1803.6	13.6D	110.0			
	3750	TYKW	20 GRF	0025.0	0105.0	140.0	3.0	1.5		
	127	TORN	47 GB	0917.0	0918.5	3.5	9000.0U	4500.0U		
	204	IZMI	41 F	0928.3	0931.5	5.5	270.0			
	930	BORD	41 F	1029.3	1030.5	2.5	27.0	2.0		
	930	BORD	8 S	1052.7	1052.7	.1	24.0	1.0		
	29	UPIC	45 C	1118.3U	1121.7	7.2U				
	33	UPIC	45 C	1119.5U	1121.7	5.4U				
	1470	POTS	3 S	1120.0	1121.7	5.0	6.0			
	3000	POTS	4 S/F	1120.0	1124.0	5.0	7.0			
	430	KRAK	8 S	1333.4	1333.5	.4	14.0			
12	208	VORO	44 NS	0000.0E		240.0D		15.0		
	260	ONDR	44 NS	0814.0E	1252.0U	363.0D	18.0			
	245	SGMR	43 NS	1455.0	1622.3	87.3D	50.0			
	245	PALE	43 NS	1810.0	2042.1	581.0D	219.0			
	9400	TYKW	5 S	0650.5	0650.8	1.0	11.0	3.0		
	930	BORD	8 S	1053.7	1053.7	.1	37.0	1.0		
	430	KRAK	8 S	1145.6	1145.7	.2	13.0	.3		
	29	UPIC	2 S/F	1156.6	1156.7	.8				
	33	UPIC	2 S/F	1156.7	1156.7	.8				
	430	KRAK	8 S	1233.8	1233.8	1.1	28.0			
536	ONDR	4 S/F	1255.9	1256.3	1.0	9.0	6.0			
610	SGMR	8 S	1638.5	1638.6	.1	27.0				
13	260	ONDR	44 NS	0824.0E		357.0D	4.0			
	3750	TYKW	28 PRE	0125.0	0128.0	4.0	5.0	3.0		
	2000	TYKW	28 PRE	0125.0	0129.0	4.0	2.0	1.0		
	9400	TYKW	28 PRE	0125.0	0129.0	4.0	3.0	2.0		
	1000	TYKW	45 C	0126.0	0135.2	20.0	35.0	4.0		
	2930	VORO	45 C	0127.0	0133.0	13.0	160.0			
	1415	LEAR	47 GB	0128.1	0132.5	10.9	67.0			
	500	HIRA	46 C	0128.3	0136.0	19.0	430.0	40.0		WR
	2695	LEAR	47 GB	0128.8	0133.6	10.3	169.0			
	3750	TYKW	45 C	0129.0	0133.7	16.0	200.0	40.0		
	2000	TYKW	45 C	0129.0	0133.8	16.0	102.0	22.0		
	9400	TYKW	45 C	0129.0	0134.5	11.0	82.0	30.0		
	4995	LEAR	47 GB	0129.1	0134.3	10.0	169.0			

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JANUARY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
13	8800	LEAR	47 GB	0129.6	0134.3	9.4	100.0			
	606	MANI	4 S/F	0130.0	0138.7	9.5	56.7	18.9		
	8800	PALE	4 S/F	0130.3	0134.3	17.3	100.0			
	15400	LEAR	47 GB	0130.8	0134.3	8.5	53.0			
	410	PALE	47 GB	0131.6	0134.3	16.0	76.0			
	610	PALE	47 GB	0131.8	0133.8	15.8	51.0			
	2695	MANI	4 S/F	0132.0	0134.2	7.5	180.4	60.1		
	1415	MANI	4 S/F	0132.0	0134.5	5.0	34.6	11.5		
	4995	MANI	4 S/F	0132.0	0134.6	7.0	153.9	51.3		
	8800	MANI	4 S/F	0132.0	0134.6	6.0	86.0	28.7		
	35000	NAGO	20 GRF	0132.0	0143.0	38.0	25.0			
	1415	PALE	4 S/F	0132.1	0132.5	15.5	70.0			
	200	HIRA	48 C	0132.7	0139.6	55.0	2300.0	218.0		0
	208	VORO	49 GB	0133.0	0145.0U	49.0	200.0D			
	2695	PALE	4 S/F	0133.3	0133.6	14.3	92.0			
	15400	PALE	4 S/F	0133.6	0134.3	14.0	63.0			
	245	PALE	49 GB	0134.3	0138.1	13.3	540.0			
	100	HIRA	48 C	0135.3	0137.3	9.0	9000.0	1270.0		0
	9400	TYKW	29 PBI	0140.0		100.0	21.0	7.0		
	2000	TYKW	29 PBI	0145.0		95.0	5.0	2.0		
	3750	TYKW	29 PBI	0145.0		95.0	10.0	4.0		
	245	PALE	47 GB	0147.6	0148.0	6.5	90.0			
	245	PALE	8 S	0203.0	0203.3	.8	29.0			
	208	VORO	46 C	0245.0	0309.0	50.0	67.0			
	410	PALE	4 S/F	0246.6	0248.3	18.7	16.0			
	245	PALE	47 GB	0247.6	0250.8	17.7	42.0			
	606	MANI	3 S	0251.5	0254.0	7.5	71.4	23.8		
	610	PALE	47 GB	0252.1	0252.8	13.2	110.0			
	245	PALE	47 GB	0305.3	0309.1	9.5	110.0			
	200	HIRA	48 C	0345.6	0408.7	62.0	200.0	76.0		0
	500	HIRA	45 C	0348.0	0401.4	32.0	60.0	30.0		WR
	1000	TYKW	20 GRF	0350.0	0400.0	80.0	5.0	2.0		
2000	TYKW	20 GRF	0350.0	0400.0	80.0	3.0	1.5			
3750	TYKW	20 GRF	0355.0	0414.0	60.0	2.0	1.0			
930	BORD	8 S	1047.5	1047.5	.1	37.0	1.0			
14	260	ONDR	44 NS	0813.0E		373.0D	4.0			
	3750	TYKW	21 GRF	0020.0	0050.0	90.0	3.0	1.5		
	3750	TYKW	5 S	0040.0	0042.0	6.0	1.5	.7		
	9400	TYKW	20 GRF	0040.0	0045.0	40.0	2.0	1.0		
	3750	TYKW	5 S	0455.0	0457.0	10.0	1.5	.7		
	9400	TYKW	5 S	0532.5	0532.9	1.5	6.0	2.0		
	9400	TYKW	5 S	0628.0	0628.6	2.0	5.0	2.0		
	430	KRAK	8 S	0954.2	0954.3	.3	8.0			
	930	BORD	41 F	1007.0	1007.1	.4	30.0	2.0		
	430	KRAK	42 SER	1019.6	1022.5	10.0	56.0			
	930	BORD	8 S	1041.9	1041.9	.1	55.0	1.0		
	430	KRAK	8 S	1043.0	1043.1	.2	6.0			
	200	GORK	2 S/F	1052.8	1053.4	.8	6.0			
	100	GORK	8 S	1052.9	1053.3	1.0	70.0			
	930	BORD	8 S	1053.3	1053.3	.1	38.0	1.0		
	950	GORK	4 S/F	1055.0	1055.6	1.1	47.0			
	650	GORK	4 S/F	1055.0	1055.9	1.3	17.0			
	430	KRAK	8 S	1204.9	1204.9	.2	10.0			
930	BORD	8 S	1437.4	1437.4	.1	16.0	1.0			
930	BORD	8 S	1537.5	1537.5	.1	30.0	1.0			
15	221	ABST	44 NS	0600.0E	0625.0	180.0D	17.0			
	200	GORK	44 NS	0624.0E		332.0D		5.0		
	100	GORK	44 NS	0625.0E		125.0D		10.0		
	127	TORN	43 NS	0700.0		410.0D		6.0		V1, DISTURBED
	260	ONDR	44 NS	0810.0E		352.0D	5.0			
	9400	TYKW	21 GRF	0020.0	0022.0	35.0	2.0	1.0		
	3750	TYKW	20 GRF	0020.0	0030.0	35.0	2.0	1.0		
	9400	TYKW	5 S	0033.3	0034.2	2.0	4.0	1.0		
	2000	TYKW	5 S	0311.0	0312.5	15.0	1.5	.7		
	3750	TYKW	20 GRF	0359.0	0403.0	85.0	2.0	1.0		
	2000	TYKW	20 GRF	0359.0	0440.0	85.0	2.0	1.0		
	9400	TYKW	20 GRF	0400.0	0440.0	100.0	3.0	1.5		
	536	ONDR	47 GB	0810.0E	0840.0U	188.0D				

12
Jan 82

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JANUARY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
15	430	KRAK	8 S	1207.9	1207.9	.2	10.0			
	930	BORD	8 S	1337.5	1337.5	.1	34.0	1.0		
	930	BORD	41 F	1347.8	1348.1	.5	74.0	2.0		
	2800	OTTA	1 S	1829.0	1829.9	1.5	7.2	3.6		
	2800	OTTA	29 PBI	1830.5	1830.5	5.0	2.2	1.1		
16	208	VORO	44 NS	0000.0E		240.0D		10.0		
	221	ABST	44 NS	0600.0E	0620.0	180.0D		16.0		
	200	GORK	44 NS	0608.0E		316.0D			5.0	
	127	TORN	43 NS	0850.0		350.0D			2.0	V1, DISTURBED
	260	ONDR	44 NS	0902.0E		310.0D		4.0		
	2000	TYKW	5 S	0456.0	0457.0	3.0	1.5	.5		
	9400	TYKW	5 S	0456.0	0500.0	15.0	5.0	2.0		
	3750	TYKW	20 GRF	0456.0	0500.0	50.0	4.0	1.5		
	2000	TYKW	21 GRF	0456.0	0520.0	65.0	2.0	1.0		
	3750	TYKW	5 S	0628.0	0630.7	6.0	3.0	.7		
	9400	TYKW	5 S	0629.0	0630.0	9.0	3.0	1.5		
	204	IZMI	5 S	1015.8	1016.0	.5	93.0	63.0		
	2800	OTTA	20 GRF	1820.0	1822.5	12.0	3.8	1.9		
	2800	OTTA	20 GRF	2010.0	2030.0	95.0	3.4	1.7		
17	208	VORO	44 NS	0000.0E		180.0D		10.0		
	200	HIRA	43 NS	0300.0	0610.0	600.0D	10.0	5.0		WR
	221	ABST	44 NS	0600.0E	0833.0	180.0D	10.0			
	200	GORK	44 NS	0620.0E		306.0D			5.0	
	204	IZMI	43 NS	0700.0		240.0D		22.0		
	127	TORN	43 NS	0746.0	1201.0	416.0D		27.0	15.0	V1
	260	ONDR	44 NS	0755.0E		371.0D		32.0U		
	245	PALE	43 NS	2100.1	2102.3	2.2D		30.0		
	200	HIRA	44 NS	2147.0E	0539.0	600.0D		50.0	15.0	MR
	9400	TYKW	5 S	0036.9	0037.0	.5	8.0	2.0		
	2000	TYKW	20 GRF	0347.0	0351.0	30.0	5.0	2.0		
	3750	TYKW	21 GRF	0347.0U	0352.0U	120.0U		5.0U	1.0	
	9400	TYKW	20 GRF	0347.0	0353.0	30.0	7.0	2.0		
	1000	TYKW	45 C	0349.0	0350.9	5.0	4.0	1.5		
	1000	TYKW	20 GRF	0400.0U	0407.0U	40.0U		2.0	1.0	
	2000	TYKW	20 GRF	0435.0	0450.0	80.0		2.0	1.0	
	3750	TYKW	5 S	0521.0	0524.0	12.0	1.0	.5		
	9400	TYKW	5 S	0521.0	0524.0	10.0	2.0	1.0		
	127	TORN	27 RF	1308.8		57.0		65.0		
	2800	OTTA	20 GRF	1510.0	1530.0	45.0		2.4	1.4	
	2800	OTTA	20 GRF	1705.0	1730.0	115.0		3.4	2.6	
	2800	OTTA	20 GRF	1915.0	1950.0	105.0		6.6		
2000	TYKW	45 C	2300.0	2311.8	17.0		16.0	8.0		
3750	TYKW	45 C	2304.0	2312.3	16.0		22.0	10.0		
9400	TYKW	45 C	2305.0	2312.5	20.0		12.0	8.0		
1000	TYKW	45 C	2309.0	2312.1	7.0		17.0	3.0		
2000	TYKW	29 PBI	2317.0		150.0		8.0	4.0		
3750	TYKW	29 PBI	2320.0		200.0		8.0	3.0		
9400	TYKW	29 PBI	2325.0		30.0		7.0	3.0		
18	208	VORO	44 NS	0000.0E		240.0D		15.0		
	100	HIRA	43 NS	0508.0	0656.0	160.0D		90.0	20.0	MR
	221	ABST	44 NS	0600.0E	0715.0	180.0D		9.0		
	200	GORK	44 NS	0618.0E		342.0D			5.0	
	100	GORK	44 NS	0619.0E		276.0D			10.0	
	127	TORN	44 NS	0810.0E	1040.7	400.0D		920.0	9.0	V1
	260	ONDR	44 NS	0817.0E		361.0D		5.0U		
	245	SGMR	43 NS	1430.0	1750.0	403.0D		56.0		
	245	PALE	43 NS	1750.0	0155.3	485.3D		130.0		
	200	HIRA	44 NS	2146.0E	0542.0	600.0D		17.0	10.0	WR
	100	HIRA	44 NS	2146.0E	2200.0	310.0D		600.0U	60.0U	MR, SUNRISE
	3750	TYKW	20 GRF	0020.0	0105.0	120.0		4.0	2.0	
	3750	TYKW	20 GRF	0413.0	0423.0	30.0		2.0	1.0	
	2000	TYKW	5 S	0419.0	0422.5	7.0		1.5	.7	
	9400	TYKW	5 S	0431.8	0432.2	1.0		7.0	2.0	
2000	TYKW	21 GRF	0515.0	0550.0	135.0		11.0	5.0		
3750	TYKW	21 GRF	0525.0	0600.0U	120.0D		12.0	7.0D		
9400	TYKW	21 GRF	0530.0	0610.0	120.0D		12.0	7.0D		
1000	TYKW	47 GB	0535.0	0537.0	18.0		775.0	40.0		

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

13
Jan 82

J A N U A R Y 1 9 8 2

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean (10 ⁻²² W/m ² Hz)	Int	Remarks
18	500	HIRA	45 C	0536.0	0537.2	17.0	12.0	5.0		MR
	2000	TYKW	45 C	0536.0	0538.0	3.0	10.0	3.0		
	606	MANI	4 S/F	0536.5	0537.0	7.2	17.7	5.9		
	1415	MANI	47 GB	0536.5	0538.0	7.0	936.1	312.0		
	2695	MANI	3 S	0536.5	0538.0	2.5	23.7	7.9		
	3750	TYKW	45 C	0537.0	0538.0	2.0	27.0	9.0		
	4995	MANI	3 S	0537.4	0538.3	1.6	19.5	6.5		
	9400	TYKW	8 S	0538.0	0538.1	.3	12.0	3.0		
	2000	TYKW	29 PBI	0539.0		9.0	3.0	1.5		
	1000	TYKW	29 PBI	0553.0		15.0	2.0	1.0		
	3750	TYKW	5 S	0603.0	0603.7	4.0	4.0	1.0		
	113	POTS	4 S/F	0739.9	0740.0	.8	200.0	50.0		III
	536	ONDR	20 GRF	0818.0E	0826.8	18.5D	15.0	14.0		
	430	KRAK	42 SER	0824.3	0826.9	50.0	29.0			
	810	KRAK	8 S	0920.3	0920.4	.2	22.0			
	430	KRAK	8 S	1009.9	1009.9	.2	12.0			
	430	KRAK	1 S	1033.6	1034.6	1.5	10.0	5.0		
	430	KRAK	42 SER	1110.2	1131.9	154.0	80.0			
	430	KRAK		1110.2	1259.2		200.0			
	33	UPIC	42 SER	1314.5		62.1				
	29	UPIC	42 SER	1314.7	1410.5U	61.6				
	2800	OTTA	21 GRF	1425.0	1442.0	80.0	5.6	2.5		
	2800	OTTA	2 S/F	1434.0	1435.1	1.5	6.2	4.2		
	2800	OTTA	21 GRF	1740.0	2030.0	250.0	13.2	9.8		
	1415	PALE	4 S/F	1835.5	1835.8	3.1	24.0			
	2800	OTTA	2 S/F	1835.5	1836.0	1.5	3.8	1.4		
	610	SGMR	47 GB	2059.6	2100.0	.5	160.0			
	410	PALE	47 GB	2059.8	2100.1	.5	59.0			
	610	PALE	47 GB	2059.8	2100.1	.5	70.0			
	1415	PALE	47 GB	2059.8	2100.1	.5	53.0			
	2800	OTTA	1 S	2100.0	2100.2	1.2	3.8	1.9		
	3750	TYKW	21 GRF	2358.0	0005.0	70.0	2.0	1.0		
	19	208	VORO	44 NS	0000.0E		240.0D		19.0	
100		HIRA	43 NS	0418.0	0539.0	200.0D	260.0	50.0		MR
200		GORK	44 NS	0616.0E		344.0D		10.0		
100		GORK	44 NS	0617.0E		343.0D		25.0		
204		IZMI	44 NS	0700.0E		240.0D	80.0			
260		ONDR	44 NS	0804.0E		375.0D	61.0U			
127		TORN	44 NS	0820.0E	1057.2	390.0D	6600.0	114.0		VI
430		KRAK	43 NS	1207.6	1345.6	129.0D	160.0			
245		SGMR	43 NS	1335.0	1752.3	257.3D	110.0			
245		PALE	43 NS	1735.0	0145.0	490.0D	130.0			
200		HIRA	44 NS	2146.0E	0053.0	600.0D	40.0	10.0		O
3750		TYKW	5 S	0040.0	0040.8	10.0	2.0	1.0		
3750		TYKW	20 GRF	0130.0	0154.0	50.0	3.0	1.0		
3750		TYKW	21 GRF	0424.0	0444.0	45.0	4.0	2.0		
2000		TYKW	20 GRF	0425.0	0444.0	40.0	2.0	1.0		
3750		TYKW	5 S	0433.0	0434.4	3.0	2.0	.7		
3750		TYKW	5 S	0512.0	0513.0	7.0	2.0	.7		
3750		TYKW	21 GRF	0512.0	0557.0	130.0U	6.0	3.0		
9400		TYKW	20 GRF	0525.0	0640.0	140.0U	8.0U	4.0		
3750		TYKW	5 S	0530.0	0531.0	6.0	2.0	1.0		
2000		TYKW	20 GRF	0548.0	0600.0	100.0	2.0	1.0		
430		KRAK	42 SER	0810.2	1016.8	163.0	790.0D			
430		KRAK		0810.2	1021.1		790.0D			
1470		POTS	8 S	0851.7	0851.8	.5	21.0			
9500		POTS	3 S	0928.7	0929.4	1.5	12.0			
6100		KISV	4 S/F	0928.7	0929.4	2.0	12.0			
1470		POTS	4 S/F	0928.7	0929.8	1.3	63.0			
15000		KISV	1 S	0928.8	0929.4	1.0	10.0U			
2950		GORK	1 S	0928.8	0929.5	2.1	10.0	5.0		
5200		BERN	3 S	0928.8	0929.6	2.0	18.0			
3200		BERN	3 S	0928.8	0929.6	2.0	15.0			
3000		POTS	3 S	0928.9	0929.4	1.4	13.0			
9100		GORK	1 S	0928.9	0929.5	1.9	14.0	7.0		
810	KRAK	8 S	1016.8	1016.8	.2	370.0				
810	KRAK	8 S	1021.0	1021.0	.2	90.0				
930	BORD	8 S	1053.3	1053.5	.2U	16.0	1.0			
3100	CRIM	1 S	1231.0	1231.5	2.0	11.0	4.0			

ONLY PAPER REC
ONLY PAPER REC

14
Jan 82

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JANUARY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
19	930	BORD	41 F	1411.0	1411.0	.4	284.0	2.0		
	810	KRAK	8 S	1411.0	1411.0	.2	130.0			
	808	ONDR	8 S	1411.8	1411.9	.6	21.0			
	2800	OTTA	22 GRF	1420.0	1530.0	130.0	5.6	2.4		
	8800	SGMR	4 S/F	1439.1	1439.3	2.9	23.0			
	9400	HUAN	22 GRF	1440.8	1537.0	86.2	6.5	2.5		0
	2695	PENT	1 S	2154.0	2155.0	5.0	3.2	1.6		
20	208	VORO	44 NS	0000.0E	0051.0	240.0D	54.0	19.0		
	221	ABST	44 NS	0600.0E	0858.0	180.0D	29.0			
	200	GORK	44 NS	0621.0E		339.0D		15.0		
	204	IZMI	43 NS	0700.0		240.0D	35.0			
	260	ONDR	44 NS	0758.0E		392.0D	20.0U			
	200	HIRA	44 NS	2145.0E	0315.0	600.0D	10.0	5.0		0
	3750	TYKW	5 S	0152.0	0153.9	5.0	2.0	.7		
	3750	TYKW	21 GRF	0315.0	0335.0	90.0	3.5	2.0		
	3750	TYKW	5 S	0321.0	0322.5	8.0	3.0	1.0		
	9400	TYKW	20 GRF	0321.0	0330.0	75.0	7.0	3.0		
	3750	TYKW	20 GRF	0459.0	0506.0	35.0	3.0	1.5		
	3750	TYKW	20 GRF	0550.0	0558.0	45.0	2.0	1.0		
	3750	TYKW	5 S	0654.0	0702.0	20.0	2.0	1.0		
	6100	KISV	27 RF	0859.0	0907.0	25.0	3.0			
	430	KRAK	8 S	0936.5	0936.5	.2	70.0			
	6100	KISV	27 RF	1040.0	1100.0	65.0	6.0			
	2950	GORK	20 GRF	1041.0	1041.1	22.5	5.3			
	9100	GORK	20 GRF	1049.1	1112.7	25.2	6.0			
	6100	KISV	45 C	1049.3	1050.2	1.2	4.0			
	930	BORD	8 S	1055.2	1055.2	.2	24.0	1.0		
430	KRAK	8 S	1212.6	1212.6	.2	18.0				
2800	OTTA	240 R	1855.0	1855.0	35.0	6.2				
9400	TYKW	5 S	2240.3	2240.9	1.5	10.0	3.0			
21	208	VORO	44 NS	0000.0E		180.0D		15.0		
	221	ABST	44 NS	0600.0E	0826.0	180.0D	11.0			
	200	GORK	44 NS	0613.0E		352.0D		5.0		
	260	ONDR	44 NS	0824.0E		358.0D	14.0U			
	245	SGMR	43 NS	1231.0	1601.0	210.0D	96.0			
	127	TORN	44 NS	1300.0E		54.0D		1.0		V1
	3750	TYKW	20 GRF	0040.0	0138.0	100.0	5.0	2.0		
	3750	TYKW	20 GRF	0420.0	0505.0	140.0	4.0	2.0		
	2000	TYKW	20 GRF	0420.0	0505.0	140.0	2.0	1.0		
	6100	KISV	1 S	0659.9	0701.0	2.1U	3.0			
	930	BORD	8 S	0757.8	0757.9	.2	72.0	2.0		
	6100	KISV	4 S/F	0810.6	0820.3	11.0	14.0			
	113	POTS	4 S/F	0812.5	0812.6	.9	1600.0	160.0		111
	9100	GORK	21 GRF	0815.0	0937.5	205.0	13.0			
	3200	BERN	3 S	0817.0	0820.5	6.0	21.0			ONLY PAPER REC
	5200	BERN	3 S	0817.0	0820.5	6.0	28.0			ONLY PAPER REC
	650	GORK	22 GRF	0818.0	0822.9		4.0			
	8800	MANI	3 S	0818.5	0820.5	2.5	15.7	5.2		
	4995	MANI	3 S	0818.7	0820.5	3.3	29.7	9.9		
	9500	POTS	3 S	0819.0	0820.3	2.5	11.0			
	3000	POTS	3 S	0819.0	0820.4	3.0	12.0			
	2695	MANI	3 S	0819.0	0820.5	3.0	11.8	3.9		
	4995	LEAR	4 S/F	0819.1	0820.3	1.2D	23.0			
	9100	GORK	1 S	0819.2	0820.2	1.8	12.0	6.0		
	8800	LEAR	4 S/F	0819.3	0820.3	1.0D	20.0			
	2695	LEAR	4 S/F	0819.3	0820.3	1.0D	18.0			
	930	BORD	8 S	0822.0	0822.8	1.5	17.0	8.0		
	950	GORK	1 S	0822.3	0822.8	1.1	11.0	5.5		
	1415	LEAR	4 S/F	0822.6	0823.1	.5D	10.0			
	930	BORD	41 F	0839.2	0839.5	.4	19.0	1.0		
	113	POTS	4 S/F	1022.2	1022.4	1.9	200.0	30.0		111
	930	BORD	8 S	1116.0	1116.0	.1	36.0	1.0		
430	KRAK	42 SER	1200.3	1205.4	11.7	67.0				
2650	DWIN	2 S/F	1205.0	1207.0	5.0	12.0	6.0			
3000	POTS	42 SER	1206.0	1206.5	6.5	10.0				
1470	POTS	42 SER	1206.0	1207.0	6.0	10.0				
930	BORD	41 F	1206.4	1206.8	.8	22.0	2.0			
810	KRAK	8 S	1206.6	1206.6	.4	34.0				

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

15
Jan 82

J A N U A R Y 1 9 8 2

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m	Mean 2 Hz)		
21	808	ONDR	8 S	1217.0	1217.2	1.2	10.0			
	1470	POTS	4 S/F	1240.7	1241.4	1.6	7.0			
	9500	POTS	1 S	1241.0	1242.0	2.0	4.0			
	2800	OTTA	20 GRF	1420.0	1445.0	110.0	3.0	1.5		
	2800	OTTA	27A RF	1810.0		180.0	2.8	2.6		
	2800	OTTA	24 R	1810.0	1815.0	5.0	2.8	1.4		
	2800	OTTA	24P R	1815.0		160.0	2.8			
	2695	PENT	20 GRF	1957.0	2000.0	13.0	2.0	1.0		
	2695	PENT	26 FAL	2055.0	2110.0	15.0	-2.8	-1.4		
22	208	VORO	44 NS	0000.0E		240.0D		9.0		
	200	GORK	44 NS	0600.0E		360.0D		5.0		
	260	ONDR	44 NS	0813.0E		369.0D	5.0U			
	9400	TYKW	5 S	0420.2	0420.7	1.0	10.0	2.0		
	2000	TYKW	45 C	0441.0	0443.4	16.0	160.0	35.0		
	1000	TYKW	45 C	0441.0	0443.8	20.0	103.0	18.0		
	3750	TYKW	45 C	0441.0	0444.5	16.0	490.0	140.0		
	1415	MANI	4 S/F	0441.5	0444.5	11.5	58.0	19.3		
	2695	MANI	4 S/F	0441.5	0444.9	14.5	147.7	49.2		
	4995	MANI	47 GB	0441.5	0445.0D	15.5	502.5D	167.5D		
	9400	TYKW	47 GB	0442.0	0444.4	15.0	1180.0	230.0		
	606	MANI	4 S/F	0442.0	0446.5	7.0	27.7	9.2		
	1415	LEAR	47 GB	0442.1	0444.1	2.0D	100.0			
	2695	LEAR	47 GB	0442.3	0444.5	2.2D	180.0			
	4995	LEAR	49 GB	0442.5	0444.3	1.8D	900.0			
	8800	LEAR	49 GB	0442.6	0444.3	1.7D	1300.0			
	500	HIRA	45 C	0442.7	0446.0	7.2	22.0	15.0		0
	15400	LEAR	49 GB	0442.8	0444.3	1.5D	710.0			
	8800	MANI	4 S/F	0442.8	0444.7	14.2	359.5	119.8		
	35000	NAGO	5 S	0443.0	0444.0	6.0	154.0			
	200	HIRA	46 C	0444.6	0445.5	5.9	70.0	10.0		0
	100	HIRA	45 C	0445.1	0445.8	2.0	710.0	150.0		WL
	100	HIRA		0450.1	0450.9		1200.0			WL
	100	HIRA	46 C	0450.1	0452.4	4.0	1600.0	260.0		WL
	200	HIRA	27 RF	0450.7	0454.1	21.0	11.0	3.0		0
	2000	TYKW	29 PBI	0457.0		100.0	2.0	1.0		
	3750	TYKW	29 PBI	0457.0		120.0	10.0	5.0		
9400	TYKW	29 PBI	0457.0		90.0	22.0	7.0			
930	BORD	41 F	0822.0	0822.2	.3	20.0	2.0			
536	ONDR	4 S/F	1330.3	1330.9	1.9	7.0	3.0			
9400	HUAN	20 GRF	1715.2	1730.4	32.6	5.0	2.5		0	
9400	HUAN	1 S	1824.0	1824.7	1.8	5.8	3.0		R	
2800	OTTA	20 GRF	2000.0	2045.0	90.0	3.8	1.8			
23	208	VORO	44 NS	0000.0E		240.0D		12.0		
	260	ONDR	44 NS	0854.0E		301.0D	4.0U			
	2000	TYKW	20 GRF	0340.0	0450.0	140.0	2.0	1.0		
	3750	TYKW	20 GRF	0340.0	0500.0	160.0	4.0	2.0		
	260	ONDR	42 SER	1212.0	1215.0	11.0	8.0U	3.0		
	430	KRAK	2 S/F	1214.5	1215.0	1.5	30.0	2.0		
	810	KRAK	1 S	1214.7	1214.9	.4	8.0	3.0		
24	208	VORO	44 NS	0000.0E		240.0D		10.0		
	260	ONDR	44 NS	0822.0E		337.0D	4.0U			
	9400	TYKW	5 S	0046.0	0046.6	4.0	4.0	1.5		
	2930	VORO	3 S	0150.0	0155.0	15.0	168.0			
	3750	TYKW	5 S	0151.0	0155.9	19.0	150.0	30.0		
	2000	TYKW	28 PRE	0152.0	0153.2	2.0	7.0	3.0		
	1415	LEAR	4 S/F	0152.1	0155.8	8.0	41.0			
	2695	LEAR	47 GB	0152.1	0155.8	10.0	139.0			
	4995	LEAR	47 GB	0152.1	0155.8	10.4	110.0			
	8800	LEAR	47 GB	0152.6	0155.8	8.4	54.0			
	9400	TYKW	45 C	0153.0	0156.0	7.0	50.0	20.0		
	2695	MANI	3 S	0153.5	0156.3	10.5	134.6	44.9		
	4995	MANI	3 S	0153.5	0156.3	9.5	164.5	54.8		
	1415	MANI	3 S	0153.5	0156.9	10.0	35.7	11.9		
	8800	PALE	47 GB	0153.8	0155.8	14.0	69.0			
	1415	PALE	4 S/F	0153.8	0155.8	4.5	38.0			
8800	MANI	3 S	0153.9	0156.4	6.1	92.0	30.7			
2000	TYKW	5 S	0154.0	0155.9	13.0	100.0	23.0			

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JANUARY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
24	1000	TYKW	5 S	0154.0	0156.1	10.0	8.0	2.5		
	15400	LEAR	4 S/F	0154.1	0156.0	6.0	20.0			
	2695	PALE	47 GB	0154.3	0155.8	7.2	139.0			
	9400	TYKW	29 PBI	0200.0		130.0	15.0	7.0		
	2000	TYKW	30 PBI	0207.0		120.0	4.0	2.0		
	3750	TYKW	30 PBI	0210.0		115.0	6.0	3.0		
	2000	TYKW	20 GRF	0213.0	0223.0	80.0	2.0	1.0		
	3750	TYKW	20 GRF	0213.0	0233.0	90.0	3.0	1.5		
	430	KRAK	8 S	1015.2	1015.3	.2	27.0			
	127	TORN	41 F	1020.8	1022.8	7.5	10.0	1.0		
	204	IZMI	41 F	1029.8	1031.8	5.2	30.0			
	127	TORN	45 C	1030.8	1033.3	6.0	580.0	90.0		
	113	POTS	4 S/F	1031.8	1033.9	4.9	100.0	2.0		III
	2950	GORK	20 GRF	1033.7	1040.3	60.00	14.0			
	950	GORK	21 GRF	1033.8	1043.7	16.8	5.5	2.5		
	33	UPIC	8 S	1034.5	1034.5	.2				
	29	UPIC	8 S	1034.5	1034.6	.3				
	950	GORK	2 S/F	1039.0	1040.2	4.6	29.0			
	808	ONDR	40 F	1039.0	1040.5	5.0	10.0	12.0		
	1470	POTS	4 S/F	1039.0	1040.5	4.5U	132.0U			
	930	BORD	46 C	1039.0	1041.0	5.0	48.0	5.0		
	810	KRAK	4 S/F	1039.2	1040.7	6.6	17.0	7.0		
	2650	DWIN	41 F	1040.0	1040.0	5.0	40.0	15.0		
	430	KRAK	8 S	1042.2	1042.2	.2	18.0			
	430	KRAK	8 S	1055.8	1055.9	.2	15.0			
	430	KRAK	1 S	1117.3	1117.3	.3	9.0			
	4995	SGMR	4 S/F	1449.3	1450.0	2.3	21.0			
	9400	HUAN	4 S/F	1449.4	1450.3	2.2	38.9	18.9		0
	8800	SGMR	4 S/F	1449.5	1450.1	2.3	46.0			
	2800	OTTA	22 GRF	1450.0	1455.0	15.0	3.4	1.7		
	9400	HUAN	29 PBI	1451.6	1451.6	17.1	8.4	4.5		0
	2800	OTTA	1 S	1528.4	1529.0	2.0	2.2	1.1		
9400	HUAN	21 GRF	1811.1	2009.0	237.5	33.8	10.8		0	
2800	OTTA	23 GRF	1915.0	2000.0	220.00	24.0				
9400	HUAN	41 F	1938.0	1939.0	9.0	23.7	18.7		0	
9400	HUAN		1938.0	1941.8		40.6			0	
9400	HUAN		1938.0	1945.0		38.9			0	
2800	OTTA	8 S	1938.8	1938.9	.5	3.6	1.8			
2800	OTTA	1 S	1941.0	1942.0	1.5	3.4	1.7			
2800	OTTA	3 S	1944.0	1945.0	6.0	13.8	6.6			
25	6100	KISV	1 S	0851.0	0855.7	6.0	3.0			
	430	KRAK	42 SER	1010.9	1011.0	6.1	17.0			
	430	KRAK		1010.9	1016.5		15.0			
	3100	CRIM	24 R	1043.0	1125.0		6.0			
	2950	GORK	20 GRF	1047.0	1130.0	75.00	5.2			
	9100	GORK	20 GRF	1120.3	1122.3	42.0	9.0			
	430	KRAK	8 S	1127.4	1127.4	.1	26.0			
	260	ONDR	8 S	1128.2	1128.2	.2	5.0			
	430	KRAK	8 S	1240.4	1240.5	.2	47.0			
	260	ONDR	8 S	1254.0	1254.3	.9	12.0			
	113	POTS	4 S/F	1336.8	1337.1	.8	200.0	20.0		III
	9400	HUAN	20 GRF	1432.5	1526.7	80.8	13.1	4.8		0
	930	BORD	8 S	1444.0	1444.0	.1	53.0	1.0		
	2800	OTTA	20 GRF	1445.0	1530.0	250.0	5.6	2.8		
	930	BORD	8 S	1506.8	1506.8	.1	21.0	1.0		
	9400	HUAN	20 GRF	1611.3	1645.6	111.6	14.7	6.0		L
	15400	PALE	8 S	1759.8	1800.1	1.0	36.0			
	410	PALE	47 GB	1820.8	1821.1	.5	430.0			
	15400	SGMR	4 S/F	1918.3	1919.5	2.3	27.0			
	9400	HUAN	3 S	1918.7	1919.8	3.2	26.5	10.5		R
8800	SGMR	8 S	1919.3	1919.5	.3	16.0				
4995	SGMR	8 S	1919.6	1919.6	.2	11.0				
2800	OTTA	20 GRF	2046.0	2053.0	26.0	3.2	1.2			
26	2000	TYKW	21 GRF	0205.0	0240.0	195.0	5.0	2.5		
	1000	TYKW	5 S	0210.0	0212.5	5.0	3.0	1.0		
	8800	LEAR	20 GRF	0210.0	0219.8	21.6	13.0			
	3750	TYKW	20 GRF	0210.0	0227.0	200.0	10.0	5.0		
	1000	TYKW	21 GRF	0210.0	0240.0	140.0	2.0	1.0		

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

17
Jan 82

J A N U A R Y 1 9 8 2

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 ⁻²² W/m ² Hz)	Mean			
26	15400	LEAR	20 GRF	0210.5	0220.8	21.1	11.0				
	1415	LEAR	20 GRF	0210.8	0220.1	20.8	05.0				
	4995	LEAR	20 GRF	0210.8	0220.8	20.8	10.0				
	2000	TYKW	5 S	0211.0	0212.3	3.0	5.0	1.5			
	9400	TYKW	20 GRF	0211.0	0230.0	195.0	11.0	5.0			
	2695	LEAR	20 GRF	0211.8	0220.8	19.8	08.0				
	4995	LEAR	20 GRF	0235.6	0235.6	11.5	08.0				
	8800	LEAR	20 GRF	0235.6	0236.1	14.4	10.0				
	2695	LEAR	20 GRF	0235.6	0236.3	9.4	09.0				
	1415	LEAR	20 GRF	0235.6	0236.6	2.0	06.0				
	2000	TYKW	5 S	0328.0	0329.9	4.0	3.0	1.5			
	1000	TYKW	5 S	0328.0	0330.0	5.0	2.0	1.0			
	2000	TYKW	29 PBI	0332.0		20.0	1.0	.5			
	3750	TYKW	5 S	0535.0	0535.2	2.0	3.0	.7			
	2000	TYKW	5 S	0535.0	0535.2	3.0	3.0	1.0			
	3750	TYKW	5 S	0632.0	0633.0	3.0	2.0	.7			
	6100	KISV	1 S	0753.3	0754.7	2.0	3.0				
	3100	CRIM	24 R	0928.5	1020.0		6.0				
	430	KRAK	42 SER	0932.8	1002.7	30.0	50.0				
	204	IZMI	41 F	0944.0	0944.0	1.0	71.0				
	260	ONDR	46 C	0944.0	0944.3	1.7	16.0	4.0			
	2950	GORK	20 GRF	0947.5	1000.0	97.0	5.0	2.5			
	9100	GORK	20 GRF	0954.0	1029.5	50.00	8.0				
	260	ONDR	4 S/F	0954.2	0954.9	1.4	4.0	2.0			
	410	LEAR	8 S	1002.6	1002.8	.2	26.0				
	260	ONDR	4 S/F	1004.3	1004.9	1.3	7.0	13.0			
	204	IZMI	41 F	1006.3	1006.8	.8	74.0				
	260	ONDR	4 S/F	1006.3	1007.2	.90	27.0	76.0			
	204	IZMI	41 F	1045.8	1046.2	1.1	32.0				
	260	ONDR	42 SER	1045.9	1047.6	4.0	66.0	2.0			
	113	POTS	4 S/F	1046.2	1046.2	.2	200.0	70.0		III	
	430	KRAK	8 S	1133.6	1133.6	.2	22.0				
	2650	DWIN	1 S	1224.0	1225.0	3.0	10.0	5.0			
	29	UPIC	4 S/F	1232.1	1232.2	1.8					
	33	UPIC	4 S/F	1232.2	1232.3	2.7					
	260	ONDR	8 S	1357.0	1357.2	.1	6.0				
	9400	HUAN	20 GRF	1516.4	1543.2	67.7	5.0	1.2		0	
	2800	OTTA	20 GRF	1525.0		155.0	3.8	2.4			
	27	260	ONDR	44 NS	0810.0E	1230.0U	367.00	6.0U			
		3750	TYKW	5 S	0453.0	0455.2	4.0	5.0	2.0		
3750		TYKW	29 PBI	0457.0		35.0	2.0	1.0			
610		LEAR	8 S	0533.3	0533.5	.5	11.0				
3750		TYKW	5 S	0605.0	0606.3	5.0	1.5	.7			
610		LEAR	47 GB	0639.1	0639.6	2.0	84.0				
410		LEAR	8 S	0640.6	0641.0	1.0	19.0				
3100		CRIM	24 R	0709.8	0800.0		8.0				
430		KRAK	8 S	0826.9	0827.0	.2	29.0				
6100		KISV	1 S	1137.0	1137.9	2.0	3.0				
536		ONDR	4 S/F	1232.1	1232.9	1.0	13.0	6.0			
430		KRAK	8 S	1232.5	1233.1	.8	170.0				
536		ONDR	8 S	1320.8	1320.8	.1	7.0				
2800		OTTA	20 GRF	1355.0	1430.0	65.0	3.8	1.9			
2800		OTTA	240 R	1615.0	1650.0	35.0	3.8	1.9			
2800		OTTA	8 S	1744.0	1744.1	.5	2.6				
2695		PENT	240 R	1750.0	1800.0	10.0	3.0	1.5			
9400		HUAN	21 GRF	1951.8	2119.6	129.6	17.3	8.0		L	
2695		PENT	240AR	2111.0	2115.0	4.0	3.8				
2695		PENT	2 S/F	2113.0	2114.0	2.5	9.4	4.4			
9400		HUAN	2 S/F	2113.1	2114.0	4.5	18.9	8.8		L	
2695		PENT	240AR	2209.0	2213.0	4.0	3.8	1.9			
2695		PENT	8 S	2209.9	2210.0	.7	6.0	3.0			
9400		TYKW	21 GRF	2240.0	2252.0	30.0	5.0	2.5			
3750	TYKW	21 GRF	2245.0	2252.0	30.0	4.0	2.0				
200	HIRA	46 C	2251.7	2253.8	3.0	150.0	32.0		0		
100	HIRA	46 C	2252.6	2253.4	3.5	9500.0	470.0		0		
500	HIRA	46 C	2252.7	2253.0	1.8	90.0	30.0		SR		
1415	LEAR	47 GB	2253.0	2253.5	2.0	78.0					
2695	LEAR	8 S	2253.0	2253.6	1.8	48.0					
2000	TYKW	45 C	2253.0	2253.7	2.5	75.0	22.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JANUARY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean (2 Hz)	Int	Remarks
27	3750	TYKW	45 C	2253.0	2253.7	2.5	44.0	13.0		
	9400	TYKW	5 S	2253.0	2253.7	2.5	41.0	12.0		
	15400	LEAR	8 S	2253.0	2253.8	1.3	13.0			
	2695	PENT	4 S/F	2253.0	2253.8	2.0	38.0	22.0		
	1000	TYKW	45 C	2253.0	2254.2	2.5	247.0	25.0		
	4995	MANI	3 S	2253.0	2254.2	2.0	58.0	19.3		
	606	MANI	4 S/F	2253.0	2254.2	2.0	40.6	13.5		
	610	LEAR	47 GB	2253.0	2254.5	1.6	64.0			
	410	LEAR	8 S	2253.1	2253.6	1.5	37.0			
	8800	LEAR	47 GB	2253.1	2253.6	1.7	51.0			
	4995	LEAR	47 GB	2253.1	2253.6	1.7	60.0			
	8800	MANI	3 S	2253.2	2254.0	2.1	60.6	20.2		
	1415	MANI	4 S/F	2253.2	2254.3	1.8	50.4	16.8		
	2695	MANI	3 S	2253.2	2254.4	2.3	47.5	15.8		
	1000	TYKW	45 C	2310.9	2311.1	.6	23.0	5.0		
	1000	TYKW	8 S	2315.7	2315.8	.3	10.0	2.0		
	1000	TYKW	5 S	2336.0	2336.3	.7	15.0	6.0		
28	221	ABST	44 NS	0600.0E	0752.2	180.0D	15.0			
	200	GORK	44 NS	0630.0E		266.0D		15.0		
	234	POTS	44 NS	0700.0E	0722.0	185.0D	250.0			
	113	POTS	44 NS	0700.0E	0800.0	161.0D	250.0			
	127	TORN	43 NS	0703.0	1233.5	480.0	60.0	4.0		V1
	100	GORK	43 NS	0729.0		163.0		450.0		
	204	IZMI	44 NS	0805.0E		175.0D	20.0			
	260	ONDR	44 NS	0810.0E		380.0D				
	200	HIRA	44 NS	2142.0E	0643.0	620.0D	35.0	15.0		MR
	3750	TYKW	5 S	0027.0	0032.5	25.0	4.0	1.5		
	200	HIRA	41 F	0108.1	0108.9	1.1	45.0			O
	500	HIRA	46 C	0108.2	0108.7	1.0	35.0	13.0		WR
	100	HIRA	41 F	0108.3	0109.0	1.3	2700.0			WL
	1000	TYKW	45 C	0108.3	0109.0	1.5	65.0	6.0		
	200	HIRA	41 F	0249.3	0250.9	3.3	140.0			WR
	100	HIRA	41 F	0249.5	0251.0	3.0	560.0			WL
	3750	TYKW	21 GRF	0257.0	0308.0	125.0	8.0	3.5		
	2000	TYKW	21 GRF	0300.0	0312.0	70.0	2.5	1.0		
	9400	TYKW	20 GRF	0303.0	0309.0	30.0	6.0	3.0		
	3750	TYKW	5 S	0305.0	0306.0	1.5	2.0	.5		
	200	HIRA	42 SER	0325.7	0326.1	6.2	350.0			WR
	500	HIRA	46 C	0326.0	0326.3	1.5	250.0	40.0		MR
	3750	TYKW	5 S	0326.0	0326.7	2.0	4.0	1.0		
	100	HIRA	42 SER	0326.0	0326.7	6.5	1100.0			WL
	2000	TYKW	5 S	0326.0	0326.7	1.0	3.0	1.0		
	1000	TYKW	45 C	0326.3	0326.7	2.0	7.0	1.5		
	2000	TYKW	5 S	0331.3	0331.8	1.0	4.0	1.0		
	1000	TYKW	5 S	0331.3	0331.8	1.0	14.0	3.0		
	2000	TYKW	20 GRF	0430.0	0450.0	40.0	2.0	1.0		
	9400	TYKW	20 GRF	0444.0	0450.0	30.0	4.0	2.0		
	3750	TYKW	21 GRF	0520.0	0528.0	38.0	5.0	2.0		
	200	HIRA	46 C	0523.8	0524.1	2.1	1800.0	250.0		O
	500	HIRA	45 C	0525.0	0525.1	.2	12.0	4.0		SR
	100	HIRA	48 C	0525.0	0525.4	.4	1000.0D	1250.0D		
	9400	TYKW	5 S	0525.0	0525.6	2.5	8.0	2.0		
3750	TYKW	5 S	0525.0	0525.7	1.5	10.0	3.0			
9400	TYKW	21 GRF	0525.0	0538.0	30.0	6.0	2.0			
2000	TYKW	21 GRF	0525.0	0540.0	30.0	2.0	1.0			
2000	TYKW	5 S	0525.3	0525.7	2.0	6.0	2.0			
1000	TYKW	45 C	0525.3	0525.7	2.0	15.0	5.0			
3750	TYKW	45 C	0532.5	0533.6	1.5	4.0	1.0			
9400	TYKW	45 C	0532.5	0533.6	1.5	5.0	2.0			
3750	TYKW	28 PRE	0635.0	0649.2	23.0	12.0	5.0			
9400	TYKW	28 PRE	0635.0	0653.6	23.0	33.0	13.0			
9100	GORK	47 GB	0636.7	0707.7	87.0	210.0				
9100	GORK		0636.7	0714.9		500.0				
9100	GORK		0636.7	0722.2		1125.0				
2950	GORK	47 GB	0637.4E	0702.1	120.0D	120.0				
2950	GORK		0637.4E	0707.7		285.0				
2950	GORK		0637.4E	0709.8		254.0				
2950	GORK		0637.4E	0715.0		375.0				
2950	GORK		0637.4E	0721.2		230.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JANUARY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
28	▲ 2950	GORK		0637.4E	0722.5		510.0			
	2000	TYKW	28 PRE	0641.0	0642.5	17.0	25.0	6.0		
	6100	KISV		0641.0	0709.6		213.0			
	6100	KISV		0641.0	0714.7		306.0			
	6100	KISV	47 GB	0641.0	0722.0	105.0	505.0			
	1000	TYKW	45 C	0642.0	0642.5	1.0	12.0	2.5		
	3100	CRIM	28 PRE	0642.5	0658.5	16.0	10.0	3.0		
	15000	KISV		0644.0	0700.1		98.0			
	15000	KISV		0644.0	0709.8		162.0			
	15000	KISV		0644.0	0714.7		230.0			
	15000	KISV	47 GB	0644.0	0722.2	100.0	865.0			
	950	GORK	47 GB	0649.8E	0712.4	155.0D	259.0			
	950	GORK		0649.8	0722.2		290.0			
	500	HIRA	48 C	0657.5	0706.3	55.0D	1000.0	250.0		WLMR
	200	HIRA	48 C	0657.8	0713.7	60.0D	2000.0	330.0U		WL, SUNSET
	200	HIRA		0657.8	0740.0		900.0U			MR
	1000	TYKW	45 C	0658.0	0712.2	32.0	360.0	65.0		
	3000	IZMI		0658.0	0714.8		338.0			
	1415	MANI	4 S/F	0658.0	0722.0	41.0	186.2	62.1		
	9400	TYKW	47 GB	0658.0	0722.1	32.0	1080.0	170.0		
	3750	TYKW	47 GB	0658.0	0722.2	32.0	645.0	165.0		
	3000	IZMI	45 C	0658.0	0722.4	36.5	466.0	194.0		
	2000	TYKW	45 C	0658.0	0722.8	32.0	350.0	100.0		
	3100	CRIM	45 C	0658.5	0710.0	33.0	263.0	179.0		
	3100	CRIM		0658.5	0714.6		394.0			
	3100	CRIM		0658.5	0722.0		537.0			
	2695	MANI	4 S/F	0658.5	0722.7	41.0	437.1	145.7		
	606	MANI	47 GB	0659.0	0708.0	39.0	2353.5	784.5		
	8800	MANI	47 GB	0659.0	0722.2	38.0	1470.1	490.0		
	650	GORK	23 GRF	0659.0	0751.5	121.0	16.0			
	4995	MANI	47 GB	0659.2	0722.2	38.8	1164.1	388.0		
	100	GORK	46 C	0703.5	0705.1	25.0	24700.0			
	100	GORK		0703.5	0707.7		31300.0			
	200	GORK	46 C	0703.5	0711.2	22.5	1400.0			
	200	GORK		0703.5	0715.5		4600.0			
	100	GORK		0703.5	0721.0		3200.0			
	200	GORK		0703.5	0723.7		1300.0			
	100	HIRA		0703.7	0704.7		5500.0			WR
	100	HIRA	48 C	0703.7	0727.2	56.0	6000.0	524.0		WL, SUNSET
	650	GORK	46 C	0704.4	0707.7	33.8	2000.0			
	204	IZMI	46 C	0704.5	0715.0	23.5	800.0	250.0		
	204	IZMI		0704.5	0723.8		320.0			
	127	TORN	27 RF	0715.0	0752.8	94.0	8300.0	290.0		
	9500	POTS	4 S/F	0720.0	0722.2	9.0	530.0			
	3000	POTS	4 S/F	0720.0E	0722.7	10.0D	290.0U			
	1470	POTS	4 S/F	0720.0E	0723.5	7.0D	120.0U			
	204	IZMI	30 PBI	0728.0	0738.6	37.0	52.0	130.0		
	2000	TYKW	30 PBI	0730.0		20.0D	17.0	10.0D		
	3750	TYKW	30 PBI	0730.0		20.0D	45.0	30.0D		
	9400	TYKW	30 PBI	0730.0		20.0D	90.0	64.0D		
1000	TYKW	30 PBI	0730.0		7.0D	36.0	34.0D			
3100	CRIM	3 S	0732.8	0735.0	5.0	54.0	18.0			
2000	TYKW	5 S	0733.0	0735.9	7.0	62.0	25.0			
9400	TYKW	5 S	0733.5	0734.3	2.5	20.0	7.0			
3750	TYKW	5 S	0733.5	0734.5	6.0	42.0	20.0			
1000	TYKW	5 S	0733.5	0735.0	3.5D	25.0	13.0D			
3100	CRIM	29 PBI	0737.8	0738.0	47.0	45.0	16.0			
930	BORD	41 F	0822.1	0822.3	.4	388.0	2.0			
9100	GORK	20 GRF	0841.1	1114.0	169.0D	35.0				
2950	GORK	21 GRF	0854.0	1106.0	156.0D	36.0				
950	GORK	21 GRF	0907.3	1030.0	143.0D	10.0				
930	BORD	41 F	0912.4	0912.7	5.6	53.0	2.0			
430	KRAK	42 SER	0934.7	0935.0	18.0	32.0				
3000	POTS	3 S	0937.5	0938.4	4.5	7.0				
1470	POTS	1 S	0937.5	0939.0	2.5	3.0				
808	ONDR	40 F	0937.8	0939.6	5.6	48.0	10.0			
2650	DWIN	1 S	0938.0	0938.0	2.0	10.0	5.0			
930	BORD	41 F	0938.0	0939.3	6.0	357.0	6.0			
950	GORK	4 S/F	0938.4	0940.0	4.4	166.0				
810	KRAK	45 C	0938.5	0942.3	4.3	70.0	4.0			

20
Jan 82

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JANUARY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
28	536	ONDR	40 F	0938.6	0940.7	4.4	8.0	4.0		
	810	KRAK	2 S/F	1032.1	1032.6	1.5	17.0	4.0		
	33	UPIC	42 SER	1032.2	1032.8	78.2				
	930	BORD	41 F	1032.3	1032.3	.4	22.0	2.0		
	113	POTS	4 S/F	1032.4	1032.4	.9	100.0	10.0		
	29	UPIC	42 SER	1032.4	1033.0	57.5U				
	430	KRAK	8 S	1032.6	1032.6	.2	28.0			
	930	BORD	8 S	1037.2	1037.2	.2	31.0	1.0		
	810	KRAK	8 S	1057.2	1057.2	.1	12.0			
	536	ONDR	8 S	1104.6	1104.7	.2	9.0			
	930	BORD	41 F	1112.8	1113.3	2.6	173.0	5.0		
	810	KRAK	7 C	1112.9	1113.9	3.6	75.0	8.0		
	3100	CRIM	3 S	1113.0	1113.2	2.0	82.0	27.0		
	3200	BERN	4 S/F	1113.0	1113.4	4.0	95.0			
	3000	POTS	4 S/F	1113.0	1113.5	2.0	75.0			
	6100	KISV	4 S/F	1113.0	1113.5	1.5	12.0			
	1470	POTS	1 S	1113.0	1113.5	2.0	3.0			
	808	ONDR	40 F	1113.0	1113.9	5.0	28.0	4.0		
	9500	POTS	1 S	1113.0	1114.0	2.0	9.0			
	2650	DWIN	45 C	1113.0	1131.0	1.8U	130.0	60.0		
	2950	GORK	4 S/F	1113.2	1113.5	2.0	82.0			
	536	ONDR	8 S	1113.6	1113.7	.1	8.0			
	430	KRAK	42 SER	1116.7	1116.8	34.0	28.0			
	430	KRAK		1116.7	1140.9		25.0			
	930	BORD	41 F	1157.7	1158.0	.5	23.0	2.0		
	930	BORD	41 F	1228.7	1228.7	.3	22.0	2.0		
	430	KRAK	8 S	1241.6	1241.6	.2	21.0			
	930	BORD	41 F	1257.4	1257.4	.4	90.0	2.0		
	930	BORD	41 F	1304.7	1305.4	2.3	33.0	2.0		
	113	POTS	42 SER	1305.3	1309.7	4.8	700.0	15.0		III
	1470	POTS	1 S	1321.0	1321.4	1.0	3.0			
	536	ONDR	8 S	1321.4	1321.6	.3	16.0			
	9400	HUAN	20 GRF	1339.3	1437.5	116.8	21.2	11.1		R
	2800	OTTA	240AR	1353.0	1500.0	67.0	19.2			
	536	ONDR	8 S	1409.3	1409.5	.2	8.0			
	2800	OTTA	20 GRF	1422.0	1440.0	30.0	5.8	2.9		
2650	DWIN	4 S/F	1423.0	1423.0	1.0	120.0	60.0			
536	ONDR	8 S	1424.3	1424.3	.1	18.0				
930	BORD	8 S	1426.0	1426.0	.1	26.0	1.0			
2650	DWIN	1 S	1510.0	1510.0	1.0	40.0	20.0			
2800	OTTA	20 GRF	1510.0	1520.0	20.0	3.8	2.6			
2800	OTTA	240 R	1635.0	1655.0	20.0	3.8	1.9			
2800	OTTA	20 GRF	1930.0	1945.0	110.0	4.4				
9400	HUAN	20 GRF	1942.4	2000.0	37.6	4.9	2.4		R	
3750	TYKW	20 GRF	2340.0	0020.0	125.0	12.0	5.0			
29	208	VORO	44 NS	0000.0E		230.0D		20.0		
	200	GORK	44 NS	0616.0E		345.0D		40.0		
	100	GORK	44 NS	0616.0E		314.0D		5.0		
	204	IZMI	44 NS	0700.0E		240.0D	100.0			
	127	TORN	43 NS	0715.0	1330.3	465.0	350.0	9.0		V2
	536	ONDR	44 NS	0800.0E		110.0D				
	260	ONDR	44 NS	0800.0E		390.0D				
	536	ONDR	43 NS	1250.0		100.0D				
	100	HIRA	44 NS	2142.0E	0516.0	560.0D	1300.0	270.0		SR
	200	HIRA	44 NS	2142.0E	0619.0	620.0D	630.0	325.0		SR
	1000	TYKW	8 S	0206.9	0207.0	.4	26.0	6.0		
	3750	TYKW	21 GRF	0210.0	0309.0	195.0	11.0	6.0		
	1000	TYKW	21 GRF	0215.0	0237.0	170.0	5.0	2.0		
	2000	TYKW	21 GRF	0215.0	0312.0	205.0	10.0	5.0		
	9400	TYKW	45 C	0220.0	0241.0	30.0	20.0	12.0		
	3750	TYKW	45 C	0221.0	0223.0	4.0	5.0	2.0		
	2000	TYKW	42 SER	0222.0	0223.3	2.0	10.0	2.0		
	1000	TYKW	42 SER	0222.5	0222.8	.8	25.0	5.0		
	3750	TYKW	45 C	0234.0	0235.6	12.0	17.0	4.0		
	2000	TYKW	5 S	0235.0	0235.7	4.0	6.0	2.5		
2000	TYKW	45 C	0240.0	0242.5	4.0	5.0	2.0			
9400	TYKW	30 PBI	0250.0		105.0	12.0	6.0			
4995	MANI	3 S	0312.4	0313.9	2.6	78.3	26.1			
3750	TYKW	5 S	0312.5U	0313.3	2.5U	31.0	10.0U			

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JANUARY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
29	9400	TYKW	5 S	0312.5	0313.3	1.5	17.0	6.0		
	2000	TYKW	5 S	0312.5	0313.4	2.5	23.0	9.0		
	2695	MANI	3 S	0312.5	0313.8	2.9	31.0	10.3		
	1000	TYKW	45 C	0312.8	0313.2	2.0	32.0	6.0		
	1415	MANI	3 S	0312.9	0314.0	2.3	13.4	4.5		
	9400	TYKW	29 PBI	0314.0		20.00	6.0	2.00		
	3750	TYKW	29 PBI	0315.0		16.0	6.0	3.0		
	2000	TYKW	29 PBI	0315.0		12.0	2.0	1.0		
	3750	TYKW	21 GRF	0340.0	0400.0	50.0	6.0	2.5		
	9400	TYKW	21 GRF	0345.0	0356.0	45.0	8.0	4.0		
	2000	TYKW	21 GRF	0352.0	0410.0	80.0	2.0	1.0		
	3750	TYKW	45 C	0353.0	0355.7	6.0	10.0	4.0		
	2000	TYKW	45 C	0354.3	0355.2	3.0	10.0	2.5		
	9400	TYKW	5 S	0358.0	0358.2	.6	5.0	1.5		
	9400	TYKW	5 S	0427.0	0427.5	2.0	7.0	2.0		
	650	GORK	22 GRF	0557.0E	0806.6	339.00	27.0			
	9100	GORK	20 GRF	0606.9	1050.0	353.00	55.0			
	2950	GORK	21 GRF	0621.0	1045.0	339.0	42.0			
	650	GORK	45 C	0648.0	0700.6	30.0	43.0			
	650	GORK		0648.0	0714.4		44.0			
	2950	GORK	1 S	0726.8	0727.0	.9	4.0			
	930	BORD	41 F	0757.5	0757.6	.4	495.0	2.0		
	930	BORD	8 S	0818.2	0818.6	.5	150.0	3.0		
	6100	KISV	21 GRF	0830.0	0847.7	35.0	14.0			
	930	BORD	8 S	0837.2	0837.2	.1	23.0	1.0		
	810	KRAK	5 S	0838.6	0844.8	8.1	13.0	5.0		
	430	KRAK	5 S	0839.2	0844.8	11.2	28.0	14.0		
	15000	KISV	20 GRF	0858.5	0901.0	11.0	12.0			
	810	KRAK	5 S	0913.4	0916.7	10.0	8.0	3.0		
	430	KRAK	27 RF	0913.7	0915.7	35.5	100.0	15.0		
	430	KRAK	27 RF	0953.3	1107.6	154.0	52.0	30.0		
	930	BORD	41 F	1001.7	1001.7	.3	34.0	2.0		
	6100	KISV	21 GRF	1020.0	1048.5	75.0	21.0			
	3100	CRIM	20 GRF	1034.0	1044.5	46.0	19.0	6.0		
	3000	POTS	20 GRF	1038.0	1044.0	52.0	20.0			
	2650	DWIN	2 S/F	1040.0	1044.0	10.0	20.0	10.0		
	9500	POTS	20 GRF	1040.0	1053.0	45.0	18.0			
	1470	POTS	2 S/F	1048.0	1049.0	2.0	5.0			
	810	KRAK	2 S/F	1048.3	1049.5	2.5	27.0	2.0		
	100	GORK	45 C	1050.5	1050.6	.9	270.0			
	100	GORK		1050.5	1050.9		150.0			
	6100	KISV	1 S	1108.8	1109.7	1.5	4.0			
	6100	KISV	20 GRF	1145.5	1147.5	4.0	5.0			
	6100	KISV	1 S	1154.3	1154.6	.7	4.0			
	430	KRAK	8 S	1236.9	1237.0	.2	58.0			
430	KRAK	48 C	1256.2	1312.9	43.0	228.0	30.0			
810	KRAK	27 RF	1256.3	1307.2	28.0	29.0	12.0			
808	ONDR	20 GRF	1305.0	1308.7	21.2	12.0	10.0			
9400	HUAN	22 GRF	1350.8	1413.4	58.1	4.9	2.1		0	
930	BORD	8 S	1354.0	1354.0	.1	44.0	1.0			
2800	OTTA	240 R	1400.0	1425.0	25.0	8.8				
2800	OTTA	1 S	1502.0	1503.7	8.0	5.2	2.4			
2800	OTTA	1 S	1539.0	1540.6	3.0	5.6	2.8			
9400	HUAN	20 GRF	1616.8	1638.4	46.4	3.3	2.9		0	
2800	OTTA	20 GRF	1730.0	1745.0	65.0	10.4	5.0			
9400	HUAN	20 GRF	1734.0	1801.6	70.0	13.1	6.5		R	
9400	HUAN	20 GRF	1940.1	2003.7	39.6	4.9	3.1		0	
2695	PENT	240 R	2100.0	2112.0	12.0	4.4	2.2			
2695	PENT	1 S	2125.0	2125.8	1.8	8.8	4.4			
2695	PENT	1 S	2131.0	2132.0	3.0	4.8	2.0			
2695	PENT	45 C	2148.0	2153.0	6.0	12.0	4.6			
3750	TYKW	21 GRF	2330.0	0020.0	180.0	19.0	10.0			
1000	TYKW	45 C	2341.0	0003.5	38.0	11.0	3.0			
9400	TYKW	21 GRF	2356.0	0003.0	140.0	10.0	5.0			
30	208	VORO	44 NS	0000.0E		240.00		170.00		
	221	ABST	44 NS	0600.0E	0814.2	180.00	15.0			
	200	GORK	44 NS	0601.0E		329.00		240.0		
	100	GORK	44 NS	0603.0E		327.00		20.0		
	204	IZMI	44 NS	0700.0E		300.00	70.0			

22
Jan 82

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JANUARY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density (10 ⁻²² W/m ² Hz)		Int	Remarks
							Peak	Mean		
30	127	TORN	44 NS	0700.0E	1207.0	480.0D	3600.0	250.0		V1
	260	ONDR	44 NS	0726.0E	1211.0	390.0D	24.0U			
	536	ONDR	44 NS	0726.0E	1215.0U	390.0D	78.0U			
	430	KRAK	44 NS	0800.0E	0834.4	152.0D	250.0	19.0		
	430	KRAK	43 NS	1114.2	1214.4	83.0D	210.0			
	100	HIRA	44 NS	2140.0E	0120.0	620.0D	6000.0	1850.0		SR
	200	HIRA	44 NS	2140.0E	2344.0	620.0D	420.0	220.0		MR
	2000	TYKW	21 GRF	0000.0	0030.0	150.0	8.0	4.0		
	1000	TYKW	5 S	0021.0	0023.0	5.0	5.0	1.5		
	9400	TYKW	5 S	0024.0	0025.5	3.0	3.0	1.0		
	3750	TYKW	45 C	0024.0	0031.6	16.0	12.0	6.0		
	9400	TYKW	21 GRF	0024.0	0036.0	45.0	14.0	5.0		
	1000	TYKW	45 C	0027.5	0030.1	5.5	5.0	1.5		
	9400	TYKW	45 C	0031.0	0032.3	2.0	5.0	2.0		
	3750	TYKW	30 PBI	0040.0		30.0	4.0	2.0		
	2930	VORO	3 S	0044.0	0045.0	4.0	30.0			
	9400	TYKW	45 C	0045.0	0046.4	3.0	51.0	15.0		
	1000	TYKW		0045.0	0123.4		46.0			
	1000	TYKW	41 F	0045.0	0251.7	255.0	52.0	15.0		
	3750	TYKW	5 S	0045.5	0046.4	3.5	34.0	12.0		
	2000	TYKW	5 S	0045.5	0046.8	8.0	21.0	6.0		
	9400	TYKW	29 PBI	0048.0		8.0	6.0	3.0		
	3750	TYKW	29 PBI	0049.0		10.0	4.0	2.0		
	500	HIRA	24 R	0057.0	0152.0	420.0D	60.0	10.0		MR
	3750	TYKW	21 GRF	0115.0	0130.0	70.0	4.0	2.0		
	2000	TYKW	5 S	0131.8	0132.2	1.0	1.5	.5		
	2000	TYKW	5 S	0151.3	0151.7	1.0	2.0	.7		
	3750	TYKW	45 C	0218.0	0221.0	5.0	3.0	1.0		
	3750	TYKW	45 C	0242.0	0249.0	11.0	14.0	5.0		
	2000	TYKW	21 GRF	0243.0	0257.0	100.0	2.0	1.0		
	2930	VORO	3 S	0247.0	0248.0	4.0	2.0			
	2000	TYKW	45 C	0247.0	0249.0	8.0	20.0	6.0		
	9400	TYKW	21 GRF	0248.0	0259.0	100.0	6.0	3.0		
	3750	TYKW	30 PBI	0253.0		95.0	6.0	3.0U		
	2000	TYKW	28 PRE	0322.5	0322.9	5.5	3.0	1.0		
	3750	TYKW	21 GRF	0325.0U	0332.0U	40.0U	10.0U	4.0U		
	2930	VORO	45 C	0328.0	0332.0	6.0	2.0			
	2000	TYKW	45 C	0328.0	0332.8	7.0	13.0	6.0		
	9400	TYKW	21 GRF	0329.0	0333.0	45.0	4.0	2.0		
	2000	TYKW	29 PBI	0335.0		25.0	4.0	2.0		
	3750	TYKW	5 S	0355.0	0356.4	4.0	5.0	2.0		
	9400	TYKW	5 S	0355.5	0356.0	2.5	4.0	1.5		
	3750	TYKW	5 S	0416.5	0417.3	2.5	15.0	3.5		
	2000	TYKW	5 S	0416.8	0417.4	2.5	8.0	2.5		
	9400	TYKW	45 C	0417.0	0417.4	8.0	12.0	4.0		
	3750	TYKW	5 S	0419.0	0421.0	4.0	2.0	1.0		
	2000	TYKW	21 GRF	0437.0	0444.0	100.0	6.0	3.0		
	3750	TYKW	45 C	0438.0	0444.7	32.0	12.0	4.0		
	3750	TYKW	21 GRF	0438.0	0520.0	105.0	11.0	6.0		
	9400	TYKW	21 GRF	0443.0	0520.0	90.0	6.0	3.0		
1000	TYKW	45 C	0506.0	0516.0	14.0	8.0	3.0			
1000	TYKW	45 C	0521.5	0522.0	2.5	3.0	1.0			
1000	TYKW	45 C	0528.0	0606.4	74.0	70.0	9.0			
3750	TYKW	5 S	0532.0	0532.4	1.5	2.0	.5			
2000	TYKW	5 S	0543.0	0545.0	15.0	2.0	1.0			
3750	TYKW	5 S	0543.0	0548.8	15.0	4.0	1.5			
650	GORK	23 GRF	0551.0E	0806.6	339.0D	27.0				
950	GORK	23 GRF	0600.0E	0804.3	330.0D	26.0				
3750	TYKW	45 C	0603.0E	0606.2	7.0D	69.0	10.0D			
6100	KISV	4 S/F	0605.3	0606.0	5.0	100.0				
15000	KISV	4 S/F	0605.3	0606.3	3.0	70.0				
9100	GORK	3 S	0605.6	0606.3	1.0	95.0				
950	GORK	46 C	0605.8	0606.5	8.0	44.0				
950	GORK		0605.8	0611.0		21.0				
1415	MANI	3 S	0606.2	0607.2	3.1	41.9	13.9			
606	MANI	3 S	0606.2	0607.2	3.3	29.2	9.7			
4995	MANI	3 S	0606.4	0607.1	1.6	66.0	22.0			
2695	MANI	3 S	0606.4	0607.2	4.1	63.2	21.1			
8800	MANI	3 S	0606.4	0607.2	1.6	111.6	37.2			
9100	GORK	29 PBI	0606.7	0606.7	8.8	22.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JANUARY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
30	9400	TYKW	5 S	0607.0E	0607.0U	3.0D	11.0D	3.0D		
	2950	GORK	21 GRF	0609.0E	0757.0	260.0D	39.0			
	9100	GORK	21 GRF	0639.8	0945.8	320.0D	25.0			
	1000	TYKW	45 C	0648.0	0657.2	35.0	65.0	25.0		
	650	GORK	45 C	0648.0	0700.6	30.0	43.0			
	650	GORK		0648.0	0714.4		41.0			
	950	GORK	46 C	0649.1	0657.3	25.8	48.0			
	950	GORK		0649.1	0703.6		38.0			
	950	GORK		0649.1	0706.7		22.0			
	3750	TYKW	20 GRF	0700.0	0717.0U	30.0D	8.0	4.0D		
	9400	TYKW	20 GRF	0700.0	0726.0	40.0D	16.0	9.0D		
	6100	KISV	21 GRF	0707.0	0716.4		32.0	4.0		
	15000	KISV	21 GRF	0707.0	0730.0	33.0	16.0			
	810	KRAK	45 C	0800.0E	0806.1	14.0D	36.0	12.0D		
	430	KRAK		0800.0E	0916.2		220.0			
	950	GORK	4 S/F	0804.4	0805.8	5.5	22.0			
	6100	KISV	3 S	0805.7	0806.0	3.0	8.0			
	930	BORD	40 F	0810.0E	0945.4	137.0D	56.0	10.0		
	810	KRAK	40 F	0844.8	0851.2	10.4	36.0	4.0		
	3000	POTS	3 S	0945.0	0945.5	3.0	30.0			
	6100	KISV	4 S/F	0945.0	0945.5	1.2	13.0			
	2650	DWIN	1 S	0945.0	0946.0	1.0	25.0	10.0		
	204	IZMI	5 S	0945.1	0946.0	1.5	40.0	25.0		
	2950	GORK	3 S	0945.3	0945.8	2.6	21.0	10.0		
	1470	POTS	3 S	0945.4	0945.8	1.1	7.0			
	808	ONDR	8 S	0945.5	0945.7	.3	14.0			
	6100	KISV	1 S	1036.5	1037.2	1.0	4.0			
	15000	KISV	1 S	1036.7	1037.3	14.0	14.0			
	9100	GORK	1 S	1037.0	1037.5	1.8	12.0	6.0		
	430	KRAK		1114.2	1221.0		320.0			
	8400	BERN	21 GRF	1130.0	1214.7	90.0	150.0			
	3200	BERN	45 C	1130.0	1214.9	90.0	290.0			
	5200	BERN	45 C	1130.0	1214.9	90.0	350.0			
	1470	POTS	45 C	1130.0	1215.5	115.0	123.0			
	6100	KISV		1130.7	1210.6		34.0			
	6100	KISV	45 C	1130.7	1215.0		178.0			
	930	BORD	41 F	1131.6	1133.6	4.4	47.0	3.0		
	810	KRAK	8 S	1133.4	1133.4	.2	27.0			
	808	ONDR	8 S	1133.5	1133.6	.4	11.0			
	2650	DWIN	GRF	1140.0		80.0	30.0			
	9400	HUAN	21 GRF	1141.8E	1229.0	161.5D	52.9	16.3		R
	3000	POTS	21 GRF	1145.0	1221.5	105.0	46.0			
	9500	POTS	21 GRF	1145.0	1222.0	100.0	41.0			
	810	KRAK	45 C	1152.7	1214.5	35.0	100.0	17.0		
	808	ONDR	47 GB	1200.0	1215.0	30.0	68.0	8.0		
930	BORD	46 C	1204.0	1214.7	25.0	112.0	15.0			
2650	DWIN	45 C	1207.0	1215.0	20.0	200.0	100.0			
15000	KISV		1208.0	1210.6		13.0				
15000	KISV	45 C	1208.0	1215.2		97.0				
3000	POTS	4 S/F	1209.0	1215.3	10.0	250.0				
9400	HUAN	3 S	1210.0	1214.9	8.4	130.2	44.5		R	
9500	POTS	3 S	1214.5	1215.0	4.5	150.0				
33	UPIC	45 C	1221.0	1221.6	1.7					
29	UPIC	45 C	1221.7	1222.1	.8					
930	BORD	45 C	1306.0	1306.8	2.0	27.0	2.0			
2800	OTTA	8 S	1642.0	1642.2	.3	3.0	1.5			
2800	OTTA	240 R	1700.0	1717.0	17.0	8.6				
9400	HUAN	22 GRF	1701.1	1832.0	165.3	18.5	9.2		0	
2800	OTTA	1 S	1755.0	1757.0	10.0	2.6	1.3			
2800	OTTA	21 GRF	1820.0	1838.0	80.0	13.2	6.4			
2800	OTTA	4 S/F	1824.0	1831.0	12.0	34.0	17.0			
9400	HUAN	20 GRF	2002.2	2012.5	36.8	8.4	2.0		0	
2695	PENT	1 S	2011.0	2012.0	6.0	4.4	2.2			
2695	PENT		2124.0	2157.0	34.0D	960.0				
500	HIRA	24 R	2145.0E	0242.0	555.0D	110.0	40.0		SR	
3750	TYKW	28 PRE	2315.0	2330.2	17.0	18.0	5.0			
2000	TYKW	28 PRE	2323.0	2329.0	10.0	11.0	4.0			
9400	TYKW	28 PRE	2325.0	2336.1	12.0	21.0	9.0			
3750	TYKW		2332.0	0010.1		450.0				
3750	TYKW	47 GB	2332.0	2351.7	53.0	1110.0	280.0			

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JANUARY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
30	4995	MANI	47 GB	2332.5	2351.7	46.5	1565.1	521.7		
	2000	TYKW	47 GB	2333.0	0008.2	57.0	1510.0	270.0		
	2000	TYKW		2333.0	2352.1		600.0			
	2695	MANI	47 GB	2333.5	0007.9	50.5	1332.0	444.0		
	1000	TYKW	28 PRE	2334.0	2334.3	2.0	7.0	2.5		
	8800	MANI	47 GB	2334.0	2351.7	44.0	1602.1	534.0		
	1415	MANI	47 GB	2334.3	0008.8	53.7	1002.5	334.2		
	606	MANI	47 GB	2335.0	0009.0	52.0	764.4	254.8		
	500	HIRA	48 C	2336.0	0006.5	53.0	500.0	150.0		MR
	1000	TYKW	47 GB	2336.0	0007.9	54.0	3290.0	290.0		
	1000	TYKW		2336.0	2357.1		2080.0			
	200	HIRA	48 C	2336.6	2339.0	67.0	2000.0	180.0		MR
	200	HIRA		2336.6	2344.0		1000.0			MR
	9400	TYKW		2337.0	0007.9		300.0			
	9400	TYKW	47 GB	2337.0	2351.4	48.0	1670.0	260.0		
	100	HIRA		2337.8	0017.0		5000.0			MR
	100	HIRA	48 C	2337.8	2339.3	56.0	10000.0D	685.0D		
	35000	NAGO	28 PRE	2339.0	2350.0	11.0	22.0			
35000	NAGO	5 S	2351.0	2351.0	5.0	147.0				
35000	NAGO	29 PBI	2357.0	0007.0	53.0	46.0				
31	208	VORO	44 NS	0000.0E		240.0D		150.0D		
	200	GORK	44 NS	0557.0E		333.0D		85.0		
	100	GORK	44 NS	0600.0E		330.0D		20.0		
	221	ABST	44 NS	0600.0E	0812.2		180.0D	20.0		
	204	IZMI	44 NS	0700.0E		300.0D	50.0			
	127	TORN	44 NS	0710.0E		470.0D		326.0		V1, DISTURBED
	260	ONDR	44 NS	0755.0E	1032.0U	405.0D		23.0U		
	430	KRAK	44 NS	1030.0E	1129.4	215.0D	230.0			
	430	KRAK	43 NS	1335.0	1359.0	52.0D	260.0	150.0		
	536	ONDR	43 NS	1337.0		63.0D				
	200	HIRA	44 NS	2138.0E	0549.0	620.0D	290.0	50.0		MR
	100	HIRA	44 NS	2138.0E	0624.0	620.0D	1300.0	290.0		SR
	3750	TYKW	30 PBI	0025.0		255.0	90.0	30.0		
	9400	TYKW	30 PBI	0025.0		240.0	95.0	23.0		
	2000	TYKW	29 PBI	0030.0		210.0	53.0	15.0		
	1000	TYKW	30 PBI	0030.0		210.0	29.0	12.0		
	3750	TYKW	20 GRF	0150.0	0212.0	35.0	4.5	1.5		
	1000	TYKW	45 C	0208.0	0216.6	10.0	15.0	4.0		
	9400	TYKW	21 GRF	0320.0	0335.0	50.0	4.0	2.0		
	3750	TYKW	5 S	0350.0	0350.8	3.0	12.0	3.0		
	9400	TYKW	5 S	0350.0	0350.8	3.0	9.0	3.0		
	200	HIRA	46 C	0407.7	0408.6	2.3	840.0	280.0		MR
	3750	TYKW	21 GRF	0448.0	0530.0	130.0	14.0	7.0		
	2000	TYKW	21 GRF	0500.0	0600.0	140.0	4.0	2.0		
	9400	TYKW	20 GRF	0517.0	0534.0	55.0	7.0	3.0		
	650	GORK	22 GRF	0551.0	1047.7	339.0D	20.0			
	2950	GORK	20 GRF	0617.0	0730.0	313.0D	22.0			
	6100	KISV	21 GRF	0621.0	0637.7	31.0	8.0			
	9400	TYKW	20 GRF	0625.0	0635.0	30.0	10.0	4.0		
	3750	TYKW	45 C	0626.0	0643.8	20.0	6.0	2.0		
	9100	GORK	21 GRF	0626.6	1048.1	304.0D	19.0			
	1000	TYKW	45 C	0633.5	0635.0	2.0	34.0	3.0		
	2000	TYKW	45 C	0634.0	0635.0	1.5	6.0	1.5		
	3750	TYKW	5 S	0650.0	0651.0	1.0	3.0	1.0		
	9100	GORK	1 S	0706.0	0706.4	1.3	30.0	15.0		
	9400	TYKW	5 S	0706.0	0706.4	1.5	27.0	6.0		
	3750	TYKW	5 S	0706.0	0706.4	1.5	12.0	3.0		
	6100	KISV	1 S	0706.1	0706.4	1.5	14.0			
	15000	KISV	1 S	0706.2	0706.4	.7	18.0			
	6100	KISV	1 S	0902.1	0902.5	.7	4.0			
33	UPIC	2 S/F	1027.6	1027.6	.8					
29	UPIC	4 S/F	1027.6	1027.9	.9					
808	ONDR	8 S	1035.0	1035.0	.2	18.0				
808	ONDR	8 S	1038.2	1038.2	.1	15.0				
808	ONDR	8 S	1106.7	1106.7	.2	11.0				
810	KRAK	8 S	1124.3	1124.4	.3	15.0				
33	UPIC	4 S/F	1149.0	1149.0	.3					
29	UPIC	4 S/F	1149.0	1149.1	.4					
9500	POTS	45 C	1315.5	1331.0	60.0	1075.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JANUARY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
31	930	BORD	45 C	1316.0	1321.1	46.0	431.0	18.0		
	11800	BERN	47 GB	1316.0	1350.9	70.0	1680.0			
	3200	BERN	45 C	1316.0	1331.0	70.0	461.0			
	5200	BERN	47 GB	1316.0	1331.0	70.0	920.0			
	8400	BERN	47 GB	1316.0	1331.0U	70.0	1200.0D			
	1470	POTS	45 C	1318.0	1331.5	45.0	185.0			
	536	ONDR	47 GB	1319.0	1325.0	280.0U	18.0	84.0		
	808	ONDR	47 GB	1320.0	1331.0U	40.0				
	2800	OTTA	4 S/F	1320.0	1331.0	15.0	352.0	84.6		
	810	KRAK	49 GB	1321.0	1322.3	14.2	890.0	44.0		
	2650	DWIN	45 C	1321.0	1331.0	15.0	340.0	150.0		
	3000	POTS	45 C	1321.0	1331.1	29.0	1025.0			
	234	POTS	45 C	1321.0	1419.0	79.0D	500.0			
	430	KRAK	49 GB	1322.0	1322.6	13.5	740.0D	160.0		
	127	TORN	27 RF	1322.0	1328.0	80.0	2600.0	530.0		
	430	KRAK		1322.0	1332.0		740.0D			
	33	UPIC	45 C	1322.2	1322.2	1.5				
	113	POTS	4 S/F	1322.2	1322.4	.8	3500.0	100.0		III
	234	POTS	4 S/F	1322.3	1322.5	.7	770.0	30.0		III
	29	UPIC	45 C	1322.5	1322.6	1.1				
	19600	BERN	47 GB	1324.0	1330.9	26.0	838.0			
	113	POTS	45 C	1327.0	1422.5	83.0D	2100.0			
	35000	BERN	47 GB	1330.0U	1331.0U	10.0U	585.0U			
	810	KRAK	30 PBI	1333.9	1346.6	38.0	56.0	20.0		
	2800	OTTA	29 PBI	1335.0	1335.0	195.0	21.0	10.5		
	33	UPIC	45 C	1337.6	1338.1	.8				
	29	UPIC	45 C	1338.0	1338.6	.9				
	2800	OTTA	1 S	1746.0	1747.8	3.0	5.2	2.6		
	2800	OTTA	21 GRF	1800.0	1840.0	70.0	7.8	3.9		
	2800	OTTA	3 S	1834.0	1836.1	6.0	46.0	14.0		
	2695	PENT	21 GRF	2140.0	2225.0	90.0D	31.0			
2695	PENT	46F C	2203.0	2206.3	14.0	66.0	29.0			
9400	TYKW	20 GRF	2220.0E	2225.0U	40.0D	20.0	10.0D			
3750	TYKW	20 GRF	2220.0E	2230.0U	40.0D	10.0	5.0D			
500	HIRA	42 SER	2313.0	2328.6	35.0	10.0	6.0		WL	
2000	TYKW	5 S	2317.0	2320.4	5.0	12.0	4.0			
3750	TYKW	45 C	2317.0	2344.0	37.0	19.0	8.0			
200	HIRA	46 C	2317.3	2319.0	4.0	140.0	38.0		0	
9400	TYKW	5 S	2318.0	2320.2	5.0	5.0	2.0			
1000	TYKW	45 C	2319.0	2321.1	4.0	11.0	4.0			
2000	TYKW	30 PBI	2322.0		60.0	4.0	2.0			
9400	TYKW	20 GRF	2332.0	2344.0	55.0	10.0	5.0			
2000	TYKW	45 C	2339.0	2344.0	9.0	8.0	4.0			
1000	TYKW	45 C	2343.0	2344.0	5.0	5.0	2.0			
3750	TYKW	29 PBI	2354.0		30.0	7.0	4.0			

Reports are received routinely from the following observatories:

ATHN = Athens	HUAN = Huancayo	NOBE = Nobeyama	SYDN = Sydney
BERN = Berne	IRKU = Irkutsk	ONDR = Ondrejov	TORN = Torun
BORD = Bordeaux	IZMI = Izmir	OTTA = Ottawa	TYKW = Toyokawa
CRIM = Crimea	KISV = Kislovodsk	PALE = Palehua	YUNN = Yunnan
DWIN = Dwingeloo	KRAK = Krakow	PEKG = Peking	TRST = Trieste
GORK = Gorky	LEAR = Learmonth	POTS = Potsdam	UPIC = Upice
HARS = Harestua	MANI = Manila	SOAP = Sao Paulo	VORO = Voroshilov
HIRA = Hiraiso	NAGO = Nagoya	SGMR = Sagmore Hill	



Explanation of Type Code:

1 Simple 1	7 Minor +	24 Rise	30 Post Burst Increase A	43 Onset of Noise Storm
2 Simple 1F	8 Spike	25 Rise A	31 Post Burst Decrease	44 Noise Storm in Progress
3 Simple 2	20 Simple 3	26 Fall	33 Absorption	45 Complex
4 Simple 2F	21 Simple 3A	27 Rise and Fall	40 Fluctuation	46 Complex F
5 Simple	22 Simple 3F	28 Precursor	41 Group of Bursts	47 Great Burst
6 Minor	23 Simple 3AF	29 Post Burst Increase	42 Series of Bursts	48 Major
				49 Major +
1A Simple 1A	4A Simple 2AF	24PF Post Rise F	27F Rise and Fall F	
3A Simple 2A	24O Rise only	16A Fall A	27AF Rise and Fall AF	
21A Simple 3A GRF	240F Rise only F	260 Fall Only	31A Post Burst Decrease A	
2A Simple 1AF	24P Post Rise	26F Fall F	32A Absorption A	
			46F Complex F	

Under the "Remarks" column heading, RIF stands for Relative Increase in Flux. The expression "RIF 469.2", for example, denotes a flux increase of 469.2% above background.



SMS-GOES X-RAYS

JANUARY 1982





SMS-GOES X-RAYS

JANUARY 1982





SMS-GOES X-RAYS

JANUARY 1982









SMS-GOES X-RAYS

JANUARY 1982




SMS-GOES X-RAYS

JANUARY 1982



SMS-GOES X-RAYS

JANUARY 1982



MASS EJECTIONS FROM THE SUN

January 1982

Sta	Day	Observed		UT End	Location		Freq or Wavelength	Kind of Event
		Start	Max		RA°	R/R ₀		
CULG	Jan 01	0058		0115.5			Decimeter; meter	II
LEAR	Jan 01	0058.4		0120.1			Meter	II
PALE	Jan 01	0059.8		0103.7			Meter	II
CULG	Jan 02	0613.4		0651			Meter	II
LEAR	Jan 02	0621.0		0639.6			Meter	II
LEAR	Jan 03	0011.0		0052.7			Meter	IV
PALE	Jan 03	0011.4		0039.0			Meter	IV
CULG	Jan 03	0020		0052			Meter	II
CULG	Jan 03	0649.5		0654			Meter	II
HARV	Jan 03	2007		2011			Meter	II
HARV	Jan 04	1457		1507			Meter	II
KHAR	Jan 10	0939		1015	279	1.00	H-alpha	S
KHAR	Jan 10	0940	1025	1038	281	0.99	H-alpha	S
KHAR	Jan 10	1002		1026	283	1.00	H-alpha	S
KHAR	Jan 10	1041		1110	286	0.96	H-alpha	S
CULG	Jan 13	0133		0155			Decimeter	IV
CULG	Jan 13	0135.5		0150			Meter	II
LEAR	Jan 13	0136.5		0149.8			Meter	II
CULG	Jan 13	0137		0155			Meter	IV
LEAR	Jan 13	0149.8		0322.0			Meter	IV
CULG	Jan 13	0200		0305			Meter	IV
KHAR	Jan 14	0904		1010	297	1.00	H-alpha	S
KHAR	Jan 14	0904		1010	287	1.00	H-alpha	S
KHAR	Jan 17	0928		0945	158	0.21	H-alpha	S
LEAR	Jan 19	0211.8		0219.8			Meter	II
CULG	Jan 19	0212		0219.5			Meter	II Weak
WEND	Jan 19	1323		1401D	1.00	114	H-alpha	A
CULG	Jan 20	0726		0730			Meter	II
WEND	Jan 21	0847E		0924D	261	0.99-1.05	H-alpha	S
KHAR	Jan 21	0937		1035	259	1.00	H-alpha	S
WEND	Jan 21	0957	1010	1030	261	0.99-1.04	H-alpha	S
WEND	Jan 21	1035	1041	1050	261	1.00	H-alpha	S
KHAR	Jan 21	1041		1056	259	1.00	H-alpha	S
WEND	Jan 21	1312	1321	1333	261	1.00-1.06	H-alpha	S
CULG	Jan 22	0447.5		0505.5			Meter	II
LEAR	Jan 22	0451.5		0507.5			Meter	II
CULG	Jan 22	0502.5		0530			Meter	IV Weak
ABST	Jan 28	0640	0640	0659	083	0.79	H-alpha	S
CULG	Jan 28	0703		0934			Meter	II
CULG	Jan 28	0704.5		0707.5U			Decimeter	IV
ABST	Jan 30	0613	0614	0620	104	0.67	H-alpha	S
WEIS	Jan 30	1137.4		1157.5			30-140 MHz	II Harmonic
HARV	Jan 30	2338		2350			Decimeter; meter	IV
WEIS	Jan 31	1328		1340			30-200 MHz	II Harmonic

SGD 455 Part II (Comprehensive)

MISCELLANEOUS DATA

Contents

	Page
<u>Active Regions</u> 8 November 1981 - 2 January 1982	34-35
<u>Synoptic Solar Maps</u> 8 November 1981 - 2 January 1982	36-37

ACTIVE REGIONS
CARRINGTON ROTATION 1715
(November 8 to December 5, 1981)


Region No.	Coordinates		IMP	Age at CMP	Spot-less Region	Region No. in Rotation 1714	Activity at West Limb
	Lat.	Long.					
1	18°S	347	1	>6	x		dispersed
2	19°N	343	1	>6	x		dispersed
3	17°S	333	2	-2			disappeared
4	18°S	328	5	>6		2-4	decreasing
5	18°N	327	4	+2			decreasing
6	03°N	325	3	+4			decreasing
7	15°N	325	2	-2			dispersed
8	17°N	323	3	>6			decreasing
9	20°S	318	2	>6			decreasing
10	22°N	316	2	+6			decreasing
11	17°N	312	2	>6			decreasing
12	12°N	306	2	>6			decreasing
13	16°S	305	3	-3			increasing
14	12°N	297	2	>6			decreasing
15	10°S	290	1	>6	x	12	decreasing
16	04°S	286	1	>6	x		dispersed
17	12°N	282	2	>6	x	13	dispersed
18	18°S	280	1	>6	x		decreasing
19	18°N	279	3	>6			decreasing
20	02°S	275	1	>6	x	16	decreasing
21	12°S	269	1	>6	x	18	decreasing
22	11°N	266	1	>6	x	19	dispersed
23	18°S	261	5	-1			stable
24	08°S	255	1	>6	x		dispersed
25	03°N	246	1	-1	x		disappeared
26	06°S	223	3	>6			decreasing
27	18°S	217	2	+5			decreasing
28	13°N	202	3	+2			decreasing
29	18°S	189	1	+6	x		dispersed
30	10°N	187	1	+4	x		disappeared
31	19°N	169	1	>6	x		dispersed
32	32°S	167	1	>6	x		dispersed
33	12°S	155	1	>6	x		decreasing
34	13°N	146	1	>6	x		disappeared
35	10°N	131	1	>6	x		dispersed
36	16°N	117	1	>6	x		dispersed
37	13°N	111	5	>6			decreasing
38	01°S	107	1	>6	x		dispersed
39	05°N	106	1	-1	x		stable
40	20°S	105	2	0			decreasing
41	17°S	94	1	-4	x		?
42	09°N	89	1	>6	x		dispersed
43	17°N	78	3	0			decreasing
44	15°N	75	2	-1			decreasing
45	13°S	70	1	>6	x		decreasing
46	29°N	67	1	>6	x		dispersed
47	09°S	63	5	>6			decreasing
48	15°S	55	3	>6			decreasing
49	11°S	52	1	>6	x	52	decreasing
50	14°S	38	2	>6			decreasing
51	07°N	28	1	>6	x		disappeared
52	03°S	10	2	>6		58	decreasing
53	19°S	9	2	+4			decreasing
54	16°S	8	1	>6	x		decreasing
55	20°N	0	3	>6			decreasing

ACTIVE REGIONS
CARRINGTON ROTATION 1716
(December 5, 1981 to January 2, 1982)


Region No.	Coordinates		IMP	Age at CMP	Spot-less Region	Region No. in Rotation 1715	Activity at West Limb
	Lat.	Long.					
1	07°N	349	5	>6			decreasing
2	21°N	345	1	+4	x		decreasing
3	04°N	333	2	>6			decreasing
4	21°S	328	3	>6			decreasing
5	09°N	324	5	+5			decreasing
6	19°N	323	5	>6		5-8	decreasing
7	33°S	323	2	-1			decreasing
8	22°S	321	1	+5	x		dispersed
9	18°S	318	3	>6			decreasing
10	20°S	318	1	>6	x		dispersed
11	14°N	306	3	>6			decreasing
12	16°S	305	3	>6			decreasing
13	08°N	302	3	>6			decreasing
14	08°S	289	4	+2			decreasing
15	10°N	287	3	>6			decreasing
16	18°N	281	3	>6		19	decreasing
17	09°N	278	1	+4	x		dispersed
18	16°S	275	1	>6	x	21	dispersed
19	14°S	262	2	>6			decreasing
20	19°S	262	2	>6			decreasing
21	07°S	259	3	>6			decreasing
22	02°S	241	1	>6	x		dispersed
23	09°S	239	2	>6			decreasing
24	09°N	235	1	>6	x		decreasing
25	07°N	221	1	-1	x		dispersed
26	14°N	210	1	>6	x		decreasing
27	12°N	202	2	>6		28	decreasing
28	12°S	201	1	-1	x		decreasing
29	10°S	185	3	+2			decreasing
30	25°N	166	1	>6	x		dispersed
31	15°N	157	1	>6	x		dispersed
32	13°S	156	1	>6	x		dispersed
33	24°S	155	1	>6	x		dispersed
34	10°N	120	1	>6	x	37	dispersed
35	13°N	108	3	>6			decreasing
36	23°S	106	1	>6	x	40	decreasing
37	22°S	94	1	>6	x		dispersed
38	14°N	83	1	>6	x		dispersed
39	19°S	81	2	-2			decreasing
40	22°N	81	3	>6			decreasing
41	26°S	76	3	>6			decreasing
42	12°S	75	1	>6	x	47	decreasing
43	19°S	67	1	>6	x	48	decreasing
44	15°N	66	1	>6	x		dispersed
45	13°S	57	1	>6	x	49	decreasing
46	16°N	52	1	>6	x		dispersed
47	15°N	44	1	>6	x		disappeared
48	13°S	38	1	>6	x	50	decreasing
49	18°N	34	3	+3			decreasing
50	11°S	26	1	>6	x		decreasing
51	21°S	13	1	>6	x		dispersed
52	05°N	0	1	>6	x	R 1716 1	

SYNOPTIC SOLAR MAP
CARRINGTON ROTATION 1715
NOVEMBER 8 - DECEMBER 5, 1981

MEUDON OBSERVATORY



SYNOPTIC SOLAR MAP
CARRINGTON ROTATION 1716
DECEMBER 5, 1981 - JANUARY 2, 1982



UAG SERIES OF REPORTS

Between 4 and 12 UAG Reports are published at irregular intervals each year. Subscriptions may be ordered through the National Geophysical and Solar-Terrestrial Data Center, Environmental Data and Information Service, NOAA, Boulder, CO 80303, USA. The subscription price for the calendar year only is \$40.00 (\$23.00 additional for foreign mailing). Each year the single copy prices total less than \$40.00, the expiration date for all subscriptions will be extended. Back issues may be purchased at the prices shown below plus a \$4.00 handling charge per order; some reports, though, are available only on microfiche. Orders must include check or money order payable in U.S. currency to the Department of Commerce, NOAA/NGSDC.

- UAG-1 "IQSY Night Airglow Data," July 1968, 305 pp, \$1.75.
- UAG-2 "A Reevaluation of Solar Flares, 1964-1966," August 1968, 28 pp, \$0.30.
- UAG-3 "Observations of Jupiter's Sporadic Radio Emission in the Range 7.6-41 MHz, 6 July 1966 through 8 September 1968," October 1968, 35 pp, \$0.55.
- UAG-4 "Abbreviated Calendar Record 1966-1967," January 1969, 170 pp, \$1.25.
- UAG-5 "Data on Solar Event of May 23, 1967 and its Geophysical Effects," February 1969, 120 pp, \$0.65.
- UAG-6 "International Geophysical Calendars 1957-1969," March 1969, 25 pp, \$0.30.
- UAG-7 "Observations of the Solar Electron Corona: February 1964 - January 1968," October 1969, 12 pp, \$0.15.
- UAG-8 "Data on Solar-Geophysical Activity October 24 - November 6, 1968," Parts 1 and 2, March 1970, 312 pp, \$1.75 (includes Parts 1 and 2).
- UAG-9 "Data on Cosmic Ray Event of November 18, 1968 and Associated Phenomena," April 1970, 109 pp, \$0.55.
- UAG-10 "Atlas of Ionograms," May 1970, 243 pp, \$1.50.
- UAG-12 "Solar-Geophysical Activity Associated with the Major Geomagnetic Storm of March 8, 1970," Parts 1, 2 and 3, April 1971, 466 pp, \$3.00 (includes Parts 1-3).
- UAG-13 "Data on the Solar Proton Event of November 2, 1969 through the Geomagnetic Storm of November 8-10, 1969," May 1971, 76 pp, \$0.90.
- UAG-14 "An Experimental, Comprehensive Flare Index and Its Derivation for 'Major' Flares, 1955-1969," July 1971, 25 pp, \$0.30.
- UAG-16 "Temporal Development of the Geophysical Distribution of Auroral Absorption for 30 Substorm Events in each of IQSY (1964-65) and IASY (1960)," September 1971, 131 pp, \$0.70 (microfiche only).
- UAG-17 "Ionospheric Drift Velocity Measurements at Jicamarca, Peru (July 1967 - March 1970)," October 1971, 45 pp, \$0.55 (microfiche only).
- UAG-18 "A Study of Polar Cap and Auroral Zone Magnetic Variations," June 1972, 21 pp, \$0.20.
- UAG-19 "Reevaluation of Solar Flares 1967," June 1972, 15 pp, \$0.15.
- UAG-21 "Preliminary Compilation of Data for Retrospective World Interval July 26 - August 14, 1972," November 1972, 128 pp, \$0.70.
- UAG-22 "Auroral Electrojet Magnetic Activity Indices (AE) for 1970," November 1972, 146 pp, \$0.75.
- UAG-23 "U.R.S.I. Handbook of Ionogram Interpretation and Reduction," Second Edition, November 1972, 324 pp, \$1.75.
- UAG-23A "U.R.S.I. Handbook of Ionogram Interpretation and Reduction," Second Edition, Revision of Chapters 1-4, November 1972, 135 pp, \$2.14.
- UAG-24 "Data on Solar-Geophysical Activity Associated with the Major Ground Level Cosmic Ray Events of 24 January and 1 September 1971," Parts 1 and 2, December 1972, 462 pp, \$2.00 (includes Parts 1 and 2).
- UAG-25 "Observations of Jupiter's Sporadic Radio Emission in the Range 7.6-41 MHz, 9 September 1968 through 9 December 1971," February 1973, 35 pp, \$0.35.
- UAG-26 "Data Compilation for the Magnetospherically Quiet Periods February 19-23 and November 29 - December 3, 1970," May 1973, 129 pp, \$0.70.

- UAG-27 "High Speed Streams in the Solar Wind," June 1973, 16 pp, \$0.15.
- UAG-28 "Collected Data Reports on August 1972 Solar-Terrestrial Events," Parts 1, 2 and 3, July 1973, 932 pp, \$4.50.
- UAG-29 "Auroral Electrojet Magnetic Activity Indices AE(11) for 1968," October 1973, 148 pp, \$0.75.
- UAG-30 "Catalogue of Data on Solar-Terrestrial Physics," October 1973, \$1.50. Supersedes UAG-11, 15, and 20 catalogs.
- UAG-31 "Auroral Electrojet Magnetic Activity Indices AE(11) for 1969," February 1974, 142 pp, \$0.75.
- UAG-32 "Synoptic Radio Maps of the Sun at 3.3 mm for the Years 1967-1969," April 1974, 26 pp, \$0.35.
- UAG-33 "Auroral Electrojet Magnetic Activity Indices AE(10) for 1967," May 1974, 142 pp, \$0.75.
- UAG-34 "Absorption Data for the IGY/IGC and IQSY," June 1974, 381 pp, \$2.00.
- UAG-35 "Catalogue of Digital Geomagnetic Variation Data at World Data Center A for Solar-Terrestrial Physics," July 1974, 20 pp, \$0.20.
- UAG-36 "An Atlas of Extreme Ultraviolet Flashes of Solar Flares Observed via Sudden Frequency Deviations During the ATM-SKYLAB Missions," October 1974, 95 pp, \$0.55.
- UAG-37 "Auroral Electrojet Magnetic Activity Indices AE(10) for 1966," December 1974, 142 pp, \$0.75.
- UAG-38 "Master Station List for Solar-Terrestrial Physics Data at WDC-A for Solar-Terrestrial Physics," December 1974, 110 pp, \$1.60.
- UAG-39 "Auroral Electrojet Magnetic Activity Indices AE(11) for 1971," February 1975, 144 pp, \$2.05.
- UAG-40 "H-Alpha Synoptic Charts of Solar Activity for the Period of Skylab Observations, May 1973 - March 1974," February 1975, 32 pp, \$0.56.
- UAG-41 "H-Alpha Synoptic Charts of Solar Activity During the First Year of Solar Cycle 20 October 1964 - August 1965," March 1975, 25 pp, \$0.48.
- UAG-42 "Observations of Jupiter's Sporadic Radio Emission in the Range 7.6-80 MHz, 10 December 1971 through 21 March 1975," April 1975, 49 pp, \$1.15.
- UAG-43 "Catalog of Observation Times of Ground-Based Skylab-Coordinated Solar Observing Programs," May 1975, 159 pp, \$3.00.
- UAG-44 "Synoptic Maps of Solar 9.1 cm Microwave Emission from June 1962 to August 1973," May 1975, 183 pp, \$2.55.
- UAG-45 "Auroral Electrojet Magnetic Activity Indices AE(11) for 1972," May 1975, 144 pp, \$2.10 (microfiche only).
- UAG-46 "Interplanetary Magnetic Field Data 1963-1964," June 1975, 382 pp, \$1.95.
- UAG-47 "Auroral Electrojet Magnetic Activity Indices AE(11) for 1973," June 1975, 144 pp, \$2.10 (microfiche only).
- UAG-48A "Synoptic Observations of the Solar Corona during Carrington Rotations 1580-1596 (11 October 1971 - 15 January 1973)," [Reissue of UAG-48 with quality images], February 1976, 200 pp, \$4.27.
- UAG-49 "Catalog of Standard Geomagnetic Variation Data," August 1975, 125 pp, \$1.85.
- UAG-50 "High-Latitude Supplement to the URSI Handbook on Ionogram Interpretation and Prediction," October 1975, 294 pp, \$4.00.
- UAG-51 "Synoptic Maps of Solar Coronal Hole Boundaries Derived from He II 304A Spectroheliograms from the Manned Skylab Missions," November 1975, 30 pp, \$0.54.
- UAG-52 "Experimental Comprehensive Solar Flare Indices for Certain Flares, 1970-1974," November 1975, 27 pp, \$0.60.
- UAG-53 "Description and Catalog of Ionospheric F-Region Data, Jicamarca Radio Observatory (November 1966 - April 1969)," April 1976, 10 pp, \$0.33.

- UAG-54 "Catalog of Ionosphere Vertical Soundings Data," April 1976, 130 pp, \$2.10.
- UAG-55 "Equivalent Ionospheric Current Representations by a New Method, Illustrated for 8-9 November 1969 Magnetic Disturbances," April 1976, 91 pp, \$1.60 (microfiche only).
- UAG-56 "Iso-intensity Contours of Ground Magnetic H Perturbations for the December 16-18, 1971, Geomagnetic Storm," April 1976, 37 pp, \$1.39.
- UAG-57 "Manual on Ionospheric Absorption Measurements," June 1976, 302 pp, \$4.27.
- UAG-58 "ATS6 Radio Beacon Electron Content Measurements at Boulder, July 1974 - May 1975," September 1976, 61 pp, \$1.04.
- UAG-59 "Auroral Electrojet Magnetic Activity Indices AE(11) for 1974," December 1976, 144 pp, \$2.16.
- UAG-60 "Geomagnetic Data for January 1976 (AE(7) Indices and Stacked Magnetograms)," July 1977, 57 pp, \$1.07.
- UAG-61 "Collected Data Reports for STIP Interval II 20 March - 5 May 1976," August 1977, 313 pp, \$2.95.
- UAG-62 "Geomagnetic Data for February 1976 (AE(7) Indices and Stacked Magnetograms)," September 1977, 55 pp, \$1.11.
- UAG-63 "Geomagnetic Data for March 1976 (AE(7) Indices and Stacked Magnetograms)," September 1977, 57 pp, \$1.11.
- UAG-64 "Geomagnetic Data for April 1976 (AE(8) Indices and Stacked Magnetograms)," February 1978, 55 pp, \$1.00.
- UAG-65 "The Information Explosion and Its Consequences for Data Acquisition, Documentation, Processing," May 1978, 36 pp, \$0.75.
- UAG-66 "Synoptic Radio Maps of the Sun at 3.3 mm 1970-1973," May 1978, 30 pp, \$0.75.
- UAG-67 "Ionospheric D-Region Profile Data Base, A Collection of Computer-Accessible Experimental Profiles of the D and Lower E Regions," August 1978, 30 pp, \$0.88 (microfiche only).
- UAG-68 "A Comparative Study of Methods of Electron Density Profile Analysis," August 1978, 30 pp, \$0.88 (microfiche only).
- UAG-69 "Selected Disturbed D-Region Electron Density Profiles. Their relation to the undisturbed D region," October 1978, 50 pp, \$1.29 (microfiche only).
- UAG-70 "Annotated Atlas of the H-alpha Synoptic Charts for Solar Cycle 20 (1964-1974) Carrington Solar Rotations 1487-1616," February 1979, 327 pp, \$3.50.
- UAG-71 "Magnetic Potential Plots over the Northern Hemisphere for 26-28 March 1976," April 1979, 118 pp, \$1.50.
- UAG-72 "Energy Release in Solar Flares, Proceedings of the Workshop on Energy Release in Flares, 26 February - 1 March 1979, Cambridge, Massachusetts, U.S.A.," July 1979, 68 pp, \$1.50 (microfiche only).
- UAG-73 "Auroral Electrojet Magnetic Activity Indices AE(11-12) for January - June 1975," August 1979, 114 pp, \$1.75.
- UAG-74 "ATS-6 Radio Beacon Electron Content Measurements at Ootacamund, India, October - July 1976," March 1980, 58 pp, \$2.50.
- UAG-75 "The Alaska IMS Meridian Chain: Magnetic Variations for 9 March - 27 April 1978," June 1980, 107 pp, \$3.00.
- UAG-76 "Auroral Electrojet Magnetic Activity Indices AE(12) for July - December 1975," August 1980, 116 pp, \$2.50.
- UAG-77 "Synoptic Solar Magnetic Field Maps for the Interval Including Carrington Rotations 1601-1680, May 5, 1973 - April 26, 1979," August 1980, 66 pp, \$2.50.
- UAG-78 "The Equatorial Latitude of Auroral Activity During 1972-1977," October 1980, 61 pp, \$3.00.
- UAG-79 "Solar Observations During Skylab, April 1973 - February 1974, I. Coronal X-Ray Structure, II. Solar Flare Activity," December 1980, 43 pp, \$2.50.
- UAG-80 "Experimental Comprehensive Solar Flare Indices for 'Major' and Certain Lesser Flares, 1975-1979," July 1981, 33 pp, \$2.00.
- UAG-81 "Evolutionary Charts of Solar Activity (Calcium Plages) as Functions of Heliographic Longitude and Time, 1964-1979," August 1981, 103 pp, \$4.00.
- UAG-82 "International Reference Ionosphere - IRI 79," edited by J. Virginia Lincoln and Raymond O. Conkright, November 1981, 243 pp, \$4.50.
- UAG-83 "Solar-Geophysical Activity Reports for September 7-24, 1977 and November 22, 1977," Parts 1 and 2, compiled by John A. McKinnon and J. Virginia Lincoln, December 1981, 553 pp, \$10.00



WORLD DATA CENTER A
FOR
SOLAR-TERRESTRIAL PHYSICS



The ICSU Panel on WDCs has recommended that it would be appropriate courtesy to acknowledge in publications that data were obtained from the originating station or investigator through the intermediary of the WDCs. The following statement is suggested:

"Data used in this study were provided by WDC-A for Solar-Terrestrial Physics, NOAA E/GC2, 325 Broadway, Boulder Colorado 80303, USA."