



U.S. DEPARTMENT OF COMMERCE

Malcolm Baldrige, Secretary

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

Anthony J. Callo, Acting Administrator

NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE

William P. Bishop, Acting Assistant Administrator

Solar - Geophysical Data

Part I (Prompt Reports)

NO. 494 OCTOBER 1985

DATA FOR
SEPTEMBER 1985
AUGUST 1985

Michael A. Chinnery, Director
NATIONAL GEOPHYSICAL DATA CENTER
BOULDER, COLORADO

International Standard Serial Number: 0038-0911
Library of Congress Catalog Number: 79-640375 //r81

For sale through the National Geophysical Data Center, NOAA/NESDIS, E/GC2, 325 Broadway, Boulder, Colorado 80303. 1986 Subscription Price for the U.S.: \$70.00 annually for both Part I (Prompt Reports) and Part II (Comprehensive Reports) or \$35.00 annually for either part. Annual supplement containing explanation is included. Foreign subscriptions: For 1986 issues -- \$106.00 for both parts or \$53.00 for either part. We require prepayment for all orders. Please include with your request a check or money order payable in U.S. currency to the Department of Commerce, NOAA/NGDC. Any bank charges should be paid by the subscriber. Payment may be made through an American Express, Mastercard or VISA credit cards. Please include the correct name of credit card holder, card number and expiration date. Prices are subject to change. NGDC phone number: (303)497-6135 (FTS 320-6135).

For obtaining bulletins on a data exchange basis, send request to: World Data Center A for Solar-Terrestrial Physics, NOAA/NESDIS/NGDC, E/GC2, 325 Broadway, Boulder, Colorado 80303 U.S.A.

BACK ISSUES OF "SOLAR-GEOPHYSICAL DATA"

Reel#	Coverage	Medium	Reel#	Coverage	Medium	Reel#	Coverage	Medium
1	Jan 56 - Dec 56	Microfilm	9	Jan 64 - Dec 64	Microfilm	17	Jul 69 - Dec 69	Microfilm
2	Jan 57 - Dec 57	Microfilm	10	Jan 65 - Dec 65	Microfilm	18	Jan 70 - Jun 70	Microfilm
3	Jan 58 - Dec 58	Microfilm	11	Jan 66 - Sep 66	Microfilm	19	Jul 70 - Dec 70	Microfilm
4	Jan 59 - Dec 59	Microfilm	12	Oct 66 - Dec 66	Microfilm	20	Jan 71 - Jun 71	Microfilm
5	Jan 60 - Dec 60	Microfilm	13	Jan 67 - Dec 67	Microfilm	21	Jul 71 - Dec 71	Microfilm
6	Jan 61 - Dec 61	Microfilm	14	Jan 68 - Jun 68	Microfilm	22	Jan 72 - Jun 72	Microfilm
7	Jan 62 - Dec 62	Microfilm	15	Jul 68 - Dec 68	Microfilm	23	Jul 72 - Dec 72	Microfilm
8	Jan 63 - Dec 63	Microfilm	16	Jan 69 - Jun 69	Microfilm		1973 - 1984	Microfiche

Microfilm are available at \$30.00 per reel; microfiche at \$40.00 per year; \$1,000.00 for above set. Back issues in booklet form are available, as long as the stocks exist, at \$4.00 for either part plus a \$3.00 handling charge per order. Any entire year of back issues in booklet form is available at the current annual subscription rate, as long as the stocks exist. Please add a ten dollar (\$10.00) handling fee for non-U.S.A. orders. Prices are subject to change.

S O L A R - G E O P H Y S I C A L D A T A

NUMBER 494

(Issued in Two Parts)

Editor:

Helen E. Coffey, Physicist

Joe H. Allen, Chief
Solar-Terrestrial Physics Division

Staff:

John A. McKinnon, Physicist
Daniel C. Wilkinson, Physicist
Viola W. Miller, Physical Science Technician
Carol Weathers, Editorial Assistant
Charles T. Shanks, Draftsman

C O N T E N T S

PART I (PROMPT REPORTS)

DETAILED INDEX FOR 1985	Page 2
DATA FOR SEPTEMBER 1985	3- 21
DATA FOR AUGUST 1985	23- 74
LATE DATA	75- 85
Nancay 169 MHz Chart August 1985	
Vostok Inferred IMF Polarity April-October 1985	
Hourly Equatorial Dst July 1985	
Sudden Commencements July 1985	
Preliminary Solar Proton Event List 1976-July 1985	
Calcium Plage Regions February 1983	

PART II (COMPREHENSIVE REPORTS)

DETAILED INDEX FOR 1985	Page 2
DATA FOR APRIL 1985	3 -26
SOLAR FLARE DATA JAN-JUN 1984 (Preliminary).	27 -155
MISCELLANEOUS DATA	157-168
Interplanetary Solar Wind July 1984-March 1985	
ERRATA: Solar X-ray table January 1985	

DETAILED INDEX OF OBSERVATIONS PUBLISHED IN "SOLAR-GEOPHYSICAL DATA"

CODE	KIND OF OBSERVATION	FEB 85	MAR	APR	MAY	JUN	JUL	AUG	SEP
A.	SOLAR AND INTERPLANETARY PHENOMENA								
A.1	Sunspot Drawings	488A 31	489A 30	490A 34	491A 28	492A 30	493A 24	494A 26	
A.2aa	Internat. Provisional Sunspot Numbers	487A 7	488A 7	489A 7	490A 7	491A 7	492A 9	493A 7	494A 7
A.2c	American Sunspot Numbers	487A 7	488A 7		490A 7	491A 7	492A 9	493A 7	494A 7
A.3a	Mt. Wilson Magnetograms	488A 31	489A 30	490A 34	491A 28	492A 30	493A 24	494A 26	
A.3b	Mt. Wilson Sunspot Magnetic Class	488A 59	489A 61	490A 64	491A 59	492A 60	493A 55	494A 57	
A.3c	Kitt Peak Magnetograms	488A 31	489A 30	490A 34	491A 28	492A 30	493A 24	494A 26	
A.3d	Mean Solar Magnetic Field (Stanford)	487A 24	488A 20	489A 23	490A 23	491A 20	492A 25	493A 19	494A 20
A.3e	Stanford Magnetograms	487A 31	489A 30	490A 34	491A 28	492A 30	493A 24	494A 26	
A.4	H-alpha Filtergrams	487A 31	489A 30	490A 34	491A 28	492A 30	493A 24	494A 26	
A.5	Calcium Plage Photographs/Drawings	Mar-Apr 84 in 491A 95; May 84 in 492A 104; Jun-Jul 84 in 493A 77							
A.5a	Calcium Plage Regions	Dec 82 in 491A 88; Jan 83 in 492A 96; Feb 83 in 494A 81							
A.5b	Daily Calcium Plage Indices	Jun-Aug 83 in 485A 113							
A.6	H-alpha Synoptic Charts	488A 27	489A 26	490A 26	491A 26	492A 28	493A 22	494A 24	
A.6b	Active Region Carte Synoptique (Paris)	492B 4	493B 4	494B 4					
A.6c	Stanford Solar Mag Field Synoptic Maps	488A 28	489A 27	490A 28	491A 25	492A 30	493A 23	494A 25	
A.6d	Kitt Peak Solar Mag Field Synoptic Maps	488A 29	489A 28	490A 30	491A 26				
A.6e	Mass Ejections from the Sun	492B 14	493B 17	494B 24					
A.6f	Active Prominences and Filaments	492A 15	493B 18	494B 25					
A.7g	Kitt Peak Helium Synoptic Maps	488A 30	489A 29	490A 32	491A 27				
A.7h	Coronal Line Emission (Sacramento Peak)	488A 31	489A 30	490A 34	491A 28	492A 30	493A 24	494A 26	
A.8aa	2800 MHz - Solar Flux (Ottawa)	487A 7	488A 7	489A 7	490A 7	491A 7	492A 9	493A 7	494A 7
A.8ac	2800 MHz - Adj. Solar Flux (Ottawa)	487A 7	488A 7	489A 7	490A 7	491A 7	492A 9	493A 7	494A 7
A.8g	Adjusted Daily Solar Fluxes (Sagamore)	487A 7	488A 7	489A 7	490A 7	491A 7	492A 9	493A 7	494A 7
A.10a	Interferometric Chart -169 MHz- Nancay	487A 14	488A 14	489A 16	490A 15	491A 14	492A 18	494A 76	494A 14
A.10c	East-West Scans - 21 cm - Fleurs	487A 17	488A 17	489A 19	490A 18	491A 17	492A 21	493A 16	494A 17
A.10d	East-West Scans - 43 cm - Fleurs	487A 18	488A 18	489A 20	490A 19	491A 18	492A 22	493A 17	494A 18
A.10e	East-West Scans - 10 cm - Ottawa	487A 16	488A 16	489A 18	490A 17	491A 16	492A 20	493A 15	494A 16
A.10f	East-West Scans - 3 cm - Toyokawa	487A 15	488A 15	489A 17	490A 16	491A 15	492A 19	493A 14	494A 15
A.11g	Solar X-ray GOES (graphs/event table)	492B 8	493B 6	494B 18					
A.12e	Solar Particles (IMP H & J)	Jan-Mar 83 in 478B 28; Apr-Dec 83 in 491B 80							
A.13d	Solar Wind from IP Scintillations								
A.13e	Solar Plasma (IMP H & J)	Jul 84-Mar 85 in 494B 158							
A.13f	Solar Wind (Pioneer 12)	Aug 83-Jan 84 in 487A 82							
A.16a	SMM Solar Irradiance								
A.16b	NIMBUS Solar Irradiance	Nov 78-Mar 84 data in 485B 70							
A.17	Interplanetary Mag Field (Pioneer 12)								
A.17c	Inferred Interplanetary Magnetic Field	487A 21	488A 21	494A 77	494A 77	494A 77	494A 77		
B.	IONOSPHERIC RADIO PROPAGATION PHENOMENA								
B.52	Field Strength Graphs - North Atlantic	488A 76	489A 76	490A 82	491A 80	492A 80	493A 74	494A 72	
B.53	Quality Indices on Paths to Germany	488A 75	489A 78	490A 84	491A 82	492A 79	493A 76	494A 74	
C.	SOLAR FLARE-ASSOCIATED EVENTS								
C.1a	H-alpha Flares	487A 13	488A 12	489A 12	490A 12	491A 12	492A 14	493A 12	494A 12
C.1ba	H-alpha Flare Groups	1983	Aug-Sep 83 in 492B 17; Oct-Dec 83 in 493B 21; Jan-Jun 84 in 494B 27						
C.1d	Flare Patrol Observations	487A 14	488A 13	---	490A 14	491A 13	492A 17	493A 13	494A 13
C.1d	Flare Patrol Observations	1983	Aug-Sep 83 in 492B 17; Oct-Dec in 493B 21; Jan-Jun 84 in 494B 27						
C.1e	Flare Indices (by day)								
C.3	Radio Bursts Fixed Freq.	492B 6	493B 6	494B 6					
C.3	Radio Bursts Fixed Freq. Selected	487A 19	488A 18	489A 21	490A 20	491A 19	492A 23	493A 18	494A 19
C.4d	Radio Bursts Spectral (Culgoora)								
C.4e	Radio Bursts Spectral (Weissenau)	488A 63	489A 66	490A 69	491A 65	492A 67	493A 63	494A 62	
C.4f	Radio Bursts Spectral (Sagamore Hill)	488A 63	489A 66	490A 69	491A 65	492A 67	493A 63	494A 62	
C.4i	Radio Bursts Spectral (Bleten)	488A 63	489A 66	490A 69	491A 65	492A 67	493A 63	494A 62	
C.4k	Radio Bursts Spectral (Learmonth)	488A 63	489A 66	490A 69	491A 65	492A 67	493A 63	494A 62	
C.4l	Radio Bursts Spectral (Palehua)	488A 63	489A 66	490A 69	491A 65	492A 67	493A 63	494A 62	
C.6	Sudden Ionospheric Disturbances	488A 62	489A 65	490A 67	491A 64	492A 66	493A 63	494A 61	
D.	GEOMAGNETIC & MAGNETOSPHERIC PHENOMENA								
D.1a	Geomagnetic Indices	488A 69	489A 71	490A 76	491A 74	492A 73	493A 70	494A 68	
D.1ba	27-day Chart of Kp Indices	488A 71	489A 73	490A 78	491A 76	492A 75	493A 72	494A 70	
D.1c	27-day Chart of Cg								
D.1d	Principal Magnetic Storms	488A 74	489A 75	490A 80	491A 78	492A 77	493A 73	494A 71	
D.1f	Sudden Commencement/Solar Flare Effects	489A 80	490A 86	490A 81	491A 79	492A 78	494A 79		
D.1g	Equatorial Indices Dst	488A 73	489A 74	490A 79	491A 77	492A 76	494A 78		
F.	COSMIC RAYS								
F.1a	Cosmic Ray Neutron Counts (Deep River)	492A 86	492A 87	492A 88					
F.1b	Cosmic Ray Neutron Counts (Climax)	489A 82	490A 89	490A 75	491A 73	492A 69	493A 69	494A 67	
F.1e	Cosmic Ray Neutron Counts (Alert)	492A 86	492A 87	492A 88					
F.1h	Cosmic Ray Neutron Counts (Thule)	488A 65	491A 85	491A 86	491A 73	492A 69	493A 69	494A 67	
F.1i	Cosmic Ray Neutron Counts (Kiel)	488A 65	489A 67	490A 75	491A 73	492A 69	493A 69	494A 67	
F.1j	Cosmic Ray Neutron Counts (Tokyo)	488A 65	489A 67	490A 75	491A 73	492A 69	493A 69	494A 67	
F.1l	Cosmic Ray Neutron Counts (Huancayo)	490A 88	491A 85						
F.1m	Cosmic Ray Neutron Counts (Predigtstuhl)	488A 65	489A 67	490A 75	491A 73	492A 69	493A 69	494A 67	
H.	MISCELLANEOUS								
H.60	IUWDS Alert Periods	487A 4	488A 4	489A 4	490A 4	491A 4	492A 5	493A 4	494A 4

The entry "488A 31" under Feb 1985, for example, means that the sunspot drawings for Feb 1985 appear in SOLAR-GEOPHYSICAL DATA No. 488, Part I, and that they begin on page 31. "A" denotes Part I and "B", Part II. Blanks indicate data not yet received and dashes mark unavailable data.

CONTENTS

Prompt Reports

DATA FOR SEPTEMBER 1985

Number 494 Part I

IUWDS ALERT PERIODS (Advance and Worldwide)	Page 4- 5
SOLAR ACTIVITY INDICES	
Daily Sunspot Numbers and 2800 MHz Solar Flux (12 Months).	6
Daily Solar Indices (Sunspot Numbers and Solar Flux)	7
Observed and Predicted Solar Activity Indices.	8
Smoothed Observed and Predicted Sunspot Numbers.	9
Graph of Observed and Predicted Sunspot Numbers.	10
Graph and Table of Sunspot Numbers (1944 - 1985)	11
SOLAR FLARES	
H-alpha Solar Flares	12
Intervals of No Flare Patrol	13
SOLAR RADIO EMISSION	
Solar Interferometric Chart - 169 MHz - Nancay	14
East-West Solar Scans at 3 cm - Toyokawa.	15
East-West Solar Scans at 10 cm - Ottawa.	16
East-West Solar Scans at 21 cm - Fleurs.	17
East-West Solar Scans at 43 cm - Fleurs.	18
Selected Fixed Frequency Events.	19
Selected Graphs of Solar Noise Bursts (none)	
INTERPLANETARY SCINTILLATION MEASUREMENTS OF SOLAR WIND (See page 77.)	
VOSTOK INFERRED INTERPLANETARY MAGNETIC FIELD POLARITY	
STANFORD MEAN SOLAR MAGNETIC FIELD Table	20
Graph	21

4
SEPT 85

ALERT PERIODS
INTERNATIONAL URSIGRAM AND WORLD DAYS SERVICE

SUMMARY OF THE GEOALERT MESSAGES

SEPTEMBER 1985

NO	DI	DO	WOLF	10CM	A	LOC	TOT	M	X	OUTSTANDING EVENTS	DA	LOC	DE	ALERTS
244	01	31	024	073	032	N07W27 N06W10	0 0	0 0	0	PRESTO MAGSTORM 31/03XX UT	01	N07W27 N06W10	Q Q	SOLQUIET MAGQUIET
245	02	01	000	072	007	SPOTNIL					02	SPOTNIL		SOLQUIET MAGQUIET
246	03	02	000	072	007	SPOTNIL					03	SPOTNIL		SOLQUIET MAGQUIET
247	04	03	000	072	006	SPOTNIL					04	SPOTNIL		SOLQUIET MAGQUIET
248	05	04	000	072	004	SPOTNIL					05	SPOTNIL		SOLQUIET MAGQUIET
249	06	05	000	071	004	SPOTNIL					06	SPOTNIL		SOLQUIET MAGQUIET
250	07	06	000	071	008	SPOTNIL					07	SPOTNIL		SOLQUIET MAGQUIET
251	08	07	000	070	010	SPOTNIL					08	SPOTNIL		SOLQUIET MAGALERT MINOR 08/10 RECURRENCE
252	09	08	000	069	012	SPOTNIL					09	SPOTNIL		SOLQUIET MAGALERT MINOR 09/10 RECURRENCE
253	10	09	000	070	013	SPOTNIL					10	SPOTNIL		SOLQUIET MAGNIL
254	11	10	000	069	013	SPOTNIL					11	SPOTNIL		SOLQUIET MAGQUIET
255	12	11	011	068	013	S19E03	0	0	0		12	S19E03	Q	SOLQUIET MAGQUIET
256	13	12	000	068	007	SPOTNIL					13	SPOTNIL		SOLQUIET MAGQUIET
257	14	13	014	070	010	S10E69	0	0	0		14	S10E69	Q	SOLQUIET MAGQUIET
258	15	14	013	070	023	S10E54	0	0	0	PRESTO MAGSTORM 14/0600 UT	15	S10E54	Q	SOLQUIET MAGQUIET
259	16	15	012	070	012	S10E41	0	0	0		16	S10E41	Q	SOLQUIET MAGQUIET
260	17	16	013	070	024	S10E27	0	0	0		17	S10E27	Q	SOLQUIET MAGQUIET
261	18	17	011	069	015	S11E10	0	0	0		18	S11E10	Q	SOLQUIET MAGQUIET
262	19	18	015	070	008	S10W04	3	0	0		19	S10W04	Q	SOLQUIET MAGQUIET
263	20	19	015	070	023	S11W17	1	0	0	PRESTO MAGSTORM 19/05XX UT	20	S11W17	Q	SOLQUIET MAGQUIET
264	21	20	013	069	025	S12W32	0	0	0		21	S12W32	Q	SOLQUIET MAGQUIET

ALERT PERIODS
INTERNATIONAL URSIGRAM AND WORLD DAYS SERVICE

5
SEPT 85

SUMMARY OF THE GEOALERT MESSAGES

SEPTEMBER 1985

NO	DI	DO	WOLF	10CM	A	LOC	TOT	M	X	OUTSTANDING EVENTS	DA	LOC	DE	ALERTS
265	22	21	011	069	017	S11W46	0	0	0		22	S11W46	Q	SOLQUIET MAGQUIET
266	23	22	000	069	013	SPOTNIL					23	SPOTNIL		SOLQUIET MAGQUIET
267	24	23	000	069	011	SPOTNIL					24	SPOTNIL		SOLQUIET MAGQUIET
268	25	24	000	069	010	SPOTNIL					25	SPOTNIL		SOLQUIET MAGQUIET
269	26	25	000	068	015	SPOTNIL					26	SPOTNIL		SOLQUIET MAGQUIET
270	27	26	000	068	018	SPOTNIL					27	SPOTNIL		SOLQUIET MAGQUIET
271	28	27	000	067	017	SPOTNIL					28	SPOTNIL		SOLQUIET MAGQUIET
272	29	28	000	068	009	SPOTNIL					29	SPOTNIL		SOLQUIET MAGQUIET
273	30	29	013	068	008	S14E11	0	0	0		30	S14E11	Q	SOLQUIET MAGQUIET
274	01	30	012	068	007	S14W04	0	0	0		01	S14W04	Q	SOLQUIET MAGQUIET

NO=MESSAGES SERIAL NUMBER, DI=DATE OF ISSUE, DO=DATE OF OBSERVATION, WOLF=WOLF NUMBER, 10CM=10CM SOLAR FLUX, A=A INDEX, LOC=LOCATION LATITUDE AND LONGITUDE, TOT=TOTAL, M=NUMBER OF M FLARES, X=NUMBER OF X FLARES, DA=DATE OF FORECAST, DE=DESCRIPTION, Q=QUIET, E=ERUPTIVE, A=ACTIVE, P=PROTON.

PRESTO MESSAGES (THE RAPID REPORT OF MAJOR EVENTS)

SEPTEMBER 1985

PRESTO KAKIOKA 15/0030 UT MAGSTORM 14/0600 UT
PRESTO KAKIOKA 20/0055 UT MAGSTORM 19/05XX UT.

INTERNATIONAL (R_p) RELATIVE SUNSPOT NUMBERS

	1984 Final			1985 Final							1985 Prov		
Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	
01	7	16	19	0	18	13	25	19	10	21	35	7	
02	8	14	22	0	22	13	21	15	0	27	25	0	
03	11	11	19	0	25	9	23	14	11	30	27	0	
04	11	14	19	0	22	0	17	18	26	32	27	0	
05	0	12	16	0	20	0	23	16	35	38	20	0	
06	0	0	21	0	16	0	19	14	37	43	14	0	
07	0	11	18	0	7	0	11	32	38	71	12	0	
08	12	13	23	11	16	14	9	44	42	67	12	0	
09	14	13	21	14	24	15	9	56	42	85	17	0	
10	17	21	15	0	19	13	0	49	58	82	12	0	
11	22	27	28	0	13	16	0	49	66	61	12	7	
12	16	21	29	13	10	18	0	33	54	45	12	0	
13	10	16	28	16	11	14	0	32	45	25	0	9	
14	9	15	28	26	13	10	10	32	36	9	0	9	
15	14	13	26	25	11	0	0	32	37	8	0	9	
16	19	11	30	26	10	11	0	31	27	9	0	9	
17	24	11	24	29	12	20	0	38	23	11	12	8	
18	25	14	12	26	10	35	10	41	18	11	11	10	
19	25	13	11	27	19	27	9	40	10	11	11	10	
20	17	27	11	55	27	19	11	37	9	11	10	9	
21	19	36	14	59	27	9	17	36	9	10	9	8	
22	12	36	12	50	25	15	31	34	9	10	0	7	
23	11	41	11	39	16	22	28	32	12	18	0	0	
24	9	47	16	33	11	36	30	25	13	12	0	0	
25	10	59	21	20	11	30	37	19	12	10	0	0	
26	10	44	20	9	11	33	37	13	10	13	8	0	
27	8	39	14	8	10	27	31	12	8	12	8	0	
28	0	39	16	0	9	36	27	12	8	36	10	0	
29	8	30	15	9		25	26	10	9	51	0	7	
30	11	20	10	0		29	26	8	11	46	8	7	
31	14		10	17		23		8		40	9		
Mean	12	23	19	16	16	17	16	28	24	31	10	4	

The yearly mean sunspot number equaled 45.9 in 1984.

DAILY SOLAR FLUX AT 2800 MHz (10.7 CM) ADJUSTED TO 1 AU

ALGONQUIN RADIO OBSERVATORY, OTTAWA

Day	Oct 84	Nov	Dec	Jan 85	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
01	72.0	69.5	77.0	68.4	72.2	69.3	72.2	80.6*	69.5	76.9	80.5	73.0
02	74.8	70.1	76.8	67.8	73.8	69.1	72.6	76.5	72.4	79.1*	80.4	72.8
03	75.2	72.0	77.9	67.7	73.6	69.0	72.5A	72.6	74.6	81.3	79.2	73.1
04	75.2	72.2	75.9	67.8	70.9	68.6	71.9	70.8	77.5	80.4	79.3	73.5
05	74.0	71.7	73.4	67.0	71.2	67.5	71.2	71.4	84.3	83.3	78.5	72.2
06	73.2	71.0	73.0	67.9	70.6	68.1	70.5	75.0	87.4	87.5	77.9	72.5
07	73.5	70.1	72.8	68.1	70.3	68.0	70.3	79.1	88.4	97.7	79.5	70.8
08	74.6	70.5	74.1	67.4	72.5	68.7	69.9	83.7	88.9	96.7*	78.5	70.3
09	73.5	72.7	74.5	68.1	73.2	68.7	69.4	89.6	89.8	100.9*	74.9	70.6
10	74.1	75.8	75.7	67.4	73.6	68.0	69.7	91.7	91.7	104.6*	72.8	70.3
11	74.3	73.1	78.9	67.7	73.2	69.6	69.0	89.9	91.2	97.3	68.4	69.2
12	73.9	72.8	77.8	68.4	72.3	69.3	69.6	92.1	89.8	92.9	69.7	68.5
13	74.7	71.6	76.2	72.6	70.8	69.5	69.8	91.9	89.2	85.5	68.9	70.7
14	73.2	72.0	75.8A	72.3	70.6	69.5	70.6	90.7*	85.3	76.4	69.3	70.4
15	76.4	72.9	74.9	72.4	70.2	69.6	70.0	92.0*	83.8	73.0	69.0	71.1
16	76.6	70.7	74.2	74.7	69.8	70.1	69.4	95.5	80.9	71.9	68.2	70.3
17	76.2	71.0	72.6	75.8	70.9	72.1	70.2	92.3	77.3	71.9	67.9	70.0
18	76.5	71.7	70.2	74.1	73.4*	74.6	71.7	92.7	73.8	71.8	68.6	70.4
19	74.2	72.3	71.0	75.4	76.1	74.2	71.7	89.6	72.2	71.7	69.1	70.7
20	73.5	74.8	69.9	81.7*	75.0	74.2	72.3	86.7	71.9	71.7	70.6	69.8
21	73.2	78.3	69.7	84.9*	74.2	76.1*	77.9	84.4*	71.5	71.2	70.4	69.6
22	74.5	78.2	70.7	85.3	73.3	75.9	89.8	82.7*	71.6	71.0	72.7	69.8
23	72.7	79.3	71.3	82.5	71.7	77.3	93.3*	80.0	71.8	71.1	72.9	69.2
24	70.8	81.1	71.8	78.2	70.5	79.6	89.0*	78.3	70.8	71.0	72.1	69.0
25	70.2	83.1	72.2	73.9	70.1	78.5	95.2	77.2	71.0	75.6	72.5	68.7
26	69.4	82.5	72.3	71.0	69.7	79.7†	88.3*	75.5	70.0	77.4	72.3	68.4
27	68.6	82.5*	72.0	69.5	68.9	77.4†	80.6	74.6	70.2	79.2	73.1	67.7
28	69.3	81.1	72.2	69.6	69.7	77.7†	78.1	72.7	71.0	81.2	73.1	67.8
29	68.2	77.1	72.1	68.7		76.7†	83.2	72.5	72.3	83.5	73.1	68.3
30	68.8	76.4	71.4	68.3		75.8†	80.8	71.4	74.8	83.8	73.9	68.3
31	69.8		70.0	69.9A		76.4†		69.6		82.4	74.1	
Mean	73.1	74.6	73.5	72.1	71.9	72.5	75.7	82.0	78.5	81.3	73.3	70.2

A = interpolated value; --- = no observation.

*Adjusted for burst in progress at time of measurement; †corrected for antenna drift.

The yearly mean 2800 MHz flux adjusted to 1 astronomical unit equaled 101.1 in 1984.

ERRATA: In SGD issues number 485-488, solar fluxes for 31st day of 1984 must be shifted right 1 column.

DAILY SOLAR INDICES

7
Sep 85

SEPTEMBER 1985

Julian		Bartels	Sunspot		Obs Flux	----- Solar Flux Adjusted to 1 Astronomical Unit -----								
Day	Day	Cycle	Int	Amer	Ottawa	SGMR	SGMR	SGMR	Ottawa	SGMR	SGMR	SGMR	SGMR	SGMR
					(2800)	(15400)	(8800)	(4995)	(2800)	(2695)	(1415)	(610)	(410)	(245)
01	244	10	7	0	71.7	552	289	---	73.0	70	59	51	22	11
02	245	11	0	0	71.5	528	273	106	72.8	69	60	52	23	10
03	246	12	0	0	71.9	542	276	107	73.1	69	58	52	22	12
04	247	13	0	0	72.3	530	263	80	73.5	92	58	53	22	11
05	248	14	0	1	71.1	540	279	104	72.2	67	59	49	21	11
06	249	15	0	0	71.4	512	275	106	72.5	70	59	54	22	13
07	250	16	0	0	69.8	---	---	---	70.8	---	---	---	---	---
08	251	17	0	0	69.3	535	263	104	70.3	68	57	48	21	11
09	252	18	0	0	69.6	511	276	105	70.6	69	56	49	20	11
10	253	19	0	0	69.3	516	278	105	70.3	68	57	48	21	11
11	254	20	7	0	68.3	552	277	104	69.2	66	55	50	20	8
12	255	21	0	0	67.6	544	278	101	68.5	66	55	49	20	12
13	256	22	9	11	69.8	546	277	104	70.7	66	56	48	20	6
14	257	23	9	10	69.5	553	279	103	70.4	67	54	47	19	9
15	258	24	9	11	70.3	543	277	103	71.1	69	55	46	20	10
16	259	25	9	11	69.5	539	282	103	70.3	68	54	49	20	10
17	260	26	8	10	69.3	546	273	103	70.0	65	54	45	19	9
18	261	27	10	14	69.8	542	275	104	70.4	66	58	49	19	11
19	262	1	10	13	70.1	538	267	102	70.7	66	56	47	21	10
20	263	2	9	10	69.2	534	261	102	69.8	66	56	48	20	10
21	264	3	8	11	69.0	541	267	101	69.6	65	55	47	19	26
22	265	4	7	0	69.3	540	281	102	69.8	66	54	52	21	11
23	266	5	0	0	68.7	---	---	---	69.2	---	---	---	---	---
24	267	6	0	0	68.6	---	---	---	69.0	---	---	---	---	---
25	268	7	0	0	68.4	546	265	99	68.7	67	56	46	21	9
26	269	8	0	0	68.1	538	273	102	68.4	67	55	53	22	36
27	270	9	0	0	67.4	---	---	---	67.7	---	---	---	---	---
28	271	10	0	0	67.5	---	---	---	67.8	---	---	---	---	---
29	272	11	7	1	68.1	---	---	---	68.3	---	---	---	---	---
30	273	12	7	0	68.1	552	273	128	68.3	65	54	48	18	9
Mean			4	3	69.5	538	274	103	70.2	68	56	49	20	12

*Adjusted for burst in progress at time of measurement.

The observed and the adjusted Ottawa fluxes tabulated above are the "Series C" daily values reported by the Algonquin Radio Observatory, Ottawa, Ontario, Canada. The letter "A" following an entry designates an interpolated flux. Numbers in parentheses in the column headings denote frequencies in MHz.

Equipment problems produced the gaps shown here in the Air Weather Service's Sagamore Hill (SGMR) observations.

The International and American sunspot numbers shown above are preliminary values.

OBSERVED AND PREDICTED SOLAR ACTIVITY INDICES

SEPTEMBER 1985

Date	RELATIVE SUNSPOT NUMBERS						2800 MHz RADIO FLUX Adjusted to 1 AU (Sa)	
	International (Ri)		American (Ra)		Derived (Rs)			
	Monthly Mean	Smoothed	Monthly Mean	Smoothed	Monthly Mean	Smoothed	Monthly Mean	Smoothed
Nov 81	137.5	139	138.8	142	157.6	151	203.3	197
Dec	150.1	138	145.0	140	155.5	149	201.4	195
Jan 82	111.1	137	110.4	139	124.2	148	173.4	195
Feb	163.6	133	161.0	134	163.6	144	208.9	191
Mar	153.8	129	155.5	130	163.0	139	208.3	186
Apr	122.0	124	121.9	124	113.9	134	162.9	182
May	82.2	120	82.6	120	97.7	129	147.9	177
Jun	110.4	117	113.5	118	129.6	127	177.4	175
Jul	106.1	115	113.3	117	116.0	125	164.8	174
Aug	107.6	109	110.5	111	123.9	120	172.1	168
Sep	118.8	101	117.8	103	118.5	112	167.1	161
Oct	94.7	96	90.1	97	111.8	106	160.9	155
Nov	98.1	95	93.2	95	114.8	103	163.7	153
Dec	127.0	95	145.0	95	146.7	101	193.2	151
Jan 83	84.3	93	82.8	93	86.7	98	137.7	148
Feb	51.0	90	53.4	90	67.2	94	119.6	145
Mar	66.5	86	60.5	85	64.7	90	117.3	141
Apr	80.7	82	74.5	81	67.5	85	119.9	136
May	99.2	77	97.7	77	86.1	80	137.1	131
Jun	91.1	70	93.1	69	92.4	72	143.0	124
Jul	82.2	66	82.2	63	77.4	66	129.1	118
Aug	71.8	66	69.2	63	75.7	66	127.5	118
Sep	50.3	68	47.4	66	57.0	67	110.2	119
Oct	55.8	68	52.3	66	58.6	67	111.7	120
Nov	33.3	59	30.2	65	35.6	67	90.4	120
Dec	33.4	64	32.3	62	35.7	65	90.5	118
Jan 84	57.0	60	54.4	58	59.4	61	112.4	115
Feb	85.4	56	81.5	54	86.2	58	137.2	101
Mar	83.5	53	83.0	51	68.5	55	120.8	108
Apr	69.7	50	66.5	48	78.1	52	129.7	105
May	76.4	48	72.1	45	79.6	49	131.1	103
Jun	46.1	46	45.2	44	49.8	48	103.5	102
Jul	37.4	44	36.2	42	37.6	39	92.2	99
Aug	25.5	40	24.5	38	30.7	41	85.8	95
Sep	15.7	34	13.6	32*	23.2	35	78.9	90
Oct	12.0	29	9.8	27*	16.9	31	73.1	86
Nov	22.8	25	19.4	23*	18.6	26	74.6	72
Dec	18.7	22	17.0	20*	17.4	23	73.5	79
Jan 85	16.5	20*	14.5	19*	15.9	21	72.1	77
Feb	15.9	20*	16.3	18*	15.7	20	71.9	76
Mar	17.2	18*	11.8*	16*	16.3	19	72.5	75
Apr	16.2	<u>18</u> (<u>2</u>)*	17.1*	<u>15</u>	19.8	<u>18</u>	75.7	--
May	27.5	<u>17</u> (<u>3</u>)*	24.0*	<u>15</u>	26.6	<u>18</u>	82.0	--
Jun	24.2	<u>17</u> (<u>4</u>)*	22.2*	<u>14</u>	22.8	<u>17</u>	78.5	--
Jul	30.8†	<u>16</u> (<u>5</u>)*	30.8*	<u>14</u>	25.8	<u>17</u>	81.3	--
Aug	10.4†	<u>15</u> (<u>5</u>)*	10.7*	<u>13</u>	17.2	<u>16</u>	73.3	--
Sep	3.9†	<u>15</u> (<u>6</u>)*	3.4*	<u>12</u>	13.8	<u>15</u>	70.2	--
Oct	----	<u>13</u> (<u>7</u>)*	----	<u>11</u>	----	<u>14</u>	----	--
Nov	----	<u>12</u> (<u>8</u>)*	----	<u>10</u>	----	<u>13</u>	----	--
Dec	----	<u>11</u> (<u>8</u>)*	----	<u>9</u>	----	<u>12</u>	----	--
Jan 86	----	<u>11</u> (<u>9</u>)*	----	<u>9</u>	----	<u>12</u>	----	--
Feb	----	<u>11</u> (<u>9</u>)*	----	<u>9</u>	----	<u>11</u>	----	--
Mar	----	<u>10</u> (<u>10</u>)*	----	<u>8</u>	----	<u>11</u>	----	--

*An asterisk marks either a value of the observed 12-month running mean or of a predicted 12-month average that is based in part on preliminary observations.

Underlined entries indicate predicted values and parentheses enclose the absolute value of the 90% confidence limits. The two columns headed "Derived" represent a sunspot number computed from a linear regression equation between the 2800 MHz solar flux (adjusted to 1 astronomical unit) and the Zurich sunspot number.

SMOOTHED OBSERVED AND PREDICTED SUNSPOT NUMBERS FOR CYCLE 21

9
Sep 85

SEPTEMBER 1985

Month	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1976	15	13	12	13	13	12*	13	14	14	13	14	15
1977	17	18	20	22	24	26	29	33	39	46	52	57
1978	61	65	70	77	83	89	97	104	108	111	113	118
1979	124	131	137	141	147	153	155	155	156	158	162	165*
1980	164	163	161	159	156	155	153	150	150	150	148	143
1981	140	142	143	143	143	142	140	141	143	142	139	138
1982	137	133	129	124	120	117	115	109	101	96	95	95
1983	93	90	86	82	71	71	66	66	68	68	67	64
1984	60	56	53	50	48	47	44	40	34	29	25	22
1985	21	20	19	18 (2)	17 (3)	17 (4)	16 (5)	15 (5)	15 (6)	13 (7)	12 (8)	11 (8)
1986	11 (9)	11 (9)	10 (10)	10 (10)	9 (10)	8 (10)	8 (10)	7 (10)	7 (10)	7 (10)	8 (10)	8 (9)


An asterisk marks the minimum and the maximum of Sunspot Cycle 21.

For the current solar cycle, this table gives observed smoothed sunspot numbers up to the one calculated from the most recently measured monthly mean. These smoothed observed values are based on final monthly mean Zurich numbers through 1980, on final international numbers through June 1985, and on provisional international numbers thereafter.

The entries with numbers in parentheses below them denote predictions by the McNish-Lincoln method. (See page 9 in the May 1985 edition of the "Solar-Geophysical Data" supplement.) Adding the number in parentheses to the predicted value generates the upper limit of the 90% confidence interval; subtracting the number in parentheses from the predicted value generates the lower limit. Consider, for example, the March 1986 prediction tabulated above. There exists a 90% chance that in March 1986 the actual smoothed sunspot number will fall somewhere between 0 and 20.

THE McNish-LINCOLN PREDICTION METHOD GENERATES USEFUL ESTIMATES OF SMOOTHED SUNSPOT NUMBERS FOR NO MORE THAN 12 MONTHS AHEAD. Beyond a year the predictions regress rapidly toward the mean of all 13 cycles of data used in the computation. Furthermore, the method is very sensitive to the date defined as the beginning of the current sunspot cycle, that is, to the date of the most recent sunspot minimum. In "Solar-Geophysical Data," issues 390-401, we based the current cycle predictions on March 1976 as the end of cycle 20 and the onset of the new cycle 21. Later studies, including one published by M. Waldmeier, showed that June 1976 was more appropriately the minimum epoch. We therefore generated this table using the June 1976 date.


OBSERVED AND ONE-YEAR-AHEAD PREDICTED SMOOTHED SUNSPOT NUMBERS



MONTHLY MEAN SUNSPOT NUMBERS

January 1944 - September 1985

11
Sep 85



MONTHLY MEAN SUNSPOT NUMBERS

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1944	3.7	0.5	11.0	0.3	2.5	5.0	5.0	16.7	14.3	16.9	10.8	28.4
1945	18.5	12.7	21.5	32.0	30.6	36.2	42.6	25.9	34.9	68.8	46.0	27.4
1946	47.6	86.2	76.6	75.7	84.9	73.5	116.2	107.2	94.4	102.3	123.8	121.7
1947	115.7	133.4	129.8	149.8	201.3	163.9	157.9	188.8	169.4	163.6	128.0	116.5
1948	108.5	86.1	94.8	189.7	174.0	167.8	142.2	157.9	143.3	136.3	95.8	138.0
1949	119.1	182.3	157.5	147.0	106.2	121.7	125.8	123.8	145.3	131.6	143.5	117.6
1950	101.6	94.8	109.7	113.4	106.2	83.6	91.0	85.2	51.3	61.4	54.8	54.1
1951	59.9	59.9	55.9	92.9	108.5	100.6	61.5	61.0	83.1	51.6	52.4	45.8
1952	40.7	22.7	22.0	29.1	23.4	36.4	39.3	54.9	28.2	23.8	22.1	34.3
1953	26.5	3.9	10.0	27.8	12.5	21.8	8.6	23.5	19.3	8.2	1.6	2.5
1954	0.2	0.5	10.9	1.8	0.8	0.2	4.8	8.4	1.5	7.0	9.2	7.6
1955	23.1	20.8	4.9	11.3	28.9	31.7	26.7	40.7	42.7	58.5	89.2	76.9
1956	73.6	124.0	118.4	110.7	136.6	116.6	129.1	169.6	173.2	155.3	201.3	192.1
1957	165.0	130.2	157.4	175.2	164.6	200.7	187.2	158.0	235.8	253.8	210.9	239.4
1958	202.5	164.9	190.7	196.0	175.3	171.5	191.4	200.2	201.2	181.5	152.3	187.6
1959	217.4	143.1	185.7	163.3	172.0	168.7	149.6	199.6	145.2	111.4	124.0	125.0
1960	146.3	106.0	102.2	122.0	119.6	110.2	121.7	134.1	127.2	82.8	89.6	85.6
1961	57.9	46.1	53.0	61.4	51.0	77.4	70.2	55.8	63.6	37.7	32.6	39.9
1962	38.7	50.3	45.6	46.4	43.7	42.0	21.8	21.8	51.3	39.5	26.9	23.2
1963	19.8	24.4	17.1	29.3	43.0	35.9	19.6	33.2	38.8	35.3	23.4	14.9
1964	15.3	17.7	16.5	8.6	9.5	9.1	3.1	9.3	4.7	6.1	7.4	15.1
1965	17.5	14.2	11.7	6.8	24.1	15.9	11.9	8.9	16.8	20.1	15.8	17.0
1966	28.2	24.4	25.3	48.7	45.3	47.7	56.7	51.2	50.2	57.2	57.2	70.4
1967	110.9	93.6	111.8	69.5	86.5	67.3	91.5	107.2	76.8	88.2	94.3	126.4
1968	121.8	111.9	92.2	81.2	127.2	110.3	96.1	109.3	117.2	107.7	86.0	109.8
1969	104.4	120.5	135.8	106.8	120.0	106.0	96.8	98.0	91.3	95.7	93.5	97.9
1970	111.5	127.8	102.9	109.5	127.5	106.8	112.5	93.0	99.5	86.6	95.2	83.5
1971	91.3	79.0	60.7	71.8	57.5	49.8	81.0	61.4	50.2	51.7	63.2	82.2
1972	61.5	88.4	80.1	63.2	80.5	88.0	76.5	76.8	64.0	61.3	41.6	45.3
1973	43.4	42.9	46.0	57.7	42.4	39.5	23.1	25.6	59.3	30.7	23.9	23.3
1974	27.6	26.0	21.3	40.3	39.5	36.0	55.8	33.6	40.2	47.1	25.0	20.5
1975	18.9	11.5	11.5	5.1	9.0	11.4	28.2	39.7	13.9	9.1	19.4	7.8
1976	8.1	4.3	21.9	18.8	12.4	12.2	1.9	16.4	13.5	20.6	5.2	15.3
1977	16.4	23.1	8.7	12.9	18.6	38.5	21.4	30.1	44.0	43.8	29.1	43.2
1978	51.9	93.6	76.5	99.7	82.7	95.1	70.4	58.1	138.2	125.1	97.9	122.7
1979	166.6	137.5	138.0	101.5	134.4	149.5	159.4	142.2	188.4	186.2	183.3	176.3
1980	159.6	155.0	126.2	164.1	179.9	157.3	136.3	135.4	155.0	164.7	147.9	174.4
1981	114.0	141.3	135.5	156.4	127.5	90.9	143.8	158.7	167.3	162.4	137.5	150.1
1982	111.2	163.6	153.8	122.0	82.2	110.4	106.1	107.6	118.8	94.7	98.1	127.0
1983	84.3	51.0	66.5	80.7	99.2	91.1	82.2	71.8	50.3	55.8	33.3	33.4
1984	57.0	85.4	83.5	69.7	76.4	46.1	37.4	25.5	15.7	12.0	22.8	18.7
1985	16.5	15.9	17.2	16.2	27.5	24.2	30.8*	10.4*	3.9*			

*Provisional

H - ALPHA SOLAR FLARES

SEPTEMBER 1985

Sta	Day	Start (UT)	Max (UT)	End (UT)	Lat	CMD	NOAA/ USAF Region	CMP Mo	Day	Dur (Min)	Imp Opt	Xray	Obs See	Type	Time (UT)	Area Measurement		Remarks
																Apparent (10 ⁻⁶ Disk)	Corr (Sq Deg)	
[	RAMY 12	1118E		1129	S09	E90		09	19.2	11D	SF		3	C				
	CATA 12	1125E	1125	1145D	S13	E90		09	19.3	20D	1F		2	P	1125	45		
	GOES 12	1735	1738	1740						5		C 1.2						
[	CATA 13	0730E	0740	0745D	S11	E78		09	19.2	15D	1B		2	P	0740	56		T
	LEAR 13	0735	0736	0745	S14	E81		09	19.4	10	SF	C 1.7	3	C		14		
[	LEAR 13	0833	0839	0844	S14	E78		09	19.2	11	SF		3	C		11		
	ATHN 13	0835E	0840U	0844	S14	E78		09	19.2	9D	SF		3	V	0840	19	.6	
	CATA 14	0920	0920	0925	S13	E65		09	19.3	5	SN		2	C	0920	56		T
[	PEKG 15	0729	0740	0745	S10	E54		09	19.4	16	1B			P	0740	189	3.9	D
	ATHN 15	0733	0736U	0746	S10	E53		09	19.3	13	1B		2	V	0736	207	4.0	
	LEAR 15	0733	0736	0757	S11	E53	4694	09	19.3	24	1B	C 4.3	3	C		209		FH
	WEND 15	0735E		0802	S11	E53		09	19.3	27D	1N	C 4.3		C	0735	240	4.2	
	RAMY 15	1549	1550	1616	S09	E51	4694	09	19.5	27	SF		3	C		38		F
	RAMY 18	1307	1307	1309	S10	E00	4694	09	18.5	2	SF		3	C		20		
	RAMY 18	1319	1321	1330	S09	E00	4694	09	18.5	11	SF		3	C		25		
[	WEND 18	1557	1602	1612	S11	E01		09	18.7	15	SN			C	1602	50	.5	
	RAMY 18	1601		1603D	S11	W00	4694	09	18.7	2D	SF		3	C				
	HOLL 19	2139E	2141U	2152	S10	W16	4694	09	18.7	13D	SF		3	C		76		FH

"Remarks":


A = Eruptive prominence whose base is less than 90° from central meridian.
 B = Probably the end of a more important flare.
 C = Invisible 10 minutes before.
 D = Brilliant point.
 E = Two or more brilliant points.
 F = Several eruptive centers.
 G = No visible spots in the neighborhood.
 H = Flare accompanied by high-speed dark filament.
 I = Active region very extended.
 J = Distinct variations of plage intensity before or after the flare.
 K = Several intensity maxima.
 L = Existing filaments show signs of sudden activity.
 M = White-light flare.
 N = Continuous spectrum shows effects of polarization.

O = Observations have been made in the H and K lines of Ca II.
 P = Flare shows helium D3 in emission.
 Q = Flare shows Balmer continuum in emission.
 R = Marked asymmetry in H-alpha line suggests ejection of high-velocity material.
 S = Brightness follows disappearance of filament in same position.
 T = Region active all day.
 U = Two bright branches, parallel or converging.
 V = Occurrence of an explosive phase: important, expansion within roughly 1 minute that often includes a significant intensity increase.
 W = Great increase in area after time of maximum intensity.
 X = Unusually wide H-alpha line.
 Y = System of loop-type prominences.
 Z = Major sunspot umbra covered by flare.

INTERVALS OF NO FLARE PATROL OBSERVATION FOR PRECEDING SOLAR FLARE TABLE

13
Sep 85

SEPTEMBER 1985



Times of no flare patrol, shown here as shaded areas, combine reports from the observatories listed below. Portions of a panel completely shaded mark dates and times of no patrol of any kind, that is, of neither visual nor cinematographic; portions of a panel with only the bottom half shaded mark times of strictly visual patrol.

Athens
Bucharest

Holloman
Istanbul

Learmonth
Manila

Palehua
Peking

Purple Mt.
Ramey
Wendelstein


14
Sep 85

SOLAR INTERFEROMETRIC OBSERVATIONS

Nancay

SEPTEMBER 1985

169 MHz




EAST-WEST SOLAR SCANS SEPTEMBER 1985

15
Sep 85

TOYOKAWA, JAPAN

3 CM
FAN BEAM WITH 1.1 MINUTES OF ARC




16
Sep 85

EAST-WEST SOLAR SCANS SEPTEMBER 1985


ALGONQUIN RADIO OBSERVATORY
CANADA

10.7 cm
Fan Beam with 1.5 minutes of arc
E-W Resolution


01
71.7



02
71.5




03
71.9




04
72.3




05
71.1




06
71.4




07
69.8




08
69.3




09
69.6



10
69.3




11
68.3



12
67.6



13
69.8




14
69.5




15
70.3




16
69.5



17
69.3




18
69.8




19
70.1




20
69.2




21
69.0




22
69.3




23
68.7




24
68.6




25
68.4




26
68.1




27
67.4




28
67.5



29
68.1



30
68.1




DATE
TOTAL FLUX
E
ESTIMATED
QUIET SUN
LEVEL
W
PHOTOSPHERE
TIME U.T.

EAST-WEST SOLAR SCANS

17
Sep 85

Fleurs, Australia

SEPTEMBER 1985

21 cm
Fan-Beam with 2 minutes of arc
E-W Resolution


18
Sep 85

EAST - WEST SOLAR SCANS

Fleurs, Australia

SEPTEMBER 1985

43 cm
Fan-Beam with 2 minutes of arc
E-W Resolution



SOLAR RADIO EMISSION OUTSTANDING OCCURRENCES

19
Sep 85

SEPTEMBER 1985

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Int	Remarks
15	610	LEAR	8 S	0733.5	0733.8	.8	18.0		QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0734.1	0735.0	1.0	17.0		QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0734.6	0734.8	.4	6.0		QL=6 ST=2 TYP=3
17	245	LEAR	44 NS	2234.0E	0210.6		36.0		QL=6 ST=1 TYP=1
19	245	LEAR	43 NS	2233.0	0840.8	689.0D	11.0		QL=6 ST=2 TYP=1
25	245	SGMR	47 GB	1544.8	1549.6	5.3	139.0		QL=1 ST=2 TYP=5

Reports are received routinely from the following observatories:

ATHN = Athens	HUAN = Huancaayo	NAGO = Nagoya	POTS = Potsdam
BERN = Berne	IRKU = Irkutsk	NOBE = Nobeyama	SAOP = Sao Paulo
BORD = Bordeaux	IZMI = IZMIRAN	ONDR = Ondrejov	SGMR = Sagamore Hill
CRIM = Crimea	KISV = Kislovodsk	OTTA = Ottawa	TORN = Torun
DWIN = Dwingeloo	KRAK = Krakow	PALE = Palohua	TYKW = Toyokawa
GORK = Gorky	LEAR = Learmonth	PEKG = Peking	TRST = Trieste
HIRA = Hiraïso	MANI = Manila	PENT = Penticton	UPIC = Upice
			VORO = Voroshilov

Explanation of Type Code:

1 Simple 1	7 Minor +	24 Rise	30 Post Burst Increase A	43 Onset of Noise Storm
2 Simple 1F	8 Spike	25 Rise A	31 Post Burst Decrease	44 Noise Storm In Progress
3 Simple 2	20 Simple 3	26 Fall	33 Absorption	45 Complex
4 Simple 2F	21 Simple 3A	27 Rise and Fall	40 Fluctuation	46 Complex F
5 Simple	22 Simple 3F	28 Precursor	41 Group of Bursts	47 Great Burst
6 Minor	23 Simple 3AF	29 Post Burst Increase	42 Series of Bursts	48 Major
				49 Major +
1A Simple 1A	4A Simple 2AF	24PF Post Rise F	27F Rise and Fall F	
3A Simple 2A	240 Rise only	16A Fall A	27AF Rise and Fall AF	
21A Simple 3A GRF	240F Rise only F	260 Fall Only	31A Post Burst Decrease A	
2A Simple 1AF	24P Post Rise	26F Fall F	32A Absorption A	
			46F Complex F	


20
Sep 85

STANFORD MEAN SOLAR MAGNETIC FIELD (MICROTESLA)

Day	Oct 84	Nov	Dec	Jan 85	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	-42	-13	-32	5	38	31	2	-5	-10	-16	-5	.
2	-63	.	.	14	35	27	-10	-8	-7	-14	1	.
3	.	-64	.	21	32	16	-14	-9	-11	-5	2	7
4	-76	-37	.	38	30	13	-13	-5	-12	2	8	3
5	.	.	.	.	15	.	-17	-5	-11	5	11	5
6	.	-22	15	.	.	.	-20	-5	-3	17	6	3
7	.	-4	28	37	.	-8	-7	-8	4	31	10	.
8	.	10	44	26	.	-17	-13	-8	6	24	.	.
9	-21	12	30	.	-4	-13	-6	-5	-1	22	8	-26
10	.	.	.	6	-5	.	-13	4	-4	.	8	-24
11	.	16	39	-10	-1	-4	-29	2	3	12	-9	-24
12	.	.	27	-8	-2	-1	-19	8	12	7	-16	-22
13	.	48	12	-10	-8	-3	-21	1	22	5	-24	-25
14	.	24	-10	-1	-9	-15	-13	.	21	8	-28	-24
15	.	.	-12	1	-23	-12	-12	.	19	6	-22	-21
16	.	.	-20	-7	-17	-6	.	11	17	-10	-23	-21
17	32	-4	-11	-3	-13	10	3	22	13	-27	-22	-25
18	36	-25	.	-25	.	.	-7	33	15	-27	-20	-29
19	.	-23	-8	-35	-12	-7	-10	48	7	-24	-20	-28
20	15	.	.	.	-17	-6	.	39	-10	.	-17	-22
21	-7	.	.	.	-15	-12	5	27	-21	.	-19	-21
22	-32	-6	-24	-30	-12	-12	6	25	-16	-19	-22	-23
23	-38	1	-35	.	-7	-5	18	0	-13	-19	-18	-16
24	-24	-15	-46	.	-6	.	23	-9	-13	-10	-22	-10
25	-14	-10	.	-9	2	1	18	-21	-16	-14	-28	-6
26	-18	-20	.	-12	-6	.	1	.	-12	-19	-25	-5
27	-15	.	-23	-2	13	.	-12	-18	-12	-27	-15	.
28	-32	.	-22	32	20	37	-27	-8	-9	-26	-9	11
29	.	-45	.	0	.	24	-32	-8	-13	-27	-4	12
30	.	.	-9	19	.	16	-47	-9	-9	-25	-2	-6
31	-71	.	-3	28	.	12	.	-5	.	-22	1	.

Dot symbol indicates no data available for the day.

STANFORD MEAN SOLAR MAGNETIC FIELD



Mean Solar Magnetic Field Polarity: = field > 2 microT; = -2 microT < field < 2 microT; = field < -2 microT; No box = no data available

Observations are taken at 2000 UT. Rotation numbers given are the Bartels series, but the dates are not; these dates mark times of occurrence of phenomena on the Sun that affect the Earth during the given Bartels Rotation.

CONTENTS


Prompt Reports

DATA FOR AUGUST 1985

Number 494 Part I

SOLAR ACTIVE REGIONS	Page
Solar Synoptic Charts.	24- 25
Daily Activity Solar Maps.	26- 56
Regions of Solar Activity/Calcium Plage Index (Data currently unavailable)	
Sunspot Groups.	57- 60
SUDDEN IONOSPHERIC DISTURBANCES	61
PIONEER XII INTERPLANETARY MAGNETIC FIELD MAGNITUDES (Unavailable at time of publication)	
SOLAR RADIO SPECTRAL OBSERVATIONS	62- 63
COSMIC RAY MEASUREMENTS BY NEUTRON MONITOR	
Chart of Variations	64- 66
Daily Counting Rates	67
GEOMAGNETIC INDICES	
Geomagnetic Activity Indices	68
Daily Average Ap	69
Chart of Kp by 27-day Rotation.	70
Provisional Values of Hourly Equatorial Dst (Not available at time of publication.)	
Principal Magnetic Storms.	71
Sudden Commencements/Solar Flare Effects (Not available at time of publication.)	
RADIO PROPAGATION INDICES	
Field Strength Diagram - North Atlantic Path	72- 73
Quality Indices on Paths to Germany.	74

PRELIMINARY H - ALPHA SOLAR SYNOPTIC CHART
CARRINGTON ROTATION NUMBER 1765
(August 3 to August 30, 1985)




SOLAR MAGNETIC FIELD SYNOPSIS CHART CARRINGTON ROTATION NUMBER 1765 (August 3 to August 30, 1985)

Stanford Solar Observatory

0, +100, 500, 1000, 2000 microTesla

100

-100




Heliographic Longitude

AUGUST 01, 1985 (P= 10.83, B₀ = 5.69, L₀ = 32.20)

KITT PEAK MAGNETOGRAM

Np


Bright= +
Dark = -



STANFORD MAGNETOGRAM

Np


Solid = +
Dashed = -



MT. WILSON MAGNETOGRAM

Np

Solid = +
Dotted = -




Delta Y = 12.5
Delta X = 9.6

2 Aug 0039 UT

16.29 -
17.20 UT


SACRAMENTO PEAK H-ALPHA



1520 UT

Sp


BOULDER SUNSPOTS



1255 UT

Sp

SACRAMENTO PEAK CORONA (1.15 Radii)




— 5303A(x1) 1433 UT
.... 6374A(x2) 1518 UT
xxxx 5694A(x6) 1502 UT
NO 5694A ACTIVITY TODAY

26
Aug 85

AUGUST 02, 1985 (P= 11.23, B₀ = 5.76, L₀ = 18.97)


KITT PEAK MAGNETOGRAM

Bright= +
Dark = -




STANFORD MAGNETOGRAM

Solid = +
Dashed = -




MT. WILSON MAGNETOGRAM


Solid = +
Dotted = -




SACRAMENTO PEAK H-ALPHA



BOULDER SUNSPOTS



SACRAMENTO PEAK CORONA (1.15 Radii)




— 5303A(x1) 1459 UT
 6374A(x2) 1552 UT
 xxxx 5694A(x6) 1535 UT
 NO 5694A ACTIVITY TODAY

28
Aug 85

AUGUST 03, 1985 (P= 11.62, B₀ = 5.83, L₀ = 5.75)

KITT PEAK MAGNETOGRAM


Bright = +
Dark = -



1434 UT

STANFORD MAGNETOGRAM


Solid = +
Dashed = -



1640 UT

MT. WILSON MAGNETOGRAM


Solid = +
Dotted = -



16.47 -
17.39 UT


Delta Y = 12.4
Delta X = 9.6

SACRAMENTO PEAK H-ALPHA




1632 UT

BOULDER SUNSPOTS



1335 UT

SACRAMENTO PEAK CORONA (1.15 Radii)




5303A(x1) 2058 UT
xxxx 5694A(x6) 2115 UT
NO 5694A ACTIVITY TODAY

AUGUST 04, 1985 (P= 12.01, B₀ = 5.90, L₀ = 352.52)


KITT PEAK MAGNETOGRAM

Bright = +
Dark = -




STANFORD MAGNETOGRAM

Solid = +
Dashed = -




MT. WILSON MAGNETOGRAM


Solid = +
Dotted = -




SACRAMENTO PEAK H-ALPHA



BOULDER SUNSPOTS



SACRAMENTO PEAK CORONA (1.15 Radii)



— 5303A(x1) 1438 UT
.... 6374A(x2) 1522 UT
xxxx 5694A(x6) 1507 UT
NO 5694A ACTIVITY TODAY


30
Aug 85

AUGUST 05, 1985 (P= 12.39, B₀ = 5.96, L₀ = 339.30)

KITT PEAK MAGNETOGRAM


Np

Bright= +
Dark = -



1415 UT

SACRAMENTO PEAK H-ALPHA




1506 UT

STANFORD MAGNETOGRAM


Np

Solid = +
Dashed = -




1554 UT

BOULDER SUNSPOTS



1335 UT

SACRAMENTO PEAK CORONA (1.15 Radii)




16.13 -
17.05 UT

MT. WILSON MAGNETOGRAM

Np

Solid = +
Dotted = -



16.13 -
17.05 UT


— 5303A(x1) 1541 UT
.... 6374A(x2) 1642 UT
xxxx 5694A(x6) 1623 UT
NO 5694A ACTIVITY TODAY

DeltaY=12.4
DeltaX= 9.6

AUGUST 06 1985 (P= 12.77, B₀ = 6.03, L₀ = 326.08)

KITT PEAK MAGNETOGRAM


Bright= +
Dark = -



1601 UT

STANFORD MAGNETOGRAM


Solid = +
Dashed = -



1628 UT


MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -




16.77 -
17.68 UT

SACRAMENTO PEAK H-ALPHA




1332 UT

BOULDER SUNSPOTS



1315 UT

SACRAMENTO PEAK CORONA (1.15 Radii)



— 5303A(x1) 1513 UT
.... 6374A(x2) 1558 UT
xxxx 5694A(x6) 1546 UT
NO 5694A ACTIVITY TODAY


32
Aug 85

AUGUST 07, 1985 (P= 13.15, B₀ = 6.09, L₀ = 312.85)

KITT PEAK MAGNETOGRAM

Np

Bright= +
Dark = -




1605 UT

STANFORD MAGNETOGRAM

Np

Solid = +
Dashed = -




1718 UT

MT. WILSON MAGNETOGRAM

Np


Solid = +
Dotted = -



16.30 -
17.21 UT


DeltaY=12.5
DeltaX= 9.6

SACRAMENTO PEAK H-ALPHA




1643 UT

BOULDER SUNSPOTS



1255 UT

SACRAMENTO PEAK CORONA (1.15 Radii)




5303A(x1) 1457 UT

15 μ


AUGUST 08, 1985 (P= 13.52, B₀ = 6.15, L₀ = 299.63)

KITT PEAK MAGNETOGRAM




Bright= +
Dark = -

STANFORD MAGNETOGRAM



Solid = +
Dashed = -


MT. WILSON MAGNETOGRAM



Solid = +
Dotted = -
Delta Y = 12.5
Delta X = 9.6


20.31 -
21.22 UT

SACRAMENTO PEAK H-ALPHA




1438 UT

BOULDER SUNSPOTS



1335 UT

SACRAMENTO PEAK CORONA (1.15 Radii)




5303A(x1) 2350 UT

34
Aug 85

AUGUST 09, 1985 (P= 13.89, B₀ = 6.21, L₀ = 286.41)


KITT PEAK MAGNETOGRAM

Bright = +
Dark = -




STANFORD MAGNETOGRAM

Solid = +
Dashed = -




MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -




DeltaY=12.4
DeltaX= 9.6


SACRAMENTO PEAK H-ALPHA



BOULDER SUNSPOTS



SACRAMENTO PEAK CORONA (1.15 Radii)




— 5303A(x1)

AUGUST 10, 1985 (P= 14.25, B₀ = 6.27, L₀ = 273.19)


KITT PEAK MAGNETOGRAM

Bright= +
Dark = -



STANFORD MAGNETOGRAM


Solid = +
Dashed = -



MT. WILSON MAGNETOGRAM


Solid = +
Dotted = -

DeltaY=12.3
DeltaX= 9.7




15.58 -
16.50 UT

SACRAMENTO PEAK H-ALPHA




1935 UT

HOLLOMAN SUNSPOTS



1605 UT

SACRAMENTO PEAK CORONA (1.15 Radii)



Sp


36
Aug 85

AUGUST 11, 1985 (P= 14.61, B₀ = 6.33, L₀ = 259.97)

KITT PEAK MAGNETOGRAM

Bright= +
Dark = -


Np



STANFORD MAGNETOGRAM

Solid = +
Dashed = -

Np




MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -


Np

DeltaY=12.5
DeltaX= 9.6




15.80 -
16.71 UT

SACRAMENTO PEAK H-ALPHA




2201 UT

HOLLOMAN SUNSPOTS



1942 UT

SACRAMENTO PEAK CORONA (1.15 Radii)




AUGUST 12, 1985 (P= 14.96, B₀ = 6.38, L₀ = 246.74)

KITT PEAK MAGNETOGRAM


Bright= +
Dark = -

Np



1349 UT

SACRAMENTO PEAK H-ALPHA




1350 UT

STANFORD MAGNETOGRAM


Solid = +
Dashed = -

Np




1600 UT

BOULDER SUNSPOTS



1320 UT

SACRAMENTO PEAK CORONA (1.15 Radii)




15.96 -
16.88 UT

MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -

Np

DeltaY=12.4
DeltaX= 9.6



M

M

Sp

Sp

Sp

E


E

AUGUST 13, 1985 (P= 15.31, B₀ = 6.44, L₀ = 233.53)

38
Aug 85

KITT PEAK MAGNETOGRAM


Bright= +
Dark = -



1338 UT

STANFORD MAGNETOGRAM


Solid = +
Dashed = -



1809 UT


MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -




16.51 -
17.42 UT

SACRAMENTO PEAK H-ALPHA




1502 UT

BOULDER SUNSPOTS



1340 UT

SACRAMENTO PEAK CORONA (1.15 Radii)




1549 UT

AUGUST 14, 1985 (P= 15.66, B₀ = 6.49, L₀ = 220.31)


KITT PEAK MAGNETOGRAM

Bright = +
Dark = -



1707 UT


SACRAMENTO PEAK H-ALPHA



1335 UT


STANFORD MAGNETOGRAM

Solid = +
Dashed = -




1915 UT

BOULDER SUNSPOTS



1950 UT


SACRAMENTO PEAK CORONA (1.15 Radii)



15.56 -
16.47 UT

MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -




Delta Y = 12.5
Delta X = 9.6

— 5303A(x1) 1502 UT
xxxx 5694A(x6) 1430 UT
NO 5694A ACTIVITY TODAY

AUGUST 15, 1985 (P= 16.00, B₀ = 6.54, L₀ = 207.09)

KITT PEAK MAGNETOGRAM


Bright = +
Dark = -



1502 UT

STANFORD MAGNETOGRAM


Solid = +
Dashed = -



1905 UT


MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -




16.09 -
17.00 UT

SACRAMENTO PEAK H-ALPHA




1758 UT

BOULDER SUNSPOTS



1340 UT

SACRAMENTO PEAK CORONA (1.15 Radii)



Sp

40
Aug 85


DeltaY=12.5
DeltaX= 9.6

AUGUST 16, 1985 (P= 16.34, $B_0 = 6.58$, $L_0 = 193.87$)

KITT PEAK MAGNETOGRAM


Bright = +
Dark = -

Np



1506 UT

SACRAMENTO PEAK H-ALPHA




1506 UT

STANFORD MAGNETOGRAM


Solid = +
Dashed = -

Np




2218 UT

BOULDER SUNSPOTS



1305 UT

SACRAMENTO PEAK CORONA (1.15 Radii)




16.14 -
17.05 UT

5303A(x1) 2208 UT

MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -

Np




Delta Y = 12.5
Delta X = 9.7

AUGUST 17, 1985 (P= 16.67, B₀ = 6.63, L₀ = 180.65)

42
Aug 85


KITT PEAK MAGNETOGRAM

Bright= +
Dark = -




STANFORD MAGNETOGRAM

Solid = +
Dashed = -




MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -




Delta Y = 12.5
Delta X = 9.6


SACRAMENTO PEAK H-ALPHA



BOULDER SUNSPOTS




SACRAMENTO PEAK CORONA (1.15 Radii)



AUGUST 18, 1985 (P= 17.00, B₀ = 6.67, L₀ = 167.44)


KITT PEAK MAGNETOGRAM

Bright= +
Dark = -




STANFORD MAGNETOGRAM

Solid = +
Dashed = -




MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -




Delta Y = 12.5
Delta X = 9.7


SACRAMENTO PEAK H-ALPHA



HOLLOMAN SUNSPOTS



SACRAMENTO PEAK CORONA (1.15 Radii)




44
Aug 85

AUGUST 19, 1985 (P= 17.32, B₀ = 6.72, L₀ = 154.22)


KITT PEAK MAGNETOGRAM

Bright= +
Dark = -




STANFORD MAGNETOGRAM

Solid = +
Dashed = -




MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -




DeltaY=12.4
DeltaX= 9.6


SACRAMENTO PEAK H-ALPHA



BOULDER SUNSPOTS



SACRAMENTO PEAK CORONA (1.15 Radii)




AUGUST 20, 1985 (P= 17.64, B₀ = 6.76, L₀ = 141.00)

KITT PEAK MAGNETOGRAM

Bright= +
Dark = -


Np



STANFORD MAGNETOGRAM

Solid = +
Dashed= -


Np




MT. WILSON MAGNETOGRAM

Solid = +
Dotted= -


Np




SACRAMENTO PEAK H-ALPHA



BOULDER SUNSPOTS




SACRAMENTO PEAK CORONA (1.15 Radii)



— 5303A(x1) 1930 UT
.... 6374A(x2) 2045 UT
xxxx 5694A(x6) 2013 UT
NO 5694A ACTIVITY TODAY


KITT PEAK MAGNETOGRAM

Bright = +
 Dark = -




STANFORD MAGNETOGRAM

Solid = +
 Dashed = -




MT. WILSON MAGNETOGRAM


Solid = +
 Dotted = -




SACRAMENTO PEAK H-ALPHA



BOULDER SUNSPOTS



SACRAMENTO PEAK CORONA (1.15 Radii)




— 5303A(x1) 1438 UT
 6374A(x2) 1525 UT
 xxxx 5694A(x6) 1512 UT
 NO 5694A ACTIVITY TODAY

AUGUST 22, 1985 (P= 18.26, B₀ = 6.83, L₀ = 114.57)

KITT PEAK MAGNETOGRAM

Bright = +
Dark = -

Np




1546 UT

STANFORD MAGNETOGRAM

Solid = +
Dashed = -

Np




2022 UT

MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -


Np



15.90 -
16.82 UT


Delta Y = 12.3
Delta X = 9.6

SACRAMENTO PEAK H-ALPHA




1420 UT

BOULDER SUNSPOTS



1330 UT

SACRAMENTO PEAK CORONA (1.15 Radii)




— 5303A(x1) 1555 UT
.... 6374A(x2) 1500 UT
xxxx 5694A(x6) 1517 UT
NO 5694A ACTIVITY TODAY

48
Aug 85

AUGUST 23, 1985 (P= 18.56, B₀ = 6.87, L₀ = 101.36)

KITT PEAK MAGNETOGRAM


Bright = +
Dark = -



1602 UT

STANFORD MAGNETOGRAM


Solid = +
Dashed = -



2131 UT


MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -




16.18 -
17.10 UT

SACRAMENTO PEAK H-ALPHA




1423 UT

BOULDER SUNSPOTS



1535 UT

SACRAMENTO PEAK CORONA (1.15 Radii)



1406 UT
1505 UT


— 5303A(x1)
.... 6374A(x2)

AUGUST 24, 1985 (P= 18.86, B₀ = 6.90, L₀ = 88.14)

KITT PEAK MAGNETOGRAM

Bright= +
Dark = -

Np




1604 UT

STANFORD MAGNETOGRAM

Solid = +
Dashed = -

Np




25 Aug 0024 UT

MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -


Np



16.19 -
17.11 UT


DeltaY=12.4
DeltaX= 9.6

SACRAMENTO PEAK H-ALPHA




1536 UT

BOULDER SUNSPOTS




1405 UT

SACRAMENTO PEAK CORONA (1.15 Radii)




KITT PEAK MAGNETOGRAM

Bright = +
 Dark = -




STANFORD MAGNETOGRAM

Solid = +
 Dashed = -




MT. WILSON MAGNETOGRAM


Solid = +
 Dotted = -




SACRAMENTO PEAK H-ALPHA



BOULDER SUNSPOTS



SACRAMENTO PEAK CORONA (1.15 Radii)




AUGUST 26, 1985 (P= 19.44, B₀ = 6.96, L₀ = 61.72)

KITT PEAK MAGNETOGRAM

Bright = +
Dark = -

Np




1442 UT

STANFORD MAGNETOGRAM

Solid = +
Dashed = -

Np




1826 UT

MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -


Np



14.90 -
15.81 UT


Delta Y = 12.5
Delta X = 9.7

SACRAMENTO PEAK H-ALPHA




E-

BOULDER SUNSPOTS



1325 UT

SACRAMENTO PEAK CORONA (1.15 Radii)



— 5303A(x1) 1441 UT
.... 6374A(x2) 1508 UT


Sp

Sp


52
Aug 85

AUGUST 27, 1985 (P= 19.72, B₀ = 6.98, L₀ = 48.50)


KITT PEAK MAGNETOGRAM




STANFORD MAGNETOGRAM




MT. WILSON MAGNETOGRAM




SACRAMENTO PEAK H-ALPHA



BOULDER SUNSPOTS



SACRAMENTO PEAK CORONA (1.15 Radii)




— 5303A(x1) 1446 UT
.... 6374A(x2) 1355 UT
xxxx 5694A(x6) 1430 UT
NO 5694A ACTIVITY TODAY

AUGUST 28, 1985 (P= 20.00, B₀ = 7.01, L₀ = 35.29)

KITT PEAK MAGNETOGRAM


Bright = +
Dark = -

Np



1617 UT

SACRAMENTO PEAK H-ALPHA




1616 UT

STANFORD MAGNETOGRAM


Solid = +
Dashed = -

Np



1853 UT

HOLLOMAN SUNSPOTS




1745 UT

MT. WILSON MAGNETOGRAM


Solid = +
Dotted = -

Np



14.96 -
15.87 UT

SACRAMENTO PEAK CORONA (1.15 Radii)




Sp

54
Aug 85

AUGUST 29, 1985 (P= 20.27, B₀ = 7.03, L₀ = 22.08)

KITT PEAK MAGNETOGRAM


Bright= +
Dark = -



1429 UT

STANFORD MAGNETOGRAM


Solid = +
Dashed = -




15.25 -
16.17 UT

MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -




SACRAMENTO PEAK H-ALPHA




1447 UT

BOULDER SUNSPOTS



1330 UT

SACRAMENTO PEAK CORONA (1.15 Radii)



15.25 -
16.17 UT


Delta Y = 12.5
Delta X = 9.7

AUGUST 30, 1985 (P= 20.53, B₀ = 7.05, L₀ = 8.87)

KITT PEAK MAGNETOGRAM

Bright = +
Dark = -

Np




1720 UT

STANFORD MAGNETOGRAM

Solid = +
Dashed = -

Np




1902 UT

MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -


Np



14.99 -
15.90 UT


DeltaY=12.5
DeltaX= 9.7

SACRAMENTO PEAK H-ALPHA




1522 UT

BOULDER SUNSPOTS



1432 UT

SACRAMENTO PEAK CORONA (1.15 Radii)




— 5303A(x1) 1355 UT
.... 6374A(x2) 1419 UT
xxxx 5694A(x6) 1441 UT
NO 5694A ACTIVITY TODAY

56
Aug 85

AUGUST 31, 1985 (P= 20.79, B₀ = 7.07, L₀ = 355.66)

KITT PEAK MAGNETOGRAM


Bright= +
Dark = -



1442 UT

STANFORD MAGNETOGRAM


Solid = +
Dashed= -



1 Sep 0046 UT

MT. WILSON MAGNETOGRAM


Solid = +
Dotted= -



14.84 -
15.75 UT


DeltaY=12.5
DeltaX= 9.7

SACRAMENTO PEAK H-ALPHA




1508 UT

BOULDER SUNSPOTS



1347 UT

SACRAMENTO PEAK CORONA (1.15 Radii)



— 5303A(x1) 1413 UT
.... 6374A(x2) 1436 UT
xxxx 5694A(x6) 1501 UT
NO 5694A ACTIVITY TODAY

S U N S P O T G R O U P S
(ORDERED BY CENTRAL MERIDIAN PASSAGE DATE)

57
Aug 85

AUGUST 1985

NOAA/ USAF Group	Mt Wilson Group	Sta	Observation Time (UT)	Lat	CMD	CMP Mo Day	Max H	Mag Class	Spot Class	Corrected Area (10-6 Hemi)	Spot Count	Long. Extent (Deg)	Qual
4681	24257	MWIL	07 27 1415	S10	E70	08 1.9	4	(AP)					
4681		LEAR	07 28 0033	S11	E66	08 2.0		A	HXX	10	1		2
4681		ATHN	07 28 0645	S13	E61	08 1.9		A	AXX	10	1		3
4681		RAMY	07 28 1350	S10	E57	08 1.9		A	HSX		1	1	3
4681		BOUL	07 28 1415	S10	E54	08 1.7		A	AXX	90	1	1	2
4681	24257	MWIL	07 28 1500	S11	E57	08 1.9	4	(AP)					
4681		HOLL	07 28 1728	S10	E56	08 1.9		A	HSX		1	1	4
4681		PALE	07 28 1900	S10	E56	08 2.0		A	AXX	10	1		3
4681		LEAR	07 29 0025	S11	E52	08 1.9		A	AXX	10	1	1	2
4681		MANI	07 29 0157	S11	E51	08 1.9			AXX	10	1	1	2
4681		RAMY	07 29 1250	S11	E45	08 1.9		A	AXX	20	1	1	3
4681	24257	MWIL	07 29 1600	S11	E44	08 2.0	4	(AP)					
4681		PALE	07 29 1825	S11	E42	08 1.9		A	AXX	10	1		3
4681		LEAR	07 30 0013	S11	E38	08 1.9		A	AXX		1	1	2
4681		MANI	07 30 0128	S11	E37	08 1.8			AXX	10	1	1	2
4681		RAMY	08 01 1233	S13	E05	08 1.9		A	AXX		1		4
4681		RAMY	08 03 1340	S12	W21	08 2.0		A	AXX		1		3
4680	24256	MWIL	07 26 1445	N07	E86	08 2.1	2	AP					
4680		HOLL	07 26 1926	N07	E83	08 2.0		A	HAX	70	2	2	2
4680		PALE	07 26 1942	N06	E87	08 2.3		A	HXX	150	2	3	2
4680		LEAR	07 27 0037	N06	E79	08 1.9		B	CSO	20	3	4	3
4680		ATHN	07 27 0745	N06	E77	08 2.1		A	AXO	20	3	1	3
4680		RAMY	07 27 1327	N05	E72	08 1.9		B	DAO	20	3	3	4
4680	24256	MWIL	07 27 1415	N06	E73	08 2.1	5	(AP)					
4680		LEAR	07 28 0033	N06	E74	08 2.6		B	FSO	30	3	14	2
4680		ATHN	07 28 0645	N06	E69	08 2.4			CAO	60	4	17	3
4680		RAMY	07 28 1350	N07	E65	08 2.4		B	EAO	50	4	14	3
4680		BOUL	07 28 1415	N07	E62	08 2.2		B	CAO	140	3	14	2
4680	24256	MWIL	07 28 1500	N06	E60	08 2.1	4	(B)					
4680		HOLL	07 28 1728	N06	E62	08 2.4		B	ESO	80	7	14	4
4680		PALE	07 28 1900	N07	E62	08 2.4		B	EAO	100	4	14	3
4680		LEAR	07 29 0025	N07	E58	08 2.4		B	EAO	80	4	15	2
4680		MANI	07 29 0157	N07	E58	08 2.4			EAO	130	3	12	2
4680		ATHN	07 29 0530	N06	E53	08 2.2			EAO	120	4	14	1
4680		RAMY	07 29 1250	N07	E52	08 2.4		B	EAO	130	5	15	3
4680	24256	MWIL	07 29 1600	N06	E47	08 2.2	4	(BP)					
4680		PALE	07 29 1825	N06	E47	08 2.3		B	DAO	120	5	13	3
4680		LEAR	07 30 0013	N07	E45	08 2.4		B	FSO	70	11	17	2
4680		MANI	07 30 0128	N07	E44	08 2.4			FAO	110	13	16	2
4680		ATHN	07 30 0730	N06	E39	08 2.2			ESO	100	5	13	1
4680		RAMY	07 30 1217	N06	E37	08 2.3		BG	FAO	140	17	17	2
4680		BOUL	07 30 1300	N07	E37	08 2.3		B	FAI	70	9	16	2
4680	24256	MWIL	07 30 1500	N06	E34	08 2.2	5	(BG)					
4680		HOLL	07 30 1803	N07	E35	08 2.4		BG	FSO	80	15	16	3
4680		PALE	07 31 0050	N07	E27	08 2.1		B	DAO	110	12	10	3
4680		ATHN	07 31 0610	N07	E29	08 2.4			FSI	80	13	16	3
4680		LEAR	07 31 0750	N07	E23	08 2.0			DAO	80	24	10	1
4680		BOUL	07 31 1300	N07	E21	08 2.1		B	DSI	40	8	7	1
4680	24256	MWIL	07 31 1500	N06	E20	08 2.1	5	(BG)					
4680		HOLL	07 31 1707	N07	E21	08 2.3		B	FSO	40	8	16	3
4680		MANI	07 31 2330	N07	E17	08 2.3			DRO	70	9	9	2
4680		LEAR	08 01 0017	N06	E17	08 2.3		B	FSO	110	20	17	4
4680		ATHN	08 01 0600	N05	E14	08 2.3			ESI	70	12	12	3
4680		RAMY	08 01 1233	N07	E07	08 2.0		BG	CAO	70	14	9	4
4680	24256	MWIL	08 01 1445	N06	E04	08 1.9	5	(BG)					
4680		HOLL	08 01 1620	N06	E05	08 2.1		B	CSO	60	12	9	3
4680		LEAR	08 02 0055	N06	W01	08 2.0		B	CRO	30	11	9	3
4680		ATHN	08 02 0930	N06	W06	08 1.9			CSO	40	2	3	1
4680		RAMY	08 02 1258	N06	W10	08 1.8		B	CAO	20	2	1	3
4680		BOUL	08 02 1300	N07	W06	08 2.1		B	CAO	10	3	4	3
4680	24256	MWIL	08 02 1500	N06	W04	08 2.3	4	(B)					
4680		HOLL	08 02 1600	N07	W08	08 2.1		B	CRO	40	7	6	3
4680		PALE	08 02 1916	N07	W12	08 1.9		B	CRO	20	6	6	3
4680		LEAR	08 03 0035	N06	W15	08 1.9		B	CRO	10	3	3	3
4680		ATHN	08 03 0615	N08	W19	08 1.8			CRO	30	4	2	2
4680		RAMY	08 03 1340	N06	W23	08 1.8		B	CRO	30	5	3	3
4680	24256	MWIL	08 03 1515	N06	W24	08 1.8	3	(AP)					
4680		HOLL	08 03 1533	N06	W24	08 1.9		B	BXO	10	4	3	3
4680		PALE	08 03 2020	N07	W26	08 1.9		B	BXO	10	5	3	3
4680		LEAR	08 04 0128	N06	W30	08 1.8		B	BXO	10	3	3	2

58
Aug 85

SUNSPOT GROUPS
(ORDERED BY CENTRAL MERIDIAN PASSAGE DATE)

AUGUST 1985

NOAA/ USAF Group	Mt Wilson Group	Sta	Observation Time (UT)	Lat	CMD	CMP Mo Day	Max H	Mag Class	Spot Class	Corrected Area (10-6 Hemi)	Spot Count	Long. Extent (Deg)	Qual
4680		MANI	08 04 0216	N06	W31	08 1.8			BXO	10	3	3	2
4680		ATHN	08 04 0730	N06	W30	08 2.1		B	BXO	10	2	3	3
4680		RAMY	08 04 1410	N05	W35	08 2.0		B	BXO	10	4	4	4
4680	24256	MWIL	08 04 1430	N06	W31	08 2.3	3	(B)					
4680		HOLL	08 04 1510	N06	W37	08 1.9		B	BXO	10	3	3	3
4680		PALE	08 04 1735	N07	W38	08 1.9		B	BXO	30	3	3	3
4680		ATHN	08 05 0715	N07	W43	08 2.1		B	BXO	10	2	2	2
4680		HOLL	08 05 1441	N06	W50	08 1.9		A	AXX		1	1	3
4680		RAMY	08 05 1452	N06	W49	08 2.0		A	AXX	10	2	1	3
4680	24256	MWIL	08 05 1500	N06	W42	08 2.5	4	(BP)					
4680		PALE	08 05 1815	N05	W46	08 2.3		B	BXO	10	5	16	2
4680		LEAR	08 06 0120	N06	W57	08 1.8		B	BXO	10	2	4	3
4680		RAMY	08 07 1330	N02	W67	08 2.6		B	BXO	10	2	2	4
4680		HOLL	08 07 1430	N03	W69	08 2.4		B	BXO		3	3	3
4680	24256	MWIL	08 07 1515	N03	W69	08 2.5	3	(AP)					
4680A		PALE	07 31 0050	N07	E38	08 2.9		B	BXO	30	5	2	3
4680A		LEAR	07 31 0750	N08	E33	08 2.8			BXO	20	4	3	1
4680A		ATHN	08 04 0730	N05	W16	08 3.1		A	AXX	10	1		3
4680A		RAMY	08 04 1410	N06	W22	08 2.9		B	BXO	10	4	4	4
4680A		BOUL	08 04 1445	N06	W22	08 3.0		B	BXO	10	4	4	2
4680A		HOLL	08 04 1510	N07	W23	08 2.9		B	BXO	10	4	4	3
4682		ATHN	07 28 0645	S16	E78	08 3.2			BXO	50	5	3	3
4682		RAMY	07 28 1350	S14	E76	08 3.3		A	HKX	140	3	3	3
4682		BOUL	07 28 1415	S12	E69	08 2.8		A	HAX	20	2	2	2
4682	24260	MWIL	07 28 1500	S14	E76	08 3.4	5	(AP)					
4682		HOLL	07 28 1728	S14	E74	08 3.3		A	HKX	130	3	3	4
4682		PALE	07 28 1900	S13	E74	08 3.4		A	HKX	120	3	3	3
4682		LEAR	07 29 0025	S14	E69	08 3.2		A	HKX	60	1	3	2
4682		MANI	07 29 0157	S16	E67	08 3.2			HSX	90	2	2	2
4682		ATHN	07 29 0530	S15	E67	08 3.3			CAO	30	4	4	1
4682		RAMY	07 29 1250	S14	E64	08 3.4		B	CKO	140	4	5	3
4682	24260	MWIL	07 29 1600	S14	E61	08 3.3	4	(AP)					
4682		PALE	07 29 1825	S15	E61	08 3.4		B	CAO	150	3	2	3
4682		LEAR	07 30 0013	S13	E57	08 3.3		A	HHX	70	3	3	2
4682		MANI	07 30 0128	S13	E56	08 3.3			HHX	90	3	3	2
4682		ATHN	07 30 0730	S15	E51	08 3.2			HKX	120	1	3	1
4682		RAMY	07 30 1217	S13	E48	08 3.1		A	HKX	150	3	3	2
4682	24260	BOUL	07 30 1300	S12	E48	08 3.2		A	HAX	150	2	2	2
4682		MWIL	07 30 1500	S14	E48	08 3.3	5	(AP)					
4682		HOLL	07 30 1803	S13	E47	08 3.3		A	HAX	150	1	2	3
4682		PALE	07 31 0050	S14	E43	08 3.3		B	CKO	150	4	4	3
4682		ATHN	07 31 0610	S14	E37	08 3.1			HKX	160	2	3	3
4682		LEAR	07 31 0750	S14	E38	08 3.2			HKX	120	7	3	1
4682		BOUL	07 31 1300	S12	E36	08 3.3		B	CSI	130	2	2	1
4682	24260	MWIL	07 31 1500	S14	E35	08 3.3	5	(AP)					
4682		HOLL	07 31 1707	S13	E34	08 3.3		B	CAO	110	5	5	3
4682		MANI	07 31 2330	S13	E30	08 3.2			CHO	60	4	3	2
4682		LEAR	08 01 0017	S14	E28	08 3.1		B	CSO	110	7	3	4
4682		ATHN	08 01 0600	S15	E24	08 3.1			HAX	60	3	2	3
4682		RAMY	08 01 1233	S15	E23	08 3.3		B	CAO	150	7	3	4
4682	24260	MWIL	08 01 1445	S14	E22	08 3.3	5	(AP)					
4682		HOLL	08 01 1620	S15	E22	08 3.3		B	CHO	80	5	3	3
4682		LEAR	08 02 0055	S14	E16	08 3.2		B	CAO	70	7	3	3
4682		ATHN	08 02 0930	S15	E11	08 3.2			HAX	80	1	2	1
4682		RAMY	08 02 1258	S15	E10	08 3.3		B	CAO	130	5	4	3
4682	24260	BOUL	08 02 1300	S12	E11	08 3.4		B	CSI	110	5	4	3
4682		MWIL	08 02 1500	S14	E08	08 3.2	5	(AP)					
4682		HOLL	08 02 1600	S14	E07	08 3.2		B	CHO	100	4	3	3
4682		PALE	08 02 1916	S14	E06	08 3.3		B	CHO	90	4	4	3
4682		LEAR	08 03 0035	S14	E03	08 3.3		B	CAO	70	5	3	3
4682		ATHN	08 03 0615	S12	W02	08 3.1			CSO	80	4	2	2
4682		RAMY	08 03 1340	S15	E04	08 3.9		B	CAO	110	6	5	3
4682	24260	MWIL	08 03 1515	S15	W05	08 3.3	5	(AP)					
4682		HOLL	08 03 1533	S14	W05	08 3.3		B	CSO	110	6	4	3
4682		PALE	08 03 2020	S15	W06	08 3.4		B	CSO	70	6	4	3
4682		LEAR	08 04 0128	S15	W11	08 3.2		B	CSO	60	4	3	2
4682		MANI	08 04 0216	S14	W11	08 3.3			CSO	70	4	3	2
4682		ATHN	08 04 0730	S15	W12	08 3.4		B	DAO	80	4	3	3
4682		RAMY	08 04 1410	S15	W16	08 3.4		B	CAO	110	9	3	4

S U N S P O T G R O U P S
(ORDERED BY CENTRAL MERIDIAN PASSAGE DATE)

59
Aug 85

AUGUST 1985

NOAA/ USAF Group	Mt Wilson Group	Sta	Mo	Day	Time (UT)	Lat	CMD	CMP Mo	Day	Max H	Mag Class	Spot Class	Corrected Area (10-6 Hemi)	Spot Count	Long. Extent (Deg)	Qual
4682	24260	MWIL	08	04	1430	S15	W17	08	3.3	5	(AP)					
4682		BOUL	08	04	1445	S13	W15	08	3.5		B	CSO	90	7	3	2
4682		HOLL	08	04	1510	S16	W17	08	3.3		B	CSO	70	7	3	3
4682		PALE	08	04	1735	S14	W19	08	3.3		B	CAO	110	5	3	3
4682		ATHN	08	05	0715	S15	W25	08	3.4		B	CSO	70	3	3	2
4682		BOUL	08	05	1335	S13	W28	08	3.5		B	CSO	60	2	2	1
4682		HOLL	08	05	1441	S15	W31	08	3.3		B	CSO	60	4	3	3
4682		RAMY	08	05	1452	S15	W31	08	3.3		B	CAO	90	3	2	3
4682	24260	MWIL	08	05	1500	S15	W32	08	3.2	5	(AP)					
4682		PALE	08	05	1815	S16	W33	08	3.3		B	CSO	70	5	4	2
4682		LEAR	08	06	0120	S15	W36	08	3.3		B	CSO	60	5	4	3
4682		ATHN	08	06	0630	S15	W39	08	3.3			CSO	60	2	2	2
4682		RAMY	08	06	1236	S15	W43	08	3.3		B	CSO	90	6	4	4
4682		BOUL	08	06	1315	S13	W39	08	3.6		B	CSO	30	3	3	1
4682		HOLL	08	06	1430	S14	W44	08	3.3		B	CSO	80	5	5	3
4682	24260	MWIL	08	06	1500	S15	W45	08	3.2	5	(BF)					
4682		PALE	08	06	1955	S16	W48	08	3.2		B	CSO	60	5	3	3
4682		MANI	08	06	2315	S16	W50	08	3.2			CSO	50	4	3	2
4682		LEAR	08	07	0317	S15	W51	08	3.3		B	CSO	40	3	2	3
4682		BOUL	08	07	1255	S14	W54	08	3.5		B	CSO	50	2	2	2
4682		RAMY	08	07	1330	S15	W58	08	3.2		B	CAO	40	6	4	4
4682		HOLL	08	07	1430	S15	W58	08	3.2		B	CSO	30	5	3	3
4682	24260	MWIL	08	07	1515	S15	W57	08	3.3	5	(BF)					
4682		PALE	08	07	2021	S14	W63	08	3.1		B	CAO	50	3	3	2
4682		MANI	08	08	0137	S15	W65	08	3.1			CSO	50	2	3	3
4682		LEAR	08	08	0221	S15	W66	08	3.1		B	CSO	30	3	4	4
4682		ATHN	08	08	0505	S15	W65	08	3.3			CSO	50	2	2	2
4682		BOUL	08	08	1335	S15	W69	08	3.3		B	CSO	50	2	2	3
4682		RAMY	08	08	1420	S15	W70	08	3.3		B	CAO	30	3	3	4
4682		HOLL	08	08	1433	S15	W71	08	3.2		B	CSO	50	2	3	3
4682	24260	MWIL	08	08	1445	S15	W71	08	3.2	4	(AP)					
4682		PALE	08	08	2115	S14	W75	08	3.2		A	HAX	40	1	2	2
4682		LEAR	08	09	0031	S15	W78	08	3.1		A	HSX	10	1		3
4682		ATHN	08	09	0715	S15	W79	08	3.3			AXX	50	1	1	3
4682A	24261	MWIL	07	31	1500	S19	E37	08	3.4	3	(AF)					
4682B		LEAR	08	06	0120	N04	E04	08	6.4		B	BXO	10	2	3	3
4682B		ATHN	08	06	0630	N03	W01	08	6.2			BXO	10	2	1	2
4682B		RAMY	08	06	1236	N03	W03	08	6.3		A	AXX		1		4
4682B	24262	MWIL	08	06	1500	N03	W04	08	6.3	3	(AF)					
4687		LEAR	08	08	0221	S03	E66	08	13.0		A	AXX	10	1	1	4
4687		RAMY	08	08	1420	S00	E61	08	13.2		B	BXO	10	2	1	4
4687		HOLL	08	08	1433	S01	E61	08	13.2		A	AXX		1	1	3
4687	24263	MWIL	08	08	1445	S02	E60	08	13.1	4	(AP)					
4687		PALE	08	08	2115	S02	E58	08	13.2		B	BXO	30	3	3	2
4687		LEAR	08	09	0031	S03	E55	08	13.1		B	BXO	10	4		3
4687		ATHN	08	09	0715	S02	E49	08	13.0		B	BXO	30	4	2	3
4687		BOUL	08	09	1400	N02	E48	08	13.2		B	CSO	30	6	2	2
4687		HOLL	08	09	1437	N00	E47	08	13.1		B	CRO	30	6	3	3
4687		RAMY	08	09	1440	S01	E47	08	13.1		B	DAO	40	6	4	3
4687	24263	MWIL	08	09	1500	S01	E47	08	13.1	4	(B)					
4687		PALE	08	09	1920	S02	E44	08	13.1		B	BXO	30	5	4	3
4687		LEAR	08	10	0016	S01	E41	08	13.1		B	CSO	20	5	2	2
4687		ATHN	08	10	0535	S01	E35	08	12.8			CSO	20	5	2	3
4687		RAMY	08	10	1322	S01	E33	08	13.0		B	CAO	20	3	3	4
4687	24263	MWIL	08	10	1445	S01	E32	08	13.0	5	(B)					
4687		HOLL	08	10	1605	N00	E32	08	13.1		B	CRO	20	2	3	3
4687		PALE	08	10	1915	S00	E31	08	13.1		A	AXX	10	1	1	3
4687		LEAR	08	11	0038	S06	E25	08	12.9		B	HSX	10	1	1	3
4687		ATHN	08	11	0745	S01	E24	08	13.1			AXX	20	1	1	1
4687		RAMY	08	11	1228	S00	E20	08	13.0		A	AXX	10	2	1	3
4687	24263	MWIL	08	11	1500	S00	E18	08	13.0	4	(AP)					
4687		HOLL	08	11	1942	N00	E17	08	13.1		A	AXX	10	1	1	2
4688		MANI	08	08	0137	N09	E77	08	13.8			AXX	20	1	1	3
4688		LEAR	08	08	0221	N09	E77	08	13.9		A	AXX	10	1	1	4
4688		BOUL	08	08	1335	N12	E68	08	13.7		A	AXX		1	1	3
4688		RAMY	08	08	1420	N11	E72	08	14.0		B	BXO	10	2	4	4
4688		HOLL	08	08	1433	N12	E70	08	13.9		A	AXX		1	1	3

60
Aug 85

SUNSPOT GROUPS
(ORDERED BY CENTRAL MERIDIAN PASSAGE DATE)

AUGUST 1985

NOAA/ USAF Group	Mt Wilson Group	Sta	Observation Time (UT)	Lat	CMD	CMP Mo Day	Max H	Mag Class	Spot Class	Corrected Area (10-6 Hemi)	Spot Count	Long. Extent (Deg)	Qual
4688	24264	MWIL	08 08 1445	N11	E69	08 13.8	3	(AP)					
4688		PALE	08 08 2115	N11	E69	08 14.1		A	AXX	10	1		2
4688	24264	MWIL	08 09 1500	N11	E58	08 14.0	1	AP					
4688		RAMY	08 11 1228	N09	E29	08 13.7		A	AXX		1		3
4690		PALE	08 17 1830	S20	W15	08 16.6		A	AXX		1		3
4690	24267	MWIL	08 19 1445	S18	W40	08 16.6	3	(B)					
4690		BOUL	08 19 1605	S17	W39	08 16.7		B	BXO		2	3	3
4690		HOLL	08 19 1739	S18	W42	08 16.5		B	BXO	20	3	3	3
4690		LEAR	08 19 2328	S20	W44	08 16.6		B	BXO	20	2	5	2
4690		LEAR	08 20 0038	S18	W45	08 16.6		B	BXO	40	4	5	3
4690		ATHN	08 20 0530	S17	W47	08 16.7		B	BXO	40	3	5	3
4690		RAMY	08 20 1255	S17	W54	08 16.4		B	CAO	10	3	5	3
4690		BOUL	08 20 1330	S17	W53	08 16.5		A	AXX	10	1	1	2
4690	24267	MWIL	08 20 1500	S18	W54	08 16.5	3	(B)					
4690		PALE	08 20 2120	S18	W61	08 16.2		A	AXX		1		2
4690		HOLL	08 20 2130	S16	W59	08 16.4		A	AXX	10	2	1	2
4690	24267	MWIL	08 21 1530	S18	W68	08 16.5	2	(B)					
4689		PALE	08 17 1830	S11	W03	08 17.5		B	BXO	10	2	3	3
4689		HOLL	08 17 1856	S11	W04	08 17.5		B	BXO	10	2	3	3
4689		LEAR	08 18 0402	S11	W09	08 17.5		B	DSO	10	2	3	2
4689		ATHN	08 18 0520	S11	W11	08 17.4			BXO	10	2	3	3
4689		RAMY	08 18 1328	S12	W15	08 17.4		B	BXO	10	3	4	2
4689		HOLL	08 18 1425	S11	W15	08 17.5		B	BXO	10	3	4	3
4689	24266	MWIL	08 18 1500	S11	W15	08 17.5	3	(B)					
4689		PALE	08 18 1725	S11	W16	08 17.5		A	AXX		1		4
4689A	24265	MWIL	08 16 1500	N02	E57	08 20.9	3	(AP)					
4689B		LEAR	08 26 0252	S08	W31	08 23.8		B	BXO	10	2	2	3
4689C		BOUL	08 25 1325	S01	E29	08 27.7		B	BXO	10	3	2	2
4692		BOUL	08 25 1325	N08	E58	08 29.9		A	AXX		1	1	2
4692		RAMY	08 30 1611	N08	W09	08 30.0		A	AXX		1		4
4692		PALE	08 30 1830	N06	W09	08 30.1		A	AXX	10	1	1	3
4692		LEAR	08 31 0020	N07	W12	08 30.1		B	BXO	20	2	8	2
4692		ATHN	08 31 0700	N06	W17	08 30.0		A	AXX	10	1		2
4692		HOLL	08 31 1345	N07	W23	08 29.9		A	AXX		1		3
4691		LEAR	08 27 0204	N04	E56	08 31.3		A	AXX	10	1	1	2
4691		HOLL	08 27 1606	N05	E52	08 31.6		A	AXX	10	1		4
4691		RAMY	08 27 1704	N06	E51	08 31.5		A	AXX	10	1		2
4691		PALE	08 27 1933	N06	E49	08 31.5		A	AXX	10	1		2
4691		LEAR	08 28 0056	N04	E45	08 31.4		A	AXX		1	1	3
4691		RAMY	08 29 1225	N06	E24	08 31.3		A	AXX		1		3
4691		HOLL	08 31 1345	N05	W04	08 31.3		B	BXO	10	3	3	3
4691		BOUL	08 31 1347	N07	W02	08 31.4		B	BXO	20	2	2	3
4691		RAMY	08 31 1417	N05	W05	08 31.2		B	BXO	10	5	3	3
4691		PALE	08 31 1725	N05	W06	08 31.3		B	BXO	10	3	3	3
4691		MANI	08 31 2245	N05	W10	08 31.2			AXX		1	1	3
4691		LEAR	09 01 0026	N05	W11	08 31.2		A	HXX		1	1	3

S U D D E N I O N O S P H E R I C D I S T U R B A N C E S

61
Aug 85

August 1985

Day	Start (UT)	Max (UT)	End (UT)	Imp	Wide- spread Index	Number of Station Reports by Type					Known Flare	X-ray Class	NOAA/SESC Region
						SWF	SEA	SPA	LF- SPA	SES			
07	1507	1523	1540	1-	1		1				1453 UT		4682
08	0744	0751	0842	1+	5	2	2	1	2	3	0744 UT	C5.4	4682
09	0222	0228	0244	1-	1				1		No Flare		
15	1331	1336	1350	1-	1		1				No Flare		
26	2114	2115	2120	1	1	1					No Flare		
28	1402	1411	1439	1-	1		1				No Flare		

* No flare patrol

SIDs by NOAA/SESC REGION

August 1985

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Region Number 4682							1	1																							
X-Ray							1																								
No Flare									1					1													1		1		
No Flare Patrol																															
No Data																															
Event Totals							1	1	1						1												1		1		

OBSERVATORIES REPORTING FOR AUG 1985*

Ayrshire, Scotland (AY)	SES	Latrobe, Pennsylvania, USA (A19)	SES
Darmstadt, GFR (DA)	SWF	Lintong, China (LT)	SPA
Durban, South Africa (A58)	SES	Louisville, Kentucky, USA (A26)	SES
Edenvale, South Africa (A52)	SES	Maul, Hawaii, USA (MI)	SWF
Färsta, Sweden (FA)	SES	Panska Ves, Czechoslovakia (PU)	SEA, SWF, SES
Hiratsuo, Japan (HI)	SWF	Paterson, New Jersey, USA (A46)	SES
Houston, Texas, USA (A50)	SES	St. Cloud, Minnesota, USA (SC)	SES
Huancayo, Peru (HU)	SWF	Tavares, Florida, USA (A49)	SES
Inubo, Japan (IN)	SPA	Tucson, Arizona, USA (A09)	SES
Jüllusruh, GDR (JU)	SWF	Upice, Czechoslovakia (UI)	SEA
Kühlungsborn, GDR (KU)	SPA, SEA	Valley Cottage, New York, USA (A01)	SES
Lake Hiawatha, New Jersey, USA (A32)	SES		

*Observations are not necessarily continuous for each reporting station.

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

Day	Observation			Sta	Decimetric Band			Metric Band			Dekametric Band			Spectral Type
	Start (UT)	End (UT)			Start (UT)	End (UT)	Int (1-3)	Start (UT)	End (UT)	Int (1-3)	Start (UT)	End (UT)	Int (1-3)	
01	0442	0823	WEIS											
	0450	1110	BLEN											
	0945	1830	WEIS											
02	0545	1831	WEIS											
	1031	1805	BLEN											
03	0442	1831	WEIS											
	0450	1805	BLEN											
			PALE					2157.6	2158.3	2			V	
04	0443	1513	WEIS											
	0450	1805	BLEN											
05	0444	1827	WEIS											
	0450	1805	BLEN											
06	0445	1110	WEIS											
	0455	1805	BLEN											
	1119	1826	WEIS											
07			LEAR					0309.1	0309.8	1			III	
	0448	1753	WEIS					1449.0	1449.5	1			IIIG	
	0455	1627	BLEN	1449.4	1449.6	2		1449.4	1449.6	2			IIIGG,RS	
			BLEN					1545.2	1547.0	3			IIIGG	
			WEIS					1545.3	1545.6	2			IIIG	
			PALE					1822.6	1823.1	1			V	
			SGMR					1822.6	1823.1	1			V	
08	0447	1821	WEIS					0745.4	0745.7	2			IIIG	
			LEAR					0745.6	0752.0	2			III	
09			LEAR					0406.6	0407.0	1			III	
	0451	1112	WEIS											
			LEAR					0635.3	0636.1	1			III	
	1133	1800	BLEN											
	1134	1821	WEIS											
10	0450	1745	WEIS											
	0500	1800	BLEN											
11	0451	1818	WEIS											
	0500	1800	BLEN											
12	0453	1135	WEIS											
	0500	1800	BLEN											
	1158	1817	WEIS											
13	0455	1815	WEIS											
	0500	1800	BLEN											
14	0454	1813	WEIS											
	0510	1750	BLEN											
15	0458	1812	WEIS											
	0510	0738	BLEN											
	0948	1750	BLEN											
16	0458	1517	WEIS											
	0510	1750	BLEN											
	1627	1809	WEIS											
			PALE					2009.3	2009.8	2			V	
			PALE					2123.1	2125.1	2			V	
17			PALE					0036.5	0037.1	1			V	
</														

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

63
Aug 85

AUGUST 1985

Observation				Decimetric Band			Metric Band			Dekametric Band			Spectral Type
Day	Start (UT)	End (UT)	Sta	Start (UT)	End (UT)	Int (1-3)	Start (UT)	End (UT)	Int (1-3)	Start (UT)	End (UT)	Int (1-3)	
19	0515	1745	BLEN										
	1624	1805	WEIS				1800.6	1810.3	1				G
			SGMR										
20	0515	1745	BLEN										
21	1254	1801	WEIS										
	1415	1740	BLEN				2037.3	2038.8	2				V
			PALE										
22	0505	1422	WEIS										
	0520	1740	BLEN				1409.8	1415.3	1				V
			SGMR										
	1445	1759	WEIS										
23	0508	1758	WEIS										
	0520	1740	BLEN										
24	0508	0708	WEIS										
	0520	1740	BLEN										
	0713	1755	WEIS										
25	0510	1754	WEIS										
	0525	1735	BLEN										
26	0510	1752	WEIS										
	0525	1735	BLEN										
27	0512	1750	WEIS										
	0525	1053	BLEN										
28	0513	1233	WEIS										
	1009	1730	BLEN										
	1239	1748	WEIS										
29	0516	1746	WEIS										
	0530	1350	BLEN										
30	0515	0723	WEIS										
	0759	1748	WEIS				2200.3	2201.1	1				V
			SGMR				2223.3	2224.1	1				V
			SGMR										
31	0518	1534	WEIS										
	1558	1743	WEIS										


The symbols used under the column heading SPECTRAL TYPE have the following definitions:

B = Single burst	RS = Reverse slope burst
G = Small group (< 10) of bursts	DP = Drifting pairs
GG = Large group (> 10) of burst	DC = Drifting Chains
C = Underlying continuum (particularly with Type I)	H = Herringbone
S = Storm in the sense of intermittent but apparently connected activity	W = Weak
N = Intermittent activity in this period	P = Pulsations
U = U-shaped burst of Type III	CONT = Continuum
	UNCLF = Unclassified activity
	DCIM = Fast drift

Stations Reporting:


BLEN = Bielen LEAR = Learmonth PALE = Palehua SGMR = Sagamore Hill WEIS = Weisseneau

COSMIC RAY INDICES (Neutron Monitor)



COSMIC RAY INDICES
(Neutron Monitor)


Bartels Rotation 2077 (July 1985–August 1985)



66
Aug 85

COSMIC RAY INDICES
(Neutron Monitor)

Bartels Rotation 2078 (August 1985-September 1985)



COSMIC RAY INDICES
(Neutron Monitor)

67
Aug 85

August 1985

Day	THULE Average (cts/h)/100	ALERT Average (cts/h)/100	DEEP RIVER Average (cts/h)/300	KIEL Average (cts/h)/100	CLIMAX Average (cts/h)/100	PREDIGTSTUHL Average (cts/h)/100	TOKYO Average (cts/h)/256	HUANCAYO Average (cts/h)/100
1	4390			6094.9	---	1212	3612.3	
2	4387			6106.6	4027.7(6)	1212	3616.4	
3	4390			6115.9	3996.8	1209	3615.2	
4	4385			6126.9	4006.1	1208	3620.6	
5	4398			6133.8	4012.0	1209	3619.0	
6	4398			6137.8	4010.0	1209	3618.5	
7	4393			6122.5	4013.4	1211	3612.0	
8	4399			6112.2	4006.0(34)	1208	3615.2	
9	4390			6108.4	4033.7(6)	1210	3619.1	
10	4385			6115.0	4011.3	1213	3616.5	
11	4400			6128.7	4017.7	1214	3612.5	
12	4394			6123.0	4033.6	1220	3613.3	
13	4371			6089.9	4025.8	1215	3617.7	
14	4390			6116.3	4017.1	1201	3620.1	
15	4389			6131.4	4031.1	1201	3621.1	
16	4396			6156.8	4041.0	1205	3623.5	
17	4407			6174.6	4044.3	1225	3628.1	
18	4418			6193.3	4045.6	1221	3633.8	
19	4414			6188.6	4051.1	1222	3631.4	
20	4395			6148.2	4036.3	1219	3627.4	
21	4414			6145.9	4039.8	1221	3628.3	
22	4414			6165.5	4044.2	1215	3633.5	
23	4417			6167.9	4047.8	1217	3638.5	
24	4421			6173.7	4048.4	1203	3634.6	
25	4415			6168.0	4049.3	1221	3635.5	
26	4394			6147.1	4023.6	1222	3627.0	
27	4390			6116.9	4016.2	1217	3619.6	
28	4387			6113.1	4011.2	1218	3612.1	
29	4369			6101.3	4015.9	1218	3612.5	
30	4378			6100.1	4020.3	1217	3602.3	
31	4409			6160.2	4002.7(34)	1225	3603.2	
Mean	4397			6134.9	4026.0	1214	3620.7	

For less than 24-hour coverage, parentheses enclose the number of hours for which data are available.
For Climax and Huancayo, parentheses enclose the number of section hours whenever the sum of both sections falls below 40 hours.

GEOMAGNETIC ACTIVITY INDICES

August 1985

Day	Kp Three-Hourly Indices									Ap	Cp	Km Three-Hourly Indices									Am	aa Provisional			
	1	2	3	4	5	6	7	8	Sum			1	2	3	4	5	6	7	8	N		S	M		
1		4	3	2+	3-	4+	3+	2+	3+	25+	18	1.0	4-	3	2+	2	3+	3-	2	3	27	40	18	25	34
2		2+	3	3-	2	1+	3	3	3-	20	11	0.6	2+	3	3-	2	1+	3	3-	3-	22	23	17	19	21
3	Q7	2+	2-	1-	1+	1	2	2+	2	13+	6	0.3	3-	2	1	2-	1-	2-	3-	2+	14	18	9	11	16
4	Q8	2	2+	2	1+	2	1	2-	2-	14	6	0.3	2	3-	3	1+	2-	1	1+	1+	14	15	9	13	11 CC
5	Q2	1-	1	1	1-	1	1	1	1	7+	4	0.1	1+	1+	1	1-	1+	1	1	1-	7	11	4	7	8 CC
6	Q1	1	0+	1-	0+	0+	1-	2-	1-	6-	3	0.1	1	1-	1-	0	0+	0+	2	1-	5	7	4	3	8 CC
7	Q3	1+	0+	1-	0+	0+	0+	1	2+	7-	4	0.1	2	0+	1	0+	0+	0	0+	2-	6	12	2	5	9 CC
8	Q6	2+	2-	1	1	1+	1	2-	2+	12+	6	0.3	2-	2+	1	1	1+	1-	1	2	10	15	7	11	11 CC
9	Q4	2	1-	0+	0+	0+	1-	3-	2+	9+	5	0.2	2	1	0	0+	0+	1-	2-	2	7	12	4	6	10 CC
10	Q10A	2-	2+	3	2+	1+	1+	1+	1+	15-	7	0.4	2-	2+	3	2+	1+	2-	2-	1+	15	15	12	18	9 KK
11	Q5K	3+	2-	0+	1+	1	0	0+	0+	8+	5	0.2	3+	2-	0+	1+	1	0	0+	0+	9	12	6	15	4 KK
12	D5	1-	0+	1	2	2+	3+	6+	6	22	27	1.2	0+	0+	1-	2	3-	3	5	5+	34	47	22	6	62
13	D1	6-	6	5	5-	3+	3	4+	4+	36+	41	1.5	5	5+	5-	5-	3	2+	4	4-	64	68	48	79	38
14		3	3	4-	2+	2+	2-	2-	2+	20	11	0.7	3	3-	3+	3	2+	2-	2-	2-	22	18	19	25	12
15		3-	3	3+	3-	2+	2-	3-	2+	21-	12	0.7	2+	3	4-	3-	3-	2-	2+	2	23	24	23	30	18
16		2+	2	2-	2+	3-	2-	3-	3-	18	9	0.5	3-	2	2-	2	3-	2	3-	3-	19	24	14	12	27
17		1-	3+	3	2+	2	2+	1+	2+	17+	9	0.5	1	3	3	3-	3-	3-	1+	2+	19	21	16	16	21
18		1+	2+	2	2+	2+	3-	3-	4+	20	12	0.7	2-	3	2+	3-	2+	3-	3	4	26	32	16	14	35
19		3	4+	2+	1-	1+	1	2+	3	18	12	0.7	3	4-	2+	1	1+	1	2	3-	20	26	11	22	16
20		3	3+	3-	1	3-	3-	2	3-	20	12	0.7	3	3+	3	1+	3-	2+	2	3-	23	27	17	22	23
21		3	3-	3-	2+	1	2-	2-	3	18	10	0.6	3	3-	3-	2+	1+	2	1+	3	19	19	17	22	15
22	D3	4-	3	5-	5	3-	4	5-	3+	31	28	1.2	3	3-	5-	4+	3-	4-	4+	3	46	59	44	60	44
23		4+	4-	2	4-	3-	2+	3	3+	25	17	0.9	4	4-	2-	4-	3-	2-	3	3+	32	33	24	33	25
24	Q9A	3+	2+	2-	1+	1+	1	1	1+	13+	7	0.4	3	2+	2	1+	2-	1-	1+	2-	14	17	7	13	11 C
25		2+	4	5	3	3-	3-	2-	3-	24	18	1.0	2+	3+	4+	3	3-	2+	2-	2+	27	29	24	34	20
26		4-	3+	2	1+	2+	2+	3+	4	22+	14	0.8	4-	3+	2+	2-	2-	2	3-	4-	26	30	18	22	27
27		4	3	2+	4	2+	3	2+	2	23	15	0.8	4-	3	3-	4-	2	3	2	2-	26	25	26	32	20
28		2+	2	2	3	2	4-	4-	3+	22	13	0.8	2+	2-	2+	3-	2	3+	3+	3+	25	25	17	16	27
29	D4*	3+	3+	3+	3-	4-	3	4	2+	26-	17	0.9	3+	4-	3+	3	3+	3	4-	2+	34	34	31	27	39
30		3+	3+	1-	1-	1-	3-	3+	2+	17	10	0.6	3	3-	1-	0+	1-	2+	3	2	16	22	12	16	18
31	D2	4-	4	5	5	4+	5-	4-	3+	34-	32	1.3	4-	4-	5-	5-	4-	5-	3	3+	54	48	50	53	46
Mean											13	0.65									22.7	26.1	17.8		22.0
Day	Kn Three-Hourly Indices								An	Ks Three-Hourly Indices								As	Sa	Prov				IMF	
	1	2	3	4	5	6	7	8		1	2	3	4	5	6	7	8			R ₁	R _a	R _s			
1	4-	3	3-	2+	4-	3	2+	3	31	4	3	2-	2-	3-	3-	2-	3-	24	80.5	35	32	25	T	-	
2	2+	3	3-	2+	2-	3	3-	3	24	3-	3	3-	2	1-	3-	3-	3-	20	80.4	25	27	25	AT	-	
3	2+	2	1	2	1+	2	2+	2+	15	3	2	1-	1+	0	1+	3-	2+	13	79.2	27	23	24	T	-	
4	2-	2+	3-	1+	2	1+	2	2	15	2+	3	3	2-	1+	0+	1-	1-	14	79.3	27	21	24	T	-	
5	1+	1+	1+	1+	2-	1+	1+	1+	9	1	1	1-	0	1	0+	0+	0+	4	78.5	20	14	23	T	-	
6	1+	1-	1	0+	0	1	2	1	7	1-	0+	0+	0	0+	0	2	0+	4	77.9	14	13	22	T	-	
7	2-	1	1	1-	1-	0+	1-	2	7	2	0	1-	0	0	0	0	1+	4	79.5	12	14	24	T	-	
8	2	2+	1	1	2-	1+	2-	2	12	2-	2+	1+	1	1+	0	0+	2-	9	78.5	12	19	23	AT	-	
9	1+	1-	0	1-	0+	1+	2+	2+	9	2+	1	0	0+	0	0	1+	1+	6	74.9	17	13	19	T	-	
10	2-	2+	3	2+	2-	2	1+	2-	17	1+	2+	3	2+	1	1	2-	1-	13	72.8	12	10	17	A	-	
11	3	2-	1-	1+	1+	0	1-	1-	9	3+	1+	0+	1	1-	0	0	0	8	68.4	12	9	12	A	-	
12	1	0+	1	2+	3	3	5+	5	37	0	0+	0+	1+	2	3-	4	6-	30	69.7	12	8	13	A	-	
13	5	6-	5-	5-	3	3-	4	4-	68	5	5-	5-	4+	3	2	4+	4-	60	68.9	0	0	12	TA	-	
14	3	3	3+	3+	2+	2	2	2+	26	3-	3-	3+	3	2	2-	1+	1	19	69.3	0	0	13	A	-	
15	3-	3	3+	3	3-	2-	3-	2+	24	2+	3	4-	3-	3-	1+	2	2	22	69.0	0	0	13	A	-	
16	2+	2-	2-	3-	3-	2	3	3-	20	3-	2+	2-	1+	2+	2	3-	3-	18	68.2	0	0	12	A	-	
17	1-	3	3+	3-	3-	3	2	2	22	1	3-	3-	2+	2+	2+	1-	2+	17	67.9	12	0	11	A	-	
18	3-	3-	3-	3-	3	3	3-	4	28	0+	3	2	3-	2-	2+	2+	4+	23	68.6	11	10	12	T	-	
19	3	4	3-	1+	2-	1+	3-	3+	24	3-	4-	2	1-	1+	0+	1+	2+	16	69.1	11	10	13	T	-	
20	3	3+	3	1+	3-	3-	2+	3-	23	3+	3+	3	1	2+	2	2-	3-	23	70.6	10	14	14	T	-	
21	3-	3-	3-	3-	1+	2	1+	3-	19	3	3-	3-	2	1+	2-	1	3	19	70.4	9	8	14	T	-	
22	3	2+	4+	4+	3-	4-	4	3	42	3	3-	5	5-	3-	4-	5-	3	49	72.7	0	0	17	T	-	
23	4	4-	2	4-	3-	2+	3	4-	35	4	4-	2-	4-	2+	1	3-	3+	30	72.9	0	2	17	TA	-	
24	3	2+	2+	2	2-	1+	2-	2-	16	3	2+	2-	1-	1+	0+	1-	2-	12	72.1	0	13	16	T	-	
25	2+	4-	5-	3-	3-	2+	2-	2+	29	3-	3	4	3	3-	2	1+	2	24	72.5	0	11	16	T	-	
26	3	4-	2+	2-	2+	2+	3+	4-	27	4	3	3-	2-	1	1+	2+	4-	25	72.3	8	8	16	T	-	
27	3+	3-	3-	3-	2+	3-	2	2-	25	4-	3	3-	3+	2	3	2+	1+	27	73.1	8	8	17	T	-	
28	2+	2	3-	3	2+	3+	4-	3	27	2+	2-	2	3-	2	3+	3	3+	23	73.1	10	10	17	T	-	
29	3	4-	3+	3	3+	3+	4-	2	34	4-	3+	3+	3-	4-	3-	4-	2+	34	73.1	0	16	17	T	-	
30	3	3-	1-	1	1	3-	3	2	18	3	3	1-	0	0	2-	3-	2	15	73.9	8	8	18	T	-	
31		3+	4	4+	4+	4-	5-	3	3	51	4+	3	5-	5	4	4+	3-	3+	56	74.1	9	11	18	T	-
Mean										24.2								21.3	73.3	10.4	10.7	17.2			

DAILY AVERAGE INDICES Ap


69
Aug 85

DAY	1984 SEP	OCT	NOV	DEC	1985 JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG
1	11	7	27	15	33	15	16	23	10	18	14	18
2	12	10	12	27	17	11	22	16	38	6	3	11
3	12	20	18	22	13	8	14	20	6	4	6	6
4	59	6	18	28	7	3	10	17	10	5	33	6
5	63	7	13	20	6	21	42	7	7	5	16	4
6	12	21	14	22	5	46	24	5	10	25	21	3
7	6	43	20	18	5	20	22	7	8	30	19	4
8	11	24	20	8	19	24	27	15	8	16	16	6
9	12	20	12	6	46	19	4	38	8	22	8	5
10	25	29	18	9	29	24	10	11	4	30	8	7
11	17	28	20	19	20	13	6	11	5	11	10	5
12	13	32	8	17	19	11	7	5	12	10	48	27
13	11	17	10	27	14	11	4	6	11	4	20	41
14	14	15	14	8	9	16	7	10	8	4	16	11
15	10	14	52	24	9	9	14	4	15	5	7	12
16	8	19	112	33	8	7	11	8	11	3	5	9
17	6	3	35	28	9	12	8	5	8	7	20	9
18	3	43	22	15	6	4	11	4	9	4	13	12
19	36	75	21	8	7	7	9	21	9	3	8	12
20	21	63	20	6	6	10	5	53	5	13	8	12
21	10	47	22	13	12	8	5	103	8	7	5	10
22	22	46	14	9	11	7	4	11	5	6	4	28
23	112	27	10	16	36	7	5	12	4	7	13	17
24	52	39	10	4	7	18	6	17	5	5	12	7
25	43	22	10	5	9	12	5	21	8	12	12	18
26	42	14	8	26	6	5	8	30	9	21	16	14
27	25	8	7	17	11	19	10	33	5	13	15	15
28	16	8	6	31	58	60	14	61	5	18	13	13
29	12	7	13	26	24		6	17	4	13	5	17
30	11	7	36	21	17		7	42	3	10	11	10
31		6		24	15		10		7		36	32
MEAN	24	23	21	18	16	15	11	21	9	11	14	13

PLANETARY 3-HOUR-RANGE INDICES (Kp) BY 27-DAY SOLAR ROTATION INTERVAL

University of Göttingen


Kp through August 31, 1985



PLANETARY MAGNETIC THREE-HOUR-RANGE INDICES Kp (after Bartels)

Kp till 1985 August 31
Ks (from Wingst and Göttingen) till Sep 23

▲ = sudden
commencement



PRINCIPAL MAGNETIC STORMS

AUGUST 1985

Sta	Geomag Lat	Commencement		Type	SC Amplitudes			Maximum 3-Hour K Index Day(3-Hour Periods)	Ranges			End	
		Day	Time (UT)		D (Min)	H (Gamma)	Z (Gamma)		D K (Min)	H (Gamma)	Z (Gamma)	Day	Hour (UT)
COL 64.6N	12	0937	SC*	20	112	18	13(3,4)	7	179	1820	1030	14	18
SIT 60.0N	12	0941	SC	- 1	13	0	13(2)	7	--	880	670	14	10
WIT 54.2N	12	1451	SC	- 2	30	0	12(7)	6	29	182	86	13	23
FRD 49.6N	12	1451	SC	..	5	- 1	12(7) 13(1,2)	6	27	164	92	15	--
BJI 28.5N	12	1451	SC	1	30	3	12(7)	6	11	128	29	13	16
HON 21.1N	12	1451	SC	..	16	5	12(7) 13(2,3,4)	5	8	159	27	13	16
JAI 17.3N	12	1450	SC	- 0.2	20	- 2		-	6	107	34	13	23
SHL 14.7N	12	1450	SC	- 0.1	19	3		-	5	106	26	13	23
UJJ 13.5N	12	1450	SC	- 0.1	23	- 4		-	4	102	34	13	23
ABG 09.5N	12	1450	SC	- 0.4	19	- 3	12(7)	6	5	101	41	13	23
HYB 07.6N	12	1451	SC	0	21	- 1	12(7)	6	4	108	29	13	23
GUA 04.0N	12	1251	..	..	..	..	12(8)	5	--	100	20	13	15
ANN 01.5N	12	1450	..	- 0.7	24	12		-	4	115	62	13	23
TRD 01.1S	12	1450	SC	- 0.3	18	23		-	3	151	89	13	23
HER 33.7S	12	14--	..	..	..	..	12(7,8)	6	18	101	111	13	23
CNB 43.9S	12	11--	..	..	..	..	13(2,3)	5	15	135	34	13	15
COL 64.6N	21	22--	..	..	..	..	22(4,6) 23(4)	6	140	1080	520	24	07
HYB 07.6N	21	2200	..	..	..	..	22(3,4)	5	6	72	22	23	13
HER 33.7S	21	22--	..	..	..	..	22(7)	5	19	66	68	23	05
JAI 17.3N	22	0500	..	..	..	..		-	5	69	24	23	02
SHL 14.7N	22	0500	..	..	..	..		-	6	71	19	23	02
UJJ 13.5N	22	0500	..	..	..	..		-	5	67	24	23	02
ABG 09.5N	22	0500	..	..	..	..	22(3,4,7)	5	4	64	29	23	02
ANN 01.5N	22	0500	..	..	..	..		-	4	140	45	23	02
TRD 01.1S	22	0500	..	..	..	..		-	3	104	86	23	02
CNB 43.9S	22	08--	..	..	..	..	22(3,4)	5	15	108	32	23	15
HYB 07.6N	25	0200	..	..	..	..	25 (2,3) 27(6)	4	5	87	23	27	19
GUA 04.0N	25	0407	..	..	..	..	25(3)	5	--	110	10	25	17
COL 64.6N	28	08--	..	..	..	..	29(5)	6	65	830	490	30	06
JAI 17.3N	30	1700	..	..	..	..		-	6	115	36	31	23
SHL 14.7N	30	1700	..	..	..	..		-	6	125	26	31	23
UJJ 13.5N	30	1700	..	..	..	..		-	5	123	37	31	23
ABG 09.5N	30	1700	..	..	..	..	31(3,4,5)	5	5	124	53	31	23
HYB 07.6N	30	1400	..	..	..	..	31(4)	5	5	147	30	31	23
ANN 01.5N	30	1700	..	..	..	..		-	6	201	65	31	23
TRD 01.1S	30	1700	..	..	..	..		-	5	220	77	31	23
GNA 43.3S	30	17--	..	..	..	..	31(6)	5	16	140	100	01	00
CNB 43.9S	30	17--	..	..	..	..	31(3,4)	5	14	131	53	31	21
COL 64.6N	31	05--	..	..	..	..	31(4)	7	231	1580	800	01	01
SIT 60.0N	31	06--	..	..	..	..	31(3)	7	--	--	--	31	20
FRD 49.6N	31	----	..	..	..	..	31(2,3,4)	5	20	109	51	01	--
BJI 28.5N	31	03--	..	..	..	..	31(3)	5	7	142	26	31	19
GUA 04.0N	31	03--	..	..	..	..	31(3)	5	--	160	10	31	20

Stations Reporting:

ABG = ALIBAG
 ANN = ANNAMALAINAGAR
 BJI = BEIJING
 CNB = CANBERRA
 COL = COLLEGE

FRD = FREDERICKSBURG
 GNA = GNANGARA
 GUA = GUAM
 HER = HERMANUS



HON = HONOLULU
 HYB = HYDERABAD
 JAI = JAIPUR
 SHL = SHILLONG

SIT = SITKA
 TRD = TRIVANDRUM
 UJJ = UJJAIN
 WIT = WITTEVEEN

72
Aug 85

TRANSMISSION FREQUENCY RANGES -- NORTH ATLANTIC PATH



AUGUST 1985



TRANSMISSION FREQUENCY RANGES -- NORTH ATLANTIC PATH

73
Aug 85

AUGUST 1985



Field strengths from five frequencies, 6.4, 8.6, 13.0, 17.0 and 22.5 MHz, observed on a Norddeich-New York circuit are represented above. Heavy solid lines represent field strengths ≥ -12 dB above $1 \mu\text{V/m}$ (transmitter power reduced to 1 kW). Observed field strengths between -12 dB above $1 \mu\text{V/m}$ and -40 dB above $1 \mu\text{V/m}$ are represented by the fine line.

RADIO PROPAGATION QUALITY INDICES

AUGUST 1985

Day	Bracknell	Teheran	New York	Tokyo	Johannesburg	Canberra
1	4.0	5.8	4.5	4.2	6.0	5.5
2	3.0	5.2	5.4	5.6	3.2	4.9
3	6.0	6.3	5.8	6.9	7.1	4.9
4	6.7	5.3	6.4	6.7	6.2	5.2
5	8.9	6.9	7.1	7.7	7.5	5.6
6	9.7	6.0	8.0	8.2	6.1	6.2
7	8.1	6.4	8.0	8.5	6.9	6.7
8	5.3	6.6	7.2	7.8	6.4	7.1
9	6.2	7.0	6.9	7.7	5.7	7.1
10	5.9	8.0	5.4	6.9	6.3	7.0
11	2.5	8.5	6.0	7.1	5.5	8.0
12	3.5	7.7	5.7	6.4	5.9	7.6
13	2.5	6.3	2.1	4.0	6.1	6.1
14	6.2	8.0	4.7	5.4	4.9	5.3
15	2.8	7.2	7.1	4.6	5.8	6.0
16	2.9	7.3	6.0	4.0	6.2	5.3
17	7.3	7.0	5.4	3.7	6.7	5.4
18	8.3	6.1	5.7	4.9	7.4	6.3
19	4.8	5.6	6.3	5.6	4.0	5.5
20	2.8	6.3	5.4	4.6	5.4	4.8
21	5.4	5.8	6.3	2.9	6.2	4.5
22	2.4	5.1	6.0	4.0	5.4	4.6
23	7.0	5.3	3.9	4.0	6.6	5.0
24	2.4	5.5	5.3	5.3	6.6	5.6
25	2.9	5.2	5.8	5.0	8.0	5.4
26	3.0	6.6	5.9	6.0	6.3	5.0
27	5.1	5.1	7.5	4.7	5.9	6.1
28	4.1	6.7	5.5	6.0	5.7	5.1
29	4.4	5.5	4.8	6.0	8.7	5.4
30	5.4	5.8	6.1	6.9	6.5	5.0
31	2.8	6.3	2.0	4.5	7.9	4.9
Mean	4.9	6.3	5.7	5.7	6.2	5.7

CALCULATION OF QUALITY INDICES (Q)

From all 24 hourly field strength values and from all frequencies of the same circuit a median field strength value is calculated (FD). This daily value is compared with the average value (FA) of the preceeding 27 days (1 sun rotation).

$$Q = 6.0 + 20 \log(FD/FA)/3.0$$

The quality indices vary from 0.0 to 9.9 where 6.0 is normal. Conditions are "normal" (Index = 6.0), if they correspond to the average of the preceeding 27 days.

SCALE FOR QUALITY INDICES


0.0 - 1.0 = very poor
 1.1 - 3.0 = poor
 3.1 - 5.0 = fair
 5.1 - 7.0 = normal
 7.1 - 9.0 = good
 9.1 - 9.9 = very good

C O N T E N T S

Prompt Reports	LATE DATA	Number 494	Part I
			Page
SOLAR RADIO EMISSION August 1985			
	Nancay 169 MHz Interferometric Chart		76
INFERRED INTERPLANETARY MAGNETIC FIELD POLARITY			
	Vostok (Resolute Bay during summer months) April-October 1985		77
GEOMAGNETIC INDICES			
	Hourly Equatorial Dst July 1985		78
	Sudden Commencements July 1985		79
PRELIMINARY SOLAR PROTON EVENT LIST			
	NOAA Preliminary List 1976-July 1985		80
CALCIUM PLAGE DATA			
	Calcium Plage Regions February 1983.		81-83
	Daily Plage Summaries		84
	Active Region Summary		85

76
Late
Aug 85

SOLAR INTERFEROMETRIC OBSERVATIONS



VOSTOK INFERRED INTERPLANETARY MAGNETIC FIELD
PRELIMINARY DATA

November 1984 - October 1985

	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct
1	A	T	T	A	A	A	AT	T	T	T	TA	TA
2	T	T	T	A	A	A	A	T	T	AT	T	T
3	T	AT	T	A	AT	A	AT	A	A	T	T	A
4	AT	T	T	T	A	A	TA	A	T	T	T	A
5	AT	T	T	AT	A	A	TA	A	T	T	T	A
6	T	A	T	A	A	A	TA	T	T	T	A	A
7	T	T	T	A	A	A	T	TA	TA	T	A	A
8	T	AT	T	AT	AT	A	T	T	T	AT	AT	A
9	T	T	AT	A	T	T	A	TA	T	T	A	T
10	T	A	AT	T	T	T	T	T	TA	A	A	AT
11	T	A	A	AT	T	A	A	TA	A	A	AT	AT
12	T	A	AT	A	T	AT	T	T	AT	A	AT	T
13	T	AT	T	T	T	AT	T	TA	A	TA	A	T
14	T	A	A	A	T	T	T	AT	A	A	A	T
15	A	A	A	T	A	A	T	T	A	A	T	AT
16	A	A	A	T	T	A	T	A	A	A	TA	AT
17	A	AT	T	T	T	A	T	A	A	A	T	T
18	T	T	T	A	A	A	TA	A	A	T	T	T
19	A	A	T	-	T	T	T	A	A	T	A	T
20	T	T	A	T	TA	T	A	A	A	T	A	T
21	A	AT	T	AT	T	T	A	A	A	T	T	T
22	A	T	A	T	T	T	A	AT	TA	T	T	T
23	T	AT	T	T	T	A	A	AT	T	TA	TA	T
24	T	T	T	T	T	AT	A	A	T	T	T	T
25	T	T	T	-	T	A	A	T	T	T	AT	T
26	T	T	T	-	T	A	A	T	TA	T	AT	T
27	AT	-	-	-	T	TA	A	T	T	T	T	T
28	-	-	-	-	A	TA	A	T	T	T	T	-
29	-	-	-	-	-	AT	A	T	T	T	T	-
30	-	-	-	-	-	A	A	T	T	T	T	-
31	-	-	-	-	-	-	T	-	T	T	-	-


78
Late
Jul 85

NASA/GODDARD SPACE FLIGHT CENTER

HOURLY EQUATORIAL DST VALUES (PROVISIONAL)

JULY 1985

DAY	UNIT=NT	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
1	-11	-10	-17	-13	-10	-9	-8	-10	-13	-11	-7	-5	-6	-8	-10	-10	-9	-7	-6	-10	-7	-9	-16	-15	-13
2	-15	-14	-10	-7	-7	-8	-6	-9	-8	-7	-6	-3	-3	-2	-1	0	-1	0	3	0	-5	-8	-8	-6	-4
3	-2	-1	1	1	4	6	5	5	5	3	2	2	0	0	0	3	6	8	10	12	16	15	18	7	-4
4	-10	-10	-11	-1	6	13	19	19	15	22	13	9	16	-1	-14	-9	-9	-18	-28	-33	-30	-37	-60	-23	-23
5	-20	-19	-16	-18	-21	-26	-27	-27	-24	-22	-19	-17	-19	-16	-16	-19	-22	-20	-15	-13	-12	-17	-20	-21	-22
6	-21	-18	-16	-15	-12	-11	-14	-14	-10	-10	-8	-7	-4	-8	-7	-5	-11	-12	-13	-12	-12	-15	-9	-12	-20
7	-27	-34	-29	-31	-25	-22	-24	-24	-25	-23	-18	-17	-24	-24	-20	-21	-24	-24	-21	-17	-14	-18	-20	-19	-14
8	-12	-10	-12	-12	-6	-8	-12	-12	-10	-8	-8	-13	-16	-16	-19	-16	-16	-13	-16	-21	-17	-22	-25	-23	-24
9	-23	-18	-16	-21	-19	-19	-18	-18	-17	-17	-16	-15	-17	-18	-18	-18	-19	-18	-19	-21	-18	-19	-18	-15	-14
10	-16	-14	-13	-13	-7	-6	-9	-9	-10	-12	-13	-11	-10	-13	-15	-14	-12	-2	5	7	3	2	-5	-3	7
11	9	10	12	13	10	4	7	7	2	-3	-1	6	8	7	5	8	12	14	14	10	1	-5	-8	-8	-8
12	-6	-8	-13	-18	-22	-24	-28	-28	-31	-42	-52	-50	-49	-52	-51	-51	-61	-60	-65	-66	-61	-50	-43	-38	-32
13	-26	-23	-16	-16	-8	-4	-6	-6	-6	-7	-13	-24	-32	-27	-24	-27	-34	-36	-41	-40	-36	-38	-43	-41	-41
14	-41	-34	-33	-30	-30	-38	-43	-43	-44	-46	-43	-38	-37	-36	-31	-30	-31	-32	-34	-32	-31	-34	-33	-33	-31
15	-30	-24	-20	-23	-26	-23	-22	-22	-21	-22	-27	-22	-22	-22	-22	-22	-21	-19	-18	-17	-15	-17	-18	-20	-20
16	-19	-19	-21	-20	-15	-12	-14	-14	-15	-14	-13	-13	-14	-14	-13	-14	-16	-17	-18	-16	-12	-14	-7	-4	3
17	6	-1	-7	-9	-3	-1	-1	-1	0	-11	-11	-8	-5	-13	-10	-12	-13	-20	-15	-20	-24	-25	-20	-19	-20
18	-17	-12	-11	-10	-8	-8	-16	-16	-16	-11	-6	-8	-11	-8	-12	-12	-13	-8	-6	-5	-1	-10	-19	-15	-15
19	-11	-8	-11	-10	-10	-11	-11	-11	-7	-6	-2	-1	-3	-6	-7	-9	-11	-10	-10	-6	-7	-10	-11	-8	-4
20	-7	-6	-8	-9	-10	-11	-11	-11	-6	-4	-2	1	3	5	2	-2	-11	-12	-10	-4	1	0	-5	-7	-4
21	-5	-6	-9	-13	-12	-9	-10	-10	-8	-11	-13	-10	-7	-10	-10	-10	-11	-9	-5	-3	-3	-7	-9	-8	-6
22	-4	-2	1	1	4	6	7	7	6	4	7	6	6	8	9	11	11	13	10	9	8	21	28	28	19
23	13	15	20	19	0	-10	-5	-5	-4	1	3	-1	1	-2	-10	-14	-15	-14	-15	-16	-11	-14	-10	-9	-6
24	5	1	-7	-10	-2	-4	-9	-9	-11	-11	-6	-7	-7	-8	-7	-3	-2	-9	-7	-9	-10	-5	-5	-3	-2
25	-1	-1	0	2	0	-8	-9	-9	-6	-3	-6	-11	-9	-7	-4	-4	-6	-5	-3	-1	4	3	0	-5	-2
26	-1	-2	-4	-11	-9	-8	-17	-17	-22	-12	-10	-8	-17	-17	-14	-12	-13	-16	-19	-22	-20	-20	-18	-14	-9
27	-7	-5	-5	-5	-9	-10	-9	-9	-6	-4	-7	-7	-7	-8	-9	-7	-9	-7	-1	0	-6	-14	-7	-6	-5
28	-5	-6	-8	-4	-2	-3	-4	-4	-6	-5	-5	-7	-6	-4	-6	-5	-3	-3	-5	-2	0	-3	-8	-12	-13
29	-10	-6	2	5	9	2	-2	-2	0	3	3	0	-6	-4	-14	-17	-10	-4	-5	-7	-8	-10	-10	-6	-1
30	-4	-10	-11	-3	3	4	-6	-6	-16	-27	-24	-34	-33	-33	-34	-34	-49	-52	-40	-44	-47	-51	-49	-53	-56



MAGNETIC STORM SUDDEN COMMENCEMENTS AND SOLAR FLARE EFFECTS
(PRELIMINARY REPORT ON RAPID MAGNETIC VARIATIONS)

79
Late
Jul 85

JULY 1985

Storm Sudden Commencements (ssc)			Solar Flare Effects (sfe)		
Day	Time	Quality: Station Group*	Day	Begin-End	Station(s)
04	0401	A: COI QUE; C: WIT NGK EBR LNP CZT KGL			none
22	1948	A: QUE; B: MPO; C: CLF GCK SPT LNP			

Reporting Observatories:

SOD DOB NUR WNG WIT NGK HAD BDV CLF GCK MMB EBR COI SPT
FRD KAK HTY KNY QUE LNP LUA MPO GNA CAO AMS CZT KGL

*Three-letter codes identify each observatory.

80
Late
1976-1985

NOAA SPACE ENVIRONMENT SERVICES CENTER
SOLAR PROTON EVENTS AFFECTING THE EARTH ENVIRONMENT
Preliminary Listing

1976 - JULY 1985

Start				PARTICLE EVENT				ASSOCIATED FLARE AND ACTIVE REGION				
Yr	Mo	Day	Time	Maximum Day Time	Satellite Proton Flux*	Riometer Absorption	Day	Max Time	Importance X-Ray	Opt	Disk Location	NOAA/USAF Region
76	04	30	2120	01 1700	12	0.0 dB	30	2114	X 2	2B	S09 W47	0700
77	09	19	1430	19 2130	200	4.5	19	1054	X 2	3B	N08 W58	0889
77	11	22	1400	22 1800	160	0.7	22	1006	X 1	2N	N24 W38	0939
78	02	13	0930	14 1000	850	6.3	13	0255	M 7	SB	N22 W13	1001
78	04	11	1530	11 1630	0	3.2	11	1353	X 2	2B	N19 W54	1057
78	04	29	0445	30 2000	1000	9.8	28	1306	X 5	4B	N22 E41	1092
78	05	07	0420	07 0420	100	0.0	07	0330	X 2	2B	N22 W64	1095
78	06	02	0730	02 0935	19	1.8	31	1009	M 5	2B	N23 W50	1129
78	06	24	0900	25 0230	25	1.2	22	1709	M 2	3B	N19 E18	1164
78	07	13	0300	13 1000	20	0.0	---	---	---	---	---	---
78	09	10	1035	24 0400	2200	9.6	23	0941	X 1	3B	N35 W50	1294
78	11	10	2130	10 2140	38	0.0	10	0042	M 1	2N	N17 E02	1385
79	02	17	2020	17 2205	31	0.0	16	0200	X 2	2B	N15 E48	1574
79	04	03	1600	03 2310	45	2.6	---	---	---	---	---	---
79	06	06	1850	07 0005	950	5.9	04	0409	X 1	2B	N20 E34	1781
79	07	07	0015	07 1010	50	0.0	---	---	---	---	---	---
79	08	19	0850	20 0830	450	4.4	18	1343	X 1	---	S08 E90	---
79	08	19	0850	20 1700	410	0.0	18	1343	X 1	---	S08 E90	---
79	08	19	0850	21 0740	500	0.0	18	1343	X 1	---	S08 E90	---
79	09	15	1500	16 1200	60	0.0	14	0802	X 2	---	N10 E90	1994
79	11	16	0430	16 1300	75	3.0	15	1639	M 1	SB	N34 W25	2110
80	02	06	1340	06 1850	12	1.0	---	---	---	---	---	---
80	07	17	2300	18 1930	100	2.0	17	0603	M 3	1B	S12 E06	2562
81	03	30	0900	30 2115	30	0.0	30	0049	M 3	2N	N13 W74	2993
81	04	10	1745	11 0000	50	1.8	10	1655	X 2	3B	N09 W40	3025
81	04	24	1515	24 2330	160	2.3	24	1400	X 5	2B	N18 W50	3049
81	05	09	1200	10 2130	150	0.0	08	2252	M 7	2B	N09 E37	3099
81	05	15	0300	16 1950	130	3.7	13	0425	X 1	3B	N11 E58	3106
81	07	20	1430	20 1825	100	2.5	20	1329	M 5	1B	S26 W75	3204
81	07	25	0600	25 1320	18	0.0	---	---	---	---	---	---
81	08	10	0115	10 0435	57	0.0	07	1916	M 4	2B	S10 E24	3275
81	10	08	1235	11 0600	83	1.7	07	2308	X 3	1B	S19 E88	3390
81	10	12	1235	13 2247	2000	6.3	12	0636	X 3	3B	S16 E20	3390
81	12	10	0545	11 0900	65	0.0	09	1854	M 5	3B	N12 W16	3496
82	01	31	0055	31 1630	830	2.2	30	2358	X 1	3B	S13 E19	3576
82	06	06	0245	06 0245	10	0.0	06	1637	X12	3B	S11 E26	3763
82	06	09	0040	09 0510	30	0.0	06	1637	X12	3B	S11 E26	3763
82	07	11	0700	13 1615	2900	12.5	09	0742	X 9	3B	N17 E73	3804
82	07	22	2030	23 0220	240	3.0	22	1734	M 4	SF	N29 W86	3804
82	09	05	2205	06 0100	66	1.0	05	0845	M 4	3N	N11 E30	3886
82	11	22	1940	22 2140	40	0.0	22	1828	M 7	1N	N11 W43	3994
82	11	26	0605	26 1500	25	3.0	11	0253	X 4	2B	S11 W87	3994
82	12	08	0010	08 1000	1000	0.0	12	2354	X 2	SB	S14 W81	4007
82	12	17	1845	18 0945	130	3.7	15	0202	X12	2B	S10 E24	4026
82	12	19	1920	20 0515	85	3.0	19	1624	M 9	2B	N10 W75	4022
82	12	27	0600	27 1345	190	4.6	25	0752	X 2	1B	S14 E31	4033
83	02	03	1200	04 1620	340	3.9	02	0619	X 4	3B	S19 W08	4077
83	06	15	0435	15 1800	18	0.0	12	---	---	---	S09 W90	4201
84	02	16	0915	16 1005	660	0.8	16	---	---	---	S12 W95	4408
84	02	19	1310	21 1415	55	0.5	19	2301	X 2	2B	N16 E82	4421
84	03	13	1440	13 1450	10	0.0	Minor Geomagnetic Activity					
84	03	14	0405	14 0505	100	0.0	14	0334	M 2	2B	S12 W42	4433
84	04	25	1330	26 1420	2500	17.0	24	0005	X13	3B	S12 E43	4474
84	05	24	1045	24 1140	31	0.0	24	1503	M 6	2B	S09 E24	4492
84	05	31	1315	31 1415	15	0.0	31	1142	M 1	---	S09 W90	4492
85	01	22	0415	31 0550	14	0.0	21	2350	X 4	2B	S08 W38	4617
85	04	25	1430	26 0600	160	1.1	24	0935	X 1	3B	N06 E27	4647
85	07	09	0235	09 0325	140	0.0	09	0204	M 2	1B	S16 W36	4671

*Particle flux (particles/cm2-s-ster) measured at >10 MeV at GOES geosynchronous satellite.

CALCIUM PLAGE REGIONS
(ORDERED BY CENTRAL MERIDIAN PASSAGE DATE)

81
Late
Feb 83

FEBRUARY 1983

Calcium Plage Region	Sta	Observation Time		Lat	CMD	CMP		Intensity	Corrected Area (10-6 Heml)	NOAA/USAF #1	Sunspot #2	Groups #3
18752	BIGB	01	28	1715	S15 E58	02	2.1	3.0	2000	4075		
18752	BIGB	01	29	1920	S15 E44	02	2.1	3.5	1900	4075		
18752	BIGB	01	31	2054	S13 E13	02	1.8	3.5	0734	4075		
18752	BIGB	02	01	2028	S13 E01	02	1.9	3.5	0705	4075		
18752	BIGB	02	04	1818	S14 W34	02	2.2	3.0	0717	4075		
18753	BIGB	01	29	1920	S10 E54	02	2.9	3.0	0900	4077		
18753	BIGB	01	31	2054	S10 E23	02	2.6	3.5	0851	4077		
18753	BIGB	02	01	2028	S18 E11	02	2.7	3.5	0938	4077		
18753	BIGB	02	04	1818	S17 W25	02	2.9	3.5	1255	4077		
18753	BIGB	02	08	2007	S18 W73	02	3.3	3.0	1108	4077		
18753	BIGB	02	09	1910	S18 W86	02	3.2	2.5	0700	4077		
18754	BIGB	01	28	1715	S14 E75	02	3.4	2.0	1000	4077A		
18754	BIGB	01	29	1920	S15 E62	02	3.5	2.5	1800	4077A		
18754	BIGB	01	31	2054	S14 E31	02	3.2	2.5	0835	4077A		
18754	BIGB	02	01	2028	S13 E19	02	3.3	2.0	0770	4077A		
18754	BIGB	02	04	1818	S13 W17	02	3.5	2.0	0961	4077A		
18754	BIGB	02	08	2007	S13 W68	02	3.7	1.0	0863	4077A		
18754	BIGB	02	09	1910	S14 W80	02	3.7	1.0	0900	4077A		
18755	BIGB	01	31	2054	N20 E55	02	5.1	2.0	0434	4080		
18755	BIGB	02	01	2028	N20 E40	02	4.9	1.0	0426	4080		
18755	BIGB	02	04	1818	N20 E02	02	4.9	1.0	0195	4080		
18757	BIGB	01	31	2054	S13 E70	02	6.1	2.0	2204	4082		
18757	BIGB	02	01	2028	S14 E55	02	6.0	2.0	1197	4082		
18757	BIGB	02	04	1818	S06 E11	02	5.6	2.0	0407	4082		
18757	BIGB	02	08	2007	S09 W42	02	5.7	2.0	0600	4082		
18757	BIGB	02	09	1910	S09 W58	02	5.4	2.0	0550	4082		
18757	BIGB	02	10	1917	S07 W73	02	5.3	2.0	0600	4082		
18757	BIGB	02	11	1923	S16 W85	02	5.4	1.0	0300	4082		
18759	BIGB	02	04	1818	S16 E16	02	6.0	2.0	1907	4079		
18759	BIGB	02	08	2007	S18 W32	02	6.4	3.5	2151	4079		
18759	BIGB	02	09	1910	S13 W41	02	6.7	3.5	2600	4079		
18759	BIGB	02	10	1917	S14 W53	02	6.8	3.5	2200	4079		
18759	BIGB	02	11	1923	S19 W70	02	6.5	2.5	2371	4079		
18759	BIGB	02	12	1915	S14 W80	02	6.7	2.5	1400	4079		
18756	BIGB	01	31	2054	N17 E73	02	6.4	2.0	1786			
18756	BIGB	02	01	2028	N16 E57	02	6.2	2.0	1820			
18756	BIGB	02	04	1818	N18 E23	02	6.5	2.0	1613			
18756	BIGB	02	08	2007	N17 W30	02	6.5	2.0	1434			
18756	BIGB	02	09	1910	N19 W44	02	6.4	2.0	1500			
18756	BIGB	02	10	1917	N19 W59	02	6.3	2.0	1600			
18756	BIGB	02	11	1923	N17 W71	02	6.4	1.5	0551			
18758	BIGB	02	01	2028	S13 E69	02	7.0	1.5	1263	4084		
18758	BIGB	02	04	1818	S11 E32	02	7.2	3.5	0961	4084		
18758	BIGB	02	08	2007	S14 W25	02	6.9	2.0	0635	4084		
18758	BIGB	02	09	1910	S20 W50	02	6.0	3.0	0600	4084		
18758	BIGB	02	10	1917	S20 W60	02	6.2	3.0	0600	4084		
18758	BIGB	02	11	1923	S15 W67	02	6.7	2.5	0734	4084		
18758	BIGB	02	12	1915	S22 W85	02	6.3	2.0	0400	4084		
18761	BIGB	02	08	2007	S08 W19	02	7.4	2.0	0521	4081		
18761	BIGB	02	09	1910	S07 W35	02	7.2	2.5	0650	4081		
18761	BIGB	02	10	1917	S08 W48	02	7.2	2.0	0700	4081		
18761	BIGB	02	11	1923	S08 W52	02	7.9	2.0	0835	4081		
18761	BIGB	02	12	1915	S08 W70	02	7.5	2.0	0700	4081		
18761	BIGB	02	13	1822	S08 W85	02	7.4	2.0	0400	4081		
18760	BIGB	02	04	1818	N10 E53	02	8.7	2.0	0554	4081C		
18760	BIGB	02	08	2007	N10 W00	02	8.8	1.5	0488	4081C		
18760	BIGB	02	09	1910	N12 W13	02	8.8	1.5	0500	4081C		
18760	BIGB	02	10	1917	N12 W26	02	8.8	1.0	0500	4081C		
18760	BIGB	02	11	1923	N11 W37	02	9.0	1.5	0267	4081C		
18760	BIGB	02	12	1915	N12 W55	02	8.6	1.5	0450	4081C		
18760	BIGB	02	13	1822	N12 W70	02	8.5	1.5	0400	4081C		
18769	BIGB	02	15	1945	N15 W42	02	12.6	1.5	0049	4089		

82
Late
Feb 83

CALCIUM PLAGE REGIONS
(ORDERED BY CENTRAL MERIDIAN PASSAGE DATE)

FEBRUARY 1983

Calcium Plage Region	Sta	Observation Time		Lat	CMD	CMP Mo Day	Intensity	Corrected Area (10-6 Heml)	NOAA/USAF #1	Sunspot #2	Groups #3
18769	BIGB	02	16	1936	N15 W54	02 12.7	2.0	0099	4089		
18762	BIGB	02	08	2007	S17 E64	02 13.7	1.0	0200	4083		
18762	BIGB	02	09	1910	S16 E50	02 13.6	1.5	0425	4083		
18762	BIGB	02	10	1917	S17 E39	02 13.8	1.5	0450	4083		
18762	BIGB	02	11	1923	S15 E21	02 13.4	1.0	0116	4083		
18762	BIGB	02	12	1915	S15 E12	02 13.7	1.0	0225	4083		
18762	BIGB	02	13	1822	S16 W00	02 13.8	1.0	0100	4083		
18762	BIGB	02	14	1855	S13 W12	02 13.9	1.0	0083	4083		
18762	BIGB	02	15	1945	S13 W25	02 13.9	1.0	0099	4083		
18763	BIGB	02	09	1910	N08 E55	02 13.9	1.5	0450			
18763	BIGB	02	10	1917	N10 E42	02 13.9	1.5	0500			
18763	BIGB	02	11	1923	N08 E28	02 13.9	1.5	0216			
18763	BIGB	02	12	1915	N10 E17	02 14.1	1.0	0400			
18763	BIGB	02	13	1822	N10 E03	02 14.0	1.0	0400			
18763	BIGB	02	14	1855	N09 W10	02 14.0	1.5	0315			
18763	BIGB	02	15	1945	N09 W24	02 14.0	1.5	0282			
18763	BIGB	02	16	1936	N10 W31	02 14.5	1.5	0199			
18763	BIGB	02	17	1943	N10 W47	02 14.3	1.0	0290			
18763	BIGB	02	18	1748	N10 W55	02 14.6	1.0	0313			
18763	BIGB	02	19	1700	N13 W70	02 14.4	1.0	0138			
18764	BIGB	02	09	1910	N02 E66	02 14.7	3.0	0675	4086		
18764	BIGB	02	10	1917	N02 E56	02 15.0	3.0	0650	4086		
18764	BIGB	02	11	1923	N00 E43	02 15.0	2.5	0317	4086		
18764	BIGB	02	12	1915	N02 E31	02 15.1	2.0	0600	4086		
18764	BIGB	02	13	1822	N02 E18	02 15.1	2.0	0700	4086		
18764	BIGB	02	14	1855	N00 E02	02 14.9	2.5	0431	4086		
18764	BIGB	02	15	1945	N00 W11	02 15.0	2.5	0415	4086		
18764	BIGB	02	16	1936	N01 W21	02 15.2	2.5	0498	4086		
18764	BIGB	02	17	1943	N02 W35	02 15.2	2.5	0718	4086		
18764	BIGB	02	18	1748	N01 W47	02 15.2	2.0	0693	4086		
18764	BIGB	02	19	1700	N02 W60	02 15.2	2.0	0553	4086		
18764	BIGB	02	20	2100	N02 W77	02 15.1	1.0	0600	4086		
18765	BIGB	02	09	1910	S13 E74	02 15.4	2.5	2000	4086A		
18765	BIGB	02	10	1917	S13 E65	02 15.7	3.0	2000	4086A		
18765	BIGB	02	11	1923	S14 E52	02 15.7	3.0	1503	4086A		
18765	BIGB	02	12	1915	S14 E40	02 15.8	3.0	1850	4086A		
18765	BIGB	02	13	1822	S14 E25	02 15.6	2.5	1900	4086A		
18765	BIGB	02	14	1855	S14 E13	02 15.8	2.5	1394	4086A		
18765	BIGB	02	15	1945	S14 W00	02 15.8	2.5	1361	4086A		
18765	BIGB	02	16	1936	S14 W12	02 15.9	2.5	1211	4086A		
18765	BIGB	02	17	1943	S15 W25	02 15.9	2.5	1350	4086A		
18765	BIGB	02	18	1748	S14 W35	02 16.1	2.5	1254	4086A		
18765	BIGB	02	19	1700	S14 W50	02 15.9	2.5	1003	4086A		
18765	BIGB	02	20	2100	S15 W64	02 16.0	2.0	1000	4086A		
18765	BIGB	02	22	1948	S17 W87	02 16.2	1.0	0300	4086A		
18766	BIGB	02	09	1910	N14 E70	02 15.1	1.0	0900			
18766	BIGB	02	10	1917	N17 E64	02 15.7	1.0	1000			
18766	BIGB	02	11	1923	N12 E50	02 15.6	2.0	1300			
18766	BIGB	02	12	1915	N14 E38	02 15.7	2.5	1600			
18766	BIGB	02	13	1822	N15 E27	02 15.8	2.5	1700			
18766	BIGB	02	14	1855	N12 E09	02 15.5	2.5	0996			
18766	BIGB	02	15	1945	N13 E04	02 16.1	2.0	0962			
18766	BIGB	02	16	1936	N14 W11	02 16.0	2.5	0896			
18766	BIGB	02	17	1943	N14 W24	02 16.0	2.0	1094			
18766	BIGB	02	18	1748	N15 W32	02 16.3	2.0	0973			
18766	BIGB	02	19	1700	N18 W44	02 16.3	2.0	0900			
18766	BIGB	02	20	2100	N15 W60	02 16.3	1.5	0900			
18766	BIGB	02	22	1948	N16 W74	02 17.2	1.0	0250			
18774	BIGB	02	19	1700	S15 W28	02 17.6	2.0	0173			
18774	BIGB	02	20	2100	S16 W43	02 17.6	2.0	0150			
18774	BIGB	02	21	1814	S16 W54	02 17.7	2.0	0082			
18774	BIGB	02	22	1948	S16 W68	02 17.7	1.5	0033			
18767	BIGB	02	12	1915	S18 E80	02 18.9	1.0	0750			
18767	BIGB	02	13	1822	S19 E70	02 19.1	3.0	1300			

CALCIUM PLAGE REGIONS
(ORDERED BY CENTRAL MERIDIAN PASSAGE DATE)

83
Late
Feb 83

FEBRUARY 1983

Calcium Plage Region	Sta	Mo	Day	Time (UT)	Lat CMD	CMP Mo Day	Intensity	Corrected Area (10-6 Heml)	NOAA/USAF #1	Sunspot #2	Groups #3
18767	BIGB	02	14	1855	S20 E57	02 19.1	2.5	0780			
18767	BIGB	02	15	1945	S20 E45	02 19.3	2.0	0614			
18767	BIGB	02	16	1936	S18 E32	02 19.2	1.5	0880			
18767	BIGB	02	17	1943	S19 E20	02 19.3	1.5	0786			
18767	BIGB	02	18	1748	S18 E09	02 19.4	2.0	0860			
18767	BIGB	02	19	1700	S19 W03	02 19.5	2.5	1000			
18767	BIGB	02	20	2100	S16 W25	02 19.0	2.0	1100			
18767	BIGB	02	21	1814	S19 W27	02 19.7	2.0	0957			
18767	BIGB	02	22	1948	S18 W40	02 19.8	2.0	0680			
18768	BIGB	02	14	1855	S19 E65	02 19.7	2.0	0199	4090		
18768	BIGB	02	15	1945	S19 E53	02 19.9	2.5	0215	4090		
18768	BIGB	02	16	1936	S18 E40	02 19.9	1.5	0265	4090		
18768	BIGB	02	17	1943	S18 E28	02 19.9	2.5	0290	4090		
18768	BIGB	02	18	1748	S17 E16	02 19.9	2.5	0313	4090		
18768	BIGB	02	19	1700	S17 E04	02 20.0	2.5	0259	4090		
18768	BIGB	02	20	2100	S16 W10	02 20.1	2.5	0350	4090		
18768	BIGB	02	21	1814	S17 W20	02 20.2	2.5	0396	4090		
18768	BIGB	02	22	1948	S18 W33	02 20.3	2.5	0282	4090		
18771	BIGB	02	16	1936	S10 E58	02 21.2	2.5	0182			
18771	BIGB	02	17	1943	S11 E47	02 21.3	1.0	0171			
18771	BIGB	02	18	1748	S10 E35	02 21.4	1.5	0165			
18771	BIGB	02	19	1700	S11 E25	02 21.6	1.5	0086			
18771	BIGB	02	20	2100	S11 E10	02 21.6	2.0	0150			
18771	BIGB	02	21	1814	S11 W00	02 21.7	1.5	0115			
18771	BIGB	02	22	1948	S10 W15	02 21.7	2.0	0315			
18770	BIGB	02	17	1943	N20 E56	02 22.1	1.0	0102			
18770	BIGB	02	18	1748	N20 E41	02 21.9	1.0	0115			
18776	BIGB	02	20	2100	S05 E23	02 22.6	2.0	0075			
18772	BIGB	02	16	1936	S12 E71	02 22.2	2.5	0946	4091		
18772	BIGB	02	17	1943	S15 E64	02 22.7	1.5	0786	4091		
18772	BIGB	02	18	1748	S14 E52	02 22.7	2.0	0792	4091		
18772	BIGB	02	19	1700	S14 E42	02 22.9	2.0	0553	4091		
18772	BIGB	02	20	2100	S14 E26	02 22.8	2.0	0560	4091		
18772	BIGB	02	21	1814	S13 E15	02 22.9	2.5	0643	4091		
18772	BIGB	02	22	1948	S14 E01	02 22.9	2.5	0581	4091		
18777	BIGB	02	20	2100	S11 E35	02 23.5	2.0	0120	4095		
18777	BIGB	02	21	1814	S11 E21	02 23.3	2.0	0231	4095		
18777	BIGB	02	22	1948	S10 E08	02 23.4	2.0	0116	4095		
18773	BIGB	02	17	1943	S12 E76	02 23.5	1.0	0085	4100	4092	
18773	BIGB	02	18	1748	S12 E69	02 23.9	2.0	0478	4100	4092	
18773	BIGB	02	19	1700	S10 E59	02 24.1	2.0	0553	4100	4092	
18773	BIGB	02	20	2100	S09 E45	02 24.2	2.5	0550	4100	4092	
18773	BIGB	02	21	1814	S10 E31	02 24.1	2.0	0692	4100	4092	
18773	BIGB	02	22	1948	S10 E17	02 24.1	2.5	0531	4100	4092	
18775	BIGB	02	19	1700	N04 E61	02 24.3	1.5	0605			
18775	BIGB	02	20	2100	N06 E50	02 24.6	2.0	0750			
18775	BIGB	02	21	1814	N04 E34	02 24.3	2.0	0544			
18775	BIGB	02	22	1948	N04 E19	02 24.2	2.0	0514			
18779	BIGB	02	20	2100	N14 E69	02 26.1	3.0	0450	4094		
18779	BIGB	02	22	1948	N12 E39	02 25.8	2.5	0348	4094		
18780	BIGB	02	20	2100	N07 E80	02 26.9	1.0	0300			
18780	BIGB	02	21	1814	N05 E61	02 26.3	2.0	0526			
18780	BIGB	02	22	1948	N04 E45	02 26.2	2.0	0315			
18778	BIGB	02	20	2100	N17 E70	02 26.2	1.5	0150	4101		
18778	BIGB	02	21	1814	N16 E63	02 26.5	2.5	0495	4101		
18778	BIGB	02	22	1948	N16 E49	02 26.5	2.5	0531	4101		
18781	BIGB	02	21	1814	S20 E72	02 27.3	1.5	1500	4101A		
18781	BIGB	02	22	1948	S20 E60	02 27.4	2.5	1411	4101A		


84
Late
Feb 83

DAILY PLAGE SUMMARIES

FEBRUARY 1983

Day	Sta	Plage Index	Plage Count	Smallest Plage (Millionths of Solar Hemisphere)	Largest Plage of Solar Hemisphere	Total Area	Smallest Intensity	Largest Intensity
01	BIGB	25.9	11	426	3050	14563	1.0	3.5
02	No Observations This Day							
03	No Observations This Day							
04	BIGB	23.6	11	195	2689	12122	1.0	3.5
05	No Observations This Day							
06	No Observations This Day							
07	No Observations This Day							
08	BIGB	13.2	9	200	2151	8000	1.0	3.5
09	BIGB	15.4	13	425	2600	12450	1.0	3.5
10	BIGB	13.1	11	450	2200	10800	1.0	3.5
11	BIGB	9.1	11	116	2371	8510	1.0	3.0
12	BIGB	10.1	10	225	1850	8375	1.0	3.0
13	BIGB	11.0	8	100	1900	6900	1.0	3.0
14	BIGB	8.4	7	83	1394	4198	1.0	2.5
15	BIGB	7.8	8	49	1361	3997	1.0	2.5
16	BIGB	8.8	9	99	1211	5176	1.5	2.5
17	BIGB	8.8	10	85	1350	5672	1.0	2.5
18	BIGB	9.0	10	115	1254	5956	1.0	2.5
19	BIGB	8.4	11	86	1003	5823	1.0	2.5
20	BIGB	8.5	15	75	1100	7205	1.0	3.0
21	BIGB	8.6	12	82	1500	6412	1.5	2.5
22	BIGB	10.0	15	33	1992	8199	1.0	3.0
23	No Observations This Day							
24	No Observations This Day							
25	No Observations This Day							
26	No Observations This Day							
27	No Observations This Day							
28	No Observations This Day							

DAILY PLAGE AREAS FOR FEBRUARY 1983




BIG BEAR SOLAR OBSERVATORY
ACTIVE REGION SUMMARY

85
Late
Feb 83

FEBRUARY 1983

REGION	IDENTIFICATION	AGE	FIRST SEEN	DURATION
18751	18713	2	821225	>11 days
752	New	1	830126	>12
753	New (vic. of 18714)	1	830129	11
754	18718	4	830128	13
755	New	1	830131	>05
757	18727	3	830131	>12
759	New	1	830204	>09
756	18724	3	830131	12
758	New (vic. of 18728)	1	830201	12
761	New	1	830208	>06
760	New	1	830204	>10
769	New	1	830215	02
762	18734	2	830208	08
763	18736	2	830209	11
764	18737	3	830209	>11
765	18739	3	830209	13
766	18738	3	830209	13
774	New	1	830219	>03
767	18743 & 18744	4	830212	>12
768	New	1	830214	12
770	New	1	830217	04
771	18746	4	830216	12
772	New (vic. of 18745)	1	830216	13
777	New	1	830220	>04
773	18749	2	830217	>12
775	18748	2	830219	>10
779	New (vic. of 18750)	1	830220	>09
778	New (vic. of 18750)	1	830220	>09
780	18750	4	830220	>09
781	18751	3	820221	>08
782	18752	2	830222	>07


1. No CaK Observations at BBSO on Feb. 2, 3, 5-7, 9, 12, 13, 20, 23-29.
2. No CaK Prints on Feb. 2, 3, 5-7, 18, 23-29.
3. No KPNO Magnetograms on Feb. 2-8, 16, 18, 24, 29.
4. Contiguous Plages: 18751/18752
18767/18768
5. Mount Wilson CaK Prints were used on Feb. 9, 12, 13, 19-22.



WORLD DATA CENTER A

FOR

SOLAR-TERRESTRIAL PHYSICS



The ICSU Panel on WDCs has recommended that it would be appropriate courtesy to acknowledge in publications that data were obtained from the originating station or investigator through the intermediary of the WDCs. The following statement is suggested:

"Data used in this study were provided by WDC-A for Solar-Terrestrial Physics, NOAA E/GC2, 325 Broadway, Boulder Colorado 80303, USA."